R3850-1.1 U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

# Length of Stay by Diagnosis, United States, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

# LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

## PROJECT STAFF
## 1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

# CONTENTS

**Preface** . . . . . . . . . . iii
**Discussion of the Data** . . . . . . . . . . 1
  Source of the Data. . . . . . . . . . 1
  Data Quality. . . . . . . . . . 2
  Coverage . . . . . . . . . . 3
  Organization of Length of Stay Tables. . . . . . . . . . 5
    Definition of Multiple Diagnosis Patients . . . . . . . . . . 5
    Definition of Operated Patients . . . . . . . . . . 5
  Explanation of Statistics. . . . . . . . . . 6
  Defining the Extended Stay Case . . . . . . . . . . 7
**Length of Stay Tables** . . . . . . . . . . 17
  Summary of All Patients. . . . . . . . . . 18
  Summary of All Patients Except Newborn . . . . . . . . . . 19
  Diagnosis Groups 1-398 . . . . . . . . . . 20
**Appendix:** ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** . . . . . . . . . . 219
**Index to Length of Stay Tables** . . . . . . . . . . 223

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
### January-December 1985

| | Short-Term Nonfederal Hospitals | | | Short-Term Nonfederal Hospital Beds | | |
|---|---|---|---|---|---|---|
| | U.S. Total[2] | Number in Books | Percent in Books | U.S. Total[2] | Number in Books | Percent in Books |
| **Hospital Category** | | | | | | |
| **Bedsize** | | | | | | |
| 6-24 | 332 | 44 | 13.3 | 6,138 | 880 | 14.3 |
| 25-49 | 1,161 | 226 | 19.5 | 42,908 | 8,735 | 20.3 |
| 50-99 | 1,283 | 383 | 29.9 | 92,066 | 27,587 | 30.0 |
| 100-199 | 1,221 | 393 | 32.2 | 172,860 | 56,242 | 32.5 |
| 200-299 | 703 | 232 | 33.0 | 170,564 | 57,368 | 33.6 |
| 300-399 | 415 | 142 | 34.2 | 141,454 | 48,545 | 34.3 |
| 400-499 | 265 | 90 | 34.0 | 117,253 | 39,787 | 33.9 |
| 500+ | 307 | 73 | 23.8 | 212,299 | 47,783 | 22.5 |
| Total | 5,687 | 1,583 | 27.8 | 955,542 | 286,927 | 30.0 |
| **Region and Census Division** | | | | | | |
| **Northeast** | 814 | 342 | 42.0 | 205,568 | 67,158 | 32.7 |
| New England | 241 | 131 | 54.4 | 48,426 | 20,234 | 41.8 |
| Middle Atlantic | 573 | 211 | 36.8 | 157,142 | 46,924 | 29.9 |
| **North Central** | 1,673 | 515 | 30.8 | 267,603 | 105,699 | 39.5 |
| East North Central | 880 | 418 | 47.5 | 182,843 | 90,510 | 49.5 |
| West North Central | 793 | 97 | 12.2 | 84,760 | 15,189 | 17.9 |
| **South** | 2,139 | 366 | 17.1 | 338,647 | 61,836 | 18.3 |
| South Atlantic | 810 | 186 | 23.0 | 158,360 | 34,351 | 21.7 |
| East South Central | 496 | 89 | 17.9 | 71,653 | 13,196 | 18.4 |
| West South Central | 833 | 91 | 10.9 | 108,634 | 14,289 | 13.2 |
| **West** | 1,061 | 360 | 33.9 | 143,724 | 52,234 | 36.3 |
| Mountain | 370 | 153 | 41.4 | 40,264 | 19,940 | 49.5 |
| Pacific | 691 | 207 | 30.0 | 103,460 | 32,294 | 31.2 |
| Total | 5,687 | 1,583 | 27.8 | 955,542 | 286,927 | 30.0 |

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

### Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

## Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate [illegible] the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

   a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

   b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

| 1<br>ADMITTING DIAGNOSIS | 2<br>Suggested Admission Category | 3<br>Your Hospital's Admission Category | 4<br>Length of Stay Group |
|---|---|---|---|
| Cervix, cervical | | | |
| chronic erosion and ulceration | 2 | | 252 |
| stricture of os | 2 | | 252 |
| Chest pain | 3 | | 335 |
| Criteria for admission | | | |
| 1. *Suspicion of life threatening disease, e.g.* | | | |
| *a. acute myocardial infarction* | | | |
| *b. dissecting aortic aneurysm* | | | |
| *c. acute pericarditis* | | | |
| 2. *Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)* | | | |
| 3. | | | |
| 4. | | | |
| Choking sensation | 4 | | 340 |
| Cholangitis, acute | | | |
| with calculus | 1 | | 217 |
| without mention of calculus | 1 | | 218 |
| Cholecystitis | | | |
| acute | | | |
| with calculus | 1 | | 215 |
| without mention of calculus | 1 | | 216 |
| chronic or unspecified | | | |
| with calculus | 2 | | 215 |
| without mention of calculus | 2 | | 216 |
| Choledocholithiasis | 2 | | 217 |
| **Cholelithiasis** | **2** | | **215** |
| Cholesteatoma, ear | 2 | | 134 |

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

### DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| **215** | **Cholelithiasis** |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



**Cholangitis** INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 20-34 | 1472 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 1964 | 5.2 | 14 | 1 | 2 | 4 | 7 | 9 | 12 | 17 |
| 50-64 | 3826 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 7503 | 7.6 | 32 | 2 | 3 | 6 | 10 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 671 | 9.6 | 30 | 5 | 5 | 8 | 11 | 15 | 17 | 32 |
| 20-34 | 9073 | 9.2 | 24 | 5 | 5 | 8 | 11 | 14 | 17 | 27 |
| 35-49 | 11544 | 9.9 | 27 | 5 | 6 | 8 | 12 | 16 | 19 | 30 |
| 50-64 | 17699 | 11.4 | 41 | 5 | 6 | 10 | 13 | 18 | 23 | 35 |
| 65+ | 18538 | 15.1 | 82 | 6 | 7 | 13 | 18 | 25 | 32 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6693 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 50291 | 8.3 | 14 | 5 | 5 | 7 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14921 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 57525 | 11.9 | 54 | 5 | 6 | 10 | 14 | 20 | 25 | 41 |
| **1. SINGLE DX** | 56984 | 7.8 | 15 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 72446 | 10.8 | 53 | 3 | 5 | 9 | 13 | 19 | 24 | 39 |
| **A. NOT OPERATED** | 21614 | 5.7 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 107816 | 10.2 | 38 | 5 | 6 | 8 | 12 | 17 | 21 | 34 |
| TOTAL 0-19 YRS | 2325 | 7.5 | 19 | 2 | 3 | 7 | 9 | 12 | 14 | 22 |
| 20-34 | 27293 | 7.6 | 16 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| 35-49 | 28151 | 8.3 | 21 | 3 | 4 | 7 | 10 | 13 | 16 | 24 |
| 50-64 | 36761 | 9.4 | 31 | 3 | 5 | 8 | 11 | 16 | 19 | 30 |
| 65+ | 34900 | 12.1 | 68 | 3 | 5 | 10 | 15 | 21 | 27 | 44 |
| **GRAND TOTAL** | **129430** | **9.5** | **38** | **3** | **4** | **8** | **11** | **16** | **20** | **33** |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 723463 | 3.0 | 12 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 20-34 | 451111 | 3.4 | 20 | <1 | 1 | 2 | 3 | 6 | 9 | 25 |
| 35-49 | 160231 | 4.8 | 33 | 1 | 1 | 3 | 5 | 10 | 15 | 30 |
| 50-64 | 107921 | 5.2 | 33 | 1 | 1 | 4 | 6 | 10 | 15 | 30 |
| 65+ | 95628 | 5.8 | 37 | 1 | 1 | 4 | 7 | 11 | 15 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 250046 | 2.8 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 517475 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 236715 | 4.0 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 191445 | 4.6 | 18 | 1 | 1 | 3 | 6 | 10 | 12 | 20 |
| 65+ | 158631 | 5.6 | 29 | 1 | 1 | 4 | 8 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 666327 | 4.5 | 42 | 1 | 1 | 3 | 5 | 7 | 12 | 40 |
| 20-34 | 404074 | 5.6 | 52 | 1 | 1 | 3 | 6 | 12 | 21 | 36 |
| 35-49 | 384197 | 6.2 | 45 | 1 | 1 | 4 | 7 | 12 | 19 | 33 |
| 50-64 | 591225 | 6.5 | 39 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| 65+ | 1293380 | 7.7 | 49 | 2 | 2 | 6 | 9 | 14 | 19 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 223737 | 5.7 | 85 | <1 | 1 | 3 | 6 | 12 | 21 | 61 |
| 20-34 | 626449 | 5.0 | 32 | 1 | 1 | 4 | 6 | 8 | 12 | 31 |
| 35-49 | 432810 | 6.6 | 51 | 1 | 1 | 5 | 8 | 13 | 18 | 39 |
| 50-64 | 521518 | 8.3 | 76 | 1 | 2 | 6 | 10 | 17 | 24 | 47 |
| 65+ | 820539 | 10.5 | 103 | 1 | 2 | 8 | 14 | 21 | 29 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1538354 | 3.6 | 21 | 1 | 1 | 3 | 4 | 6 | 10 | 24 |
| B. *Operated* | 1354312 | 3.7 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3339203 | 6.4 | 47 | 1 | 2 | 4 | 8 | 13 | 18 | 36 |
| B. *Operated* | 2625053 | 7.7 | 76 | 1 | 1 | 5 | 9 | 16 | 23 | 48 |
| **1. SINGLE DX** | 2892666 | 3.7 | 17 | <1 | 1 | 3 | 4 | 7 | 10 | 21 |
| **2. MULTIPLE DX** | 5964256 | 7.0 | 60 | 1 | 2 | 5 | 8 | 14 | 21 | 42 |
| **A. NOT OPERATED** | 4877557 | 5.5 | 40 | 1 | 1 | 4 | 7 | 11 | 16 | 33 |
| **B. OPERATED** | 3979365 | 6.3 | 58 | 1 | 1 | 4 | 8 | 14 | 19 | 41 |
| TOTAL 0-19 YRS | 1863573 | 3.8 | 33 | 1 | 1 | 3 | 4 | 6 | 10 | 32 |
| 20-34 | 1999109 | 4.3 | 28 | 1 | 1 | 3 | 5 | 8 | 12 | 28 |
| 35-49 | 1213953 | 5.7 | 40 | 1 | 1 | 4 | 7 | 11 | 16 | 32 |
| 50-64 | 1412109 | 6.8 | 51 | 1 | 1 | 5 | 8 | 14 | 19 | 37 |
| 65+ | 2368178 | 8.4 | 69 | 1 | 2 | 6 | 11 | 17 | 23 | 46 |
| **GRAND TOTAL** | **8856922** | **5.9** | **49** | **1** | **1** | **4** | **7** | **12** | **18** | **37** |

1,583 Hospitals, United States, January-December 1985

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 292713 | 3.5 | 28 | 1 | 1 | 2 | 4 | 6 | 9 | 29 |
| 20-34 | 451111 | 3.4 | 20 | <1 | 1 | 2 | 3 | 6 | 9 | 25 |
| 35-49 | 160231 | 4.8 | 33 | 1 | 1 | 3 | 5 | 10 | 15 | 30 |
| 50-64 | 107921 | 5.2 | 33 | 1 | 1 | 4 | 6 | 10 | 15 | 30 |
| 65+ | 95628 | 5.8 | 37 | 1 | 1 | 4 | 7 | 11 | 15 | 32 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 249845 | 2.8 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 517475 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 236715 | 4.0 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 191445 | 4.6 | 18 | 1 | 1 | 3 | 6 | 10 | 12 | 20 |
| 65+ | 158631 | 5.6 | 29 | 1 | 1 | 4 | 8 | 12 | 15 | 24 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 378674 | 4.9 | 61 | 1 | 1 | 3 | 5 | 9 | 15 | 48 |
| 20-34 | 404074 | 5.6 | 52 | 1 | 1 | 3 | 6 | 12 | 21 | 36 |
| 35-49 | 384197 | 6.2 | 45 | 1 | 1 | 4 | 7 | 12 | 19 | 33 |
| 50-64 | 591225 | 6.5 | 39 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| 65+ | 1293380 | 7.7 | 49 | 2 | 2 | 6 | 9 | 14 | 19 | 37 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 212896 | 5.0 | 56 | <1 | 1 | 3 | 5 | 10 | 17 | 43 |
| 20-34 | 626449 | 5.0 | 32 | 1 | 1 | 4 | 6 | 8 | 12 | 31 |
| 35-49 | 432810 | 6.6 | 51 | 1 | 1 | 5 | 8 | 13 | 18 | 39 |
| 50-64 | 521518 | 8.3 | 76 | 1 | 2 | 6 | 10 | 17 | 24 | 47 |
| 65+ | 820539 | 10.5 | 103 | 1 | 2 | 8 | 14 | 21 | 29 | 58 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1107604 | 4.0 | 28 | 1 | 1 | 3 | 4 | 8 | 11 | 28 |
| B. *Operated* | 1354111 | 3.7 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 3051550 | 6.6 | 49 | 1 | 2 | 5 | 8 | 13 | 19 | 37 |
| B. *Operated* | 2614212 | 7.6 | 73 | 1 | 1 | 5 | 9 | 16 | 23 | 47 |
| **1. SINGLE DX** | 2461715 | 3.9 | 20 | <1 | 1 | 3 | 4 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | 5665762 | 7.1 | 61 | 1 | 2 | 5 | 9 | 15 | 21 | 42 |
| **A. NOT OPERATED** | 4159154 | 5.9 | 45 | 1 | 1 | 4 | 7 | 12 | 17 | 35 |
| **B. OPERATED** | 3968323 | 6.3 | 56 | 1 | 1 | 4 | 8 | 14 | 19 | 40 |
| TOTAL 0-19 YRS | 1134128 | 4.1 | 41 | <1 | 1 | 3 | 4 | 7 | 12 | 37 |
| 20-34 | 1999109 | 4.3 | 28 | 1 | 1 | 3 | 5 | 8 | 12 | 28 |
| 35-49 | 1213953 | 5.7 | 40 | 1 | 1 | 4 | 7 | 11 | 16 | 32 |
| 50-64 | 1412109 | 6.8 | 51 | 1 | 1 | 5 | 8 | 14 | 19 | 37 |
| 65+ | 2368178 | 8.4 | 69 | 1 | 2 | 6 | 11 | 17 | 23 | 46 |
| **GRAND TOTAL** | **8127477** | **6.1** | **51** | **1** | **1** | **4** | **7** | **13** | **18** | **37** |

## 1: Intestinal infectious disease (001-009)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6720 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 2726 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 35-49 | 1177 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 655 | 3.4 | [illegible] | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 65+ | 408 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 5.3 | 35 | 2 | 2 | 4 | 6 | 9 | 15 | 31 |
| 20-34 | 203 | 5.0 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 20 |
| 35-49 | 82 | 6.2 | 13 | 2 | 3 | 5 | 8 | 11 | 13 | 19 |
| 50-64 | 39 | 5.8 | 13 | 2 | 2 | 5 | 7 | 11 | 12 | 18 |
| 65+ | 26 | 6.8 | 22 | 2 | 3 | 5 | 7 | 15 | 17 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11943 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 4368 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 2832 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 2822 | 4.4 | 13 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 65+ | 5012 | 5.5 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 281 | 9.0 | 124 | 2 | 3 | 5 | 9 | 18 | 33 | 66 |
| 20-34 | 438 | 6.8 | 45 | 2 | 2 | 5 | 8 | 13 | 16 | 44 |
| 35-49 | 301 | 8.3 | 59 | 2 | 3 | 6 | 10 | 15 | 21 | 45 |
| 50-64 | 329 | 9.3 | 73 | 2 | 3 | 7 | 11 | 18 | 23 | 42 |
| 65+ | 496 | 11.1 | 82 | 3 | 4 | 9 | 14 | 21 | 31 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11686 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| B. *Operated* | 470 | 5.5 | 18 | 2 | 2 | 5 | 6 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26977 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 1845 | 9.0 | 77 | 2 | 3 | 6 | 11 | 17 | 26 | 48 |
| **1. SINGLE DX** | 12156 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 28822 | 4.3 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| **A. NOT OPERATED** | 38663 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 2315 | 8.3 | 67 | 2 | 3 | 6 | 10 | 16 | 22 | 46 |
| TOTAL 0-19 YRS | 19064 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 7735 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 4392 | 4.1 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 50-64 | 3845 | 4.7 | 19 | 1 | 2 | 4 | 6 | 8 | 11 | 20 |
| 65+ | 5942 | 5.9 | 27 | 1 | 2 | 4 | 7 | 11 | 15 | 28 |
| **GRAND TOTAL** | **40978** | **4.0** | **13** | **1** | **1** | **3** | **5** | **7** | **9** | **17** |

## 2: Respiratory tuberculosis (010-012)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 5.7 | 23 | 1 | 2 | 4 | 7 | 13 | 17 | 23 |
| 20-34 | 110 | 10.7 | 63 | 3 | 3 | 9 | 14 | 20 | 28 | 42 |
| 35-49 | 85 | 10.3 | 71 | 2 | 3 | 8 | 14 | 18 | 26 | 50 |
| 50-64 | 62 | 14.1 | 273 | 2 | 2 | 9 | 15 | 28 | 50 | 89 |
| 65+ | 47 | 10.7 | 108 | 2 | 3 | 8 | 12 | 20 | 30 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.5 | 26 | 2 | 2 | 8 | 12 | 16 | 18 | 18 |
| 20-34 | 70 | 8.6 | 61 | 2 | 3 | 7 | 10 | 14 | 17 | 51 |
| 35-49 | 53 | 10.3 | 114 | 2 | 3 | 7 | 12 | 21 | 29 | 67 |
| 50-64 | 61 | 9.7 | 44 | 2 | 2 | 9 | 12 | 17 | 22 | 35 |
| 65+ | 46 | 11.0 | 57 | 2 | 4 | 9 | 14 | 24 | 28 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 6.8 | 15 | 2 | 3 | 6 | 10 | 12 | 13 | 16 |
| 20-34 | 186 | 12.2 | 117 | 2 | 3 | 9 | 15 | 24 | 36 | 55 |
| 35-49 | 232 | 13.9 | 140 | 3 | 4 | 10 | 18 | 29 | 38 | 67 |
| 50-64 | 247 | 13.1 | 160 | 3 | 4 | 10 | 16 | 23 | 38 | 95 |
| 65+ | 423 | 13.9 | 131 | 3 | 5 | 11 | 18 | 26 | 34 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 10.0 | 161 | 1 | 1 | 5 | 10 | 31 | 42 | 42 |
| 20-34 | 120 | 14.6 | 116 | 2 | 3 | 13 | 19 | 28 | 33 | 56 |
| 35-49 | 190 | 17.2 | 233 | 3 | 4 | 13 | 21 | 42 | 59 | 99+ |
| 50-64 | 266 | 14.9 | 173 | 2 | 4 | 12 | 18 | 27 | 44 | 68 |
| 65+ | 440 | 16.4 | 148 | 4 | 5 | 14 | 20 | 29 | 39 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 384 | 10.1 | 102 | 2 | 3 | 7 | 13 | 20 | 27 | 57 |
| B. *Operated* | 241 | 9.7 | 66 | 2 | 3 | 7 | 12 | 17 | 25 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1134 | 13.2 | 134 | 3 | 4 | 10 | 16 | 26 | 35 | 73 |
| B. *Operated* | 1025 | 15.9 | 167 | 3 | 5 | 13 | 20 | 31 | 43 | 79 |
| **1. SINGLE DX** | 625 | 10.0 | 88 | 2 | 3 | 7 | 12 | 18 | 26 | 54 |
| **2. MULTIPLE DX** | 2159 | 14.5 | 151 | 3 | 4 | 11 | 18 | 28 | 39 | 75 |
| **A. NOT OPERATED** | 1518 | 12.4 | 128 | 3 | 3 | 10 | 15 | 24 | 33 | 70 |
| **B. OPERATED** | 1266 | 14.7 | 154 | 3 | 4 | 12 | 18 | 29 | 39 | 70 |
| TOTAL 0-19 YRS | 146 | 6.5 | 29 | 2 | 2 | 4 | 9 | 13 | 16 | 25 |
| 20-34 | 486 | 11.9 | 100 | 2 | 3 | 9 | 15 | 23 | 33 | 50 |
| 35-49 | 560 | 14.1 | 165 | 3 | 4 | 10 | 18 | 30 | 42 | 96 |
| 50-64 | 636 | 13.6 | 167 | 2 | 4 | 10 | 16 | 24 | 40 | 80 |
| 65+ | 956 | 14.8 | 137 | 3 | 5 | 12 | 19 | 28 | 36 | 68 |
| **GRAND TOTAL** | **2784** | **13.5** | **141** | **3** | **3** | **10** | **17** | **27** | **36** | **70** |

### 3: Nonrespiratory tuberculosis (013-018)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 15.7 | 679 | <1 | 1 | 6 | 11 | 77 | 80 | 81 |
| 20-34 | 14 | 6.2 | 23 | 1 | 1 | 6 | 9 | 12 | 17 | 18 |
| 35-49 | 6 | 15.8 | 119 | 5 | 5 | 14 | 17 | 34 | 36 | 36 |
| 50-64 | 7 | 12.4 | 63 | 5 | 5 | 10 | 16 | 25 | 27 | 27 |
| 65+ | 4 | 15.3 | 295 | 1 | 1 | 11 | 28 | 38 | 38 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.3 | 45 | <1 | <1 | 2 | 7 | 17 | 18 | 18 |
| 20-34 | 20 | 7.3 | 41 | 1 | 1 | 6 | 11 | 13 | 20 | 27 |
| 35-49 | 23 | 10.9 | 106 | 1 | 2 | 8 | 17 | 29 | 32 | 35 |
| 50-64 | 7 | 10.0 | 28 | 3 | 3 | 11 | 13 | 17 | 18 | 18 |
| 65+ | 16 | 8.8 | 86 | 1 | 1 | 8 | 10 | 15 | 32 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 11.9 | 73 | 3 | 3 | 11 | 19 | 23 | 28 | 28 |
| 20-34 | 23 | 12.9 | 227 | 2 | 2 | 6 | 19 | 38 | 49 | 59 |
| 35-49 | 26 | 10.3 | 41 | 1 | 2 | 9 | 16 | 20 | 22 | 24 |
| 50-64 | 45 | 9.5 | 53 | 2 | 3 | 8 | 12 | 20 | 26 | 32 |
| 65+ | 46 | 13.0 | 241 | 1 | 2 | 9 | 17 | 31 | 51 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 15.6 | 379 | <1 | 1 | 6 | 25 | 39 | 55 | 82 |
| 20-34 | 44 | 20.9 | 369 | 1 | 3 | 15 | 28 | 46 | 64 | 87 |
| 35-49 | 55 | 17.8 | 201 | 3 | 5 | 15 | 25 | 34 | 56 | 98 |
| 50-64 | 70 | 19.0 | 254 | 2 | 4 | 16 | 25 | 48 | 65 | 99+ |
| 65+ | 108 | 23.4 | 463 | 3 | 4 | 17 | 28 | 57 | 80 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 12.3 | 277 | 1 | 1 | 8 | 15 | 26 | 46 | 81 |
| B. *Operated* | 79 | 8.5 | 70 | 1 | 1 | 5 | 11 | 18 | 28 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 151 | 11.4 | 135 | 2 | 3 | 8 | 16 | 22 | 33 | 95 |
| B. *Operated* | 301 | 20.3 | 348 | 2 | 3 | 15 | 27 | 48 | 72 | 99+ |
| **1. SINGLE DX** | 125 | 9.9 | 148 | 1 | 1 | 8 | 12 | 19 | 32 | 78 |
| **2. MULTIPLE DX** | 452 | 17.4 | 294 | 2 | 3 | 13 | 23 | 39 | 59 | 99 |
| **A. NOT OPERATED** | 197 | 11.6 | 167 | 2 | 2 | 8 | 15 | 23 | 36 | 89 |
| **B. OPERATED** | 380 | 17.9 | 313 | 1 | 2 | 13 | 25 | 40 | 63 | 98 |
| TOTAL 0-19 YRS | 63 | 12.9 | 332 | <1 | 1 | 5 | 17 | 30 | 55 | 82 |
| 20-34 | 101 | 14.3 | 258 | 1 | 2 | 9 | 18 | 36 | 47 | 82 |
| 35-49 | 110 | 14.5 | 148 | 2 | 3 | 12 | 20 | 31 | 36 | 84 |
| 50-64 | 129 | 14.8 | 180 | 2 | 3 | 11 | 20 | 32 | 55 | 99+ |
| 65+ | 174 | 19.1 | 393 | 2 | 3 | 13 | 25 | 44 | 76 | 99 |
| **GRAND TOTAL** | **577** | **15.7** | **272** | **1** | **2** | **11** | **20** | **35** | **57** | **96** |

### 4: Streptococcal sore throat and scarlet fever (034)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 714 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 282 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 87 | 3.1 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | 33 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 3 | 4.7 | 1 | 4 | 4 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 28 | 1.7 | 1 | 1 | 1 | 1 | 2 | 4 | 4 | 6 |
| 35-49 | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1941 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 688 | 3.2 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 270 | 3.8 | 4 | 2 | 2 | 3 | 5 | 6 | 7 | 12 |
| 50-64 | 156 | 4.4 | 16 | 2 | 2 | 4 | 5 | 6 | 8 | 26 |
| 65+ | 108 | 5.6 | 12 | 2 | 3 | 4 | 7 | 9 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 2.4 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 16 |
| 20-34 | 24 | 3.7 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 35-49 | 12 | 8.7 | 41 | 1 | 1 | 8 | 10 | 18 | 23 | 24 |
| 50-64 | 8 | 6.6 | 15 | <1 | 1 | 6 | 9 | 12 | 13 | 13 |
| 65+ | 7 | 16.3 | 202 | 5 | 5 | 10 | 27 | 39 | 41 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1119 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 149 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3163 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 152 | 4.0 | 29 | 1 | 1 | 2 | 5 | 9 | 13 | 32 |
| **1. SINGLE DX** | 1268 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 3315 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **A. NOT OPERATED** | 4282 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **B. OPERATED** | 301 | 2.8 | 17 | 1 | 1 | 1 | 3 | 6 | 9 | 21 |
| TOTAL 0-19 YRS | 2874 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 1022 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 372 | 3.8 | 6 | 2 | 2 | 3 | 4 | 6 | 7 | 15 |
| 50-64 | 197 | 4.3 | 14 | 2 | 2 | 4 | 5 | 7 | 8 | 21 |
| 65+ | 118 | 6.2 | 28 | 2 | 3 | 5 | 7 | 10 | 14 | 35 |
| **GRAND TOTAL** | **4583** | **3.1** | **5** | **1** | **1** | **3** | **4** | **5** | **6** | **10** |

## 5: Septicemia (038)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1396 | 4.7 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 14 |
| 20-34 | 93 | 5.7 | 20 | 1 | 2 | 5 | 7 | 10 | 13 | 26 |
| 35-49 | 66 | 6.3 | 16 | 2 | 2 | 6 | 8 | 12 | 15 | 18 |
| 50-64 | 91 | 7.1 | 23 | 2 | 2 | 6 | 10 | 12 | 14 | 29 |
| 65+ | 228 | 8.4 | 33 | 2 | 3 | 7 | 10 | 14 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 8.9 | 34 | 3 | 3 | 9 | 11 | 14 | 21 | 33 |
| 20-34 | 10 | 13.2 | 117 | 6 | 6 | 10 | 14 | 29 | 42 | 42 |
| 35-49 | 13 | 15.2 | 174 | 3 | 5 | 12 | 15 | 41 | 46 | 47 |
| 50-64 | 9 | 11.0 | 55 | 2 | 2 | 11 | 15 | 22 | 24 | 24 |
| 65+ | 21 | 16.1 | 62 | 7 | 8 | 14 | 18 | 28 | 33 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2805 | 6.0 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 20-34 | 963 | 8.8 | 47 | 2 | 3 | 7 | 11 | 16 | 22 | 37 |
| 35-49 | 1167 | 9.5 | 54 | 3 | 3 | 8 | 12 | 17 | 23 | 36 |
| 50-64 | 2851 | 10.2 | 48 | 3 | 4 | 9 | 12 | 17 | 22 | 38 |
| 65+ | 13415 | 11.1 | 56 | 4 | 5 | 9 | 13 | 19 | 24 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 271 | 13.9 | 129 | 2 | 4 | 11 | 17 | 28 | 35 | 89 |
| 20-34 | 350 | 16.3 | 165 | 3 | 4 | 13 | 21 | 32 | 46 | 72 |
| 35-49 | 540 | 17.6 | 209 | 4 | 5 | 14 | 23 | 38 | 57 | 99+ |
| 50-64 | 1115 | 18.1 | 195 | 5 | 6 | 14 | 23 | 37 | 52 | 96 |
| 65+ | 3582 | 19.5 | 191 | 6 | 8 | 15 | 24 | 37 | 48 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1874 | 5.4 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 19 |
| B. *Operated* | 94 | 12.0 | 76 | 3 | 4 | 10 | 14 | 22 | 32 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21201 | 10.1 | 52 | 3 | 4 | 9 | 12 | 18 | 23 | 39 |
| B. *Operated* | 5858 | 18.6 | 191 | 5 | 7 | 15 | 23 | 37 | 48 | 90 |
| **1. SINGLE DX** | 1968 | 5.7 | 20 | 1 | 2 | 4 | 7 | 11 | 13 | 23 |
| **2. MULTIPLE DX** | 27059 | 11.9 | 95 | 3 | 4 | 9 | 14 | 22 | 30 | 56 |
| **A. NOT OPERATED** | 23075 | 9.7 | 51 | 2 | 3 | 8 | 12 | 17 | 22 | 38 |
| **B. OPERATED** | 5952 | 18.5 | 189 | 5 | 6 | 15 | 23 | 36 | 48 | 90 |
| TOTAL 0-19 YRS | 4513 | 6.1 | 28 | 2 | 2 | 4 | 8 | 11 | 15 | 28 |
| 20-34 | 1416 | 10.5 | 86 | 2 | 3 | 8 | 13 | 21 | 28 | 49 |
| 35-49 | 1786 | 11.9 | 115 | 3 | 4 | 9 | 14 | 24 | 33 | 71 |
| 50-64 | 4066 | 12.3 | 100 | 3 | 4 | 10 | 15 | 23 | 31 | 61 |
| 65+ | 17246 | 12.8 | 95 | 4 | 5 | 10 | 15 | 23 | 31 | 56 |
| **GRAND TOTAL** | **29027** | **11.5** | **92** | **3** | **4** | **9** | **14** | **22** | **30** | **54** |

## 6: Miscellaneous bacterial diseases (020-033, 035-037; 039-041)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 823 | 6.5 | 20 | 1 | 2 | 5 | 10 | 12 | 14 | 19 |
| 20-34 | 165 | 5.2 | 11 | 1 | 2 | 4 | 7 | 11 | 12 | 14 |
| 35-49 | 104 | 5.6 | 14 | 2 | 2 | 4 | 7 | 12 | 14 | 16 |
| 50-64 | 81 | 5.9 | 22 | 1 | 2 | 4 | 7 | 12 | 16 | 25 |
| 65+ | 59 | 6.4 | 22 | 2 | 2 | 5 | 8 | 13 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 7.3 | 43 | <1 | 1 | 6 | 11 | 13 | 15 | 37 |
| 20-34 | 30 | 5.6 | 16 | 2 | 2 | 4 | 9 | 11 | 12 | 19 |
| 35-49 | 29 | 9.0 | 60 | 2 | 2 | 7 | 11 | 18 | 22 | 40 |
| 50-64 | 21 | 10.7 | 107 | 2 | 3 | 8 | 12 | 24 | 36 | 45 |
| 65+ | 12 | 11.3 | 63 | 2 | 3 | 9 | 13 | 26 | 28 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 861 | 7.3 | 34 | 2 | 2 | 6 | 10 | 13 | 15 | 34 |
| 20-34 | 326 | 6.4 | 41 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| 35-49 | 236 | 7.5 | 54 | 2 | 3 | 6 | 9 | 14 | 17 | 30 |
| 50-64 | 395 | 8.2 | 64 | 2 | 3 | 6 | 10 | 15 | 20 | 45 |
| 65+ | 801 | 8.9 | 55 | 3 | 3 | 7 | 11 | 16 | 21 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 15.7 | 258 | 1 | 3 | 11 | 21 | 43 | 63 | 99+ |
| 20-34 | 100 | 14.4 | 221 | 2 | 3 | 9 | 16 | 36 | 44 | 75 |
| 35-49 | 140 | 18.7 | 344 | 2 | 3 | 10 | 27 | 49 | 64 | 87 |
| 50-64 | 205 | 18.2 | 190 | 4 | 5 | 16 | 24 | 35 | 50 | 99+ |
| 65+ | 324 | 18.5 | 228 | 4 | 6 | 14 | 23 | 40 | 60 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1232 | 6.2 | 19 | 1 | 2 | 5 | 9 | 12 | 14 | 19 |
| B. *Operated* | 132 | 8.2 | 54 | 1 | 2 | 7 | 11 | 15 | 21 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2619 | 7.8 | 48 | 2 | 3 | 6 | 10 | 14 | 17 | 37 |
| B. *Operated* | 859 | 17.7 | 241 | 3 | 4 | 13 | 23 | 39 | 57 | 99+ |
| **1. SINGLE DX** | 1364 | 6.4 | 23 | 1 | 2 | 5 | 9 | 12 | 14 | 23 |
| **2. MULTIPLE DX** | 3478 | 10.3 | 114 | 2 | 3 | 7 | 12 | 21 | 31 | 64 |
| **A. NOT OPERATED** | 3851 | 7.3 | 39 | 2 | 2 | 6 | 10 | 13 | 16 | 32 |
| **B. OPERATED** | 991 | 16.4 | 226 | 2 | 4 | 12 | 21 | 37 | 53 | 95 |
| TOTAL 0-19 YRS | 1814 | 7.4 | 42 | 2 | 2 | 6 | 10 | 13 | 16 | 39 |
| 20-34 | 621 | 7.3 | 70 | 2 | 2 | 5 | 9 | 14 | 19 | 48 |
| 35-49 | 509 | 10.3 | 153 | 2 | 3 | 6 | 11 | 22 | 32 | 68 |
| 50-64 | 702 | 10.9 | 120 | 2 | 3 | 7 | 14 | 24 | 33 | 65 |
| 65+ | 1196 | 11.4 | 119 | 3 | 4 | 8 | 13 | 22 | 32 | 65 |
| **GRAND TOTAL** | **4842** | **9.2** | **91** | **2** | **2** | **7** | **11** | **17** | **26** | **58** |

## 7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2990 | 3.4 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 1603 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 363 | 4.1 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 58 | 4.2 | 5 | 1 | 2 | 4 | 6 | 8 | 8 | 13 |
| 65+ | 25 | 6.5 | 32 | 1 | 2 | 5 | 7 | 16 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 5.1 | 12 | 1 | 2 | 4 | 6 | 12 | 14 | 15 |
| 20-34 | 25 | 5.6 | 15 | 2 | 2 | 4 | 7 | 10 | 15 | 17 |
| 35-49 | 3 | 13.7 | 46 | 6 | 6 | 16 | 18 | 19 | 19 | 19 |
| 50-64 | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 65+ | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1597 | 4.2 | 9 | 1 | 2 | 3 | 5 | 7 | 10 | 15 |
| 20-34 | 849 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 326 | 5.4 | 16 | 2 | 2 | 4 | 6 | 10 | 13 | 21 |
| 50-64 | 119 | 6.8 | 20 | 2 | 2 | 6 | 9 | 14 | 15 | 22 |
| 65+ | 86 | 8.5 | 29 | 3 | 3 | 7 | 11 | 17 | 20 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 9.5 | 169 | 1 | 2 | 5 | 11 | 16 | 33 | 80 |
| 20-34 | 50 | 9.8 | 42 | 3 | 3 | 9 | 12 | 15 | 26 | 35 |
| 35-49 | 21 | 11.6 | 45 | 4 | 4 | 10 | 15 | 22 | 26 | 29 |
| 50-64 | 17 | 12.8 | 51 | 5 | 6 | 11 | 18 | 25 | 27 | 28 |
| 65+ | 14 | 14.2 | 84 | 5 | 6 | 11 | 18 | 32 | 34 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5039 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 67 | 5.6 | 16 | 2 | 2 | 4 | 6 | 13 | 15 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2977 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| B. *Operated* | 156 | 10.6 | 92 | 2 | 3 | 9 | 12 | 18 | 30 | 45 |
| **1. SINGLE DX** | 5106 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 3133 | 5.0 | 18 | 1 | 2 | 4 | 6 | 10 | 12 | 22 |
| **A. NOT OPERATED** | 8016 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| **B. OPERATED** | 223 | 9.1 | 74 | 2 | 3 | 7 | 11 | 17 | 26 | 38 |
| TOTAL 0-19 YRS | 4676 | 3.8 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 2527 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 10 | 14 |
| 35-49 | 713 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 50-64 | 196 | 6.5 | 23 | 2 | 2 | 5 | 8 | 14 | 17 | 24 |
| 65+ | 127 | 8.6 | 39 | 2 | 3 | 7 | 11 | 17 | 21 | 33 |
| **GRAND TOTAL** | **8239** | **4.1** | **10** | **1** | **2** | **3** | **5** | **7** | **10** | **16** |

## 8: Viral diseases with exanthem (050-057)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 903 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 277 | 4.7 | 33 | 1 | 1 | 4 | 6 | 7 | 9 | 16 |
| 35-49 | 122 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| 50-64 | 192 | 5.2 | 13 | 1 | 2 | 5 | 7 | 8 | 12 | 17 |
| 65+ | 336 | 6.0 | 17 | 1 | 2 | 5 | 7 | 10 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 6.4 | 19 | 1 | 1 | 8 | 9 | 12 | 13 | 13 |
| 20-34 | 17 | 4.2 | 7 | 1 | 1 | 3 | 5 | 9 | 10 | 11 |
| 35-49 | 17 | 5.7 | 33 | <1 | 1 | 4 | 7 | 16 | 20 | 21 |
| 50-64 | 18 | 3.8 | 8 | 1 | 1 | 3 | 6 | 8 | 10 | 11 |
| 65+ | 22 | 4.9 | 13 | 1 | 1 | 4 | 8 | 10 | 12 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2120 | 3.9 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 529 | 6.1 | 49 | 2 | 2 | 5 | 7 | 10 | 13 | 25 |
| 35-49 | 365 | 6.6 | 26 | 2 | 2 | 6 | 8 | 11 | 15 | 29 |
| 50-64 | 885 | 6.9 | 18 | 2 | 3 | 6 | 8 | 12 | 14 | 23 |
| 65+ | 2859 | 8.0 | 39 | 2 | 3 | 7 | 10 | 15 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 11.3 | 203 | 1 | 2 | 7 | 14 | 29 | 47 | 98 |
| 20-34 | 65 | 11.3 | 203 | 2 | 2 | 7 | 11 | 24 | 40 | 82 |
| 35-49 | 61 | 11.2 | 128 | 2 | 3 | 8 | 17 | 21 | 31 | 97 |
| 50-64 | 147 | 12.7 | 165 | 2 | 3 | 9 | 15 | 27 | 48 | 99+ |
| 65+ | 332 | 14.4 | 162 | 2 | 3 | 10 | 18 | 32 | 43 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1830 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 85 | 4.9 | 16 | 1 | 1 | 3 | 7 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6758 | 6.4 | 30 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| B. *Operated* | 664 | 13.2 | 168 | 2 | 3 | 9 | 16 | 29 | 43 | 84 |
| **1. SINGLE DX** | 1915 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 7422 | 7.0 | 46 | 2 | 2 | 5 | 8 | 13 | 18 | 35 |
| **A. NOT OPERATED** | 8588 | 5.9 | 27 | 1 | 2 | 5 | 7 | 11 | 14 | 25 |
| **B. OPERATED** | 749 | 12.2 | 158 | 1 | 2 | 8 | 15 | 27 | 39 | 82 |
| TOTAL 0-19 YRS | 3093 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 888 | 6.0 | 57 | 1 | 2 | 5 | 7 | 10 | 13 | 27 |
| 35-49 | 565 | 6.8 | 37 | 2 | 2 | 5 | 8 | 12 | 18 | 30 |
| 50-64 | 1242 | 7.3 | 38 | 2 | 3 | 6 | 8 | 13 | 16 | 33 |
| 65+ | 3549 | 8.4 | 52 | 2 | 3 | 7 | 10 | 16 | 22 | 39 |
| **GRAND TOTAL** | **9337** | **6.4** | **40** | **1** | **2** | **5** | **8** | **12** | **17** | **32** |

### 9: Viral hepatitis (070)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 315 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 946 | 5.8 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| 35-49 | 291 | 6.6 | 20 | 2 | 2 | 5 | 8 | 12 | 14 | 27 |
| 50-64 | 126 | 7.1 | 37 | 2 | 3 | 5 | 7 | 13 | 20 | 34 |
| 65+ | 41 | 6.3 | 17 | 2 | 3 | 5 | 8 | 11 | 17 | 20 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 20-34 | 53 | 4.9 | 32 | <1 | 1 | 2 | 6 | 12 | 16 | 28 |
| 35-49 | 33 | 6.1 | 56 | 1 | 1 | 2 | 10 | 19 | 23 | 28 |
| 50-64 | 21 | 9.7 | 98 | 1 | 1 | 8 | 14 | 24 | 33 | 37 |
| 65+ | 9 | 8.2 | 25 | <1 | <1 | 9 | 12 | 14 | 15 | 15 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 230 | 5.7 | 44 | 1 | 2 | 4 | 7 | 10 | 14 | 21 |
| 20-34 | 1067 | 6.2 | 29 | 2 | 2 | 5 | 7 | 11 | 14 | 27 |
| 35-49 | 424 | 7.3 | 37 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| 50-64 | 336 | 7.7 | 30 | 2 | 3 | 6 | 10 | 15 | 18 | 27 |
| 65+ | 337 | 8.8 | 38 | 3 | 3 | 7 | 11 | 17 | 22 | 29 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 15 | 7.2 | 29 | 1 | 1 | 7 | 11 | 15 | 16 | 17 |
| 20-34 | 103 | 8.4 | 31 | 2 | 3 | 7 | 11 | 15 | 18 | 31 |
| 35-49 | 57 | 11.9 | 213 | 2 | 2 | 8 | 13 | 24 | 39 | 80 |
| 50-64 | 81 | 13.6 | 176 | 1 | 2 | 10 | 17 | 28 | 38 | 78 |
| 65+ | 78 | 13.5 | 146 | 4 | 5 | 10 | 15 | 24 | 34 | 69 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1719 | 5.8 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| B. *Operated* | 118 | 6.4 | 51 | 1 | 1 | 3 | 9 | 16 | 21 | 32 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2394 | 6.9 | 34 | 2 | 2 | 5 | 8 | 13 | 17 | 27 |
| B. *Operated* | 334 | 11.4 | 128 | 2 | 3 | 9 | 14 | 21 | 32 | 68 |
| **1. SINGLE DX** | 1837 | 5.9 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | 2728 | 7.4 | 48 | 2 | 2 | 6 | 9 | 14 | 18 | 34 |
| **A. NOT OPERATED** | 4113 | 6.5 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| **B. OPERATED** | 452 | 10.1 | 113 | 1 | 1 | 8 | 13 | 19 | 28 | 63 |
| TOTAL 0-19 YRS | 562 | 5.2 | 25 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 20-34 | 2169 | 6.1 | 23 | 2 | 2 | 5 | 7 | 11 | 14 | 24 |
| 35-49 | 805 | 7.3 | 46 | 2 | 2 | 6 | 9 | 13 | 18 | 32 |
| 50-64 | 564 | 8.5 | 59 | 2 | 3 | 6 | 10 | 17 | 22 | 39 |
| 65+ | 465 | 9.4 | 58 | 3 | 3 | 7 | 11 | 17 | 23 | 35 |
| **GRAND TOTAL** | **4565** | **6.8** | **37** | **2** | **2** | **5** | **8** | **13** | **17** | **29** |

### 10: Infectious mononucleosis (075)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1269 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 368 | 4.2 | 5 | 1 | 2 | 4 | 6 | 7 | 9 | 11 |
| 35-49 | 83 | 5.0 | 11 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| 50-64 | 14 | 4.3 | 7 | 1 | 2 | 4 | 5 | 8 | 10 | 11 |
| 65+ | 7 | 6.6 | 21 | 2 | 2 | 5 | 9 | 14 | 15 | 15 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 11 | 6.7 | 17 | 2 | 2 | 7 | 8 | 13 | 15 | 15 |
| 20-34 | 9 | 6.1 | 4 | 2 | 3 | 6 | 7 | 9 | 10 | 10 |
| 35-49 | 6 | 9.8 | 15 | 5 | 5 | 9 | 13 | 15 | 15 | 15 |
| 50-64 | 3 | 13.0 | 63 | 4 | 4 | 16 | 18 | 19 | 19 | 19 |
| 65+ | 1 | 6.0 |  | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2575 | 4.0 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 744 | 4.6 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 149 | 5.2 | 10 | 1 | 1 | 4 | 7 | 10 | 11 | 15 |
| 50-64 | 54 | 5.3 | 14 | 1 | 1 | 5 | 7 | 9 | 11 | 22 |
| 65+ | 40 | 7.2 | 27 | 1 | 2 | 6 | 10 | 16 | 18 | 19 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 68 | 9.5 | 86 | 2 | 2 | 7 | 12 | 19 | 21 | 60 |
| 20-34 | 50 | 8.1 | 27 | 2 | 4 | 7 | 9 | 15 | 19 | 28 |
| 35-49 | 15 | 10.1 | 61 | 5 | 5 | 8 | 11 | 13 | 31 | 37 |
| 50-64 | 9 | 8.1 | 21 | 2 | 2 | 8 | 12 | 14 | 16 | 16 |
| 65+ | 7 | 10.7 | 24 | 7 | 7 | 8 | 13 | 19 | 20 | 20 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1741 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | 30 | 7.8 | 19 | 2 | 3 | 7 | 10 | 15 | 16 | 19 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 3562 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| B. *Operated* | 149 | 9.0 | 56 | 2 | 3 | 7 | 11 | 17 | 21 | 37 |
| **1. SINGLE DX** | 1771 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 3711 | 4.4 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 5303 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| **B. OPERATED** | 179 | 8.8 | 50 | 2 | 3 | 7 | 11 | 16 | 20 | 36 |
| TOTAL 0-19 YRS | 3923 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 1171 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 253 | 5.5 | 15 | 1 | 2 | 5 | 7 | 10 | 11 | 16 |
| 50-64 | 80 | 5.8 | 17 | 1 | 2 | 5 | 7 | 11 | 15 | 21 |
| 65+ | 55 | 7.5 | 26 | 1 | 2 | 6 | 10 | 15 | 19 | 20 |
| **GRAND TOTAL** | **5482** | **4.3** | **8** | **1** | **2** | **4** | **5** | **7** | **9** | **15** |

## 11: Viral warts (078.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.6 | 14 | <1 | <1 | 1 | 2 | 8 | 13 | 13 |
| 20-34 | 13 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 5 | 5 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 350 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 20-34 | 1083 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 276 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| 50-64 | 95 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| 65+ | 22 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.4 | 6 | <1 | <1 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 21 | 2.2 | 6 | <1 | <1 | 1 | 2 | 7 | 8 | 10 |
| 35-49 | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | 4 | 3.8 | 7 | 1 | 1 | 4 | 6 | 6 | 6 | 6 |
| 65+ | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 3.2 | 23 | 1 | 1 | 2 | 4 | 5 | 8 | 31 |
| 20-34 | 451 | 2.7 | 9 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| 35-49 | 207 | 3.2 | 10 | <1 | <1 | 3 | 4 | 6 | 8 | 20 |
| 50-64 | 87 | 3.1 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 65+ | 44 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 2.0 | 6 | <1 | <1 | 1 | 2 | 3 | 7 | 13 |
| B. *Operated* | 1826 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 2.6 | 6 | <1 | <1 | 1 | 3 | 7 | 8 | 10 |
| B. *Operated* | 880 | 3.0 | 10 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| **1. SINGLE DX** | 1850 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 920 | 2.9 | 10 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| **A. NOT OPERATED** | 64 | 2.3 | 6 | <1 | <1 | 1 | 3 | 6 | 8 | 13 |
| **B. OPERATED** | 2706 | 2.2 | 5 | <1 | <1 | 1 | 3 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 461 | 2.0 | 6 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 1568 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 35-49 | 487 | 2.6 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 186 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 65+ | 68 | 3.0 | 7 | <1 | <1 | 2 | 4 | 7 | 8 | 14 |
| **GRAND TOTAL** | **2770** | **2.2** | **5** | **<1** | **<1** | **1** | **3** | **4** | **5** | **10** |

## 12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5654 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1029 | 3.1 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 460 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 50-64 | 251 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| 65+ | 150 | 4.2 | 32 | 1 | 1 | 3 | 5 | 7 | 8 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 141 | 3.3 | 8 | <1 | <1 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | 63 | 4.7 | 22 | <1 | 1 | 3 | 7 | 10 | 11 | 28 |
| 35-49 | 27 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 19 | 7.5 | 46 | <1 | <1 | 5 | 13 | 21 | 61 | 99+ |
| 65+ | 8 | 11.3 | 65 | 2 | 3 | 9 | 13 | 25 | 29 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7347 | 3.1 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 2292 | 3.7 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 1576 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 9 | 16 |
| 50-64 | 1514 | 4.7 | 19 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 65+ | 2316 | 5.3 | 16 | 2 | 2 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 226 | 6.5 | 70 | 1 | 1 | 4 | 7 | 14 | 22 | 48 |
| 20-34 | 189 | 8.0 | 84 | 2 | 2 | 5 | 9 | 16 | 23 | 72 |
| 35-49 | 175 | 10.7 | 128 | 2 | 2 | 7 | 13 | 23 | 38 | 66 |
| 50-64 | 172 | 10.9 | 100 | 2 | 3 | 8 | 15 | 23 | 31 | 98 |
| 65+ | 187 | 12.7 | 145 | 3 | 4 | 10 | 15 | 22 | 29 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7544 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 258 | 4.1 | 18 | <1 | 1 | 3 | 5 | 9 | 11 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15045 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 949 | 9.6 | 108 | 1 | 2 | 7 | 12 | 20 | 28 | 68 |
| **1. SINGLE DX** | 7802 | 2.9 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 15994 | 4.1 | 18 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| **A. NOT OPERATED** | 22589 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **B. OPERATED** | 1207 | 8.4 | 94 | 1 | 2 | 5 | 10 | 18 | 26 | 65 |
| TOTAL 0-19 YRS | 13368 | 3.0 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 3573 | 3.8 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 2238 | 4.6 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 50-64 | 1956 | 5.1 | 28 | 1 | 2 | 4 | 6 | 10 | 13 | 26 |
| 65+ | 2661 | 5.8 | 30 | 2 | 2 | 4 | 7 | 11 | 14 | 26 |
| **GRAND TOTAL** | **23796** | **3.7** | **14** | **1** | **1** | **3** | **4** | **7** | **9** | **17** |

### 13: Rickettsioses and other arthropod-borne diseases (080-088)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 164 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 141 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 76 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| 50-64 | 45 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 10 |
| 65+ | 19 | 5.8 | 7 | 2 | 3 | 6 | 8 | 8 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.3 | 9 | 3 | 3 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 2 | 13.5 | 41 | 9 | 9 | 13 | 18 | 18 | 18 | 18 |
| 35-49 | 4 | 7.5 | 11 | 3 | 3 | 8 | 10 | 11 | 11 | 11 |
| 50-64 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 4.7 | 9 | 1 | 2 | 4 | 6 | 10 | 11 | 15 |
| 20-34 | 100 | 4.0 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 35-49 | 70 | 4.8 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 51 | 6.6 | 23 | 1 | 2 | 5 | 9 | 14 | 16 | 24 |
| 65+ | 45 | 7.0 | 22 | 2 | 3 | 5 | 10 | 14 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.2 | 14 | 2 | 2 | 5 | 8 | 12 | 12 | 12 |
| 20-34 | 6 | 8.2 | 47 | 2 | 2 | 7 | 9 | 20 | 21 | 21 |
| 35-49 | 8 | 9.0 | 20 | 3 | 3 | 9 | 12 | 15 | 16 | 16 |
| 50-64 | 12 | 17.7 | 222 | 4 | 7 | 13 | 20 | 39 | 56 | 59 |
| 65+ | 8 | 13.0 | 85 | 1 | 3 | 10 | 16 | 28 | 32 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 445 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| B. *Operated* | 13 | 7.5 | 16 | 3 | 3 | 7 | 9 | 12 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 383 | 5.1 | 12 | 1 | 2 | 4 | 6 | 10 | 11 | 16 |
| B. *Operated* | 39 | 12.0 | 110 | 2 | 3 | 10 | 15 | 23 | 31 | 59 |
| **1. SINGLE DX** | 458 | 4.2 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 422 | 5.7 | 25 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| **A. NOT OPERATED** | 828 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **B. OPERATED** | 52 | 10.9 | 90 | 2 | 3 | 9 | 13 | 20 | 29 | 58 |
| TOTAL 0-19 YRS | 289 | 4.3 | 7 | 1 | 1 | 4 | 6 | 8 | 10 | 12 |
| 20-34 | 249 | 4.1 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 158 | 4.9 | 9 | 1 | 2 | 4 | 7 | 9 | 10 | 16 |
| 50-64 | 110 | 6.9 | 50 | 2 | 2 | 5 | 8 | 14 | 17 | 42 |
| 65+ | 74 | 7.3 | 27 | 1 | 3 | 6 | 9 | 14 | 16 | 30 |
| **GRAND TOTAL** | **880** | **4.9** | **16** | **1** | **2** | **4** | **6** | **9** | **11** | **18** |

### 14: Syphilis and other venereal diseases (090-099)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 370 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 12 |
| 20-34 | 480 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 71 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 21 |
| 50-64 | 22 | 4.6 | 14 | <1 | 1 | 3 | 8 | 10 | 11 | 12 |
| 65+ | 14 | 4.4 | 24 | <1 | 1 | 2 | 6 | 13 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 2.8 | 7 | <1 | <1 | 2 | 5 | 6 | 7 | 14 |
| 20-34 | 146 | 2.7 | 6 | <1 | <1 | 2 | 4 | 5 | 7 | 13 |
| 35-49 | 32 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 10 | 13 |
| 50-64 | 20 | 5.7 | 53 | <1 | 1 | 3 | 7 | 15 | 23 | 30 |
| 65+ | 13 | 5.5 | 38 | 1 | 1 | 2 | 6 | 16 | 21 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 342 | 5.5 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 20-34 | 525 | 5.1 | 9 | 2 | 2 | 4 | 6 | 9 | 10 | 16 |
| 35-49 | 115 | 6.9 | 25 | 1 | 2 | 5 | 9 | 14 | 16 | 26 |
| 50-64 | 76 | 8.4 | 54 | 1 | 1 | 7 | 10 | 17 | 22 | 39 |
| 65+ | 106 | 9.1 | 69 | 1 | 1 | 7 | 12 | 19 | 23 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 6.0 | 19 | 1 | 2 | 5 | 8 | 10 | 15 | 25 |
| 20-34 | 178 | 5.3 | 21 | 1 | 1 | 4 | 7 | 11 | 16 | 21 |
| 35-49 | 73 | 7.8 | 76 | 1 | 1 | 5 | 11 | 16 | 22 | 51 |
| 50-64 | 55 | 10.9 | 258 | 1 | 2 | 6 | 11 | 24 | 50 | 90 |
| 65+ | 43 | 10.3 | 75 | 1 | 2 | 9 | 14 | 19 | 26 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 957 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | 253 | 3.1 | 12 | <1 | <1 | 2 | 4 | 6 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1164 | 5.9 | 22 | 1 | 2 | 5 | 7 | 11 | 14 | 25 |
| B. *Operated* | 401 | 7.1 | 73 | 1 | 1 | 5 | 9 | 15 | 18 | 50 |
| **1. SINGLE DX** | 1210 | 4.3 | 9 | 1 | 1 | 4 | 5 | 7 | 10 | 14 |
| **2. MULTIPLE DX** | 1565 | 6.3 | 35 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| **A. NOT OPERATED** | 2121 | 5.3 | 16 | 1 | 2 | 4 | 6 | 10 | 12 | 20 |
| **B. OPERATED** | 654 | 5.6 | 53 | <1 | 1 | 3 | 7 | 13 | 16 | 31 |
| TOTAL 0-19 YRS | 806 | 5.1 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 20-34 | 1329 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 291 | 6.1 | 35 | 1 | 1 | 4 | 8 | 13 | 16 | 26 |
| 50-64 | 173 | 8.4 | 117 | 1 | 1 | 5 | 10 | 17 | 25 | 59 |
| 65+ | 176 | 8.7 | 67 | 1 | 1 | 6 | 12 | 18 | 22 | 41 |
| **GRAND TOTAL** | **2775** | **5.4** | **25** | **1** | **2** | **4** | **6** | **10** | **13** | **24** |

## 15: Mycoses (110-118)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 4.2 | 8 | <1 | 1 | 3 | 6 | 8 | 9 | 15 |
| 20-34 | 34 | 4.8 | 17 | 1 | 1 | 4 | 7 | 10 | 14 | 19 |
| 35-49 | 31 | 7.9 | 131 | 1 | 1 | 5 | 8 | 12 | 45 | 51 |
| 50-64 | 18 | 5.2 | 11 | 2 | 2 | 4 | 7 | 10 | 12 | 14 |
| 65+ | 20 | 8.0 | 25 | 2 | 3 | 7 | 9 | 16 | 19 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.1 | 30 | <1 | <1 | 5 | 9 | 15 | 17 | 18 |
| 20-34 | 29 | 12.0 | 242 | 2 | 3 | 7 | 12 | 24 | 59 | 69 |
| 35-49 | 55 | 6.9 | 39 | 1 | 1 | 6 | 8 | 10 | 21 | 37 |
| 50-64 | 56 | 7.6 | 107 | 1 | 1 | 6 | 8 | 12 | 19 | 60 |
| 65+ | 32 | 5.3 | 10 | 1 | 1 | 5 | 7 | 9 | 12 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 223 | 4.9 | 43 | <1 | 1 | 4 | 5 | 8 | 12 | 25 |
| 20-34 | 180 | 8.2 | 113 | 1 | 2 | 5 | 9 | 15 | 23 | 64 |
| 35-49 | 185 | 8.8 | 132 | 1 | 1 | 5 | 10 | 19 | 31 | 65 |
| 50-64 | 198 | 9.2 | 107 | 2 | 3 | 7 | 10 | 15 | 21 | 58 |
| 65+ | 453 | 9.7 | 65 | 2 | 3 | 8 | 12 | 19 | 25 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 16.0 | 188 | 2 | 2 | 12 | 24 | 41 | 50 | 99+ |
| 20-34 | 144 | 19.8 | 314 | 4 | 5 | 14 | 28 | 45 | 68 | 99+ |
| 35-49 | 190 | 17.4 | 345 | 2 | 3 | 10 | 23 | 48 | 61 | 99+ |
| 50-64 | 212 | 18.4 | 375 | 2 | 2 | 10 | 25 | 48 | 67 | 97 |
| 65+ | 285 | 16.2 | 198 | 2 | 4 | 12 | 22 | 33 | 45 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 171 | 5.5 | 36 | 1 | 1 | 4 | 7 | 10 | 15 | 42 |
| B. *Operated* | 186 | 7.6 | 88 | 1 | 1 | 6 | 8 | 12 | 22 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1239 | 8.4 | 88 | 1 | 2 | 6 | 10 | 16 | 22 | 55 |
| B. *Operated* | 869 | 17.6 | 292 | 2 | 3 | 12 | 24 | 43 | 58 | 99 |
| **1. SINGLE DX** | 357 | 6.6 | 64 | 1 | 1 | 5 | 8 | 11 | 17 | 52 |
| **2. MULTIPLE DX** | 2108 | 12.2 | 192 | 1 | 2 | 8 | 14 | 28 | 43 | 80 |
| **A. NOT OPERATED** | 1410 | 8.1 | 82 | 1 | 2 | 6 | 10 | 15 | 21 | 51 |
| **B. OPERATED** | 1055 | 15.8 | 271 | 2 | 2 | 10 | 21 | 39 | 56 | 96 |
| TOTAL 0-19 YRS | 343 | 6.0 | 64 | <1 | 1 | 4 | 6 | 12 | 20 | 47 |
| 20-34 | 387 | 12.5 | 222 | 1 | 2 | 7 | 15 | 31 | 53 | 88 |
| 35-49 | 461 | 12.1 | 228 | 1 | 2 | 7 | 14 | 32 | 48 | 94 |
| 50-64 | 484 | 12.9 | 245 | 2 | 2 | 8 | 14 | 31 | 51 | 93 |
| 65+ | 790 | 11.8 | 121 | 2 | 3 | 9 | 14 | 24 | 32 | 57 |
| **GRAND TOTAL** | **2465** | **11.4** | **178** | **1** | **2** | **7** | **13** | **25** | **41** | **78** |

## 16: Helminthiases (120-129)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 4.4 | 39 | 1 | 1 | 3 | 4 | 7 | 8 | 36 |
| 20-34 | 13 | 5.3 | 18 | 1 | 1 | 4 | 7 | 11 | 15 | 16 |
| 35-49 | 13 | 5.8 | 13 | 2 | 2 | 5 | 8 | 12 | 13 | 13 |
| 50-64 | 4 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 3 | 7.0 | 63 | <1 | <1 | 4 | 13 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 3.3 | 2 | <1 | 2 | 3 | 4 | 6 | 6 | 7 |
| 20-34 | 15 | 6.3 | 43 | <1 | 1 | 5 | 7 | 12 | 23 | 27 |
| 35-49 | 10 | 5.7 | 17 | <1 | 1 | 5 | 6 | 12 | 15 | 15 |
| 50-64 | 5 | 8.6 | 25 | 4 | 4 | 8 | 10 | 17 | 17 | 17 |
| 65+ | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 5.2 | 26 | 1 | 1 | 4 | 7 | 8 | 11 | 32 |
| 20-34 | 41 | 5.5 | 18 | 1 | 2 | 4 | 8 | 11 | 14 | 20 |
| 35-49 | 32 | 5.8 | 15 | 2 | 2 | 4 | 7 | 10 | 16 | 18 |
| 50-64 | 13 | 7.2 | 23 | 1 | 2 | 8 | 10 | 14 | 16 | 16 |
| 65+ | 17 | 8.8 | 43 | 1 | 2 | 5 | 13 | 16 | 22 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 5.4 | 33 | 1 | 2 | 3 | 5 | 12 | 16 | 30 |
| 20-34 | 23 | 9.1 | 89 | 1 | 2 | 6 | 11 | 17 | 31 | 46 |
| 35-49 | 21 | 8.6 | 44 | <1 | 1 | 7 | 13 | 17 | 21 | 24 |
| 50-64 | 18 | 11.8 | 79 | 4 | 4 | 8 | 15 | 25 | 32 | 36 |
| 65+ | 12 | 16.3 | 182 | 3 | 4 | 12 | 22 | 34 | 49 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 63 | 5.0 | 27 | 1 | 1 | 4 | 6 | 9 | 14 | 33 |
| B. *Operated* | 60 | 5.0 | 19 | <1 | 2 | 4 | 6 | 10 | 13 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 146 | 6.0 | 23 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| B. *Operated* | 109 | 9.0 | 79 | 1 | 2 | 6 | 12 | 20 | 27 | 48 |
| **1. SINGLE DX** | 123 | 5.0 | 23 | 1 | 1 | 4 | 6 | 10 | 14 | 29 |
| **2. MULTIPLE DX** | 255 | 7.3 | 49 | 1 | 2 | 5 | 9 | 15 | 21 | 36 |
| **A. NOT OPERATED** | 209 | 5.7 | 25 | 1 | 2 | 4 | 7 | 12 | 16 | 28 |
| **B. OPERATED** | 169 | 7.6 | 61 | 1 | 2 | 5 | 10 | 16 | 24 | 44 |
| TOTAL 0-19 YRS | 136 | 4.7 | 26 | 1 | 1 | 3 | 6 | 8 | 12 | 33 |
| 20-34 | 92 | 6.5 | 41 | 1 | 2 | 5 | 8 | 12 | 17 | 38 |
| 35-49 | 76 | 6.5 | 24 | 1 | 2 | 5 | 9 | 14 | 17 | 22 |
| 50-64 | 40 | 9.2 | 51 | 2 | 3 | 7 | 11 | 17 | 24 | 36 |
| 65+ | 34 | 11.1 | 102 | 1 | 3 | 9 | 14 | 24 | 27 | 52 |
| **GRAND TOTAL** | **378** | **6.6** | **42** | **1** | **2** | **4** | **8** | **14** | **17** | **35** |

## 17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 4.0 | 11 | <1 | 1 | 3 | 5 | 8 | 13 | 16 |
| 20-34 | 77 | 5.8 | 34 | 1 | 1 | 4 | 6 | 11 | 18 | 31 |
| 35-49 | 66 | 5.3 | 15 | 1 | 2 | 5 | 7 | 8 | 13 | 23 |
| 50-64 | 26 | 5.7 | 17 | 1 | 2 | 5 | 7 | 12 | 16 | 18 |
| 65+ | 12 | 7.6 | 137 | 1 | 1 | 5 | 7 | 19 | 40 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 6.4 | 63 | <1 | <1 | 4 | 11 | 16 | 23 | 33 |
| 20-34 | 369 | 4.4 | 18 | 1 | 1 | 3 | 6 | 10 | 13 | 20 |
| 35-49 | 224 | 4.4 | 24 | 1 | 1 | 2 | 5 | 9 | 15 | 24 |
| 50-64 | 88 | 4.3 | 15 | 1 | 1 | 3 | 6 | 11 | 12 | 17 |
| 65+ | 20 | 6.0 | 46 | 1 | 1 | 4 | 8 | 12 | 22 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 4.9 | 11 | 1 | 2 | 4 | 6 | 8 | 12 | 16 |
| 20-34 | 319 | 7.6 | 41 | 2 | 2 | 6 | 9 | 15 | 22 | 34 |
| 35-49 | 347 | 7.6 | 35 | 1 | 2 | 6 | 10 | 15 | 21 | 32 |
| 50-64 | 193 | 8.8 | 54 | 2 | 2 | 7 | 11 | 17 | 20 | 36 |
| 65+ | 190 | 8.2 | 41 | 2 | 3 | 7 | 10 | 15 | 18 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 12.8 | 88 | 2 | 3 | 9 | 19 | 26 | 29 | 40 |
| 20-34 | 673 | 13.4 | 146 | 2 | 2 | 10 | 19 | 27 | 36 | 60 |
| 35-49 | 598 | 14.1 | 134 | 1 | 2 | 11 | 20 | 28 | 37 | 59 |
| 50-64 | 286 | 12.6 | 122 | 1 | 2 | 9 | 18 | 26 | 36 | 60 |
| 65+ | 103 | 13.9 | 182 | 2 | 3 | 9 | 18 | 32 | 40 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 225 | 5.4 | 27 | 1 | 1 | 4 | 6 | 9 | 15 | 28 |
| B. *Operated* | 724 | 4.5 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1194 | 7.6 | 39 | 2 | 2 | 6 | 9 | 15 | 20 | 33 |
| B. *Operated* | 1686 | 13.5 | 139 | 2 | 2 | 10 | 19 | 28 | 37 | 60 |
| **1. SINGLE DX** | 949 | 4.7 | 23 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | 2880 | 11.1 | 106 | 2 | 2 | 8 | 15 | 23 | 31 | 52 |
| **A. NOT OPERATED** | 1419 | 7.2 | 37 | 1 | 2 | 5 | 9 | 15 | 19 | 33 |
| **B. OPERATED** | 2410 | 10.8 | 121 | 1 | 1 | 7 | 15 | 24 | 32 | 53 |
| TOTAL 0-19 YRS | 238 | 5.7 | 30 | 1 | 1 | 4 | 7 | 12 | 16 | 27 |
| 20-34 | 1438 | 9.4 | 99 | 1 | 2 | 6 | 12 | 21 | 28 | 46 |
| 35-49 | 1235 | 10.0 | 96 | 1 | 2 | 7 | 14 | 22 | 29 | 53 |
| 50-64 | 593 | 9.8 | 89 | 1 | 2 | 7 | 14 | 21 | 27 | 49 |
| 65+ | 325 | 9.9 | 96 | 2 | 3 | 7 | 11 | 19 | 31 | 45 |
| **GRAND TOTAL** | **3829** | **9.5** | **93** | **1** | **2** | **6** | **13** | **21** | **28** | **48** |

## 18: Late effects of infectious and parasitic diseases (137-139)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 6.5 | 61 | 1 | 1 | 6 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.5 | 85 | 2 | 2 | 8 | 15 | 15 | 15 | 15 |
| 20-34 | 2 | 8.5 | 85 | 2 | 2 | 8 | 15 | 15 | 15 | 15 |
| 35-49 | 6 | 7.7 | 84 | 1 | 1 | 3 | 15 | 22 | 23 | 23 |
| 50-64 | 5 | 2.0 | 3 | 1 | 1 | 1 | 3 | 5 | 5 | 5 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.0 | 13 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 5.3 | 22 | 2 | 2 | 4 | 8 | 12 | 12 | 12 |
| 50-64 | 8 | 7.1 | 68 | 1 | 1 | 4 | 11 | 21 | 23 | 23 |
| 65+ | 7 | 5.1 | 12 | 1 | 1 | 5 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.0 | 25 | 2 | 2 | 10 | 13 | 14 | 14 | 14 |
| 20-34 | 6 | 6.5 | 25 | 2 | 2 | 5 | 7 | 15 | 16 | 16 |
| 35-49 | 5 | 9.0 | 72 | 2 | 2 | 5 | 15 | 22 | 22 | 22 |
| 50-64 | 12 | 10.7 | 36 | 3 | 3 | 11 | 13 | 19 | 22 | 23 |
| 65+ | 11 | 8.9 | 109 | 1 | 1 | 5 | 11 | 23 | 37 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 4.8 | 24 | 1 | 1 | 3 | 8 | 12 | 12 | 12 |
| B. *Operated* | 16 | 5.8 | 49 | 1 | 1 | 2 | 10 | 15 | 21 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 5.8 | 30 | 1 | 1 | 4 | 8 | 12 | 19 | 23 |
| B. *Operated* | 39 | 9.1 | 54 | 1 | 2 | 7 | 13 | 17 | 23 | 38 |
| **1. SINGLE DX** | 20 | 5.6 | 42 | 1 | 1 | 3 | 8 | 15 | 19 | 23 |
| **2. MULTIPLE DX** | 63 | 7.8 | 47 | 1 | 2 | 5 | 12 | 16 | 22 | 36 |
| **A. NOT OPERATED** | 28 | 5.6 | 28 | 1 | 1 | 4 | 8 | 12 | 18 | 23 |
| **B. OPERATED** | 55 | 8.1 | 54 | 1 | 1 | 5 | 13 | 16 | 23 | 37 |
| TOTAL 0-19 YRS | 13 | 6.9 | 25 | 1 | 2 | 6 | 11 | 14 | 15 | 15 |
| 20-34 | 9 | 6.6 | 29 | 2 | 2 | 4 | 9 | 16 | 16 | 16 |
| 35-49 | 15 | 7.5 | 57 | 1 | 2 | 3 | 13 | 22 | 23 | 23 |
| 50-64 | 25 | 7.8 | 48 | 1 | 1 | 5 | 13 | 17 | 23 | 23 |
| 65+ | 21 | 7.1 | 65 | 1 | 1 | 5 | 9 | 13 | 24 | 38 |
| **GRAND TOTAL** | **83** | **7.3** | **46** | **1** | **1** | **5** | **12** | **15** | **22** | **33** |

## 19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 7 | 3.9 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 21 | 5.5 | 37 | <1 | 1 | 4 | 6 | 13 | 21 | 27 |
| 50-64 | 75 | 6.1 | 88 | 1 | 2 | 4 | 7 | 9 | 13 | 65 |
| 65+ | 55 | 4.6 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 3.5 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 8 |
| 20-34 | 87 | 4.1 | 14 | 1 | 1 | 3 | 5 | 9 | 14 | 68 |
| 35-49 | 282 | 4.9 | 32 | 1 | 1 | 3 | 6 | 10 | 13 | 30 |
| 50-64 | 712 | 5.1 | 32 | 1 | 1 | 3 | 7 | 13 | 16 | 29 |
| 65+ | 692 | 5.1 | 33 | 1 | 1 | 3 | 6 | 12 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.7 | 7 | 1 | 2 | 4 | 7 | 8 | 9 | 9 |
| 20-34 | 18 | 4.1 | 6 | <1 | 1 | 4 | 5 | 7 | 8 | 9 |
| 35-49 | 123 | 8.4 | 106 | 1 | 1 | 6 | 10 | 17 | 25 | 52 |
| 50-64 | 426 | 8.0 | 80 | 1 | 2 | 6 | 9 | 15 | 22 | 54 |
| 65+ | 443 | 9.1 | 111 | 1 | 2 | 6 | 10 | 18 | 28 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 8.8 | 73 | 1 | 2 | 5 | 11 | 24 | 30 | 31 |
| 20-34 | 64 | 9.5 | 96 | 1 | 1 | 7 | 10 | 25 | 33 | 41 |
| 35-49 | 489 | 12.1 | 158 | 1 | 2 | 8 | 17 | 28 | 38 | 67 |
| 50-64 | 1798 | 12.1 | 165 | 1 | 2 | 8 | 16 | 28 | 39 | 71 |
| 65+ | 2084 | 10.8 | 157 | 1 | 2 | 7 | 13 | 25 | 38 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 166 | 5.3 | 48 | 1 | 1 | 4 | 6 | 9 | 11 | 40 |
| B. *Operated* | 1797 | 5.0 | 31 | 1 | 1 | 3 | 6 | 12 | 16 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1022 | 8.4 | 95 | 1 | 2 | 6 | 9 | 16 | 24 | 62 |
| B. *Operated* | 4457 | 11.4 | 159 | 1 | 2 | 7 | 15 | 27 | 38 | 70 |
| **1. SINGLE DX** | 1963 | 5.0 | 32 | 1 | 1 | 3 | 6 | 11 | 15 | 28 |
| **2. MULTIPLE DX** | 5479 | 10.9 | 149 | 1 | 2 | 7 | 14 | 25 | 37 | 69 |
| **A. NOT OPERATED** | 1188 | 8.0 | 90 | 1 | 2 | 6 | 9 | 16 | 23 | 62 |
| **B. OPERATED** | 6254 | 9.6 | 131 | 1 | 1 | 6 | 12 | 23 | 33 | 65 |
| TOTAL 0-19 YRS | 66 | 5.4 | 33 | 1 | 1 | 4 | 7 | 11 | 15 | 31 |
| 20-34 | 176 | 6.1 | 49 | 1 | 1 | 4 | 7 | 15 | 23 | 41 |
| 35-49 | 915 | 9.2 | 120 | 1 | 1 | 6 | 12 | 22 | 32 | 61 |
| 50-64 | 3011 | 9.7 | 128 | 1 | 1 | 6 | 13 | 22 | 32 | 65 |
| 65+ | 3274 | 9.3 | 128 | 1 | 1 | 5 | 11 | 22 | 32 | 66 |
| **GRAND TOTAL** | **7442** | **9.3** | **125** | **1** | **1** | **6** | **12** | **22** | **32** | **64** |

## 20: Malignant neoplasm of esophagus (150)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 10 | 7.1 | 15 | 2 | 2 | 6 | 10 | 13 | 15 | 15 |
| 50-64 | 23 | 9.1 | 199 | <1 | 1 | 6 | 10 | 13 | 39 | 70 |
| 65+ | 33 | 5.9 | 40 | 1 | 1 | 4 | 7 | 12 | 17 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 27 | 9.4 | 85 | 1 | 1 | 6 | 13 | 21 | 29 | 40 |
| 50-64 | 139 | 10.9 | 145 | 1 | 1 | 8 | 13 | 25 | 34 | 55 |
| 65+ | 115 | 8.0 | 58 | 1 | 1 | 6 | 12 | 16 | 20 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 12.5 | 5 | 11 | 11 | 12 | 14 | 14 | 14 | 14 |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | 51 | 9.1 | 56 | 2 | 3 | 8 | 11 | 16 | 22 | 47 |
| 50-64 | 289 | 7.5 | 48 | 1 | 2 | 6 | 9 | 14 | 20 | 34 |
| 65+ | 366 | 8.8 | 74 | 2 | 2 | 6 | 11 | 19 | 24 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 7 | 13.1 | 78 | 1 | 2 | 16 | 21 | 24 | 24 | 24 |
| 35-49 | 155 | 17.2 | 195 | 3 | 4 | 13 | 23 | 37 | 53 | 76 |
| 50-64 | 687 | 16.8 | 206 | 2 | 3 | 13 | 21 | 34 | 45 | 92 |
| 65+ | 1007 | 15.8 | 203 | 2 | 3 | 12 | 21 | 32 | 46 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 66 | 7.2 | 91 | 1 | 1 | 5 | 9 | 12 | 18 | 64 |
| B. *Operated* | 282 | 9.6 | 105 | 1 | 1 | 7 | 12 | 20 | 31 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 710 | 8.3 | 62 | 2 | 2 | 6 | 10 | 16 | 22 | 46 |
| B. *Operated* | 1857 | 16.3 | 203 | 2 | 3 | 13 | 21 | 33 | 46 | 83 |
| **1. SINGLE DX** | 348 | 9.1 | 103 | 1 | 1 | 6 | 12 | 19 | 30 | 48 |
| **2. MULTIPLE DX** | 2567 | 14.0 | 177 | 2 | 3 | 11 | 18 | 30 | 41 | 75 |
| **A. NOT OPERATED** | 776 | 8.2 | 64 | 1 | 2 | 6 | 10 | 16 | 22 | 46 |
| **B. OPERATED** | 2139 | 15.4 | 195 | 2 | 3 | 12 | 20 | 32 | 44 | 79 |
| TOTAL 0-19 YRS | 3 | 11.7 | 4 | 10 | 10 | 11 | 13 | 14 | 14 | 14 |
| 20-34 | 10 | 10.6 | 78 | <1 | <1 | 9 | 17 | 23 | 24 | 24 |
| 35-49 | 243 | 14.2 | 161 | 2 | 3 | 11 | 18 | 29 | 41 | 68 |
| 50-64 | 1138 | 13.5 | 175 | 2 | 2 | 10 | 17 | 29 | 39 | 80 |
| 65+ | 1521 | 13.3 | 170 | 2 | 3 | 10 | 17 | 29 | 39 | 70 |
| **GRAND TOTAL** | **2915** | **13.5** | **170** | **2** | **3** | **10** | **17** | **29** | **39** | **74** |

## 21: Malignant neoplasm of stomach (151)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | 8 | 3.4 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 50-64 | 25 | 6.3 | 33 | <1 | <1 | 5 | 10 | 12 | 18 | 25 |
| 65+ | 42 | 7.0 | 54 | <1 | 1 | 4 | 9 | 18 | 23 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 10 | 8.7 | 17 | 2 | 4 | 8 | 10 | 15 | 16 | 16 |
| 35-49 | 44 | 11.2 | 37 | 2 | 3 | 11 | 14 | 18 | 22 | 31 |
| 50-64 | 155 | 11.1 | 86 | <1 | 3 | 10 | 14 | 19 | 24 | 30 |
| 65+ | 205 | 12.0 | 63 | 2 | 3 | 10 | 15 | 21 | 29 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.5 | 61 | 2 | 2 | 7 | 13 | 13 | 13 | 13 |
| 20-34 | 17 | 9.3 | 52 | 3 | 3 | 7 | 10 | 19 | 27 | 31 |
| 35-49 | 56 | 7.7 | 37 | 1 | 2 | 6 | 11 | 15 | 21 | 27 |
| 50-64 | 238 | 8.1 | 66 | 1 | 2 | 6 | 10 | 15 | 21 | 41 |
| 65+ | 650 | 8.4 | 60 | 1 | 2 | 6 | 11 | 17 | 24 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 16.3 | 79 | 4 | 6 | 15 | 20 | 30 | 34 | 34 |
| 20-34 | 59 | 13.4 | 72 | 2 | 3 | 11 | 17 | 25 | 33 | 41 |
| 35-49 | 271 | 14.6 | 101 | 3 | 5 | 12 | 19 | 25 | 34 | 64 |
| 50-64 | 1096 | 16.0 | 131 | 3 | 6 | 14 | 19 | 29 | 38 | 67 |
| 65+ | 2757 | 17.0 | 136 | 4 | 6 | 14 | 22 | 31 | 39 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 78 | 6.3 | 41 | <1 | 1 | 4 | 8 | 15 | 21 | 32 |
| B. *Operated* | 415 | 11.5 | 68 | 1 | 3 | 10 | 14 | 20 | 26 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 963 | 8.3 | 60 | 1 | 2 | 6 | 11 | 17 | 23 | 38 |
| B. *Operated* | 4192 | 16.6 | 132 | 4 | 6 | 14 | 21 | 30 | 38 | 67 |
| **1. SINGLE DX** | 493 | 10.7 | 67 | 1 | 2 | 10 | 14 | 20 | 25 | 34 |
| **2. MULTIPLE DX** | 5155 | 15.0 | 129 | 3 | 4 | 13 | 19 | 28 | 36 | 63 |
| **A. NOT OPERATED** | 1041 | 8.2 | 59 | 1 | 2 | 6 | 11 | 17 | 23 | 37 |
| **B. OPERATED** | 4607 | 16.1 | 128 | 3 | 5 | 14 | 20 | 29 | 37 | 66 |
| TOTAL 0-19 YRS | 14 | 12.7 | 81 | 2 | 3 | 13 | 16 | 26 | 32 | 34 |
| 20-34 | 87 | 12.0 | 65 | 3 | 3 | 10 | 16 | 21 | 29 | 40 |
| 35-49 | 379 | 13.0 | 90 | 2 | 3 | 11 | 17 | 24 | 31 | 59 |
| 50-64 | 1514 | 14.1 | 125 | 2 | 3 | 12 | 17 | 26 | 34 | 63 |
| 65+ | 3654 | 15.1 | 129 | 3 | 4 | 13 | 20 | 29 | 36 | 62 |
| **GRAND TOTAL** | **5648** | **14.7** | **125** | **2** | **4** | **12** | **19** | **28** | **36** | **62** |

## 22: Malignant neoplasm of small intestine (152)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 8.0 | 98 | 1 | 1 | 8 | 15 | 15 | 15 | 15 |
| 35-49 | 7 | 7.6 | 8 | 2 | 3 | 8 | 9 | 11 | 11 | 11 |
| 50-64 | 9 | 12.8 | 32 | 3 | 5 | 13 | 15 | 21 | 22 | 22 |
| 65+ | 13 | 13.5 | 85 | 2 | 5 | 12 | 15 | 31 | 33 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 35-49 | 9 | 3.3 | 9 | 1 | 1 | 2 | 4 | 9 | 9 | 9 |
| 50-64 | 34 | 6.7 | 50 | 1 | 2 | 4 | 9 | 14 | 17 | 38 |
| 65+ | 49 | 8.2 | 60 | 2 | 2 | 6 | 11 | 17 | 20 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 14 | 12.0 | 46 | 2 | 2 | 12 | 16 | 21 | 23 | 23 |
| 35-49 | 72 | 16.7 | 221 | 5 | 7 | 12 | 18 | 28 | 34 | 92 |
| 50-64 | 204 | 17.3 | 165 | 6 | 7 | 13 | 22 | 36 | 52 | 99+ |
| 65+ | 353 | 19.5 | 174 | 7 | 8 | 16 | 24 | 35 | 46 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | 31 | 11.6 | 54 | 1 | 3 | 11 | 13 | 21 | 31 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 7.3 | 53 | 1 | 2 | 5 | 10 | 16 | 19 | 43 |
| B. *Operated* | 644 | 18.3 | 175 | 6 | 7 | 14 | 23 | 34 | 47 | 81 |
| **1. SINGLE DX** | 34 | 10.8 | 55 | 1 | 2 | 10 | 13 | 20 | 29 | 33 |
| **2. MULTIPLE DX** | 737 | 16.9 | 173 | 3 | 6 | 13 | 21 | 33 | 46 | 79 |
| **A. NOT OPERATED** | 96 | 7.2 | 52 | 1 | 2 | 5 | 10 | 16 | 19 | 42 |
| **B. OPERATED** | 675 | 18.0 | 172 | 6 | 7 | 14 | 22 | 33 | 46 | 80 |
| TOTAL 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 17 | 11.8 | 47 | 1 | 2 | 13 | 16 | 21 | 22 | 23 |
| 35-49 | 89 | 14.5 | 202 | 2 | 2 | 11 | 17 | 27 | 33 | 88 |
| 50-64 | 248 | 15.6 | 158 | 3 | 4 | 12 | 19 | 33 | 47 | 99 |
| 65+ | 416 | 18.0 | 171 | 3 | 6 | 15 | 22 | 34 | 46 | 78 |
| **GRAND TOTAL** | **771** | **16.6** | **169** | **3** | **5** | **13** | **21** | **33** | **45** | **78** |

## 23: Malignant neoplasm of colon (153)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 20 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 12 |
| 50-64 | 47 | 5.1 | 20 | <1 | 1 | 3 | 7 | 12 | 16 | 18 |
| 65+ | 82 | 4.8 | 24 | <1 | 1 | 4 | 5 | 11 | 14 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 8.6 | 21 | 4 | 4 | 6 | 13 | 14 | 14 | 14 |
| 20-34 | 34 | 8.1 | 10 | 2 | 5 | 8 | 10 | 12 | 14 | 16 |
| 35-49 | 242 | 9.5 | 13 | 3 | 6 | 9 | 11 | 14 | 15 | 21 |
| 50-64 | 1077 | 10.0 | 18 | 4 | 6 | 9 | 11 | 14 | 17 | 25 |
| 65+ | 1649 | 10.8 | 26 | 4 | 7 | 10 | 12 | 16 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.3 | 34 | 2 | 2 | 4 | 11 | 13 | 13 | 13 |
| 20-34 | 30 | 6.7 | 26 | <1 | 1 | 5 | 10 | 15 | 17 | 17 |
| 35-49 | 120 | 6.9 | 85 | 1 | 1 | 4 | 9 | 14 | 16 | 66 |
| 50-64 | 534 | 7.1 | 37 | 1 | 2 | 5 | 9 | 15 | 20 | 32 |
| 65+ | 1550 | 8.3 | 68 | 2 | 2 | 6 | 10 | 17 | 24 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 8.6 | 22 | 1 | 2 | 9 | 10 | 14 | 19 | 21 |
| 20-34 | 128 | 13.9 | 90 | 3 | 5 | 12 | 16 | 24 | 34 | 51 |
| 35-49 | 938 | 13.0 | 68 | 6 | 7 | 11 | 15 | 21 | 26 | 51 |
| 50-64 | 5100 | 13.2 | 65 | 6 | 7 | 11 | 15 | 22 | 28 | 47 |
| 65+ | 15768 | 15.6 | 92 | 7 | 8 | 13 | 18 | 26 | 34 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 4.7 | 21 | <1 | 1 | 3 | 5 | 10 | 14 | 19 |
| B. *Operated* | 3007 | 10.4 | 22 | 4 | 7 | 10 | 12 | 15 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2237 | 7.9 | 61 | 1 | 2 | 6 | 10 | 16 | 22 | 37 |
| B. *Operated* | 21953 | 14.9 | 86 | 6 | 8 | 12 | 17 | 25 | 32 | 56 |
| **1. SINGLE DX** | 3160 | 10.1 | 23 | 2 | 6 | 9 | 12 | 15 | 18 | 27 |
| **2. MULTIPLE DX** | 24190 | 14.2 | 87 | 4 | 6 | 12 | 17 | 24 | 31 | 54 |
| **A. NOT OPERATED** | 2390 | 7.7 | 59 | 1 | 2 | 5 | 9 | 16 | 21 | 36 |
| **B. OPERATED** | 24960 | 14.3 | 80 | 6 | 7 | 12 | 17 | 24 | 31 | 54 |
| TOTAL 0-19 YRS | 27 | 8.3 | 22 | 1 | 2 | 8 | 11 | 14 | 17 | 21 |
| 20-34 | 196 | 11.5 | 75 | 1 | 3 | 10 | 14 | 21 | 27 | 43 |
| 35-49 | 1320 | 11.7 | 64 | 3 | 5 | 10 | 14 | 19 | 24 | 48 |
| 50-64 | 6758 | 12.1 | 59 | 3 | 6 | 10 | 14 | 21 | 25 | 43 |
| 65+ | 19049 | 14.5 | 89 | 4 | 7 | 12 | 17 | 25 | 32 | 56 |
| **GRAND TOTAL** | **27350** | **13.8** | **82** | **4** | **6** | **12** | **16** | **24** | **30** | **53** |

## 24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 5 | 5.2 | 69 | 1 | 1 | 2 | 7 | 20 | 20 | 20 |
| 35-49 | 15 | 6.5 | 33 | <1 | 1 | 5 | 8 | 15 | 20 | 22 |
| 50-64 | 49 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 13 |
| 65+ | 69 | 4.3 | 12 | <1 | 1 | 4 | 5 | 8 | 10 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 11.2 | 25 | 2 | 3 | 12 | 13 | 17 | 17 | 17 |
| 20-34 | 20 | 9.3 | 40 | 1 | 1 | 9 | 13 | 16 | 21 | 26 |
| 35-49 | 199 | 8.7 | 26 | 1 | 2 | 9 | 12 | 15 | 18 | 21 |
| 50-64 | 844 | 10.0 | 27 | 2 | 3 | 10 | 13 | 16 | 18 | 24 |
| 65+ | 1138 | 10.2 | 42 | 2 | 2 | 10 | 13 | 18 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 23 | 6.5 | 33 | 1 | 2 | 5 | 7 | 14 | 20 | 25 |
| 35-49 | 90 | 6.5 | 27 | 1 | 2 | 5 | 8 | 13 | 20 | 23 |
| 50-64 | 339 | 7.8 | 54 | 1 | 2 | 5 | 9 | 17 | 21 | 37 |
| 65+ | 946 | 8.7 | 84 | 1 | 2 | 6 | 10 | 18 | 26 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 12.3 | 128 | 2 | 2 | 9 | 16 | 32 | 33 | 33 |
| 20-34 | 86 | 12.7 | 73 | 3 | 4 | 11 | 16 | 22 | 25 | 50 |
| 35-49 | 514 | 13.7 | 86 | 3 | 6 | 12 | 16 | 22 | 31 | 55 |
| 50-64 | 2778 | 14.1 | 83 | 3 | 6 | 12 | 17 | 23 | 31 | 51 |
| 65+ | 6711 | 15.6 | 108 | 3 | 5 | 13 | 19 | 27 | 35 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 139 | 4.2 | 14 | <1 | 1 | 3 | 5 | 8 | 12 | 20 |
| B. *Operated* | 2207 | 10.0 | 35 | 2 | 2 | 10 | 13 | 17 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1399 | 8.3 | 73 | 1 | 2 | 6 | 10 | 18 | 24 | 45 |
| B. *Operated* | 10098 | 15.0 | 100 | 3 | 5 | 13 | 18 | 26 | 33 | 60 |
| **1. SINGLE DX** | 2346 | 9.6 | 35 | 1 | 2 | 10 | 13 | 17 | 19 | 28 |
| **2. MULTIPLE DX** | 11497 | 14.2 | 102 | 3 | 4 | 12 | 18 | 25 | 33 | 57 |
| **A. NOT OPERATED** | 1538 | 7.9 | 69 | 1 | 2 | 5 | 9 | 17 | 23 | 44 |
| **B. OPERATED** | 12305 | 14.1 | 92 | 3 | 4 | 12 | 17 | 24 | 32 | 55 |
| TOTAL 0-19 YRS | 17 | 10.7 | 83 | 1 | 2 | 10 | 13 | 27 | 32 | 33 |
| 20-34 | 134 | 10.9 | 67 | 1 | 3 | 10 | 14 | 21 | 25 | 46 |
| 35-49 | 818 | 11.6 | 72 | 2 | 3 | 10 | 14 | 20 | 26 | 48 |
| 50-64 | 4010 | 12.6 | 74 | 2 | 4 | 11 | 15 | 21 | 27 | 48 |
| 65+ | 8864 | 14.1 | 104 | 2 | 3 | 12 | 18 | 25 | 33 | 57 |
| **GRAND TOTAL** | **13843** | **13.5** | **94** | **2** | **3** | **12** | **17** | **24** | **31** | **54** |

## 25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 4.0 | 15 | <1 | <1 | 2 | 7 | 9 | 13 | 14 |
| 20-34 | 8 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 21 | 3.5 | 6 | <1 | 1 | 3 | 6 | 7 | 8 | 8 |
| 50-64 | 30 | 5.9 | 53 | 1 | 1 | 3 | 7 | 13 | 22 | 36 |
| 65+ | 49 | 7.2 | 69 | 1 | 1 | 5 | 7 | 17 | 25 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 10.9 | 220 | 1 | 2 | 8 | 11 | 17 | 25 | 97 |
| 20-34 | 32 | 7.3 | 15 | 1 | 2 | 8 | 9 | 13 | 15 | 16 |
| 35-49 | 70 | 7.7 | 38 | 1 | 1 | 6 | 9 | 17 | 23 | 27 |
| 50-64 | 125 | 9.7 | 60 | 1 | 2 | 8 | 14 | 21 | 26 | 34 |
| 65+ | 158 | 10.7 | 97 | 1 | 1 | 9 | 15 | 22 | 28 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 5.8 | 40 | 1 | 1 | 4 | 8 | 13 | 15 | 30 |
| 20-34 | 42 | 7.4 | 98 | 1 | 1 | 4 | 8 | 17 | 31 | 50 |
| 35-49 | 82 | 6.6 | 33 | 1 | 2 | 5 | 9 | 14 | 17 | 31 |
| 50-64 | 255 | 7.4 | 36 | 1 | 2 | 6 | 10 | 16 | 20 | 28 |
| 65+ | 495 | 9.2 | 71 | 2 | 2 | 7 | 12 | 18 | 23 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 14.7 | 184 | 3 | 5 | 10 | 17 | 36 | 41 | 69 |
| 20-34 | 59 | 12.9 | 104 | 2 | 4 | 10 | 17 | 27 | 31 | 53 |
| 35-49 | 203 | 15.3 | 163 | 2 | 4 | 11 | 19 | 32 | 44 | 61 |
| 50-64 | 739 | 16.0 | 161 | 3 | 5 | 13 | 20 | 31 | 41 | 66 |
| 65+ | 1685 | 16.5 | 140 | 3 | 5 | 14 | 21 | 31 | 37 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 122 | 5.6 | 45 | 1 | 1 | 4 | 7 | 10 | 21 | 39 |
| B. *Operated* | 426 | 9.6 | 83 | 1 | 2 | 8 | 13 | 19 | 25 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 923 | 8.2 | 59 | 1 | 2 | 6 | 11 | 17 | 22 | 35 |
| B. *Operated* | 2740 | 16.2 | 147 | 3 | 5 | 13 | 20 | 31 | 39 | 67 |
| **1. SINGLE DX** | 548 | 8.8 | 77 | 1 | 1 | 7 | 11 | 18 | 24 | 37 |
| **2. MULTIPLE DX** | 3663 | 14.2 | 137 | 2 | 3 | 11 | 18 | 28 | 36 | 62 |
| **A. NOT OPERATED** | 1045 | 7.9 | 58 | 1 | 2 | 6 | 10 | 17 | 22 | 36 |
| **B. OPERATED** | 3166 | 15.3 | 144 | 2 | 4 | 12 | 19 | 29 | 37 | 66 |
| TOTAL 0-19 YRS | 158 | 10.0 | 148 | 1 | 1 | 7 | 11 | 21 | 31 | 68 |
| 20-34 | 141 | 9.5 | 85 | 1 | 2 | 7 | 11 | 20 | 29 | 50 |
| 35-49 | 376 | 11.3 | 121 | 1 | 2 | 8 | 14 | 23 | 35 | 56 |
| 50-64 | 1149 | 13.1 | 134 | 2 | 3 | 10 | 17 | 26 | 34 | 61 |
| 65+ | 2387 | 14.4 | 132 | 2 | 3 | 12 | 19 | 28 | 35 | 63 |
| **GRAND TOTAL** | **4211** | **13.5** | **132** | **2** | **3** | **11** | **18** | **27** | **35** | **61** |

## 26: Malignant neoplasm of pancreas (157)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 35-49 | 11 | 9.4 | 370 | <1 | 1 | 3 | 6 | 32 | 64 | 67 |
| 50-64 | 52 | 5.8 | 28 | 1 | 1 | 4 | 8 | 11 | 17 | 29 |
| 65+ | 71 | 7.4 | 52 | 1 | 2 | 5 | 9 | 17 | 26 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 5 | 8 | 8 | 9 | 11 | 11 | 11 | 11 |
| 20-34 | 5 | 16.8 | 201 | 1 | 1 | 17 | 23 | 39 | 39 | 39 |
| 35-49 | 22 | 12.0 | 51 | 2 | 5 | 10 | 16 | 23 | 25 | 26 |
| 50-64 | 121 | 12.0 | 108 | 1 | 2 | 10 | 15 | 23 | 28 | 65 |
| 65+ | 157 | 11.6 | 88 | 1 | 2 | 10 | 15 | 22 | 27 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 9.4 | 138 | 1 | 1 | 4 | 10 | 30 | 35 | 35 |
| 20-34 | 6 | 4.2 | 7 | 2 | 2 | 3 | 5 | 9 | 9 | 9 |
| 35-49 | 108 | 8.2 | 125 | 1 | 2 | 5 | 9 | 17 | 21 | 71 |
| 50-64 | 478 | 8.1 | 54 | 1 | 2 | 6 | 10 | 17 | 22 | 44 |
| 65+ | 1075 | 8.4 | 49 | 2 | 2 | 6 | 10 | 17 | 21 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 12.4 | 60 | 2 | 2 | 14 | 17 | 23 | 24 | 24 |
| 20-34 | 11 | 16.0 | 51 | 7 | 8 | 15 | 21 | 27 | 27 | 27 |
| 35-49 | 240 | 16.2 | 133 | 3 | 5 | 13 | 21 | 32 | 39 | 56 |
| 50-64 | 1189 | 16.8 | 154 | 3 | 5 | 14 | 21 | 31 | 42 | 67 |
| 65+ | 2573 | 17.6 | 150 | 4 | 6 | 15 | 22 | 33 | 42 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 135 | 7.0 | 67 | 1 | 2 | 4 | 9 | 14 | 26 | 37 |
| B. *Operated* | 307 | 11.8 | 94 | 1 | 2 | 10 | 15 | 22 | 27 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1674 | 8.3 | 56 | 2 | 2 | 6 | 10 | 17 | 21 | 39 |
| B. *Operated* | 4020 | 17.3 | 150 | 3 | 6 | 14 | 22 | 32 | 42 | 67 |
| **1. SINGLE DX** | 442 | 10.4 | 90 | 1 | 2 | 8 | 14 | 21 | 27 | 48 |
| **2. MULTIPLE DX** | 5694 | 14.6 | 139 | 2 | 3 | 12 | 19 | 29 | 38 | 63 |
| **A. NOT OPERATED** | 1809 | 8.2 | 57 | 2 | 2 | 6 | 10 | 17 | 21 | 39 |
| **B. OPERATED** | 4327 | 16.9 | 148 | 3 | 5 | 14 | 21 | 32 | 41 | 67 |
| TOTAL 0-19 YRS | 16 | 10.8 | 82 | 1 | 2 | 9 | 14 | 23 | 32 | 35 |
| 20-34 | 23 | 12.8 | 91 | 1 | 2 | 9 | 18 | 27 | 31 | 39 |
| 35-49 | 381 | 13.5 | 144 | 2 | 2 | 11 | 17 | 28 | 37 | 57 |
| 50-64 | 1840 | 13.9 | 138 | 2 | 3 | 11 | 18 | 28 | 36 | 62 |
| 65+ | 3876 | 14.6 | 136 | 2 | 4 | 12 | 19 | 29 | 37 | 64 |
| **GRAND TOTAL** | **6136** | **14.3** | **137** | **2** | **3** | **11** | **19** | **28** | **37** | **63** |

## 27: Malignant neoplasm of bronchus, lung, and trachea (162)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 6 | 4.5 | 19 | 1 | 1 | 3 | 5 | 12 | 13 | 13 |
| 35-49 | 87 | 3.9 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 22 |
| 50-64 | 373 | 5.2 | 52 | 1 | 1 | 3 | 6 | 10 | 15 | 44 |
| 65+ | 316 | 6.3 | 54 | 1 | 1 | 4 | 8 | 12 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 7.1 | 29 | 1 | 1 | 6 | 10 | 15 | 19 | 19 |
| 20-34 | 35 | 10.4 | 78 | 1 | 3 | 9 | 11 | 16 | 28 | 50 |
| 35-49 | 380 | 7.8 | 39 | 1 | 2 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 1682 | 8.2 | 38 | 1 | 2 | 7 | 11 | 16 | 20 | 29 |
| 65+ | 1546 | 7.9 | 36 | 1 | 2 | 7 | 11 | 15 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.5 | 112 | 1 | 1 | 3 | 13 | 24 | 35 | 36 |
| 20-34 | 42 | 7.8 | 58 | 1 | 2 | 5 | 10 | 16 | 27 | 36 |
| 35-49 | 918 | 6.9 | 51 | 1 | 2 | 5 | 8 | 15 | 20 | 37 |
| 50-64 | 4452 | 7.9 | 63 | 1 | 2 | 6 | 10 | 16 | 21 | 39 |
| 65+ | 5828 | 8.7 | 66 | 2 | 2 | 7 | 11 | 18 | 23 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 14.1 | 151 | 2 | 2 | 13 | 20 | 41 | 71 | 99+ |
| 20-34 | 102 | 11.8 | 97 | 3 | 3 | 9 | 14 | 25 | 29 | 56 |
| 35-49 | 1691 | 11.6 | 86 | 2 | 3 | 9 | 15 | 22 | 29 | 48 |
| 50-64 | 9455 | 11.8 | 87 | 2 | 3 | 10 | 15 | 22 | 29 | 49 |
| 65+ | 13165 | 12.3 | 93 | 2 | 3 | 10 | 16 | 23 | 30 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 783 | 5.5 | 49 | 1 | 1 | 4 | 7 | 11 | 15 | 34 |
| B. *Operated* | 3653 | 8.0 | 38 | 1 | 2 | 7 | 11 | 16 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11251 | 8.2 | 64 | 1 | 2 | 6 | 10 | 17 | 22 | 42 |
| B. *Operated* | 24432 | 12.1 | 90 | 2 | 3 | 10 | 15 | 23 | 30 | 49 |
| **1. SINGLE DX** | 4436 | 7.6 | 41 | 1 | 1 | 6 | 10 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | 35683 | 10.9 | 85 | 2 | 3 | 9 | 14 | 21 | 28 | 48 |
| **A. NOT OPERATED** | 12034 | 8.1 | 63 | 1 | 2 | 6 | 10 | 17 | 22 | 42 |
| **B. OPERATED** | 28085 | 11.5 | 85 | 2 | 3 | 9 | 15 | 22 | 29 | 48 |
| TOTAL 0-19 YRS | 41 | 10.6 | 115 | 1 | 1 | 7 | 15 | 32 | 41 | 99+ |
| 20-34 | 185 | 10.4 | 85 | 2 | 3 | 8 | 13 | 21 | 28 | 48 |
| 35-49 | 3076 | 9.5 | 73 | 1 | 2 | 8 | 12 | 19 | 25 | 44 |
| 50-64 | 15962 | 10.1 | 78 | 1 | 2 | 8 | 13 | 20 | 26 | 44 |
| 65+ | 20855 | 10.9 | 84 | 2 | 2 | 9 | 14 | 21 | 28 | 47 |
| **GRAND TOTAL** | **40119** | **10.5** | **81** | **2** | **2** | **8** | **14** | **21** | **27** | **46** |

## 28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 10 | 4.6 | 7 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 35-49 | 17 | 3.9 | 13 | <1 | 1 | 4 | 5 | 6 | 13 | 16 |
| 50-64 | 62 | 3.4 | 17 | <1 | <1 | 2 | 4 | 8 | 11 | 25 |
| 65+ | 60 | 4.4 | 24 | <1 | 1 | 2 | 6 | 11 | 12 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 5.9 | 9 | 1 | 2 | 6 | 8 | 11 | 12 | 12 |
| 20-34 | 40 | 5.8 | 21 | <1 | 1 | 5 | 8 | 14 | 15 | 17 |
| 35-49 | 165 | 6.8 | 43 | <1 | 1 | 5 | 11 | 14 | 17 | 31 |
| 50-64 | 585 | 7.1 | 49 | <1 | 1 | 4 | 11 | 17 | 20 | 31 |
| 65+ | 480 | 6.4 | 46 | <1 | 1 | 3 | 11 | 16 | 20 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.6 | 29 | <1 | 1 | 4 | 6 | 7 | 18 | 24 |
| 20-34 | 21 | 5.4 | 27 | 1 | 1 | 4 | 6 | 12 | 17 | 23 |
| 35-49 | 63 | 7.1 | 37 | 1 | 2 | 6 | 8 | 12 | 16 | 39 |
| 50-64 | 219 | 7.8 | 62 | 1 | 1 | 5 | 10 | 18 | 26 | 38 |
| 65+ | 283 | 8.6 | 112 | 1 | 2 | 6 | 10 | 17 | 23 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 9.2 | 72 | 2 | 2 | 7 | 11 | 18 | 24 | 49 |
| 20-34 | 49 | 14.7 | 212 | 2 | 2 | 11 | 17 | 37 | 41 | 68 |
| 35-49 | 261 | 12.8 | 130 | 1 | 2 | 11 | 18 | 25 | 32 | 51 |
| 50-64 | 1176 | 12.8 | 118 | 1 | 2 | 11 | 17 | 26 | 34 | 55 |
| 65+ | 1439 | 12.6 | 163 | 1 | 2 | 10 | 17 | 27 | 37 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 156 | 3.8 | 18 | <1 | 1 | 2 | 5 | 8 | 12 | 26 |
| B. *Operated* | 1298 | 6.7 | 46 | <1 | 1 | 4 | 11 | 16 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 603 | 7.9 | 81 | 1 | 1 | 5 | 10 | 16 | 23 | 42 |
| B. *Operated* | 2967 | 12.7 | 142 | 1 | 2 | 10 | 17 | 26 | 36 | 63 |
| **1. SINGLE DX** | 1454 | 6.4 | 43 | <1 | 1 | 3 | 10 | 15 | 19 | 28 |
| **2. MULTIPLE DX** | 3570 | 11.9 | 135 | 1 | 2 | 9 | 16 | 25 | 34 | 59 |
| **A. NOT OPERATED** | 759 | 7.1 | 71 | 1 | 1 | 5 | 9 | 15 | 22 | 40 |
| **B. OPERATED** | 4265 | 10.9 | 120 | 1 | 1 | 9 | 15 | 23 | 31 | 56 |
| TOTAL 0-19 YRS | 94 | 6.9 | 45 | 1 | 1 | 5 | 8 | 13 | 20 | 38 |
| 20-34 | 120 | 9.3 | 118 | 1 | 1 | 6 | 12 | 19 | 36 | 60 |
| 35-49 | 506 | 9.9 | 95 | 1 | 1 | 8 | 13 | 21 | 28 | 49 |
| 50-64 | 2042 | 10.3 | 98 | 1 | 1 | 8 | 15 | 22 | 29 | 48 |
| 65+ | 2262 | 10.5 | 136 | 1 | 1 | 8 | 15 | 23 | 32 | 63 |
| **GRAND TOTAL** | **5024** | **10.3** | **114** | **1** | **1** | **8** | **14** | **22** | **30** | **54** |

## 29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 2.5 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 7 |
| 20-34 | 25 | 3.2 | 4 | <1 | <1 | 3 | 5 | 6 | 7 | 8 |
| 35-49 | 21 | 8.7 | 200 | 1 | 1 | 4 | 9 | 15 | 40 | 67 |
| 50-64 | 31 | 4.6 | 11 | 1 | 1 | 3 | 7 | 9 | 11 | 15 |
| 65+ | 20 | 7.2 | 45 | 1 | 1 | 5 | 9 | 14 | 22 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 308 | 5.9 | 18 | 1 | 1 | 5 | 9 | 12 | 14 | 18 |
| 20-34 | 181 | 7.1 | 70 | 1 | 2 | 5 | 9 | 13 | 16 | 44 |
| 35-49 | 205 | 6.5 | 44 | 1 | 1 | 4 | 9 | 14 | 17 | 35 |
| 50-64 | 224 | 6.7 | 47 | 1 | 1 | 5 | 9 | 13 | 20 | 43 |
| 65+ | 288 | 7.0 | 44 | 1 | 1 | 5 | 10 | 14 | 19 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 215 | 4.6 | 21 | 1 | 1 | 3 | 5 | 10 | 13 | 27 |
| 20-34 | 74 | 5.8 | 32 | 1 | 1 | 4 | 7 | 13 | 19 | 27 |
| 35-49 | 63 | 6.5 | 41 | 1 | 1 | 5 | 8 | 15 | 21 | 29 |
| 50-64 | 120 | 7.0 | 40 | 1 | 2 | 5 | 9 | 15 | 24 | 27 |
| 65+ | 196 | 8.5 | 63 | 1 | 2 | 6 | 10 | 18 | 26 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 11.6 | 179 | 1 | 2 | 8 | 14 | 24 | 36 | 77 |
| 20-34 | 114 | 12.8 | 207 | 2 | 2 | 8 | 14 | 28 | 52 | 68 |
| 35-49 | 188 | 11.3 | 151 | 1 | 2 | 8 | 13 | 29 | 38 | 94 |
| 50-64 | 356 | 12.7 | 146 | 1 | 2 | 9 | 16 | 28 | 39 | 60 |
| 65+ | 697 | 13.1 | 176 | 2 | 2 | 9 | 16 | 29 | 45 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 214 | 3.9 | 30 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| B. *Operated* | 1206 | 6.6 | 42 | 1 | 1 | 5 | 9 | 13 | 17 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 668 | 6.5 | 42 | 1 | 1 | 4 | 8 | 14 | 21 | 29 |
| B. *Operated* | 1546 | 12.6 | 169 | 1 | 2 | 9 | 15 | 28 | 41 | 70 |
| **1. SINGLE DX** | 1420 | 6.2 | 41 | 1 | 1 | 4 | 8 | 12 | 16 | 31 |
| **2. MULTIPLE DX** | 2214 | 10.7 | 138 | 1 | 2 | 7 | 13 | 24 | 36 | 65 |
| **A. NOT OPERATED** | 882 | 5.9 | 40 | 1 | 1 | 4 | 7 | 13 | 18 | 29 |
| **B. OPERATED** | 2752 | 10.0 | 122 | 1 | 2 | 7 | 12 | 21 | 33 | 63 |
| TOTAL 0-19 YRS | 831 | 6.4 | 63 | 1 | 1 | 4 | 8 | 13 | 18 | 37 |
| 20-34 | 394 | 8.3 | 107 | 1 | 1 | 5 | 10 | 15 | 24 | 60 |
| 35-49 | 477 | 8.5 | 97 | 1 | 1 | 6 | 10 | 18 | 28 | 62 |
| 50-64 | 731 | 9.6 | 102 | 1 | 2 | 7 | 12 | 2[illegible] | 29 | 59 |
| 65+ | 1201 | 10.8 | 131 | 1 | 2 | 7 | 13 | 2[illegible] | 36 | 66 |
| **GRAND TOTAL** | **3634** | **9.0** | **105** | **1** | **1** | **6** | **11** | **19** | **28** | **60** |

## 30: Malignant melanoma of skin, excluding genital organs (172)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 3.0 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 15 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | 28 | 4.7 | 15 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| 65+ | 7 | 4.0 | 25 | <1 | <1 | 2 | 4 | 13 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 4.5 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 11 |
| 20-34 | 270 | 4.1 | 8 | 1 | 1 | 3 | 6 | 8 | 10 | 11 |
| 35-49 | 496 | 4.2 | 12 | <1 | 1 | 3 | 6 | 9 | 10 | 16 |
| 50-64 | 462 | 4.3 | 12 | <1 | 1 | 3 | 6 | 8 | 10 | 15 |
| 65+ | 376 | 4.5 | 17 | <1 | 1 | 3 | 6 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.0 | 127 | 1 | 1 | 2 | 16 | 21 | 21 | 21 |
| 20-34 | 33 | 5.7 | 48 | <1 | 1 | 3 | 6 | 16 | 21 | 33 |
| 35-49 | 58 | 6.6 | 44 | 1 | 1 | 4 | 7 | 14 | 22 | 33 |
| 50-64 | 67 | 9.0 | 68 | 1 | 2 | 5 | 12 | 22 | 28 | 34 |
| 65+ | 77 | 5.5 | 14 | 1 | 2 | 5 | 7 | 10 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 7.3 | 47 | 1 | 1 | 6 | 10 | 18 | 21 | 22 |
| 20-34 | 135 | 5.6 | 24 | 1 | 1 | 5 | 7 | 11 | 15 | 30 |
| 35-49 | 277 | 6.1 | 48 | 1 | 1 | 5 | 7 | 11 | 16 | 44 |
| 50-64 | 398 | 6.4 | 43 | 1 | 1 | 5 | 8 | 13 | 20 | 36 |
| 65+ | 605 | 7.8 | 62 | 1 | 2 | 6 | 10 | 15 | 21 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 3.8 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| B. *Operated* | 1630 | 4.3 | 12 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 238 | 6.8 | 43 | 1 | 2 | 5 | 8 | 15 | 22 | 33 |
| B. *Operated* | 1427 | 6.9 | 51 | 1 | 1 | 5 | 8 | 14 | 19 | 37 |
| **1. SINGLE DX** | 1684 | 4.3 | 12 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 1665 | 6.8 | 50 | 1 | 1 | 5 | 8 | 14 | 20 | 35 |
| **A. NOT OPERATED** | 292 | 6.2 | 39 | 1 | 1 | 4 | 7 | 14 | 21 | 32 |
| **B. OPERATED** | 3057 | 5.5 | 32 | 1 | 1 | 4 | 7 | 10 | 14 | 29 |
| TOTAL 0-19 YRS | 41 | 5.6 | 26 | 1 | 1 | 4 | 8 | 11 | 19 | 22 |
| 20-34 | 442 | 4.7 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 846 | 4.9 | 26 | 1 | 1 | 4 | 7 | 9 | 12 | 24 |
| 50-64 | 955 | 5.5 | 31 | 1 | 1 | 4 | 7 | 10 | 15 | 30 |
| 65+ | 1065 | 6.4 | 45 | 1 | 1 | 5 | 8 | 13 | 17 | 34 |
| **GRAND TOTAL** | **3349** | **5.6** | **33** | **1** | **1** | **4** | **7** | **11** | **15** | **29** |

## 31: Other malignant neoplasm of skin, excluding genital organs (173)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 5 | 3.6 | 10 | 1 | 1 | 2 | 5 | 9 | 9 | 9 |
| 50-64 | 6 | 3.0 | 5 | 1 | 1 | 2 | 4 | 7 | 7 | 7 |
| 65+ | 20 | 5.2 | 83 | <1 | 1 | 3 | 5 | 8 | 26 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 3.6 | 17 | <1 | <1 | 2 | 4 | 10 | 11 | 19 |
| 20-34 | 85 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 11 |
| 35-49 | 247 | 2.7 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| 50-64 | 587 | 2.7 | 13 | <1 | <1 | 2 | 3 | 5 | 8 | 18 |
| 65+ | 1115 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 9 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 20-34 | 22 | 7.3 | 163 | 2 | 2 | 4 | 7 | 11 | 32 | 63 |
| 35-49 | 27 | 7.5 | 71 | 1 | 2 | 5 | 8 | 17 | 26 | 40 |
| 50-64 | 35 | 6.7 | 52 | <1 | <1 | 3 | 11 | 20 | 22 | 22 |
| 65+ | 100 | 7.6 | 56 | <1 | 1 | 4 | 12 | 18 | 23 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.7 | 56 | <1 | <1 | 2 | 6 | 20 | 23 | 23 |
| 20-34 | 65 | 8.6 | 89 | 1 | 1 | 4 | 14 | 23 | 32 | 38 |
| 35-49 | 205 | 4.6 | 32 | <1 | <1 | 2 | 6 | 11 | 15 | 31 |
| 50-64 | 665 | 4.4 | 39 | <1 | 1 | 2 | 5 | 9 | 14 | 35 |
| 65+ | 2366 | 5.5 | 54 | 1 | 1 | 3 | 7 | 12 | 18 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 4.5 | 54 | 1 | 1 | 3 | 4 | 8 | 9 | 43 |
| B. *Operated* | 2062 | 2.7 | 10 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 187 | 7.4 | 68 | <1 | 1 | 4 | 11 | 19 | 22 | 37 |
| B. *Operated* | 3313 | 5.3 | 51 | <1 | 1 | 3 | 6 | 12 | 18 | 40 |
| **1. SINGLE DX** | 2094 | 2.8 | 10 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | 3500 | 5.4 | 52 | <1 | 1 | 3 | 6 | 12 | 18 | 39 |
| **A. NOT OPERATED** | 219 | 7.0 | 67 | <1 | 1 | 4 | 9 | 17 | 22 | 41 |
| **B. OPERATED** | 5375 | 4.3 | 36 | <1 | <1 | 2 | 5 | 10 | 14 | 32 |
| TOTAL 0-19 YRS | 43 | 4.3 | 27 | <1 | <1 | 2 | 5 | 10 | 19 | 23 |
| 20-34 | 173 | 5.4 | 64 | <1 | <1 | 2 | 5 | 14 | 21 | 37 |
| 35-49 | 484 | 3.8 | 24 | <1 | <1 | 2 | 4 | 9 | 12 | 25 |
| 50-64 | 1293 | 3.7 | 28 | <1 | <1 | 2 | 4 | 8 | 12 | 29 |
| 65+ | 3601 | 4.7 | 42 | <1 | 1 | 2 | 5 | 11 | 15 | 33 |
| **GRAND TOTAL** | **5594** | **4.4** | **38** | **<1** | **<1** | **2** | **5** | **10** | **15** | **32** |

## 32: Malignant neoplasm of breast (female) (male) (174-175)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 12 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 9 | 10 |
| 35-49 | 55 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 9 | 15 |
| 50-64 | 95 | 4.2 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 60 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 11 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 5.6 | 17 | <1 | 1 | 5 | 8 | 12 | 14 | 14 |
| 20-34 | 505 | 4.4 | 6 | <1 | 1 | 4 | 6 | 7 | 9 | 12 |
| 35-49 | 3095 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 50-64 | 4652 | 5.0 | 7 | 1 | 2 | 5 | 7 | 8 | 9 | 13 |
| 65+ | 4656 | 5.5 | 8 | 1 | 2 | 5 | 7 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.8 | 2 | 5 | 5 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 51 | 7.0 | 50 | 1 | 1 | 5 | 8 | 13 | 26 | 33 |
| 35-49 | 300 | 7.4 | 75 | 1 | 1 | 5 | 9 | 16 | 24 | 44 |
| 50-64 | 736 | 8.5 | 81 | 1 | 1 | 6 | 11 | 18 | 26 | 48 |
| 65+ | 815 | 8.5 | 77 | 1 | 2 | 6 | 11 | 17 | 23 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 7.0 | 12 | 1 | 2 | 7 | 8 | 12 | 14 | 15 |
| 20-34 | 529 | 5.9 | 19 | 1 | 2 | 5 | 7 | 10 | 12 | 22 |
| 35-49 | 3699 | 6.1 | 20 | 2 | 2 | 5 | 7 | 10 | 12 | 24 |
| 50-64 | 7728 | 6.8 | 25 | 2 | 3 | 6 | 8 | 11 | 15 | 26 |
| 65+ | 11828 | 7.6 | 33 | 2 | 3 | 7 | 9 | 12 | 16 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 223 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 12926 | 5.1 | 7 | 1 | 2 | 5 | 7 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1907 | 8.3 | 78 | 1 | 1 | 6 | 11 | 17 | 25 | 46 |
| B. *Operated* | 23807 | 7.1 | 28 | 2 | 3 | 6 | 8 | 11 | 15 | 28 |
| **1. SINGLE DX** | 13149 | 5.1 | 7 | 1 | 2 | 5 | 7 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | 25714 | 7.2 | 32 | 2 | 3 | 6 | 8 | 12 | 15 | 30 |
| **A. NOT OPERATED** | 2130 | 7.8 | 72 | 1 | 1 | 5 | 10 | 16 | 23 | 45 |
| **B. OPERATED** | 36733 | 6.4 | 22 | 2 | 2 | 6 | 8 | 10 | 13 | 24 |
| TOTAL 0-19 YRS | 47 | 6.3 | 13 | 1 | 1 | 6 | 8 | 12 | 14 | 15 |
| 20-34 | 1097 | 5.2 | 15 | 1 | 2 | 5 | 6 | 9 | 11 | 21 |
| 35-49 | 7149 | 5.6 | 17 | 1 | 2 | 5 | 7 | 9 | 11 | 21 |
| 50-64 | 13211 | 6.3 | 23 | 1 | 2 | 5 | 8 | 10 | 13 | 25 |
| 65+ | 17359 | 7.0 | 29 | 2 | 3 | 6 | 8 | 11 | 15 | 28 |
| **GRAND TOTAL** | **38863** | **6.5** | **25** | **2** | **2** | **6** | **8** | **11** | **14** | **25** |

## 33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 64 | 3.1 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 125 | 3.3 | 2 | 1 | 1 | 3 | 4 | 4 | 6 | 9 |
| 50-64 | 148 | 3.5 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 65+ | 100 | 4.0 | 10 | 2 | 2 | 4 | 4 | 5 | 8 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.2 | 14 | <1 | <1 | 7 | 9 | 10 | 10 | 10 |
| 20-34 | 323 | 5.3 | 19 | 1 | 1 | 4 | 8 | 10 | 14 | 17 |
| 35-49 | 438 | 5.6 | 32 | 1 | 2 | 4 | 8 | 11 | 13 | 19 |
| 50-64 | 278 | 4.9 | 37 | 1 | 1 | 4 | 6 | 10 | 11 | 19 |
| 65+ | 188 | 4.4 | 16 | 1 | 1 | 3 | 5 | 9 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.6 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 101 | 6.1 | 33 | 1 | 1 | 4 | 8 | 14 | 16 | 31 |
| 35-49 | 234 | 5.8 | 33 | 1 | 1 | 4 | 7 | 13 | 17 | 30 |
| 50-64 | 313 | 6.3 | 42 | 1 | 1 | 4 | 7 | 13 | 18 | 39 |
| 65+ | 297 | 6.5 | 44 | 2 | 2 | 4 | 7 | 14 | 19 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 7.6 | 35 | 1 | 1 | 6 | 11 | 17 | 18 | 18 |
| 20-34 | 404 | 8.1 | 69 | 1 | 2 | 6 | 10 | 14 | 18 | 50 |
| 35-49 | 759 | 8.8 | 60 | 1 | 2 | 7 | 11 | 17 | 23 | 44 |
| 50-64 | 689 | 8.8 | 71 | 1 | 2 | 7 | 10 | 18 | 25 | 52 |
| 65+ | 702 | 9.2 | 102 | 2 | 2 | 6 | 11 | 19 | 27 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 439 | 3.5 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| B. *Operated* | 1232 | 5.2 | 27 | 1 | 1 | 4 | 7 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 950 | 6.2 | 39 | 1 | 2 | 4 | 7 | 13 | 18 | 37 |
| B. *Operated* | 2561 | 8.8 | 76 | 1 | 2 | 7 | 10 | 17 | 24 | 48 |
| **1. SINGLE DX** | 1671 | 4.7 | 22 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 3511 | 8.1 | 67 | 1 | 2 | 6 | 10 | 16 | 22 | 45 |
| **A. NOT OPERATED** | 1389 | 5.4 | 30 | 1 | 2 | 4 | 6 | 11 | 16 | 31 |
| **B. OPERATED** | 3793 | 7.6 | 63 | 1 | 2 | 6 | 9 | 15 | 20 | 44 |
| TOTAL 0-19 YRS | 19 | 5.7 | 19 | <1 | 1 | 4 | 8 | 11 | 15 | 18 |
| 20-34 | 892 | 6.5 | 45 | 1 | 1 | 5 | 8 | 12 | 15 | 41 |
| 35-49 | 1556 | 7.0 | 47 | 1 | 2 | 5 | 9 | 14 | 18 | 39 |
| 50-64 | 1428 | 6.9 | 55 | 1 | 2 | 5 | 9 | 14 | 21 | 40 |
| 65+ | 1287 | 7.5 | 73 | 1 | 2 | 5 | 9 | 16 | 21 | 44 |
| **GRAND TOTAL** | **5182** | **7.0** | **55** | **1** | **2** | **5** | **9** | **14** | **19** | **41** |

## 34: Malignant neoplasm of corpus uteri (179; 182)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 25 | 3.6 | 1 | 1 | 2 | 4 | 4 | 5 | 5 | 6 |
| 50-64 | 85 | 3.5 | 10 | 1 | 2 | 3 | 4 | 4 | 5 | 23 |
| 65+ | 143 | 3.7 | 7 | 1 | 2 | 3 | 4 | 5 | 8 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 8.6 | 38 | 4 | 4 | 7 | 11 | 19 | 19 | 19 |
| 20-34 | 41 | 5.5 | 7 | 1 | 1 | 6 | 7 | 8 | 9 | 13 |
| 35-49 | 190 | 5.8 | 8 | 1 | 1 | 6 | 7 | 9 | 10 | 16 |
| 50-64 | 769 | 5.9 | 9 | 1 | 2 | 6 | 7 | 9 | 10 | 15 |
| 65+ | 864 | 6.0 | 10 | 1 | 2 | 6 | 8 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 9 | 5.2 | 12 | 1 | 1 | 4 | 7 | 10 | 12 | 12 |
| 35-49 | 28 | 6.9 | 45 | <1 | 1 | 5 | 8 | 19 | 25 | 25 |
| 50-64 | 186 | 5.9 | 38 | 1 | 1 | 4 | 6 | 15 | 20 | 32 |
| 65+ | 378 | 7.1 | 55 | 1 | 2 | 4 | 8 | 16 | 23 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 6.5 | 12 | <1 | 1 | 6 | 8 | 11 | 12 | 12 |
| 20-34 | 83 | 6.9 | 8 | 2 | 3 | 7 | 9 | 10 | 13 | 71 |
| 35-49 | 609 | 7.0 | 16 | 2 | 3 | 6 | 8 | 11 | 14 | 24 |
| 50-64 | 2468 | 7.8 | 34 | 2 | 2 | 7 | 9 | 12 | 16 | 33 |
| 65+ | 3860 | 8.2 | 33 | 2 | 2 | 7 | 10 | 14 | 18 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 256 | 3.6 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 16 |
| B. *Operated* | 1869 | 5.9 | 9 | 1 | 2 | 6 | 7 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 602 | 6.7 | 49 | 1 | 1 | 4 | 8 | 15 | 21 | 37 |
| B. *Operated* | 7030 | 7.9 | 32 | 2 | 2 | 7 | 9 | 13 | 17 | 31 |
| **1. SINGLE DX** | 2125 | 5.6 | 10 | 1 | 2 | 6 | 7 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | 7632 | 7.8 | 33 | 2 | 2 | 7 | 9 | 13 | 18 | 32 |
| **A. NOT OPERATED** | 858 | 5.7 | 38 | 1 | 2 | 4 | 6 | 12 | 19 | 34 |
| **B. OPERATED** | 8899 | 7.5 | 28 | 1 | 2 | 7 | 9 | 12 | 16 | 28 |
| TOTAL 0-19 YRS | 16 | 6.9 | 19 | 1 | 2 | 6 | 8 | 12 | 17 | 19 |
| 20-34 | 136 | 6.3 | 8 | 1 | 2 | 6 | 8 | 10 | 12 | 25 |
| 35-49 | 852 | 6.6 | 15 | 1 | 2 | 6 | 8 | 10 | 13 | 22 |
| 50-64 | 3508 | 7.1 | 29 | 1 | 2 | 6 | 8 | 12 | 15 | 30 |
| 65+ | 5245 | 7.7 | 31 | 1 | 2 | 7 | 9 | 13 | 17 | 30 |
| **GRAND TOTAL** | **9757** | **7.4** | **29** | **1** | **2** | **7** | **9** | **12** | **16** | **29** |

## 35: Malignant neoplasm of ovary (183.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.5 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 12 | 1.8 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 35-49 | 51 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 50-64 | 122 | 2.3 | 4 | <1 | 1 | 2 | 2 | 4 | 6 | 12 |
| 65+ | 57 | 4.3 | 30 | 1 | 1 | 3 | 5 | 10 | 12 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 7.3 | 6 | 4 | 4 | 7 | 9 | 11 | 12 | 12 |
| 20-34 | 87 | 6.2 | 6 | 3 | 4 | 6 | 7 | 9 | 11 | 15 |
| 35-49 | 150 | 7.4 | 23 | 2 | 3 | 7 | 9 | 12 | 14 | 30 |
| 50-64 | 229 | 7.7 | 15 | 2 | 3 | 7 | 9 | 12 | 15 | 21 |
| 65+ | 157 | 8.7 | 18 | 2 | 4 | 8 | 11 | 14 | 17 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.4 | 6 | 1 | 2 | 4 | 5 | 8 | 10 | 11 |
| 20-34 | 20 | 2.8 | 12 | 1 | 1 | 2 | 3 | 6 | 12 | 15 |
| 35-49 | 165 | 4.2 | 14 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| 50-64 | 485 | 4.9 | 38 | 1 | 1 | 3 | 6 | 11 | 17 | 29 |
| 65+ | 584 | 7.3 | 53 | 1 | 1 | 5 | 9 | 17 | 24 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 9.5 | 97 | 4 | 5 | 7 | 10 | 13 | 17 | 64 |
| 20-34 | 209 | 8.2 | 18 | 4 | 4 | 7 | 10 | 15 | 18 | 22 |
| 35-49 | 684 | 10.0 | 59 | 4 | 5 | 8 | 12 | 16 | 21 | 49 |
| 50-64 | 1608 | 12.4 | 71 | 4 | 6 | 10 | 15 | 22 | 28 | 44 |
| 65+ | 1695 | 15.1 | 107 | 6 | 7 | 12 | 18 | 26 | 34 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 246 | 2.8 | 10 | 1 | 1 | 2 | 3 | 6 | 8 | 18 |
| B. *Operated* | 654 | 7.7 | 17 | 2 | 4 | 7 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1271 | 5.9 | 43 | 1 | 1 | 4 | 7 | 13 | 20 | 31 |
| B. *Operated* | 4232 | 12.9 | 85 | 4 | 6 | 10 | 15 | 23 | 29 | 55 |
| **1. SINGLE DX** | 900 | 6.3 | 20 | 1 | 1 | 6 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 5503 | 11.2 | 84 | 2 | 3 | 9 | 14 | 21 | 28 | 50 |
| **A. NOT OPERATED** | 1517 | 5.4 | 39 | 1 | 1 | 3 | 7 | 12 | 18 | 30 |
| **B. OPERATED** | 4886 | 12.2 | 79 | 4 | 5 | 10 | 15 | 22 | 28 | 51 |
| TOTAL 0-19 YRS | 88 | 7.5 | 47 | 3 | 3 | 7 | 9 | 11 | 13 | 46 |
| 20-34 | 328 | 7.1 | 17 | 1 | 3 | 6 | 8 | 13 | 16 | 21 |
| 35-49 | 1050 | 8.4 | 50 | 1 | 2 | 7 | 10 | 15 | 18 | 40 |
| 50-64 | 2444 | 10.0 | 68 | 1 | 2 | 8 | 12 | 19 | 25 | 41 |
| 65+ | 2493 | 12.6 | 100 | 2 | 3 | 10 | 16 | 23 | 31 | 56 |
| **GRAND TOTAL** | **6403** | **10.6** | **78** | **1** | **2** | **8** | **13** | **20** | **27** | **47** |

## 36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.0 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 8 | 4.3 | 6 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 4 | 6.0 | 19 | 2 | 2 | 5 | 9 | 12 | 12 | 12 |
| 50-64 | 11 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 65+ | 32 | 5.3 | 15 | 2 | 2 | 4 | 7 | 11 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 14 | 4.0 | 6 | <1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 35-49 | 38 | 6.9 | 35 | 1 | 1 | 5 | 9 | 17 | 20 | 22 |
| 50-64 | 68 | 6.9 | 26 | 1 | 2 | 6 | 9 | 14 | 16 | 29 |
| 65+ | 150 | 7.0 | 44 | 1 | 1 | 5 | 9 | 17 | 21 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 13 | 5.5 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 11 |
| 35-49 | 11 | 9.8 | 242 | 1 | 2 | 5 | 8 | 29 | 54 | 56 |
| 50-64 | 52 | 6.5 | 61 | 1 | 2 | 4 | 7 | 12 | 21 | 40 |
| 65+ | 125 | 8.1 | 99 | 2 | 2 | 5 | 8 | 19 | 29 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 23.0 | 399 | 10 | 10 | 29 | 73 | 99+ | 99+ | 99+ |
| 20-34 | 33 | 11.2 | 165 | 1 | 3 | 8 | 14 | 24 | 29 | 71 |
| 35-49 | 90 | 11.3 | 123 | 2 | 2 | 7 | 16 | 25 | 31 | 61 |
| 50-64 | 205 | 12.2 | 135 | 2 | 3 | 9 | 16 | 23 | 30 | 56 |
| 65+ | 547 | 13.4 | 150 | 2 | 3 | 10 | 17 | 27 | 38 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 60 | 4.7 | 11 | 1 | 2 | 4 | 6 | 9 | 13 | 15 |
| B. *Operated* | 272 | 6.8 | 36 | 1 | 2 | 5 | 9 | 15 | 20 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 203 | 7.6 | 90 | 1 | 2 | 5 | 7 | 15 | 29 | 54 |
| B. *Operated* | 878 | 12.8 | 145 | 2 | 3 | 10 | 16 | 26 | 37 | 77 |
| **1. SINGLE DX** | 332 | 6.4 | 32 | 1 | 2 | 5 | 8 | 15 | 19 | 26 |
| **2. MULTIPLE DX** | 1081 | 11.8 | 139 | 2 | 3 | 8 | 15 | 24 | 35 | 70 |
| **A. NOT OPERATED** | 263 | 6.9 | 73 | 1 | 2 | 4 | 7 | 13 | 21 | 52 |
| **B. OPERATED** | 1150 | 11.4 | 126 | 2 | 2 | 8 | 15 | 23 | 33 | 67 |
| TOTAL 0-19 YRS | 12 | 8.3 | 154 | <1 | 2 | 4 | 11 | 57 | 92 | 99+ |
| 20-34 | 68 | 7.8 | 93 | 1 | 2 | 5 | 8 | 15 | 23 | 64 |
| 35-49 | 143 | 9.9 | 108 | 1 | 2 | 7 | 13 | 22 | 28 | 58 |
| 50-64 | 336 | 9.9 | 105 | 2 | 2 | 7 | 12 | 20 | 27 | 51 |
| 65+ | 854 | 11.2 | 128 | 2 | 2 | 8 | 15 | 23 | 34 | 66 |
| **GRAND TOTAL** | **1413** | **10.6** | **119** | **2** | **2** | **7** | **13** | **22** | **31** | **60** |

## 37: Malignant neoplasm of prostate (185)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 25 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 65+ | 87 | 4.8 | 16 | 1 | 1 | 4 | 7 | 11 | 13 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.0 | 40 | 1 | 1 | 4 | 7 | 17 | 17 | 17 |
| 20-34 | 3 | 5.0 | 19 | 2 | 2 | 3 | 8 | 10 | 10 | 10 |
| 35-49 | 34 | 5.9 | 26 | 1 | 1 | 4 | 8 | 13 | 16 | 23 |
| 50-64 | 1315 | 5.9 | 20 | 1 | 1 | 5 | 8 | 11 | 14 | 21 |
| 65+ | 3616 | 5.3 | 13 | 1 | 1 | 5 | 7 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 7.8 | 79 | 1 | 1 | 6 | 9 | 22 | 30 | 30 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 15 | 7.3 | 45 | 1 | 2 | 4 | 12 | 16 | 23 | 25 |
| 50-64 | 434 | 7.4 | 43 | 1 | 2 | 5 | 9 | 16 | 22 | 35 |
| 65+ | 2234 | 7.8 | 56 | 1 | 2 | 6 | 10 | 15 | 20 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 8.4 | 92 | 2 | 3 | 6 | 8 | 14 | 30 | 48 |
| 20-34 | 3 | 15.0 | 16 | 11 | 11 | 15 | 18 | 19 | 19 | 19 |
| 35-49 | 84 | 8.3 | 58 | 2 | 2 | 7 | 10 | 14 | 20 | 48 |
| 50-64 | 3007 | 7.8 | 46 | 1 | 2 | 6 | 10 | 15 | 19 | 33 |
| 65+ | 16980 | 8.0 | 44 | 2 | 2 | 6 | 10 | 15 | 20 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 4.5 | 14 | 1 | 1 | 3 | 6 | 10 | 13 | 18 |
| B. *Operated* | 4973 | 5.5 | 15 | 1 | 1 | 5 | 7 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2693 | 7.7 | 54 | 1 | 2 | 6 | 9 | 16 | 21 | 40 |
| B. *Operated* | 20096 | 8.0 | 44 | 2 | 2 | 6 | 10 | 15 | 19 | 34 |
| **1. SINGLE DX** | 5086 | 5.4 | 15 | 1 | 1 | 5 | 7 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | 22789 | 8.0 | 45 | 2 | 2 | 6 | 10 | 15 | 20 | 35 |
| **A. NOT OPERATED** | 2806 | 7.6 | 53 | 1 | 2 | 6 | 9 | 15 | 20 | 39 |
| **B. OPERATED** | 25069 | 7.5 | 39 | 1 | 2 | 6 | 9 | 14 | 18 | 32 |
| TOTAL 0-19 YRS | 36 | 7.9 | 78 | 1 | 2 | 6 | 8 | 17 | 26 | 48 |
| 20-34 | 7 | 8.9 | 46 | 2 | 2 | 10 | 14 | 18 | 19 | 19 |
| 35-49 | 134 | 7.5 | 48 | 1 | 2 | 6 | 10 | 14 | 18 | 42 |
| 50-64 | 4781 | 7.2 | 39 | 1 | 2 | 6 | 9 | 14 | 18 | 31 |
| 65+ | 22917 | 7.6 | 41 | 1 | 2 | 6 | 9 | 14 | 19 | 33 |
| **GRAND TOTAL** | **27875** | **7.5** | **41** | **1** | **2** | **6** | **9** | **14** | **19** | **33** |

## 38: Malignant neoplasm of male genitalia, except prostate (186-187)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 24 | 3.9 | 3 | 1 | 1 | 5 | 5 | 6 | 6 | 6 |
| 35-49 | 10 | 3.8 | 6 | 2 | 2 | 3 | 5 | 8 | 10 | 10 |
| 50-64 | 4 | 8.3 | 66 | 2 | 2 | 5 | 13 | 20 | 20 | 20 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 565 | 3.5 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 35-49 | 194 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 81 | 4.3 | 31 | <1 | 1 | 3 | 5 | 9 | 12 | 36 |
| 65+ | 55 | 4.4 | 7 | 1 | 2 | 4 | 6 | 9 | 10 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 6.0 | 43 | 1 | 1 | 5 | 6 | 14 | 24 | 25 |
| 20-34 | 74 | 5.7 | 28 | 1 | 1 | 5 | 7 | 12 | 14 | 33 |
| 35-49 | 20 | 7.0 | 18 | 3 | 4 | 5 | 8 | 15 | 16 | 17 |
| 50-64 | 14 | 7.0 | 15 | 1 | 2 | 7 | 8 | 11 | 16 | 17 |
| 65+ | 10 | 5.4 | 24 | 1 | 1 | 3 | 9 | 13 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 7.1 | 30 | 1 | 2 | 6 | 10 | 13 | 14 | 29 |
| 20-34 | 269 | 7.9 | 84 | 1 | 1 | 6 | 10 | 15 | 21 | 39 |
| 35-49 | 125 | 5.7 | 32 | 1 | 1 | 4 | 7 | 13 | 15 | 28 |
| 50-64 | 108 | 7.5 | 72 | 1 | 2 | 5 | 10 | 15 | 22 | 46 |
| 65+ | 148 | 7.7 | 56 | 1 | 2 | 6 | 9 | 18 | 24 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 4.2 | 10 | 1 | 1 | 4 | 5 | 6 | 8 | 20 |
| B. *Operated* | 943 | 3.4 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 129 | 6.1 | 25 | 1 | 1 | 5 | 7 | 12 | 15 | 28 |
| B. *Operated* | 679 | 7.4 | 64 | 1 | 1 | 5 | 9 | 15 | 21 | 38 |
| **1. SINGLE DX** | 984 | 3.5 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 808 | 7.1 | 58 | 1 | 1 | 5 | 9 | 15 | 20 | 37 |
| **A. NOT OPERATED** | 170 | 5.6 | 22 | 1 | 1 | 5 | 7 | 10 | 15 | 24 |
| **B. OPERATED** | 1622 | 5.1 | 38 | 1 | 1 | 3 | 6 | 10 | 15 | 30 |
| TOTAL 0-19 YRS | 91 | 4.7 | 20 | 1 | 1 | 3 | 6 | 9 | 13 | 27 |
| 20-34 | 932 | 4.9 | 38 | 1 | 1 | 3 | 6 | 10 | 14 | 33 |
| 35-49 | 349 | 4.1 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 17 |
| 50-64 | 207 | 6.2 | 54 | 1 | 1 | 4 | 8 | 14 | 19 | 37 |
| 65+ | 213 | 6.7 | 44 | 1 | 2 | 5 | 8 | 13 | 22 | 32 |
| **GRAND TOTAL** | **1792** | **5.1** | **36** | **1** | **1** | **3** | **6** | **10** | **15** | **29** |

### 39: Malignant neoplasm of bladder (188)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 3.7 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 22 | 3.0 | 6 | <1 | <1 | 2 | 5 | 8 | 8 | 8 |
| 65+ | 61 | 5.2 | 18 | 1 | 1 | 4 | 8 | 12 | 14 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 20-34 | 67 | 3.3 | 11 | <1 | 1 | 2 | 4 | 8 | 10 | 17 |
| 35-49 | 372 | 3.2 | 15 | <1 | 1 | 2 | 3 | 6 | 10 | 19 |
| 50-64 | 1940 | 3.9 | 14 | 1 | 1 | 3 | 4 | 9 | 12 | 18 |
| 65+ | 3723 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.0 | 13 | 6 | 6 | 8 | 12 | 13 | 13 | 13 |
| 20-34 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 18 | 4.8 | 17 | <1 | 1 | 3 | 6 | 11 | 15 | 17 |
| 50-64 | 158 | 5.9 | 53 | 1 | 1 | 4 | 7 | 12 | 17 | 38 |
| 65+ | 702 | 7.6 | 67 | 1 | 1 | 5 | 9 | 15 | 23 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 10.0 | 116 | <1 | 1 | 6 | 15 | 25 | 33 | 40 |
| 20-34 | 50 | 6.0 | 108 | 1 | 1 | 3 | 5 | 13 | 17 | 57 |
| 35-49 | 364 | 6.6 | 60 | 1 | 1 | 4 | 8 | 16 | 20 | 38 |
| 50-64 | 2948 | 6.6 | 54 | 1 | 1 | 4 | 8 | 15 | 20 | 40 |
| 65+ | 11623 | 7.1 | 55 | 1 | 2 | 5 | 9 | 15 | 21 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 89 | 4.5 | 15 | 1 | 1 | 3 | 6 | 11 | 13 | 16 |
| B. *Operated* | 6112 | 3.9 | 14 | 1 | 1 | 3 | 5 | 8 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 883 | 7.2 | 64 | 1 | 1 | 5 | 9 | 15 | 21 | 42 |
| B. *Operated* | 15006 | 7.0 | 55 | 1 | 2 | 5 | 9 | 15 | 21 | 39 |
| **1. SINGLE DX** | 6201 | 3.9 | 14 | 1 | 1 | 3 | 5 | 8 | 12 | 18 |
| **2. MULTIPLE DX** | 15889 | 7.0 | 56 | 1 | 2 | 5 | 9 | 15 | 21 | 39 |
| **A. NOT OPERATED** | 972 | 7.0 | 60 | 1 | 1 | 5 | 9 | 15 | 20 | 39 |
| **B. OPERATED** | 21118 | 6.1 | 45 | 1 | 1 | 4 | 7 | 14 | 18 | 35 |
| TOTAL 0-19 YRS | 34 | 8.0 | 81 | 1 | 1 | 5 | 11 | 23 | 26 | 40 |
| 20-34 | 119 | 4.4 | 53 | 1 | 1 | 3 | 4 | 9 | 15 | 51 |
| 35-49 | 760 | 4.9 | 39 | 1 | 1 | 3 | 6 | 12 | 17 | 29 |
| 50-64 | 5068 | 5.5 | 40 | 1 | 1 | 3 | 6 | 13 | 17 | 35 |
| 65+ | 16109 | 6.4 | 48 | 1 | 1 | 4 | 8 | 14 | 19 | 35 |
| **GRAND TOTAL** | **22090** | **6.2** | **46** | **1** | **1** | **4** | **7** | **14** | **18** | **35** |

### 40: Malignant neoplasm of kidney and other urinary organs (189)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.5 | 32 | 1 | 1 | 2 | 4 | 5 | 12 | 30 |
| 20-34 | 6 | 5.0 | 24 | 2 | 2 | 3 | 4 | 14 | 15 | 15 |
| 35-49 | 12 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 50-64 | 25 | 4.1 | 13 | <1 | 1 | 3 | 4 | 9 | 14 | 16 |
| 65+ | 30 | 3.8 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 8.9 | 21 | 2 | 4 | 9 | 11 | 13 | 16 | 29 |
| 20-34 | 43 | 7.9 | 11 | 2 | 4 | 7 | 10 | 11 | 13 | 20 |
| 35-49 | 174 | 8.0 | 14 | 2 | 3 | 8 | 10 | 14 | 16 | 19 |
| 50-64 | 420 | 8.3 | 25 | 1 | 2 | 8 | 10 | 13 | 16 | 29 |
| 65+ | 422 | 9.2 | 40 | 1 | 2 | 9 | 11 | 15 | 18 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 3.8 | 12 | <1 | <1 | 3 | 5 | 8 | 10 | 19 |
| 20-34 | 14 | 3.7 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 10 |
| 35-49 | 67 | 6.3 | 22 | 1 | 1 | 5 | 9 | 11 | 15 | 25 |
| 50-64 | 292 | 7.6 | 51 | 1 | 2 | 5 | 10 | 16 | 23 | 35 |
| 65+ | 505 | 8.3 | 47 | 1 | 2 | 7 | 11 | 18 | 23 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 11.8 | 84 | 4 | 4 | 9 | 12 | 24 | 32 | 47 |
| 20-34 | 38 | 11.7 | 28 | 5 | 6 | 11 | 15 | 17 | 20 | 31 |
| 35-49 | 352 | 10.2 | 32 | 2 | 5 | 9 | 12 | 16 | 21 | 33 |
| 50-64 | 1465 | 11.5 | 60 | 2 | 4 | 10 | 14 | 20 | 24 | 41 |
| 65+ | 2421 | 13.0 | 76 | 2 | 4 | 11 | 16 | 23 | 30 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 99 | 3.7 | 15 | 1 | 1 | 3 | 4 | 7 | 9 | 23 |
| B. *Operated* | 1152 | 8.6 | 28 | 1 | 2 | 8 | 11 | 14 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 930 | 7.6 | 45 | 1 | 2 | 6 | 10 | 16 | 22 | 36 |
| B. *Operated* | 4369 | 12.2 | 68 | 2 | 4 | 10 | 15 | 22 | 28 | 44 |
| **1. SINGLE DX** | 1251 | 8.2 | 29 | 1 | 2 | 8 | 10 | 14 | 16 | 27 |
| **2. MULTIPLE DX** | 5299 | 11.4 | 67 | 2 | 3 | 10 | 14 | 21 | 27 | 43 |
| **A. NOT OPERATED** | 1029 | 7.3 | 44 | 1 | 1 | 5 | 9 | 16 | 21 | 35 |
| **B. OPERATED** | 5521 | 11.5 | 62 | 2 | 4 | 10 | 14 | 20 | 26 | 42 |
| TOTAL 0-19 YRS | 264 | 8.4 | 53 | 1 | 1 | 7 | 10 | 15 | 22 | 41 |
| 20-34 | 101 | 8.6 | 25 | 1 | 2 | 8 | 11 | 15 | 17 | 26 |
| 35-49 | 605 | 9.0 | 28 | 2 | 3 | 8 | 11 | 15 | 18 | 29 |
| 50-64 | 2202 | 10.3 | 55 | 2 | 3 | 9 | 13 | 18 | 23 | 39 |
| 65+ | 3378 | 11.7 | 71 | 2 | 3 | 10 | 15 | 22 | 27 | 44 |
| **GRAND TOTAL** | **6550** | **10.8** | **61** | **2** | **3** | **9** | **14** | **20** | **25** | **41** |

## 41: Malignant neoplasm of eye (190)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 2 |
| 20-34 | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 3 | 3.7 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 5 | 11 |
| 20-34 | 15 | 3.5 | 6 | <1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 27 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 50-64 | 56 | 4.1 | 6 | 1 | 1 | 3 | 6 | 8 | 8 | 9 |
| 65+ | 67 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 2.3 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 7 |
| 20-34 | 3 | 16.0 | 333 | 4 | 4 | 7 | 29 | 37 | 37 | 37 |
| 35-49 | 3 | 6.0 | 4 | 4 | 4 | 6 | 7 | 8 | 8 | 8 |
| 50-64 | 10 | 5.0 | 18 | 1 | 1 | 4 | 7 | 11 | 15 | 15 |
| 65+ | 20 | 5.2 | 15 | <1 | 1 | 4 | 9 | 12 | 53 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 5.7 | 39 | <1 | <1 | 3 | 7 | 16 | 20 | 26 |
| 20-34 | 7 | 7.6 | 32 | 1 | 1 | 6 | 12 | 16 | 16 | 16 |
| 35-49 | 16 | 5.3 | 25 | 1 | 1 | 3 | 7 | 12 | 18 | 20 |
| 50-64 | 39 | 5.1 | 48 | 1 | 1 | 3 | 5 | 10 | 23 | 34 |
| 65+ | 105 | 4.9 | 76 | 1 | 1 | 3 | 5 | 8 | 12 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 1.4 | 2 | <1 | <1 | <1 | 1 | 2 | 4 | 8 |
| B. *Operated* | 233 | 3.2 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 4.7 | 31 | <1 | 1 | 3 | 7 | 11 | 15 | 96 |
| B. *Operated* | 195 | 5.2 | 59 | 1 | 1 | 3 | 6 | 10 | 15 | 32 |
| **1. SINGLE DX** | 277 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | 251 | 5.1 | 53 | 1 | 1 | 3 | 6 | 10 | 15 | 37 |
| **A. NOT OPERATED** | 100 | 3.3 | 21 | <1 | <1 | 1 | 4 | 8 | 11 | 68 |
| **B. OPERATED** | 428 | 4.1 | 30 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| TOTAL 0-19 YRS | 154 | 2.7 | 11 | <1 | <1 | 1 | 3 | 5 | 9 | 19 |
| 20-34 | 27 | 6.0 | 53 | 1 | 1 | 3 | 7 | 13 | 19 | 37 |
| 35-49 | 46 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 50-64 | 106 | 4.5 | 22 | 1 | 1 | 3 | 6 | 8 | 10 | 31 |
| 65+ | 195 | 4.4 | 45 | 1 | 1 | 3 | 5 | 8 | 11 | 55 |
| **GRAND TOTAL** | **528** | **3.9** | **29** | **<1** | **1** | **3** | **5** | **8** | **11** | **27** |

## 42: Malignant neoplasm of brain (191)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 5.0 | 40 | 1 | 1 | 4 | 5 | 10 | 13 | 41 |
| 20-34 | 46 | 5.6 | 30 | 1 | 1 | 4 | 7 | 12 | 16 | 27 |
| 35-49 | 100 | 5.9 | 36 | 1 | 1 | 4 | 8 | 11 | 16 | 35 |
| 50-64 | 120 | 8.4 | 98 | 2 | 2 | 5 | 10 | 18 | 25 | 57 |
| 65+ | 104 | 7.7 | 36 | 1 | 2 | 6 | 10 | 15 | 20 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 222 | 10.0 | 51 | 1 | 2 | 9 | 13 | 17 | 21 | 30 |
| 20-34 | 196 | 9.1 | 27 | 2 | 3 | 8 | 12 | 16 | 19 | 24 |
| 35-49 | 298 | 10.4 | 57 | 3 | 4 | 9 | 13 | 19 | 22 | 33 |
| 50-64 | 325 | 11.7 | 73 | 3 | 4 | 10 | 14 | 21 | 24 | 47 |
| 65+ | 210 | 13.2 | 107 | 2 | 4 | 11 | 16 | 23 | 29 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 5.7 | 88 | <1 | 1 | 3 | 6 | 11 | 16 | 78 |
| 20-34 | 147 | 6.1 | 33 | 1 | 1 | 4 | 8 | 14 | 19 | 32 |
| 35-49 | 305 | 7.8 | 93 | 1 | 2 | 5 | 9 | 16 | 26 | 72 |
| 50-64 | 506 | 9.7 | 110 | 2 | 2 | 7 | 12 | 20 | 30 | 64 |
| 65+ | 616 | 10.7 | 108 | 2 | 3 | 8 | 12 | 23 | 32 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 395 | 16.0 | 230 | 2 | 3 | 11 | 19 | 36 | 54 | 93 |
| 20-34 | 267 | 14.6 | 210 | 2 | 3 | 11 | 17 | 28 | 48 | 97 |
| 35-49 | 367 | 15.1 | 224 | 2 | 4 | 11 | 17 | 30 | 53 | 79 |
| 50-64 | 604 | 17.4 | 204 | 3 | 5 | 14 | 22 | 36 | 51 | 98 |
| 65+ | 651 | 19.4 | 222 | 4 | 6 | 16 | 23 | 38 | 55 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 472 | 6.7 | 54 | 1 | 1 | 4 | 8 | 13 | 20 | 41 |
| B. *Operated* | 1251 | 10.9 | 65 | 2 | 3 | 10 | 14 | 19 | 23 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1757 | 9.0 | 100 | 1 | 2 | 6 | 11 | 19 | 29 | 66 |
| B. *Operated* | 2284 | 17.0 | 220 | 3 | 4 | 13 | 21 | 35 | 51 | 91 |
| **1. SINGLE DX** | 1723 | 9.8 | 66 | 2 | 2 | 8 | 13 | 18 | 23 | 41 |
| **2. MULTIPLE DX** | 4041 | 13.5 | 184 | 2 | 3 | 10 | 17 | 29 | 43 | 84 |
| **A. NOT OPERATED** | 2229 | 8.5 | 91 | 1 | 2 | 6 | 11 | 18 | 26 | 58 |
| **B. OPERATED** | 3535 | 14.9 | 174 | 2 | 4 | 11 | 18 | 29 | 42 | 78 |
| TOTAL 0-19 YRS | 902 | 11.2 | 156 | 1 | 2 | 8 | 14 | 24 | 36 | 75 |
| 20-34 | 656 | 10.4 | 116 | 1 | 2 | 8 | 13 | 21 | 27 | 69 |
| 35-49 | 1070 | 10.9 | 133 | 1 | 2 | 8 | 13 | 20 | 30 | 72 |
| 50-64 | 1555 | 13.0 | 151 | 2 | 3 | 10 | 16 | 26 | 38 | 74 |
| 65+ | 1581 | 14.4 | 169 | 2 | 3 | 11 | 18 | 29 | 42 | 76 |
| **GRAND TOTAL** | **5764** | **12.4** | **152** | **2** | **2** | **9** | **15** | **25** | **37** | **74** |

### 43: Malignant neoplasm of other parts of nervous system (192)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.8 | 8 | <1 | 1 | 2 | 4 | 19 | 82 | 99+ |
| 20-34 | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 35-49 | 3 | 4.3 | | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 4 | 6.0 | 10 | 2 | 2 | 6 | 8 | 9 | 9 | 9 |
| 65+ | 4 | 7.3 | 9 | 3 | 3 | 8 | 9 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 9.4 | 127 | 1 | 1 | 7 | 11 | 18 | 23 | 68 |
| 20-34 | 18 | 14.8 | 128 | 4 | 6 | 11 | 16 | 27 | 43 | 53 |
| 35-49 | 15 | 8.5 | 44 | 1 | 1 | 8 | 10 | 17 | 24 | 27 |
| 50-64 | 15 | 13.3 | 38 | 7 | 7 | 13 | 15 | 19 | 28 | 31 |
| 65+ | 10 | 14.2 | 62 | 4 | 5 | 14 | 16 | 27 | 30 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 4.7 | 12 | 1 | 1 | 4 | 6 | 10 | 12 | 13 |
| 20-34 | 7 | 22.1 | 1087 | 3 | 4 | 10 | 17 | 81 | 96 | 96 |
| 35-49 | 9 | 6.8 | 26 | 1 | 1 | 6 | 11 | 15 | 15 | 15 |
| 50-64 | 18 | 8.2 | 42 | 2 | 3 | 6 | 11 | 20 | 23 | 24 |
| 65+ | 43 | 10.8 | 149 | 1 | 2 | 7 | 12 | 23 | 45 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 17.8 | 296 | 1 | 2 | 14 | 26 | 51 | 63 | 99+ |
| 20-34 | 31 | 21.2 | 250 | 4 | 5 | 17 | 25 | 50 | 52 | 64 |
| 35-49 | 33 | 10.0 | 33 | 1 | 1 | 11 | 13 | 29 | 99+ | 99+ |
| 50-64 | 60 | 16.9 | 159 | 4 | 6 | 13 | 22 | 32 | 53 | 97 |
| 65+ | 84 | 20.3 | 204 | 3 | 6 | 17 | 23 | 37 | 52 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 4.5 | 10 | <1 | 1 | 4 | 8 | 10 | 24 | 99+ |
| B. *Operated* | 98 | 11.3 | 98 | 1 | 2 | 10 | 14 | 20 | 28 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 105 | 9.1 | 153 | 1 | 2 | 6 | 10 | 19 | 25 | 73 |
| B. *Operated* | 254 | 17.8 | 202 | 2 | 4 | 14 | 22 | 40 | 59 | 99+ |
| **1. SINGLE DX** | 124 | 9.9 | 87 | 1 | 1 | 8 | 13 | 19 | 27 | 76 |
| **2. MULTIPLE DX** | 359 | 15.3 | 203 | 1 | 3 | 12 | 20 | 36 | 52 | 99+ |
| **A. NOT OPERATED** | 131 | 8.2 | 128 | 1 | 1 | 5 | 10 | 17 | 24 | 97 |
| **B. OPERATED** | 352 | 16.0 | 181 | 1 | 3 | 13 | 20 | 35 | 52 | 99+ |
| TOTAL 0-19 YRS | 127 | 10.7 | 182 | 1 | 1 | 6 | 14 | 29 | 52 | 99+ |
| 20-34 | 58 | 18.9 | 299 | 3 | 5 | 13 | 22 | 46 | 53 | 93 |
| 35-49 | 60 | 8.8 | 34 | 1 | 1 | 10 | 12 | 17 | 54 | 99+ |
| 50-64 | 97 | 14.3 | 125 | 3 | 4 | 12 | 17 | 27 | 35 | 85 |
| 65+ | 141 | 16.6 | 191 | 2 | 3 | 13 | 21 | 35 | 46 | 71 |
| **GRAND TOTAL** | **483** | **13.9** | **179** | **1** | **2** | **11** | **17** | **31** | **50** | **99+** |

### 44: Malignant neoplasm of endocrine glands (193-194)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 2.7 | 6 | <1 | 1 | 2 | 4 | 5 | 7 | 14 |
| 20-34 | 61 | 2.7 | 14 | 1 | 1 | 2 | 3 | 4 | 5 | 27 |
| 35-49 | 52 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 10 |
| 50-64 | 24 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 7 | 9 |
| 65+ | 21 | 3.0 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 5.5 | 88 | 1 | 1 | 4 | 6 | 10 | 12 | 61 |
| 20-34 | 353 | 3.5 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 342 | 3.8 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| 50-64 | 215 | 4.3 | 9 | 1 | 2 | 4 | 5 | 6 | 10 | 19 |
| 65+ | 110 | 5.6 | 30 | 2 | 2 | 4 | 6 | 10 | 15 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 124 | 4.5 | 23 | <1 | 1 | 3 | 5 | 11 | 14 | 22 |
| 20-34 | 64 | 3.8 | 10 | 1 | 1 | 3 | 4 | 8 | 11 | 17 |
| 35-49 | 76 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 12 | 78 |
| 50-64 | 87 | 6.9 | 59 | 1 | 2 | 4 | 7 | 15 | 28 | 37 |
| 65+ | 121 | 6.8 | 69 | 2 | 2 | 4 | 7 | 12 | 21 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 138 | 11.7 | 213 | 1 | 3 | 7 | 13 | 22 | 36 | 80 |
| 20-34 | 377 | 5.4 | 26 | 2 | 2 | 4 | 6 | 10 | 13 | 26 |
| 35-49 | 403 | 5.7 | 35 | 2 | 2 | 4 | 6 | 10 | 14 | 28 |
| 50-64 | 399 | 7.2 | 48 | 2 | 3 | 5 | 8 | 14 | 21 | 35 |
| 65+ | 430 | 10.1 | 109 | 2 | 3 | 7 | 12 | 21 | 32 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 211 | 2.6 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| B. *Operated* | 1108 | 4.1 | 15 | 1 | 2 | 3 | 5 | 6 | 9 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 472 | 5.3 | 39 | 1 | 1 | 3 | 6 | 11 | 15 | 37 |
| B. *Operated* | 1747 | 7.5 | 73 | 2 | 2 | 5 | 8 | 15 | 22 | 54 |
| **1. SINGLE DX** | 1319 | 3.9 | 14 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| **2. MULTIPLE DX** | 2219 | 7.1 | 66 | 1 | 2 | 5 | 8 | 14 | 21 | 45 |
| **A. NOT OPERATED** | 683 | 4.5 | 31 | 1 | 1 | 3 | 5 | 9 | 14 | 33 |
| **B. OPERATED** | 2855 | 6.2 | 53 | 1 | 2 | 4 | 7 | 12 | 17 | 40 |
| TOTAL 0-19 YRS | 403 | 7.0 | 112 | 1 | 1 | 4 | 8 | 14 | 20 | 66 |
| 20-34 | 855 | 4.3 | 16 | 1 | 2 | 3 | 5 | 8 | 10 | 21 |
| 35-49 | 873 | 4.6 | 21 | 1 | 2 | 4 | 5 | 8 | 11 | 21 |
| 50-64 | 725 | 6.1 | 38 | 1 | 2 | 4 | 7 | 12 | 18 | 33 |
| 65+ | 682 | 8.6 | 90 | 2 | 2 | 5 | 10 | 18 | 25 | 63 |
| **GRAND TOTAL** | **3538** | **5.9** | **49** | **1** | **2** | **4** | **6** | **11** | **16** | **37** |

## 45: Malignant neoplasm of ill-defined and secondary sites (195-199)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 4.0 | 72 | <1 | <1 | 2 | 3 | 5 | 9 | 53 |
| 20-34 | 30 | 4.2 | 14 | <1 | <1 | 3 | 6 | 10 | 11 | 13 |
| 35-49 | 93 | 5.8 | 22 | 1 | 2 | 4 | 7 | 14 | 17 | 21 |
| 50-64 | 229 | 5.5 | 33 | 1 | 1 | 4 | 7 | 11 | 15 | 32 |
| 65+ | 270 | 6.2 | 39 | 1 | 1 | 4 | 8 | 14 | 18 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 6.6 | 39 | 1 | 1 | 5 | 9 | 13 | 15 | 39 |
| 20-34 | 64 | 4.9 | 16 | <1 | 1 | 3 | 7 | 10 | 14 | 18 |
| 35-49 | 211 | 6.0 | 33 | <1 | 1 | 4 | 8 | 12 | 15 | 30 |
| 50-64 | 469 | 6.9 | 44 | <1 | 1 | 5 | 9 | 15 | 18 | 37 |
| 65+ | 545 | 6.5 | 43 | 1 | 1 | 5 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 199 | 4.2 | 21 | <1 | 1 | 3 | 5 | 9 | 11 | 20 |
| 20-34 | 657 | 6.3 | 36 | 1 | 1 | 4 | 8 | 13 | 18 | 31 |
| 35-49 | 2865 | 7.8 | 58 | 1 | 2 | 5 | 10 | 17 | 22 | 39 |
| 50-64 | 8695 | 8.5 | 69 | 1 | 2 | 6 | 11 | 18 | 24 | 41 |
| 65+ | 15183 | 9.1 | 66 | 2 | 2 | 7 | 11 | 18 | 24 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 245 | 10.7 | 153 | 1 | 2 | 8 | 12 | 25 | 32 | 69 |
| 20-34 | 930 | 9.3 | 79 | 1 | 2 | 7 | 11 | 19 | 26 | 48 |
| 35-49 | 3762 | 10.9 | 110 | 1 | 2 | 8 | 14 | 23 | 32 | 59 |
| 50-64 | 10374 | 11.7 | 115 | 1 | 2 | 9 | 15 | 24 | 32 | 54 |
| 65+ | 15635 | 12.5 | 120 | 2 | 3 | 10 | 16 | 25 | 34 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 659 | 5.7 | 35 | 1 | 1 | 4 | 7 | 12 | 16 | 30 |
| B. *Operated* | 1363 | 6.5 | 40 | 1 | 1 | 5 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27599 | 8.7 | 66 | 1 | 2 | 6 | 11 | 18 | 24 | 41 |
| B. *Operated* | 30946 | 11.9 | 116 | 2 | 2 | 9 | 15 | 25 | 33 | 57 |
| **1. SINGLE DX** | 2022 | 6.2 | 39 | 1 | 1 | 4 | 8 | 13 | 17 | 31 |
| **2. MULTIPLE DX** | 58545 | 10.4 | 95 | 1 | 2 | 8 | 13 | 22 | 29 | 50 |
| **A. NOT OPERATED** | 28258 | 8.6 | 65 | 1 | 2 | 6 | 11 | 18 | 24 | 41 |
| **B. OPERATED** | 32309 | 11.7 | 114 | 1 | 2 | 9 | 15 | 24 | 32 | 56 |
| TOTAL 0-19 YRS | 555 | 7.4 | 94 | 1 | 1 | 5 | 9 | 14 | 25 | 53 |
| 20-34 | 1681 | 7.9 | 61 | 1 | 2 | 6 | 10 | 16 | 21 | 42 |
| 35-49 | 6931 | 9.4 | 88 | 1 | 2 | 7 | 12 | 20 | 28 | 50 |
| 50-64 | 19767 | 10.1 | 95 | 1 | 2 | 7 | 13 | 21 | 29 | 50 |
| 65+ | 31633 | 10.7 | 95 | 2 | 2 | 8 | 14 | 22 | 29 | 50 |
| **GRAND TOTAL** | **60567** | **10.3** | **94** | **1** | **2** | **8** | **13** | **22** | **29** | **50** |

## 46: Hodgkin's disease (201)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 2.5 | 8 | <1 | <1 | 1 | 4 | 4 | 6 | 17 |
| 20-34 | 98 | 3.2 | 8 | <1 | 1 | 2 | 4 | 6 | 10 | 15 |
| 35-49 | 25 | 2.5 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 8 |
| 50-64 | 31 | 3.7 | 9 | <1 | <1 | 3 | 5 | 7 | 9 | 15 |
| 65+ | 18 | 4.3 | 17 | <1 | <1 | 3 | 9 | 10 | 13 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 248 | 4.7 | 13 | 1 | 1 | 5 | 6 | 9 | 11 | 18 |
| 20-34 | 601 | 5.7 | 20 | <1 | 1 | 5 | 8 | 10 | 13 | 21 |
| 35-49 | 246 | 5.4 | 20 | 1 | 1 | 4 | 7 | 11 | 14 | 21 |
| 50-64 | 117 | 6.4 | 33 | 1 | 1 | 5 | 8 | 15 | 18 | 27 |
| 65+ | 76 | 5.9 | 40 | <1 | 1 | 4 | 7 | 12 | 22 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 4.2 | 17 | <1 | <1 | 3 | 5 | 8 | 11 | 26 |
| 20-34 | 195 | 5.7 | 39 | 1 | 1 | 4 | 8 | 13 | 16 | 27 |
| 35-49 | 84 | 6.8 | 50 | 1 | 1 | 5 | 8 | 13 | 26 | 34 |
| 50-64 | 103 | 6.5 | 32 | 1 | 1 | 5 | 9 | 14 | 17 | 27 |
| 65+ | 114 | 8.3 | 80 | 1 | 2 | 6 | 11 | 16 | 22 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 8.3 | 33 | 2 | 2 | 7 | 11 | 16 | 19 | 28 |
| 20-34 | 450 | 9.7 | 105 | 1 | 2 | 7 | 11 | 22 | 29 | 48 |
| 35-49 | 252 | 11.0 | 99 | 1 | 2 | 8 | 13 | 23 | 34 | 53 |
| 50-64 | 215 | 12.4 | 106 | 2 | 3 | 10 | 17 | 24 | 30 | 51 |
| 65+ | 215 | 13.8 | 142 | 2 | 3 | 11 | 18 | 29 | 38 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 209 | 3.1 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| B. *Operated* | 1288 | 5.5 | 21 | 1 | 1 | 5 | 7 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 567 | 6.3 | 46 | 1 | 1 | 5 | 8 | 14 | 18 | 31 |
| B. *Operated* | 1288 | 10.9 | 104 | 1 | 2 | 8 | 14 | 23 | 29 | 51 |
| **1. SINGLE DX** | 1497 | 5.2 | 20 | <1 | 1 | 4 | 7 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | 1855 | 9.5 | 91 | 1 | 2 | 7 | 12 | 20 | 28 | 48 |
| **A. NOT OPERATED** | 776 | 5.5 | 38 | 1 | 1 | 4 | 7 | 12 | 16 | 29 |
| **B. OPERATED** | 2576 | 8.2 | 70 | 1 | 1 | 6 | 10 | 18 | 24 | 42 |
| TOTAL 0-19 YRS | 512 | 5.6 | 23 | 1 | 1 | 5 | 7 | 11 | 15 | 24 |
| 20-34 | 1344 | 6.9 | 55 | 1 | 1 | 5 | 8 | 14 | 19 | 38 |
| 35-49 | 607 | 7.8 | 65 | 1 | 1 | 6 | 9 | 17 | 24 | 42 |
| 50-64 | 466 | 9.0 | 75 | 1 | 1 | 7 | 12 | 20 | 24 | 46 |
| 65+ | 423 | 10.5 | 113 | 1 | 2 | 7 | 14 | 23 | 30 | 57 |
| **GRAND TOTAL** | **3352** | **7.6** | **64** | **1** | **1** | **6** | **9** | **16** | **22** | **41** |

## 47: Lymphoid leukemia (204)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 313 | 4.2 | 25 | <1 | <1 | 3 | 5 | 10 | 15 | 28 |
| 20-34 | 13 | 4.5 | 35 | 1 | 1 | 2 | 5 | 10 | 20 | 23 |
| 35-49 | 24 | 4.4 | 33 | <1 | <1 | 2 | 4 | 12 | 19 | 24 |
| 50-64 | 36 | 5.2 | 31 | <1 | 1 | 3 | 8 | 12 | 14 | 27 |
| 65+ | 43 | 5.4 | 20 | 1 | 2 | 4 | 7 | 9 | 11 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 326 | 6.3 | 53 | <1 | <1 | 4 | 9 | 13 | 20 | 30 |
| 20-34 | 48 | 11.4 | 92 | 1 | 1 | 10 | 20 | 27 | 29 | 99+ |
| 35-49 | 34 | 7.9 | 82 | 1 | 1 | 4 | 9 | 21 | 32 | 34 |
| 50-64 | 45 | 7.5 | 61 | 1 | 2 | 5 | 9 | 16 | 28 | 38 |
| 65+ | 59 | 6.4 | 36 | 1 | 2 | 5 | 8 | 11 | 16 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 521 | 5.8 | 53 | <1 | 1 | 4 | 7 | 12 | 15 | 31 |
| 20-34 | 69 | 6.9 | 50 | <1 | 1 | 6 | 9 | 15 | 26 | 30 |
| 35-49 | 76 | 6.7 | 34 | 1 | 1 | 5 | 10 | 15 | 21 | 24 |
| 50-64 | 254 | 6.9 | 44 | 1 | 1 | 5 | 9 | 16 | 20 | 33 |
| 65+ | 662 | 7.8 | 60 | 1 | 2 | 5 | 10 | 16 | 21 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 411 | 15.0 | 220 | 2 | 3 | 11 | 20 | 33 | 46 | 95 |
| 20-34 | 138 | 22.7 | 208 | 3 | 4 | 22 | 33 | 40 | 46 | 69 |
| 35-49 | 104 | 19.3 | 287 | 2 | 3 | 15 | 31 | 46 | 54 | 85 |
| 50-64 | 241 | 13.7 | 228 | 2 | 3 | 8 | 16 | 35 | 61 | 99+ |
| 65+ | 524 | 12.5 | 144 | 2 | 3 | 9 | 15 | 25 | 36 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 429 | 4.5 | 26 | <1 | <1 | 3 | 5 | 10 | 15 | 27 |
| B. *Operated* | 512 | 7.0 | 59 | <1 | 1 | 5 | 9 | 16 | 24 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1582 | 6.9 | 54 | 1 | 1 | 5 | 9 | 15 | 19 | 34 |
| B. *Operated* | 1418 | 14.9 | 206 | 2 | 3 | 10 | 20 | 34 | 47 | 78 |
| **1. SINGLE DX** | 941 | 5.8 | 45 | <1 | 1 | 4 | 7 | 12 | 21 | 32 |
| **2. MULTIPLE DX** | 3000 | 10.7 | 142 | 1 | 2 | 7 | 13 | 25 | 35 | 68 |
| **A. NOT OPERATED** | 2011 | 6.4 | 49 | <1 | 1 | 4 | 8 | 14 | 18 | 33 |
| **B. OPERATED** | 1930 | 12.8 | 179 | 1 | 2 | 8 | 16 | 31 | 40 | 75 |
| TOTAL 0-19 YRS | 1571 | 8.0 | 109 | <1 | 1 | 5 | 10 | 18 | 28 | 63 |
| 20-34 | 268 | 15.7 | 192 | 1 | 1 | 11 | 26 | 36 | 42 | 64 |
| 35-49 | 238 | 12.1 | 191 | 1 | 1 | 6 | 17 | 33 | 43 | 71 |
| 50-64 | 576 | 9.7 | 133 | 1 | 1 | 6 | 11 | 21 | 34 | 69 |
| 65+ | 1288 | 9.6 | 98 | 1 | 2 | 7 | 12 | 20 | 28 | 58 |
| **GRAND TOTAL** | **3941** | **9.5** | **123** | **1** | **1** | **6** | **12** | **23** | **32** | **65** |

## 48: Leukemia, except lymphoid (205-208)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 123 | 3.2 | 7 | <1 | <1 | 2 | 5 | 7 | 8 | 38 |
| 20-34 | 51 | 5.6 | 51 | <1 | 1 | 3 | 6 | 12 | 25 | 32 |
| 35-49 | 70 | 6.8 | 120 | <1 | 1 | 4 | 6 | 15 | 22 | 70 |
| 50-64 | 77 | 5.6 | 32 | <1 | 1 | 4 | 8 | 11 | 18 | 30 |
| 65+ | 99 | 5.7 | 59 | <1 | 1 | 3 | 7 | 14 | 18 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 10.9 | 130 | 1 | 2 | 7 | 13 | 31 | 35 | 53 |
| 20-34 | 77 | 13.8 | 244 | 1 | 2 | 7 | 24 | 41 | 54 | 90 |
| 35-49 | 68 | 12.6 | 158 | 2 | 3 | 7 | 16 | 33 | 40 | 51 |
| 50-64 | 103 | 13.7 | 192 | 1 | 2 | 8 | 24 | 36 | 43 | 53 |
| 65+ | 100 | 9.5 | 109 | 1 | 1 | 5 | 10 | 24 | 36 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 238 | 6.0 | 35 | <1 | 1 | 4 | 8 | 13 | 17 | 32 |
| 20-34 | 146 | 6.7 | 61 | <1 | <1 | 4 | 9 | 16 | 20 | 35 |
| 35-49 | 171 | 8.7 | 94 | 1 | 1 | 6 | 11 | 21 | 27 | 51 |
| 50-64 | 362 | 7.7 | 77 | 1 | 1 | 5 | 10 | 17 | 28 | 42 |
| 65+ | 971 | 7.2 | 65 | 1 | 1 | 5 | 10 | 15 | 22 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 203 | 21.1 | 347 | 2 | 3 | 13 | 32 | 51 | 61 | 80 |
| 20-34 | 297 | 27.0 | 391 | 2 | 3 | 27 | 39 | 55 | 63 | 94 |
| 35-49 | 344 | 23.9 | 316 | 2 | 3 | 25 | 35 | 47 | 53 | 87 |
| 50-64 | 545 | 24.0 | 362 | 2 | 3 | 23 | 35 | 50 | 62 | 86 |
| 65+ | 1017 | 18.5 | 298 | 3 | 3 | 11 | 29 | 42 | 55 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 420 | 5.1 | 49 | <1 | <1 | 3 | 6 | 11 | 17 | 35 |
| B. *Operated* | 430 | 12.0 | 166 | 1 | 2 | 7 | 16 | 32 | 40 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1888 | 7.3 | 66 | 1 | 1 | 5 | 9 | 16 | 23 | 39 |
| B. *Operated* | 2406 | 21.8 | 340 | 2 | 3 | 16 | 33 | 48 | 59 | 89 |
| **1. SINGLE DX** | 850 | 8.6 | 120 | <1 | 1 | 5 | 9 | 25 | 33 | 54 |
| **2. MULTIPLE DX** | 4294 | 15.4 | 271 | 1 | 2 | 9 | 24 | 39 | 50 | 78 |
| **A. NOT OPERATED** | 2308 | 6.9 | 64 | 1 | 1 | 4 | 9 | 15 | 22 | 39 |
| **B. OPERATED** | 2836 | 20.3 | 326 | 2 | 3 | 13 | 32 | 46 | 57 | 86 |
| TOTAL 0-19 YRS | 646 | 10.8 | 192 | <1 | 1 | 6 | 12 | 31 | 47 | 66 |
| 20-34 | 571 | 18.1 | 347 | 1 | 1 | 9 | 30 | 45 | 59 | 88 |
| 35-49 | 653 | 16.9 | 276 | 1 | 2 | 9 | 28 | 39 | 49 | 82 |
| 50-64 | 1087 | 16.3 | 290 | 1 | 2 | 9 | 27 | 40 | 51 | 74 |
| 65+ | 2187 | 12.5 | 206 | 1 | 2 | 7 | 15 | 32 | 43 | 74 |
| **GRAND TOTAL** | **5144** | **14.3** | **253** | **1** | **1** | **8** | **22** | **37** | **48** | **76** |

## 49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 20-34 | 68 | 4.1 | 21 | <1 | 1 | 3 | 5 | 8 | 10 | 29 |
| 35-49 | 108 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 9 | 23 |
| 50-64 | 261 | 4.7 | 21 | 1 | 1 | 3 | 6 | 11 | 14 | 22 |
| 65+ | 272 | 6.0 | 37 | 1 | 1 | 4 | 8 | 12 | 15 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 6.3 | 35 | 1 | 1 | 5 | 9 | 13 | 20 | 29 |
| 20-34 | 187 | 6.2 | 41 | 1 | 1 | 4 | 9 | 12 | 18 | 44 |
| 35-49 | 413 | 5.8 | 28 | <1 | 1 | 4 | 8 | 13 | 16 | 25 |
| 50-64 | 765 | 5.9 | 29 | 1 | 1 | 4 | 8 | 13 | 16 | 25 |
| 65+ | 861 | 6.7 | 43 | 1 | 1 | 5 | 9 | 14 | 18 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 5.8 | 62 | 1 | 1 | 3 | 6 | 11 | 15 | 46 |
| 20-34 | 153 | 6.6 | 40 | 1 | 2 | 5 | 8 | 12 | 18 | 35 |
| 35-49 | 447 | 7.4 | 72 | 1 | 1 | 4 | 9 | 16 | 25 | 42 |
| 50-64 | 1388 | 8.1 | 65 | 1 | 2 | 6 | 10 | 18 | 24 | 39 |
| 65+ | 2825 | 9.0 | 75 | 1 | 2 | 7 | 11 | 19 | 26 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 15.9 | 286 | 2 | 3 | 10 | 19 | 39 | 59 | 96 |
| 20-34 | 254 | 13.6 | 142 | 2 | 3 | 10 | 18 | 31 | 42 | 73 |
| 35-49 | 706 | 12.5 | 150 | 1 | 2 | 9 | 16 | 29 | 37 | 65 |
| 50-64 | 2051 | 13.2 | 152 | 2 | 3 | 10 | 16 | 28 | 37 | 69 |
| 65+ | 4120 | 13.8 | 141 | 2 | 3 | 10 | 18 | 29 | 38 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 755 | 4.9 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| B. *Operated* | 2330 | 6.2 | 35 | 1 | 1 | 4 | 9 | 13 | 17 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4923 | 8.5 | 71 | 1 | 2 | 6 | 11 | 18 | 25 | 43 |
| B. *Operated* | 7256 | 13.5 | 148 | 2 | 3 | 10 | 17 | 29 | 38 | 65 |
| **1. SINGLE DX** | 3085 | 5.9 | 33 | 1 | 1 | 4 | 8 | 12 | 16 | 29 |
| **2. MULTIPLE DX** | 12179 | 11.5 | 123 | 1 | 2 | 8 | 15 | 25 | 34 | 58 |
| **A. NOT OPERATED** | 5678 | 8.0 | 67 | 1 | 2 | 6 | 10 | 17 | 23 | 42 |
| **B. OPERATED** | 9586 | 11.8 | 130 | 1 | 2 | 9 | 15 | 25 | 35 | 60 |
| TOTAL 0-19 YRS | 385 | 8.9 | 144 | 1 | 1 | 5 | 10 | 21 | 36 | 68 |
| 20-34 | 662 | 8.9 | 91 | 1 | 1 | 6 | 11 | 20 | 31 | 49 |
| 35-49 | 1674 | 8.9 | 100 | 1 | 1 | 6 | 11 | 20 | 30 | 52 |
| 50-64 | 4465 | 9.9 | 107 | 1 | 2 | 7 | 13 | 22 | 30 | 57 |
| 65+ | 8078 | 11.1 | 112 | 1 | 2 | 8 | 14 | 24 | 32 | 54 |
| **GRAND TOTAL** | **15264** | **10.4** | **110** | **1** | **2** | **7** | **13** | **22** | **31** | **54** |

## 50: Benign neoplasm of lip, oral cavity, and pharynx (210)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 3 | 2.3 | 5 | 1 | 1 | 1 | 4 | 5 | 5 | 5 |
| 65+ | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 146 | 2.8 | 9 | <1 | <1 | 2 | 3 | 6 | 9 | 17 |
| 20-34 | 460 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 614 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | 667 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 65+ | 510 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 2.8 | 7 | <1 | <1 | 1 | 5 | 7 | 7 | 7 |
| 50-64 | 5 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 8 | 12.9 | 719 | 1 | 1 | 4 | 6 | 57 | 79 | 79 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 2.8 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 10 |
| 20-34 | 126 | 3.1 | 14 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 203 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 7 | 15 |
| 50-64 | 407 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 65+ | 620 | 4.2 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 2.4 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | 2397 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 5.8 | 271 | <1 | <1 | 1 | 4 | 7 | 36 | 79 |
| B. *Operated* | 1398 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **1. SINGLE DX** | 2406 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | 1420 | 3.7 | 13 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 31 | 4.8 | 193 | <1 | <1 | 1 | 4 | 6 | 7 | 79 |
| **B. OPERATED** | 3795 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 193 | 2.8 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 20-34 | 587 | 2.6 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 824 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | 1082 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 65+ | 1140 | 3.6 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **GRAND TOTAL** | **3826** | **3.1** | **7** | **1** | **1** | **3** | **4** | **5** | **6** | **12** |

## 51: Benign neoplasm of other parts of digestive system (211)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 17 | 2.3 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 26 | 3.0 | 7 | <1 | <1 | 2 | 4 | 8 | 8 | 8 |
| 50-64 | 76 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 65+ | 91 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 4.8 | 52 | <1 | 1 | 3 | 6 | 10 | 12 | 35 |
| 20-34 | 134 | 5.5 | 19 | <1 | <1 | 5 | 8 | 12 | 14 | 17 |
| 35-49 | 350 | 4.1 | 15 | <1 | <1 | 2 | 7 | 9 | 11 | 14 |
| 50-64 | 906 | 3.4 | 13 | <1 | <1 | 2 | 5 | 9 | 11 | 15 |
| 65+ | 1030 | 3.9 | 18 | <1 | <1 | 2 | 6 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 3.4 | 12 | <1 | 1 | 2 | 4 | 6 | 14 | 15 |
| 20-34 | 46 | 4.5 | 16 | 1 | 2 | 3 | 6 | 9 | 10 | 25 |
| 35-49 | 77 | 3.6 | 7 | <1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 50-64 | 239 | 3.5 | 14 | <1 | 1 | 2 | 5 | 8 | 9 | 12 |
| 65+ | 498 | 4.7 | 28 | <1 | 1 | 3 | 6 | 9 | 13 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 5.1 | 23 | 1 | 1 | 3 | 8 | 11 | 14 | 23 |
| 20-34 | 226 | 7.7 | 79 | <1 | 1 | 5 | 9 | 15 | 26 | 51 |
| 35-49 | 624 | 6.2 | 31 | <1 | 1 | 5 | 9 | 13 | 17 | 27 |
| 50-64 | 2160 | 5.8 | 35 | <1 | 1 | 4 | 8 | 12 | 16 | 29 |
| 65+ | 4655 | 6.9 | 53 | 1 | 1 | 5 | 10 | 15 | 20 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 228 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 7 | 8 |
| B. *Operated* | 2546 | 3.9 | 18 | <1 | <1 | 2 | 6 | 10 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 888 | 4.3 | 22 | <1 | 1 | 3 | 6 | 9 | 11 | 18 |
| B. *Operated* | 7783 | 6.5 | 47 | <1 | 1 | 5 | 9 | 14 | 18 | 32 |
| **1. SINGLE DX** | 2774 | 3.7 | 17 | <1 | <1 | 2 | 6 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 8671 | 6.3 | 45 | <1 | 1 | 4 | 9 | 13 | 18 | 31 |
| **A. NOT OPERATED** | 1116 | 3.8 | 19 | <1 | <1 | 2 | 5 | 8 | 10 | 16 |
| **B. OPERATED** | 10329 | 5.9 | 41 | <1 | 1 | 4 | 8 | 12 | 16 | 29 |
| TOTAL 0-19 YRS | 290 | 4.6 | 34 | <1 | 1 | 3 | 6 | 10 | 12 | 22 |
| 20-34 | 423 | 6.5 | 52 | <1 | 1 | 5 | 9 | 13 | 16 | 45 |
| 35-49 | 1077 | 5.3 | 25 | <1 | <1 | 4 | 8 | 11 | 14 | 24 |
| 50-64 | 3381 | 4.9 | 28 | <1 | <1 | 3 | 7 | 11 | 13 | 25 |
| 65+ | 6274 | 6.2 | 46 | <1 | 1 | 4 | 9 | 13 | 18 | 30 |
| **GRAND TOTAL** | **11445** | **5.7** | **39** | **<1** | **1** | **4** | **8** | **12** | **16** | **29** |

## 52: Benign neoplasm of respiratory system and intrathoracic organs (212)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 7 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 4 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 4 | 2.8 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 358 | 1.8 | 3 | <1 | <1 | 1 | 2 | 2 | 5 | 9 |
| 20-34 | 140 | 2.8 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 13 |
| 35-49 | 191 | 3.4 | 11 | <1 | <1 | 2 | 5 | 9 | 10 | 14 |
| 50-64 | 211 | 4.2 | 11 | <1 | 1 | 3 | 6 | 9 | 10 | 14 |
| 65+ | 147 | 4.1 | 16 | <1 | 1 | 2 | 6 | 9 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 6 | 6.7 | 34 | 1 | 1 | 5 | 9 | 16 | 17 | 17 |
| 50-64 | 16 | 6.1 | 36 | <1 | <1 | 4 | 8 | 14 | 20 | 22 |
| 65+ | 11 | 5.3 | 14 | 1 | 1 | 5 | 7 | 10 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 143 | 3.4 | 18 | <1 | 1 | 2 | 3 | 9 | 15 | 29 |
| 20-34 | 84 | 5.0 | 35 | 1 | 1 | 3 | 7 | 11 | 14 | 35 |
| 35-49 | 157 | 5.4 | 23 | 1 | 1 | 5 | 7 | 10 | 13 | 27 |
| 50-64 | 235 | 7.8 | 69 | 1 | 1 | 6 | 10 | 17 | 22 | 54 |
| 65+ | 344 | 7.9 | 58 | 1 | 1 | 6 | 11 | 17 | 21 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| B. *Operated* | 1047 | 3.1 | 9 | <1 | <1 | 2 | 4 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 4.9 | 20 | 1 | 1 | 4 | 6 | 10 | 14 | 22 |
| B. *Operated* | 963 | 6.6 | 50 | 1 | 1 | 5 | 9 | 15 | 19 | 42 |
| **1. SINGLE DX** | 1103 | 3.0 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 1017 | 6.5 | 48 | 1 | 1 | 5 | 9 | 14 | 19 | 42 |
| **A. NOT OPERATED** | 110 | 3.1 | 13 | <1 | <1 | 2 | 4 | 7 | 9 | 19 |
| **B. OPERATED** | 2010 | 4.7 | 32 | <1 | 1 | 2 | 7 | 11 | 15 | 27 |
| TOTAL 0-19 YRS | 558 | 2.3 | 7 | <1 | <1 | 2 | 2 | 4 | 7 | 17 |
| 20-34 | 234 | 3.5 | 18 | <1 | <1 | 2 | 5 | 8 | 11 | 20 |
| 35-49 | 358 | 4.3 | 17 | <1 | 1 | 3 | 6 | 9 | 11 | 18 |
| 50-64 | 466 | 6.0 | 44 | <1 | 1 | 4 | 8 | 12 | 17 | 41 |
| 65+ | 504 | 6.7 | 47 | 1 | 1 | 5 | 9 | 15 | 19 | 30 |
| **GRAND TOTAL** | **2120** | **4.6** | **31** | **<1** | **1** | **2** | **7** | **10** | **15** | **26** |

### 53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 3.6 | 56 | <1 | <1 | 2 | 4 | 5 | 7 | 45 |
| 20-34 | 18 | 2.8 | 1 | <1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 22 | 2.9 | 5 | <1 | <1 | 2 | 4 | 5 | 8 | 11 |
| 50-64 | 20 | 2.8 | 22 | <1 | <1 | 2 | 3 | 4 | 13 | 22 |
| 65+ | 8 | 3.0 | 8 | <1 | <1 | 2 | 4 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1625 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 1514 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 1728 | 2.3 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| 50-64 | 1476 | 2.4 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 576 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 2.9 | 29 | <1 | <1 | 1 | 2 | 4 | 10 | 35 |
| 20-34 | 31 | 3.6 | 15 | <1 | <1 | 2 | 5 | 9 | 15 | 15 |
| 35-49 | 35 | 3.5 | 12 | <1 | <1 | 3 | 4 | 9 | 10 | 16 |
| 50-64 | 46 | 3.9 | 23 | <1 | <1 | 3 | 5 | 8 | 10 | 30 |
| 65+ | 61 | 4.4 | 14 | <1 | 1 | 3 | 5 | 11 | 13 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 349 | 3.8 | 14 | <1 | 1 | 2 | 5 | 9 | 12 | 20 |
| 20-34 | 543 | 3.8 | 18 | <1 | 1 | 2 | 4 | 8 | 12 | 23 |
| 35-49 | 940 | 3.7 | 15 | <1 | 1 | 2 | 4 | 8 | 11 | 20 |
| 50-64 | 1243 | 3.9 | 19 | <1 | 1 | 3 | 5 | 8 | 12 | 21 |
| 65+ | 1011 | 4.7 | 28 | <1 | 1 | 3 | 6 | 10 | 14 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 102 | 3.1 | 24 | <1 | <1 | 2 | 3 | 5 | 6 | 33 |
| B. *Operated* | 6919 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 218 | 3.7 | 19 | <1 | <1 | 2 | 4 | 8 | 12 | 21 |
| B. *Operated* | 4086 | 4.1 | 20 | <1 | 1 | 3 | 5 | 9 | 12 | 22 |
| **1. SINGLE DX** | 7021 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | 4304 | 4.0 | 20 | <1 | 1 | 3 | 5 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 320 | 3.5 | 20 | <1 | <1 | 2 | 4 | 7 | 10 | 24 |
| **B. OPERATED** | 11005 | 3.0 | 11 | <1 | <1 | 2 | 3 | 6 | 9 | 17 |
| TOTAL 0-19 YRS | 2053 | 2.7 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 2106 | 2.8 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 2725 | 2.8 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |
| 50-64 | 2785 | 3.1 | 12 | <1 | <1 | 2 | 3 | 6 | 9 | 18 |
| 65+ | 1656 | 3.9 | 21 | <1 | <1 | 2 | 4 | 9 | 12 | 21 |
| **GRAND TOTAL** | **11325** | **3.0** | **11** | **<1** | **<1** | **2** | **3** | **6** | **9** | **17** |

### 54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 3.5 | 19 | <1 | <1 | 2 | 3 | 8 | 17 | 19 |
| 20-34 | 11 | 2.5 | 6 | <1 | <1 | 1 | 3 | 7 | 8 | 8 |
| 35-49 | 17 | 3.2 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 50-64 | 13 | 3.5 | 11 | <1 | <1 | 2 | 5 | 7 | 12 | 13 |
| 65+ | 11 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1585 | 2.3 | 11 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 20-34 | 484 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 394 | 2.8 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| 50-64 | 300 | 2.9 | 9 | <1 | <1 | 2 | 3 | 6 | 9 | 17 |
| 65+ | 146 | 3.2 | 16 | <1 | <1 | 2 | 3 | 7 | 9 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 3.6 | 26 | <1 | <1 | 2 | 4 | 9 | 11 | 30 |
| 20-34 | 26 | 4.0 | 10 | <1 | <1 | 3 | 6 | 8 | 11 | 12 |
| 35-49 | 32 | 3.6 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 50-64 | 38 | 4.7 | 18 | <1 | <1 | 4 | 6 | 10 | 16 | 19 |
| 65+ | 76 | 6.9 | 32 | 1 | 1 | 5 | 9 | 13 | 19 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 466 | 5.0 | 70 | <1 | <1 | 2 | 5 | 12 | 19 | 51 |
| 20-34 | 251 | 4.4 | 36 | <1 | <1 | 2 | 6 | 9 | 15 | 29 |
| 35-49 | 379 | 4.7 | 51 | <1 | <1 | 3 | 5 | 10 | 15 | 35 |
| 50-64 | 387 | 4.6 | 30 | <1 | 1 | 2 | 6 | 10 | 16 | 27 |
| 65+ | 390 | 6.7 | 79 | <1 | 1 | 3 | 8 | 16 | 24 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 3.2 | 13 | <1 | <1 | 2 | 4 | 7 | 11 | 18 |
| B. *Operated* | 2909 | 2.5 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 266 | 4.7 | 25 | <1 | <1 | 3 | 6 | 11 | 13 | 26 |
| B. *Operated* | 1873 | 5.1 | 56 | <1 | <1 | 2 | 6 | 12 | 18 | 38 |
| **1. SINGLE DX** | 3019 | 2.5 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | 2139 | 5.1 | 52 | <1 | <1 | 3 | 6 | 11 | 17 | 38 |
| **A. NOT OPERATED** | 376 | 4.3 | 22 | <1 | <1 | 3 | 5 | 10 | 13 | 22 |
| **B. OPERATED** | 4782 | 3.5 | 29 | <1 | <1 | 2 | 4 | 8 | 11 | 26 |
| TOTAL 0-19 YRS | 2203 | 3.0 | 25 | <1 | <1 | 2 | 3 | 6 | 9 | 23 |
| 20-34 | 772 | 3.2 | 16 | <1 | <1 | 2 | 3 | 7 | 9 | 19 |
| 35-49 | 822 | 3.7 | 29 | <1 | <1 | 2 | 4 | 8 | 11 | 22 |
| 50-64 | 738 | 3.9 | 21 | <1 | <1 | 2 | 5 | 9 | 13 | 23 |
| 65+ | 623 | 5.8 | 60 | <1 | 1 | 3 | 7 | 13 | 21 | 39 |
| **GRAND TOTAL** | **5158** | **3.6** | **29** | **<1** | **<1** | **2** | **4** | **8** | **12** | **26** |

## 55: Benign neoplasm of breast (217)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 360 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 731 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 695 | 1.7 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 50-64 | 385 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| 65+ | 178 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 5 | 2.4 | 7 | <1 | <1 | 1 | 3 | 7 | 7 | 7 |
| 35-49 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 8 | 3.0 | 7 | 1 | 1 | 2 | 5 | 7 | 8 | 8 |
| 65+ | 7 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 248 | 2.3 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 14 |
| 35-49 | 610 | 2.5 | 9 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 543 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 6 | 14 |
| 65+ | 421 | 2.9 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 2349 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| B. *Operated* | 1883 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| **1. SINGLE DX** | 2351 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | 1907 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| **A. NOT OPERATED** | 26 | 2.3 | 4 | <1 | 1 | 2 | 2 | 5 | 7 | 8 |
| **B. OPERATED** | 4232 | 2.1 | 4 | <1 | <1 | 2 | 2 | 3 | 5 | 9 |
| TOTAL 0-19 YRS | 422 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 984 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 35-49 | 1309 | 2.0 | 6 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 50-64 | 936 | 2.3 | 5 | <1 | <1 | 2 | 2 | 4 | 5 | 11 |
| 65+ | 607 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| **GRAND TOTAL** | **4258** | **2.1** | **4** | **<1** | **<1** | **2** | **2** | **3** | **5** | **9** |

## 56: Uterine leiomyoma (218)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 55 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 10 |
| 35-49 | 92 | 2.8 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 13 |
| 50-64 | 11 | 2.6 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 65+ | 6 | 5.5 | 39 | 1 | 1 | 3 | 4 | 17 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 5.1 | 4 | <1 | 1 | 5 | 6 | 7 | 8 | 8 |
| 20-34 | 1392 | 5.2 | 5 | 1 | 2 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 4206 | 5.5 | 4 | 1 | 3 | 6 | 7 | 8 | 8 | 11 |
| 50-64 | 614 | 5.2 | 5 | <1 | 1 | 6 | 7 | 7 | 8 | 10 |
| 65+ | 68 | 5.8 | 11 | <1 | 2 | 6 | 7 | 9 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 191 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 586 | 3.0 | 7 | <1 | <1 | 2 | 4 | 7 | 8 | 12 |
| 50-64 | 93 | 3.2 | 8 | <1 | 1 | 2 | 4 | 7 | 10 | 13 |
| 65+ | 49 | 5.7 | 42 | 2 | 2 | 4 | 6 | 10 | 15 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 6.3 | 12 | 2 | 3 | 6 | 7 | 9 | 12 | 24 |
| 20-34 | 5372 | 5.6 | 6 | 1 | 3 | 6 | 7 | 8 | 9 | 13 |
| 35-49 | 30026 | 6.0 | 6 | 2 | 4 | 6 | 7 | 8 | 10 | 15 |
| 50-64 | 5768 | 6.3 | 9 | 1 | 3 | 6 | 7 | 9 | 10 | 17 |
| 65+ | 759 | 8.2 | 25 | 2 | 4 | 7 | 9 | 13 | 16 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 166 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 15 |
| B. *Operated* | 6298 | 5.4 | 4 | 1 | 2 | 6 | 7 | 8 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 921 | 3.1 | 9 | <1 | <1 | 2 | 4 | 7 | 8 | 13 |
| B. *Operated* | 41984 | 6.0 | 7 | 2 | 4 | 6 | 7 | 8 | 10 | 15 |
| **1. SINGLE DX** | 6464 | 5.3 | 4 | 1 | 2 | 6 | 7 | 8 | 8 | 11 |
| **2. MULTIPLE DX** | 42905 | 6.0 | 7 | 2 | 3 | 6 | 7 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 1087 | 3.1 | 9 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 48282 | 6.0 | 7 | 2 | 3 | 6 | 7 | 8 | 10 | 15 |
| TOTAL 0-19 YRS | 81 | 5.9 | 10 | 2 | 2 | 6 | 7 | 8 | 10 | 22 |
| 20-34 | 7010 | 5.4 | 6 | 1 | 2 | 5 | 7 | 8 | 9 | 13 |
| 35-49 | 34910 | 5.9 | 6 | 2 | 3 | 6 | 7 | 8 | 9 | 14 |
| 50-64 | 6486 | 6.1 | 9 | 1 | 3 | 6 | 7 | 9 | 10 | 16 |
| 65+ | 882 | 7.8 | 26 | 2 | 3 | 7 | 9 | 13 | 16 | 31 |
| **GRAND TOTAL** | **49369** | **5.9** | **7** | **1** | **3** | **6** | **7** | **8** | **10** | **15** |

## 57: Benign neoplasm of uterus, except leiomyoma (219)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 2.7 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.8 | 5 | 1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 20-34 | 49 | 3.6 | 4 | <1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 67 | 4.0 | 5 | <1 | 1 | 5 | 6 | 7 | 7 | 9 |
| 50-64 | 16 | 4.7 | 6 | <1 | <1 | 5 | 7 | 8 | 8 | 8 |
| 65+ | 10 | 4.3 | 11 | <1 | <1 | 4 | 7 | 9 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | 10 | 2.7 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 65+ | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 124 | 4.7 | 5 | 1 | 1 | 5 | 6 | 7 | 8 | 10 |
| 35-49 | 373 | 5.5 | 5 | 1 | 2 | 6 | 7 | 8 | 9 | 12 |
| 50-64 | 102 | 5.2 | 10 | 1 | 1 | 6 | 7 | 8 | 9 | 18 |
| 65+ | 39 | 7.2 | 19 | 2 | 2 | 6 | 8 | 15 | 17 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.7 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | 148 | 4.0 | 5 | <1 | 1 | 4 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 3.0 | 5 | <1 | <1 | 3 | 4 | 6 | 8 | 9 |
| B. *Operated* | 639 | 5.4 | 7 | 1 | 2 | 6 | 7 | 8 | 9 | 15 |
| **1. SINGLE DX** | 151 | 4.0 | 5 | <1 | 1 | 4 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | 656 | 5.3 | 7 | 1 | 2 | 6 | 7 | 8 | 9 | 15 |
| **A. NOT OPERATED** | 20 | 3.0 | 5 | <1 | <1 | 3 | 4 | 6 | 8 | 9 |
| **B. OPERATED** | 787 | 5.1 | 7 | 1 | 1 | 5 | 6 | 8 | 9 | 14 |
| TOTAL 0-19 YRS | 7 | 3.4 | 5 | 1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 20-34 | 176 | 4.3 | 5 | <1 | 1 | 5 | 6 | 7 | 8 | 9 |
| 35-49 | 453 | 5.2 | 6 | 1 | 1 | 5 | 7 | 7 | 8 | 12 |
| 50-64 | 120 | 5.2 | 9 | <1 | 1 | 6 | 7 | 8 | 9 | 16 |
| 65+ | 51 | 6.5 | 19 | 1 | 2 | 6 | 8 | 13 | 17 | 18 |
| **GRAND TOTAL** | **807** | **5.1** | **7** | **1** | **1** | **5** | **6** | **8** | **9** | **14** |

## 58: Benign neoplasm of ovary (220)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.6 | [illegible] | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 5 | 1.8 | [illegible] | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 35-49 | 2 | 5.5 | [illegible] | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 3.5 | [illegible] | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 358 | 4.8 | 2 | 3 | 3 | 5 | 6 | 7 | 7 | 9 |
| 20-34 | 1499 | 4.7 | 2 | 3 | 3 | 5 | 6 | 6 | 7 | 9 |
| 35-49 | 541 | 5.2 | 2 | 3 | 3 | 5 | 6 | 7 | 8 | 10 |
| 50-64 | 349 | 6.1 | 6 | 4 | 4 | 6 | 7 | 8 | 10 | 18 |
| 65+ | 207 | 7.1 | 6 | 4 | 5 | 7 | 8 | 10 | 12 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.3 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 13 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 35-49 | 6 | 4.7 | 4 | 1 | 1 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | 4 | 6.3 | 11 | 2 | 2 | 6 | 8 | 10 | 10 | 10 |
| 65+ | 13 | 5.7 | 35 | <1 | 1 | 3 | 7 | 17 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 301 | 5.6 | 6 | 3 | 3 | 5 | 6 | 8 | 9 | 17 |
| 20-34 | 1871 | 5.3 | 4 | 3 | 3 | 5 | 6 | 7 | 9 | 12 |
| 35-49 | 1718 | 6.2 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 15 |
| 50-64 | 1133 | 7.6 | 15 | 4 | 5 | 7 | 8 | 12 | 15 | 24 |
| 65+ | 1018 | 9.5 | 34 | 5 | 5 | 8 | 11 | 15 | 20 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 2.5 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| B. *Operated* | 2954 | 5.2 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 4.5 | 15 | 1 | 1 | 4 | 6 | 8 | 14 | 19 |
| B. *Operated* | 6041 | 6.7 | 14 | 3 | 4 | 6 | 7 | 10 | 13 | 21 |
| **1. SINGLE DX** | 2968 | 5.1 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 6080 | 6.7 | 14 | 3 | 4 | 6 | 7 | 10 | 13 | 21 |
| **A. NOT OPERATED** | 53 | 4.0 | 13 | <1 | 1 | 3 | 5 | 7 | 10 | 19 |
| **B. OPERATED** | 8995 | 6.2 | 11 | 3 | 4 | 6 | 7 | 9 | 11 | 19 |
| TOTAL 0-19 YRS | 667 | 5.1 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 20-34 | 3388 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 2267 | 5.9 | 6 | 3 | 4 | 6 | 7 | 8 | 10 | 14 |
| 50-64 | 1486 | 7.2 | 13 | 4 | 4 | 6 | 8 | 11 | 14 | 21 |
| 65+ | 1240 | 9.0 | 31 | 5 | 5 | 8 | 10 | 15 | 19 | 32 |
| **GRAND TOTAL** | **9048** | **6.2** | **11** | **3** | **4** | **6** | **7** | **9** | **11** | **19** |

## 59: Benign neoplasm of female genitalia, except uterus and ovary (221)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.3 | 6 | <1 | <1 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 43 | 3.3 | 4 | <1 | <1 | 3 | 5 | 6 | 7 | 7 |
| 35-49 | 53 | 3.2 | 5 | <1 | <1 | 3 | 5 | 6 | 7 | 9 |
| 50-64 | 27 | 3.0 | 5 | <1 | <1 | 2 | 5 | 6 | 7 | 8 |
| 65+ | 12 | 3.3 | 7 | <1 | 1 | 2 | 4 | 8 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.6 | 4 | 2 | 2 | 5 | 6 | 8 | 8 | 8 |
| 20-34 | 61 | 4.9 | 6 | <1 | 1 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 97 | 5.3 | 13 | 1 | 2 | 5 | 6 | 8 | 10 | 24 |
| 50-64 | 53 | 3.9 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 65+ | 32 | 5.6 | 14 | <1 | 1 | 5 | 8 | 11 | 14 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 3.7 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | 147 | 3.2 | 5 | <1 | <1 | 3 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 3.3 | 20 | <1 | <1 | 2 | 3 | 11 | 14 | 14 |
| B. *Operated* | 250 | 4.9 | 11 | <1 | 1 | 5 | 6 | 8 | 10 | 21 |
| **1. SINGLE DX** | 150 | 3.2 | 5 | <1 | <1 | 3 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 258 | 4.9 | 11 | <1 | 1 | 5 | 6 | 8 | 10 | 20 |
| **A. NOT OPERATED** | 11 | 3.4 | 14 | <1 | <1 | 3 | 4 | 8 | 14 | 14 |
| **B. OPERATED** | 397 | 4.3 | 9 | <1 | 1 | 4 | 6 | 8 | 9 | 15 |
| TOTAL 0-19 YRS | 21 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 109 | 4.1 | 6 | <1 | 1 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 151 | 4.6 | 11 | <1 | 1 | 4 | 6 | 8 | 9 | 21 |
| 50-64 | 82 | 3.6 | 10 | <1 | <1 | 2 | 5 | 7 | 8 | 18 |
| 65+ | 45 | 5.2 | 15 | <1 | 2 | 4 | 7 | 10 | 14 | 15 |
| **GRAND TOTAL** | **408** | **4.3** | **10** | **<1** | **1** | **4** | **6** | **8** | **9** | **15** |

## 60: Benign neoplasm of male genital organ (222)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 1.4 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 45 | 2.1 | 3 | <1 | 1 | 1 | 3 | 5 | 5 | 8 |
| 35-49 | 51 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 28 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 65+ | 13 | 1.8 | 1 | <1 | <1 | 1 | 3 | 3 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 24 | 3.8 | 30 | <1 | <1 | 2 | 4 | 6 | 13 | 28 |
| 35-49 | 27 | 3.3 | 14 | <1 | 1 | 2 | 3 | 11 | 13 | 14 |
| 50-64 | 27 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 65+ | 39 | 5.9 | 42 | <1 | 1 | 4 | 6 | 14 | 22 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 161 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 125 | 4.1 | 24 | <1 | 1 | 3 | 5 | 8 | 13 | 29 |
| **1. SINGLE DX** | 161 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 126 | 4.1 | 24 | <1 | 1 | 3 | 5 | 8 | 13 | 29 |
| **A. NOT OPERATED** | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **B. OPERATED** | 286 | 2.9 | 13 | <1 | 1 | 2 | 3 | 6 | 7 | 23 |
| TOTAL 0-19 YRS | 32 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 69 | 2.7 | 12 | <1 | 1 | 2 | 3 | 5 | 6 | 24 |
| 35-49 | 78 | 2.3 | 6 | <1 | 1 | 2 | 2 | 4 | 7 | 14 |
| 50-64 | 56 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 65+ | 52 | 4.9 | 35 | <1 | 1 | 3 | 6 | 12 | 17 | 31 |
| **GRAND TOTAL** | **287** | **2.9** | **13** | **<1** | **1** | **2** | **3** | **6** | **7** | **23** |

## 61: Benign neoplasm of urinary organ (223)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 2.7 | 8 | 1 | 1 | 1 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.9 | 23 | 1 | 1 | 4 | 9 | 13 | 14 | 14 |
| 20-34 | 20 | 3.7 | 9 | <1 | <1 | 3 | 6 | 8 | 10 | 11 |
| 35-49 | 30 | 3.7 | 9 | <1 | <1 | 3 | 6 | 8 | 10 | 11 |
| 50-64 | 71 | 3.9 | 18 | <1 | <1 | 2 | 5 | 9 | 12 | 22 |
| 65+ | 79 | 3.3 | 13 | <1 | <1 | 2 | 3 | 7 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 50-64 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 6 | 5.0 | 20 | 1 | 1 | 3 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.7 | 25 | 1 | 1 | 5 | 8 | 14 | 15 | 15 |
| 20-34 | 34 | 7.9 | 52 | 1 | 1 | 6 | 12 | 16 | 22 | 33 |
| 35-49 | 53 | 6.9 | 31 | 1 | 2 | 5 | 9 | 16 | 17 | 25 |
| 50-64 | 132 | 5.1 | 29 | 1 | 1 | 3 | 7 | 11 | 19 | 26 |
| 65+ | 287 | 5.4 | 30 | 1 | 1 | 3 | 7 | 12 | 16 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 2.6 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| B. *Operated* | 208 | 3.7 | 14 | <1 | <1 | 2 | 5 | 8 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 4.2 | 12 | 1 | 1 | 3 | 6 | 10 | 11 | 11 |
| B. *Operated* | 513 | 5.6 | 31 | 1 | 1 | 3 | 8 | 12 | 17 | 27 |
| **1. SINGLE DX** | 213 | 3.7 | 14 | <1 | <1 | 2 | 5 | 8 | 12 | 21 |
| **2. MULTIPLE DX** | 525 | 5.6 | 31 | 1 | 1 | 3 | 8 | 12 | 17 | 26 |
| **A. NOT OPERATED** | 17 | 3.7 | 10 | 1 | 1 | 3 | 5 | 9 | 11 | 11 |
| **B. OPERATED** | 721 | 5.1 | 27 | 1 | 1 | 3 | 7 | 12 | 15 | 26 |
| TOTAL 0-19 YRS | 16 | 5.6 | 21 | 1 | 1 | 4 | 8 | 14 | 15 | 15 |
| 20-34 | 56 | 6.2 | 39 | <1 | 1 | 4 | 8 | 13 | 19 | 32 |
| 35-49 | 86 | 5.7 | 25 | <1 | 1 | 4 | 8 | 12 | 17 | 24 |
| 50-64 | 205 | 4.7 | 25 | <1 | 1 | 3 | 6 | 11 | 14 | 26 |
| 65+ | 375 | 4.9 | 26 | 1 | 1 | 3 | 7 | 11 | 14 | 25 |
| **GRAND TOTAL** | **738** | **5.0** | **27** | **1** | **1** | **3** | **7** | **11** | **15** | **26** |

## 62: Benign neoplasm of eye (224)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 17 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 35-49 | 5 | 3.6 | 5 | <1 | <1 | 3 | 5 | 7 | 7 | 7 |
| 50-64 | 7 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 7 | 3.3 | 8 | <1 | <1 | 2 | 6 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.3 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.8 | 82 | <1 | <1 | 1 | 3 | 4 | 24 | 41 |
| 20-34 | 4 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 4 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 7 | 2.4 | 4 | <1 | <1 | 2 | 2 | 6 | 7 | 7 |
| 65+ | 7 | 4.4 | 15 | 1 | 1 | 3 | 8 | 10 | 10 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 87 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 1.4 | | <1 | <1 | <1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 41 | 3.3 | 41 | <1 | <1 | 2 | 3 | 5 | 10 | 41 |
| **1. SINGLE DX** | 87 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 46 | 3.1 | 37 | <1 | <1 | 2 | 3 | 4 | 10 | 41 |
| **A. NOT OPERATED** | 5 | 1.4 | | <1 | <1 | <1 | 2 | 2 | 2 | 2 |
| **B. OPERATED** | 128 | 2.3 | 15 | <1 | <1 | 1 | 2 | 4 | 7 | 17 |
| TOTAL 0-19 YRS | 74 | 2.0 | 22 | <1 | <1 | 1 | 2 | 3 | 3 | 32 |
| 20-34 | 22 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 35-49 | 9 | 3.0 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| 50-64 | 14 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 6 | 7 |
| 65+ | 14 | 3.9 | 11 | <1 | <1 | 3 | 7 | 10 | 10 | 10 |
| **GRAND TOTAL** | **133** | **2.2** | **14** | **<1** | **<1** | **1** | **2** | **4** | **7** | **15** |

## 63: Benign neoplasm of central nervous system (225)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.8 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 10 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 9 |
| 35-49 | 20 | 4.3 | 20 | <1 | 1 | 3 | 6 | 10 | 14 | 18 |
| 50-64 | 27 | 2.7 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 65+ | 23 | 8.8 | 245 | 1 | 1 | 3 | 8 | 26 | 53 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 8.9 | 21 | 3 | 3 | 8 | 12 | 15 | 16 | 21 |
| 20-34 | 139 | 8.9 | 26 | 1 | 2 | 9 | 11 | 15 | 18 | 24 |
| 35-49 | 261 | 9.2 | 30 | 1 | 2 | 9 | 11 | 15 | 19 | 27 |
| 50-64 | 328 | 9.6 | 47 | 2 | 3 | 9 | 12 | 16 | 20 | 51 |
| 65+ | 192 | 10.9 | 73 | 1 | 2 | 10 | 14 | 19 | 25 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.6 | 30 | 1 | 1 | 2 | 3 | 12 | 18 | 18 |
| 20-34 | 20 | 4.6 | 29 | <1 | 1 | 2 | 6 | 12 | 18 | 22 |
| 35-49 | 41 | 4.0 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 50-64 | 79 | 5.6 | 36 | <1 | 1 | 4 | 7 | 11 | 17 | 35 |
| 65+ | 319 | 8.0 | 67 | 2 | 2 | 6 | 9 | 14 | 18 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 15.6 | 152 | 5 | 6 | 12 | 18 | 33 | 44 | 65 |
| 20-34 | 136 | 14.4 | 115 | 4 | 5 | 12 | 16 | 27 | 36 | 56 |
| 35-49 | 318 | 14.5 | 161 | 2 | 4 | 11 | 17 | 28 | 37 | 79 |
| 50-64 | 580 | 16.1 | 157 | 3 | 5 | 13 | 21 | 33 | 43 | 94 |
| 65+ | 686 | 18.4 | 206 | 3 | 5 | 15 | 23 | 38 | 53 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 84 | 4.8 | 78 | 1 | 1 | 3 | 4 | 9 | 13 | 59 |
| B. *Operated* | 950 | 9.6 | 44 | 1 | 2 | 9 | 12 | 16 | 20 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 468 | 7.0 | 57 | 1 | 1 | 5 | 8 | 13 | 18 | 49 |
| B. *Operated* | 1775 | 16.5 | 175 | 3 | 5 | 13 | 21 | 33 | 46 | 91 |
| **1. SINGLE DX** | 1034 | 9.2 | 48 | 1 | 2 | 8 | 12 | 16 | 20 | 31 |
| **2. MULTIPLE DX** | 2243 | 14.6 | 166 | 2 | 3 | 11 | 18 | 31 | 43 | 79 |
| **A. NOT OPERATED** | 552 | 6.7 | 61 | 1 | 1 | 5 | 8 | 12 | 18 | 50 |
| **B. OPERATED** | 2725 | 14.1 | 140 | 2 | 4 | 11 | 17 | 28 | 39 | 78 |
| TOTAL 0-19 YRS | 98 | 11.9 | 115 | 1 | 2 | 9 | 15 | 22 | 34 | 59 |
| 20-34 | 305 | 10.9 | 77 | 1 | 2 | 9 | 13 | 19 | 26 | 47 |
| 35-49 | 640 | 11.4 | 105 | 1 | 2 | 9 | 14 | 21 | 29 | 58 |
| 50-64 | 1014 | 12.8 | 124 | 1 | 3 | 10 | 16 | 26 | 37 | 74 |
| 65+ | 1220 | 14.3 | 171 | 2 | 3 | 11 | 18 | 30 | 44 | 83 |
| **GRAND TOTAL** | **3277** | **12.9** | **135** | **2** | **2** | **10** | **16** | **26** | **37** | **70** |

## 64: Benign neoplasm of thyroid glands (226)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 2.1 | | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 4 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |
| 20-34 | 766 | 2.9 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 1070 | 3.0 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | 632 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 65+ | 256 | 3.7 | 3 | 1 | 2 | 4 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 7 | 3.7 | 12 | <1 | <1 | 3 | 7 | 9 | 9 | 9 |
| 50-64 | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 11 | 6.0 | 16 | 1 | 1 | 6 | 10 | 11 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 296 | 3.4 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 14 |
| 35-49 | 543 | 3.7 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | 571 | 4.2 | 11 | 2 | 2 | 4 | 5 | 6 | 8 | 16 |
| 65+ | 437 | 5.2 | 21 | 2 | 2 | 4 | 6 | 8 | 12 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| B. *Operated* | 2833 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 4.2 | 12 | 1 | 1 | 3 | 7 | 10 | 11 | 12 |
| B. *Operated* | 1869 | 4.2 | 11 | 2 | 2 | 4 | 5 | 6 | 8 | 16 |
| **1. SINGLE DX** | 2848 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | 1896 | 4.2 | 11 | 2 | 2 | 4 | 5 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 42 | 3.5 | 9 | 1 | 1 | 3 | 4 | 9 | 10 | 12 |
| **B. OPERATED** | 4702 | 3.5 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 133 | 2.9 | 3 | 1 | 1 | 3 | 4 | 4 | 5 | 10 |
| 20-34 | 1072 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 1622 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 1211 | 3.7 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| 65+ | 706 | 4.7 | 15 | 2 | 2 | 4 | 5 | 8 | 10 | 22 |
| **GRAND TOTAL** | **4744** | **3.5** | **6** | **1** | **2** | **3** | **4** | **5** | **6** | **12** |

## 65: Benign neoplasm of endocrine glands, except thyroid (227)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.0 | 2 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 20 | 3.6 | 6 | <1 | 1 | 3 | 5 | 7 | 9 | 9 |
| 35-49 | 21 | 5.2 | 17 | <1 | 1 | 4 | 8 | 12 | 14 | 15 |
| 50-64 | 8 | 5.1 | 12 | 2 | 2 | 4 | 7 | 11 | 12 | 12 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 6.7 | 7 | 2 | 3 | 7 | 8 | 10 | 12 | 12 |
| 20-34 | 103 | 6.9 | 10 | 3 | 3 | 6 | 8 | 10 | 13 | 17 |
| 35-49 | 130 | 6.1 | 9 | 2 | 3 | 6 | 8 | 10 | 12 | 14 |
| 50-64 | 188 | 6.4 | 14 | 2 | 2 | 5 | 8 | 11 | 14 | 18 |
| 65+ | 85 | 6.5 | 20 | 2 | 3 | 5 | 9 | 12 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 9 |
| 20-34 | 39 | 4.8 | 26 | 1 | 1 | 3 | 5 | 12 | 17 | 23 |
| 35-49 | 55 | 4.6 | 9 | 1 | 1 | 4 | 7 | 9 | 10 | 13 |
| 50-64 | 62 | 6.0 | 21 | 2 | 2 | 5 | 8 | 13 | 16 | 21 |
| 65+ | 82 | 9.6 | 115 | 2 | 3 | 7 | 11 | 19 | 25 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 11.6 | 114 | 2 | 3 | 8 | 13 | 25 | 39 | 49 |
| 20-34 | 180 | 8.3 | 37 | 2 | 3 | 7 | 10 | 15 | 19 | 28 |
| 35-49 | 304 | 7.7 | 38 | 2 | 3 | 6 | 10 | 16 | 21 | 36 |
| 50-64 | 479 | 8.5 | 69 | 2 | 3 | 6 | 10 | 17 | 23 | 36 |
| 65+ | 493 | 9.9 | 85 | 3 | 3 | 7 | 13 | 19 | 26 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 4.3 | 11 | <1 | 1 | 3 | 5 | 9 | 12 | 15 |
| B. *Operated* | 532 | 6.4 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 250 | 6.6 | 54 | 1 | 2 | 5 | 8 | 13 | 19 | 40 |
| B. *Operated* | 1487 | 8.8 | 66 | 2 | 3 | 6 | 11 | 18 | 23 | 40 |
| **1. SINGLE DX** | 589 | 6.2 | 13 | 2 | 2 | 6 | 8 | 11 | 13 | 18 |
| **2. MULTIPLE DX** | 1737 | 8.5 | 65 | 2 | 3 | 6 | 10 | 17 | 22 | 40 |
| **A. NOT OPERATED** | 307 | 6.2 | 46 | 1 | 1 | 4 | 7 | 12 | 16 | 33 |
| **B. OPERATED** | 2019 | 8.2 | 53 | 2 | 3 | 6 | 10 | 16 | 21 | 36 |
| TOTAL 0-19 YRS | 77 | 7.8 | 60 | 1 | 2 | 6 | 9 | 13 | 20 | 47 |
| 20-34 | 342 | 7.2 | 28 | 2 | 2 | 6 | 9 | 12 | 17 | 23 |
| 35-49 | 510 | 6.9 | 28 | 2 | 2 | 6 | 8 | 13 | 18 | 29 |
| 50-64 | 737 | 7.7 | 52 | 2 | 3 | 6 | 10 | 15 | 19 | 33 |
| 65+ | 660 | 9.4 | 81 | 2 | 3 | 6 | 12 | 19 | 25 | 45 |
| **GRAND TOTAL** | **2326** | **7.9** | **52** | **2** | **3** | **6** | **10** | **15** | **20** | **36** |

## 66: Carcinoma in situ of cervix (233.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 1.9 | 2 | 1 | 1 | 1 | 3 | 4 | 5 | 5 |
| 35-49 | 5 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 50-64 | 4 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 2.6 | 3 | 1 | 1 | 2 | 3 | 6 | 7 | 7 |
| 20-34 | 1799 | 3.4 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 35-49 | 816 | 4.1 | 5 | 1 | 1 | 4 | 6 | 7 | 8 | 10 |
| 50-64 | 194 | 4.1 | 6 | 1 | 1 | 4 | 6 | 7 | 8 | 11 |
| 65+ | 96 | 4.2 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 26 | 2.6 | 11 | <1 | <1 | 1 | 3 | 6 | 8 | 17 |
| 35-49 | 26 | 2.2 | 4 | <1 | <1 | 1 | 3 | 6 | 7 | 8 |
| 50-64 | 11 | 4.3 | 10 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| 65+ | 6 | 2.8 | 2 | <1 | <1 | 3 | 3 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 1709 | 4.6 | 6 | 1 | 1 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 1521 | 5.4 | 8 | 1 | 2 | 5 | 6 | 8 | 10 | 15 |
| 50-64 | 442 | 6.0 | 15 | 1 | 2 | 6 | 7 | 9 | 12 | 22 |
| 65+ | 258 | 6.4 | 22 | 1 | 2 | 6 | 8 | 10 | 13 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 2.4 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| B. *Operated* | 2933 | 3.7 | 5 | <1 | 1 | 3 | 5 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 69 | 2.8 | 8 | <1 | <1 | 1 | 4 | 6 | 8 | 15 |
| B. *Operated* | 3947 | 5.2 | 9 | 1 | 1 | 5 | 6 | 8 | 10 | 16 |
| **1. SINGLE DX** | 2952 | 3.7 | 5 | <1 | 1 | 3 | 5 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | 4016 | 5.1 | 9 | 1 | 1 | 5 | 6 | 8 | 10 | 16 |
| **A. NOT OPERATED** | 88 | 2.7 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| **B. OPERATED** | 6880 | 4.5 | 8 | 1 | 1 | 5 | 6 | 7 | 9 | 13 |
| TOTAL 0-19 YRS | 45 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 3543 | 4.0 | 6 | 1 | 1 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 2368 | 4.9 | 8 | 1 | 1 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 651 | 5.4 | 13 | 1 | 1 | 5 | 7 | 9 | 11 | 21 |
| 65+ | 361 | 5.7 | 19 | 1 | 2 | 6 | 7 | 9 | 12 | 22 |
| **GRAND TOTAL** | **6968** | **4.5** | **8** | **1** | **1** | **5** | **6** | **7** | **9** | **13** |

### 67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 4 | 5.0 | 38 | 1 | 1 | 3 | 9 | 14 | 14 | 14 |
| 65+ | 7 | 4.1 | 10 | 1 | 1 | 3 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.8 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 82 | 4.0 | 10 | <1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 35-49 | 249 | 4.2 | 20 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 440 | 4.0 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 403 | 4.2 | 14 | <1 | 1 | 3 | 5 | 9 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 6 | 2.7 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 50-64 | 21 | 3.4 | 7 | <1 | 1 | 2 | 5 | 8 | 8 | 9 |
| 65+ | 36 | 4.9 | 25 | <1 | 1 | 3 | 6 | 12 | 17 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.7 | 42 | 1 | 1 | 8 | 12 | 14 | 14 | 14 |
| 20-34 | 98 | 5.2 | 11 | 1 | 1 | 5 | 7 | 9 | 12 | 18 |
| 35-49 | 382 | 5.5 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| 50-64 | 762 | 6.3 | 29 | 1 | 1 | 5 | 8 | 12 | 17 | 29 |
| 65+ | 1319 | 7.6 | 61 | 1 | 2 | 5 | 10 | 16 | 22 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 3.7 | 13 | <1 | 1 | 2 | 4 | 9 | 12 | 14 |
| B. *Operated* | 1180 | 4.1 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 66 | 4.1 | 17 | <1 | 1 | 3 | 5 | 9 | 12 | 21 |
| B. *Operated* | 2564 | 6.8 | 44 | 1 | 1 | 5 | 9 | 14 | 18 | 33 |
| **1. SINGLE DX** | 1196 | 4.1 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 2630 | 6.8 | 43 | 1 | 1 | 5 | 9 | 14 | 18 | 33 |
| **A. NOT OPERATED** | 82 | 4.0 | 16 | <1 | 1 | 3 | 5 | 9 | 13 | 20 |
| **B. OPERATED** | 3744 | 6.0 | 36 | 1 | 1 | 4 | 8 | 12 | 17 | 29 |
| TOTAL 0-19 YRS | 10 | 3.7 | 18 | <1 | <1 | 2 | 4 | 11 | 14 | 14 |
| 20-34 | 184 | 4.6 | 11 | <1 | 1 | 4 | 6 | 9 | 10 | 16 |
| 35-49 | 640 | 4.9 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| 50-64 | 1227 | 5.4 | 24 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| 65+ | 1765 | 6.8 | 52 | 1 | 1 | 5 | 9 | 15 | 20 | 36 |
| **GRAND TOTAL** | **3826** | **5.9** | **36** | **1** | **1** | **4** | **8** | **12** | **16** | **29** |

### 68: Neoplasms of uncertain behavior and unspecified nature (235-239)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 2.8 | 5 | <1 | <1 | 2 | 4 | 5 | 8 | 11 |
| 20-34 | 77 | 3.3 | 8 | 1 | 1 | 2 | 4 | 7 | 8 | 15 |
| 35-49 | 116 | 3.6 | 17 | <1 | 1 | 2 | 4 | 7 | 9 | 21 |
| 50-64 | 153 | 3.5 | 10 | <1 | 1 | 2 | 4 | 7 | 11 | 18 |
| 65+ | 136 | 3.6 | 16 | <1 | 1 | 2 | 4 | 7 | 10 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 445 | 4.4 | 18 | <1 | 1 | 3 | 6 | 9 | 12 | 25 |
| 20-34 | 635 | 4.2 | 12 | <1 | 1 | 3 | 6 | 9 | 10 | 17 |
| 35-49 | 682 | 4.1 | 15 | 1 | 1 | 3 | 6 | 8 | 10 | 19 |
| 50-64 | 895 | 4.4 | 17 | 1 | 1 | 3 | 6 | 10 | 12 | 21 |
| 65+ | 912 | 4.5 | 18 | <1 | 1 | 3 | 6 | 10 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 179 | 3.9 | 28 | <1 | 1 | 2 | 4 | 8 | 10 | 25 |
| 20-34 | 158 | 4.2 | 25 | <1 | 1 | 3 | 5 | 9 | 14 | 18 |
| 35-49 | 262 | 4.4 | 26 | <1 | 1 | 3 | 6 | 9 | 11 | 34 |
| 50-64 | 524 | 5.4 | 49 | 1 | 1 | 4 | 7 | 10 | 13 | 38 |
| 65+ | 1400 | 6.6 | 52 | 1 | 1 | 4 | 8 | 13 | 19 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 325 | 8.9 | 111 | 1 | 2 | 6 | 11 | 20 | 29 | 51 |
| 20-34 | 588 | 7.5 | 101 | 1 | 1 | 5 | 8 | 14 | 25 | 71 |
| 35-49 | 848 | 7.2 | 67 | 1 | 1 | 6 | 8 | 14 | 18 | 54 |
| 50-64 | 1476 | 7.5 | 50 | 1 | 1 | 6 | 10 | 15 | 20 | 43 |
| 65+ | 3117 | 8.6 | 60 | 1 | 2 | 7 | 11 | 17 | 23 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 599 | 3.4 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| B. *Operated* | 3569 | 4.3 | 16 | <1 | 1 | 3 | 6 | 9 | 11 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2523 | 5.8 | 46 | 1 | 1 | 4 | 7 | 12 | 16 | 37 |
| B. *Operated* | 6354 | 8.1 | 67 | 1 | 2 | 6 | 10 | 16 | 22 | 45 |
| **1. SINGLE DX** | 4168 | 4.2 | 16 | <1 | 1 | 3 | 6 | 9 | 11 | 20 |
| **2. MULTIPLE DX** | 8877 | 7.4 | 63 | 1 | 1 | 5 | 9 | 15 | 20 | 43 |
| **A. NOT OPERATED** | 3122 | 5.3 | 41 | 1 | 1 | 3 | 7 | 11 | 15 | 35 |
| **B. OPERATED** | 9923 | 6.7 | 52 | 1 | 1 | 5 | 9 | 14 | 19 | 36 |
| TOTAL 0-19 YRS | 1066 | 5.5 | 52 | <1 | 1 | 3 | 7 | 12 | 17 | 34 |
| 20-34 | 1458 | 5.5 | 52 | 1 | 1 | 4 | 6 | 10 | 15 | 47 |
| 35-49 | 1908 | 5.5 | 42 | 1 | 1 | 4 | 7 | 10 | 15 | 35 |
| 50-64 | 3048 | 6.0 | 45 | 1 | 1 | 4 | 8 | 12 | 16 | 31 |
| 65+ | 5565 | 7.3 | 52 | 1 | 1 | 5 | 10 | 15 | 20 | 36 |
| **GRAND TOTAL** | **13045** | **6.4** | **50** | **1** | **1** | **4** | **8** | **13** | **18** | **36** |

## 69: Simple and nontoxic nodular goiter (240-241)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 14 | 2.9 | 4 | <1 | 1 | 2 | 3 | 6 | 8 | 8 |
| 35-49 | 19 | 2.5 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 50-64 | 17 | 3.5 | 9 | <1 | 1 | 3 | 4 | 6 | 11 | 14 |
| 65+ | 11 | 2.8 | 2 | <1 | <1 | 3 | 4 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 2.9 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 5 |
| 20-34 | 593 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 918 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 753 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 65+ | 351 | 3.7 | 3 | 1 | 2 | 4 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.3 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 29 | 3.2 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 12 |
| 35-49 | 58 | 3.5 | 6 | <1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 50-64 | 66 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| 65+ | 118 | 5.2 | 15 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.5 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 222 | 4.1 | 19 | 1 | 2 | 4 | 4 | 6 | 10 | 14 |
| 35-49 | 535 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 10 | 18 |
| 50-64 | 743 | 4.5 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |
| 65+ | 629 | 6.1 | 31 | 2 | 3 | 5 | 7 | 11 | 16 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 2.9 | 5 | <1 | 1 | 3 | 4 | 5 | 6 | 13 |
| B. *Operated* | 2682 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 281 | 4.2 | 10 | <1 | 1 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | 2151 | 4.8 | 18 | 2 | 2 | 4 | 5 | 8 | 11 | 24 |
| **1. SINGLE DX** | 2746 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 2432 | 4.8 | 17 | 1 | 2 | 4 | 5 | 8 | 11 | 22 |
| **A. NOT OPERATED** | 345 | 4.0 | 10 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| **B. OPERATED** | 4833 | 4.0 | 10 | 1 | 2 | 4 | 5 | 6 | 8 | 16 |
| TOTAL 0-19 YRS | 102 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 858 | 3.4 | 7 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 1530 | 3.6 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 1579 | 4.0 | 7 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |
| 65+ | 1109 | 5.2 | 21 | 2 | 2 | 4 | 6 | 9 | 13 | 25 |
| **GRAND TOTAL** | **5178** | **4.0** | **10** | **1** | **2** | **4** | **5** | **6** | **8** | **16** |

## 70: Other diseases of thyroid gland (242-246)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 11 | 12 |
| 20-34 | 200 | 4.3 | 7 | 1 | 2 | 4 | 6 | 7 | 8 | 15 |
| 35-49 | 155 | 4.6 | 12 | 1 | 2 | 4 | 5 | 7 | 11 | 18 |
| 50-64 | 110 | 5.2 | 10 | 2 | 2 | 4 | 7 | 10 | 10 | 17 |
| 65+ | 57 | 4.9 | 10 | 1 | 2 | 4 | 7 | 10 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 464 | 4.2 | 10 | 1 | 2 | 4 | 5 | 6 | 8 | 15 |
| 35-49 | 439 | 3.6 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 290 | 3.5 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| 65+ | 98 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 5.3 | 38 | 1 | 1 | 4 | 6 | 8 | 17 | 39 |
| 20-34 | 381 | 5.3 | 18 | 1 | 2 | 4 | 7 | 10 | 12 | 24 |
| 35-49 | 548 | 5.8 | 17 | 1 | 2 | 5 | 7 | 11 | 13 | 20 |
| 50-64 | 637 | 6.5 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| 65+ | 1194 | 8.6 | 53 | 2 | 3 | 7 | 10 | 16 | 20 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 6.4 | 43 | 1 | 2 | 4 | 6 | 13 | 20 | 36 |
| 20-34 | 278 | 5.5 | 14 | 2 | 2 | 4 | 6 | 10 | 12 | 20 |
| 35-49 | 304 | 4.9 | 13 | 2 | 2 | 4 | 6 | 9 | 12 | 17 |
| 50-64 | 412 | 6.5 | 51 | 2 | 2 | 4 | 7 | 12 | 17 | 42 |
| 65+ | 351 | 10.1 | 118 | 2 | 3 | 6 | 13 | 21 | 29 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 584 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 1401 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2876 | 7.0 | 37 | 2 | 2 | 6 | 9 | 13 | 17 | 31 |
| B. *Operated* | 1389 | 6.9 | 56 | 2 | 2 | 5 | 8 | 14 | 19 | 37 |
| **1. SINGLE DX** | 1985 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 4265 | 7.0 | 43 | 2 | 2 | 5 | 8 | 13 | 18 | 35 |
| **A. NOT OPERATED** | 3460 | 6.6 | 33 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| **B. OPERATED** | 2790 | 5.3 | 33 | 2 | 2 | 4 | 5 | 10 | 14 | 30 |
| TOTAL 0-19 YRS | 332 | 4.7 | 22 | 1 | 1 | 4 | 5 | 8 | 12 | 27 |
| 20-34 | 1323 | 4.8 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| 35-49 | 1446 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 1449 | 5.8 | 30 | 2 | 2 | 4 | 7 | 11 | 14 | 27 |
| 65+ | 1700 | 8.6 | 65 | 2 | 3 | 6 | 10 | 17 | 22 | 42 |
| **GRAND TOTAL** | **6250** | **6.1** | **34** | **2** | **2** | **4** | **7** | **11** | **16** | **29** |

## 71: Diabetes mellitus without complication (250.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 675 | 5.2 | 6 | 1 | 2 | 5 | 7 | 8 | 9 | 13 |
| 20-34 | 215 | 4.5 | 7 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| 35-49 | 188 | 5.0 | 12 | 2 | 2 | 4 | 6 | 8 | 9 | 22 |
| 50-64 | 230 | 5.0 | 9 | 1 | 2 | 4 | 6 | 8 | 9 | 16 |
| 65+ | 83 | 6.8 | 24 | 1 | 2 | 6 | 8 | 12 | 17 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.8 | 30 | 1 | 1 | 2 | 2 | 14 | 15 | 15 |
| 20-34 | 6 | 3.2 | 9 | 1 | 1 | 2 | 4 | 8 | 9 | 9 |
| 35-49 | 9 | 5.0 | 22 | 1 | 1 | 3 | 8 | 13 | 14 | 14 |
| 50-64 | 14 | 5.4 | 11 | 2 | 2 | 4 | 8 | 10 | 11 | 11 |
| 65+ | 9 | 5.0 | 5 | 2 | 2 | 6 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 569 | 5.4 | 28 | 1 | 1 | 5 | 7 | 9 | 12 | 36 |
| 20-34 | 465 | 4.6 | 11 | <1 | 1 | 4 | 6 | 8 | 10 | 18 |
| 35-49 | 848 | 5.5 | 14 | 2 | 2 | 5 | 7 | 9 | 11 | 20 |
| 50-64 | 1363 | 6.2 | 18 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| 65+ | 884 | 6.8 | 25 | 2 | 3 | 6 | 8 | 11 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 8.4 | 64 | 1 | 2 | 3 | 16 | 21 | 22 | 22 |
| 20-34 | 54 | 8.2 | 70 | 2 | 2 | 6 | 9 | 17 | 22 | 51 |
| 35-49 | 110 | 8.5 | 42 | 2 | 3 | 7 | 11 | 16 | 22 | 36 |
| 50-64 | 182 | 9.3 | 69 | 2 | 3 | 7 | 11 | 15 | 24 | 52 |
| 65+ | 118 | 12.5 | 93 | 2 | 2 | 10 | 17 | 22 | 29 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1391 | 5.1 | 9 | 1 | 2 | 5 | 7 | 8 | 10 | 16 |
| B. *Operated* | 44 | 4.7 | 14 | 1 | 1 | 3 | 7 | 10 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4129 | 5.9 | 19 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| B. *Operated* | 477 | 9.8 | 70 | 2 | 2 | 8 | 12 | 19 | 24 | 52 |
| **1. SINGLE DX** | 1435 | 5.1 | 9 | 1 | 2 | 5 | 7 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 4606 | 6.3 | 26 | 1 | 2 | 5 | 8 | 11 | 14 | 26 |
| **A. NOT OPERATED** | 5520 | 5.7 | 17 | 1 | 2 | 5 | 7 | 10 | 12 | 22 |
| **B. OPERATED** | 521 | 9.3 | 68 | 2 | 2 | 7 | 12 | 17 | 23 | 51 |
| TOTAL 0-19 YRS | 1263 | 5.3 | 17 | 1 | 2 | 5 | 7 | 9 | 10 | 17 |
| 20-34 | 740 | 4.8 | 15 | 1 | 1 | 4 | 6 | 9 | 10 | 20 |
| 35-49 | 1155 | 5.7 | 17 | 2 | 2 | 5 | 7 | 10 | 12 | 22 |
| 50-64 | 1789 | 6.3 | 23 | 2 | 2 | 5 | 8 | 11 | 13 | 24 |
| 65+ | 1094 | 7.4 | 35 | 2 | 3 | 6 | 9 | 13 | 17 | 32 |
| **GRAND TOTAL** | **6041** | **6.0** | **22** | **1** | **2** | **5** | **7** | **10** | **13** | **24** |

## 72: Diabetic acidosis or coma (250.1-250.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2569 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 1589 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 35-49 | 614 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 50-64 | 335 | 5.5 | 10 | 2 | 2 | 5 | 7 | 10 | 12 | 15 |
| 65+ | 236 | 6.5 | 14 | 2 | 3 | 6 | 8 | 12 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 5.7 | 8 | 2 | 2 | 5 | 8 | 9 | 11 | 13 |
| 20-34 | 19 | 5.9 | 8 | 2 | 3 | 5 | 8 | 10 | 11 | 11 |
| 35-49 | 10 | 5.1 | 4 | 2 | 2 | 5 | 7 | 7 | 7 | 7 |
| 50-64 | 10 | 10.1 | 44 | 3 | 3 | 9 | 13 | 20 | 25 | 25 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3143 | 4.4 | 15 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 20-34 | 3817 | 4.9 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 2555 | 6.1 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| 50-64 | 2213 | 7.8 | 32 | 2 | 3 | 7 | 10 | 14 | 18 | 31 |
| 65+ | 3228 | 9.2 | 47 | 3 | 3 | 8 | 11 | 17 | 21 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 8.6 | 44 | 2 | 3 | 7 | 11 | 15 | 20 | 39 |
| 20-34 | 372 | 11.0 | 123 | 3 | 3 | 8 | 13 | 20 | 34 | 77 |
| 35-49 | 362 | 13.6 | 157 | 3 | 4 | 10 | 16 | 27 | 45 | 70 |
| 50-64 | 380 | 16.3 | 194 | 4 | 5 | 12 | 20 | 34 | 50 | 99+ |
| 65+ | 471 | 19.6 | 219 | 6 | 7 | 15 | 24 | 39 | 52 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5343 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 58 | 6.4 | 16 | 2 | 3 | 6 | 8 | 11 | 13 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14956 | 6.4 | 29 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |
| B. *Operated* | 1700 | 15.0 | 180 | 3 | 4 | 11 | 18 | 31 | 45 | 91 |
| **1. SINGLE DX** | 5401 | 4.3 | 10 | 1 | 1 | 3 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 16656 | 7.2 | 51 | 2 | 2 | 5 | 9 | 14 | 19 | 40 |
| **A. NOT OPERATED** | 20299 | 5.8 | 25 | 1 | 2 | 5 | 7 | 11 | 14 | 25 |
| **B. OPERATED** | 1758 | 14.7 | 177 | 3 | 4 | 11 | 18 | 30 | 45 | 90 |
| TOTAL 0-19 YRS | 5846 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 5797 | 5.0 | 23 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 35-49 | 3541 | 6.7 | 38 | 2 | 2 | 5 | 8 | 12 | 17 | 33 |
| 50-64 | 2938 | 8.6 | 60 | 2 | 3 | 7 | 10 | 16 | 22 | 47 |
| 65+ | 3935 | 10.3 | 78 | 3 | 3 | 8 | 12 | 19 | 26 | 50 |
| **GRAND TOTAL** | **22057** | **6.5** | **43** | **1** | **2** | **5** | **8** | **12** | **17** | **35** |

### 73: Other complicated diabetes mellitus (250.4-250.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1330 | 5.1 | 8 | 1 | 2 | 5 | 7 | 9 | 10 | 15 |
| 20-34 | 1210 | 4.8 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 35-49 | 1542 | 5.2 | 9 | 2 | 2 | 5 | 6 | 9 | 10 | 15 |
| 50-64 | 1945 | 5.6 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 65+ | 1425 | 5.8 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.4 | 4 | <1 | 1 | 2 | 5 | 6 | 8 | 8 |
| 20-34 | 80 | 4.5 | 21 | 1 | 1 | 3 | 5 | 9 | 15 | 25 |
| 35-49 | 110 | 5.1 | 27 | 1 | 1 | 3 | 6 | 13 | 17 | 25 |
| 50-64 | 223 | 4.6 | 24 | 1 | 1 | 2 | 5 | 12 | 16 | 23 |
| 65+ | 220 | 4.5 | 35 | 1 | 1 | 2 | 4 | 13 | 17 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1454 | 5.4 | 29 | 1 | 1 | 4 | 7 | 9 | 12 | 33 |
| 20-34 | 4154 | 5.5 | 20 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| 35-49 | 7996 | 6.2 | 17 | 2 | 2 | 5 | 8 | 11 | 13 | 21 |
| 50-64 | 15154 | 6.9 | 22 | 2 | 3 | 6 | 8 | 12 | 15 | 24 |
| 65+ | 20773 | 7.8 | 37 | 2 | 3 | 6 | 9 | 13 | 17 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 83 | 11.6 | 213 | 2 | 3 | 7 | 12 | 28 | 42 | 83 |
| 20-34 | 1188 | 9.3 | 100 | 2 | 2 | 6 | 11 | 20 | 29 | 60 |
| 35-49 | 2617 | 12.4 | 140 | 2 | 3 | 9 | 15 | 26 | 38 | 66 |
| 50-64 | 5851 | 14.4 | 188 | 2 | 3 | 10 | 18 | 31 | 44 | 81 |
| 65+ | 7767 | 16.1 | 199 | 2 | 4 | 12 | 21 | 35 | 48 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7452 | 5.3 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| B. *Operated* | 647 | 4.6 | 27 | 1 | 1 | 2 | 5 | 12 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 49531 | 7.0 | 28 | 2 | 3 | 6 | 8 | 12 | 15 | 27 |
| B. *Operated* | 17506 | 14.5 | 184 | 2 | 3 | 10 | 19 | 31 | 44 | 88 |
| **1. SINGLE DX** | 8099 | 5.2 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 67037 | 9.0 | 79 | 2 | 3 | 7 | 10 | 17 | 25 | 54 |
| **A. NOT OPERATED** | 56983 | 6.8 | 26 | 2 | 3 | 6 | 8 | 12 | 15 | 26 |
| **B. OPERATED** | 18153 | 14.1 | 181 | 2 | 3 | 10 | 18 | 31 | 43 | 87 |
| TOTAL 0-19 YRS | 2881 | 5.4 | 26 | 1 | 2 | 5 | 7 | 9 | 12 | 28 |
| 20-34 | 6632 | 6.0 | 34 | 1 | 2 | 5 | 7 | 11 | 15 | 30 |
| 35-49 | 12265 | 7.4 | 49 | 2 | 2 | 6 | 8 | 13 | 19 | 40 |
| 50-64 | 23173 | 8.7 | 74 | 2 | 3 | 6 | 10 | 16 | 23 | 49 |
| 65+ | 30185 | 9.8 | 91 | 2 | 3 | 7 | 11 | 19 | 27 | 62 |
| **GRAND TOTAL** | **75136** | **8.6** | **73** | **2** | **3** | **6** | **10** | **16** | **23** | **51** |

### 74: Ovarian dysfunction (256)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 1.7 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 34 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 3.5 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 249 | 3.7 | 4 | <1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 25 | 4.2 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 9 |
| 50-64 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 11 |
| 20-34 | 67 | 4.0 | 6 | 1 | 1 | 4 | 5 | 8 | 10 | 10 |
| 35-49 | 14 | 4.1 | 11 | <1 | <1 | 3 | 6 | 9 | 11 | 11 |
| 50-64 | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 3.5 | 7 | <1 | 1 | 3 | 5 | 6 | 7 | 16 |
| 20-34 | 692 | 4.3 | 6 | <1 | 1 | 4 | 6 | 7 | 8 | 12 |
| 35-49 | 157 | 5.1 | 7 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 12 | 6.3 | 4 | 3 | 4 | 6 | 7 | 9 | 10 | 10 |
| 65+ | 2 | 9.5 | 25 | 6 | 6 | 9 | 13 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 318 | 3.7 | 5 | <1 | 1 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 100 | 4.0 | 6 | <1 | 1 | 4 | 5 | 8 | 10 | 11 |
| B. *Operated* | 934 | 4.4 | 6 | 1 | 1 | 4 | 6 | 7 | 9 | 13 |
| **1. SINGLE DX** | 366 | 3.5 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 1034 | 4.4 | 6 | 1 | 1 | 4 | 6 | 7 | 9 | 13 |
| **A. NOT OPERATED** | 148 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| **B. OPERATED** | 1252 | 4.3 | 6 | <1 | 1 | 4 | 6 | 7 | 8 | 12 |
| TOTAL 0-19 YRS | 140 | 3.4 | 6 | <1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 20-34 | 1042 | 4.1 | 6 | <1 | 1 | 4 | 6 | 7 | 8 | 12 |
| 35-49 | 198 | 4.9 | 7 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 16 | 5.9 | 6 | 2 | 3 | 6 | 7 | 10 | 10 | 10 |
| 65+ | 4 | 8.0 | 11 | 6 | 6 | 7 | 10 | 13 | 13 | 13 |
| **GRAND TOTAL** | **1400** | **4.2** | **6** | **<1** | **1** | **4** | **6** | **7** | **8** | **12** |

## 75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 515 | 2.4 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 232 | 3.3 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 35-49 | 235 | 3.4 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 50-64 | 198 | 3.8 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 65+ | 196 | 3.7 | 11 | 1 | 1 | 3 | 5 | 8 | 9 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 4.9 | 14 | <1 | 1 | 4 | 7 | 10 | 12 | 17 |
| 20-34 | 58 | 5.1 | 15 | 1 | 1 | 4 | 6 | 10 | 14 | 20 |
| 35-49 | 80 | 6.2 | 58 | 1 | 1 | 4 | 7 | 10 | 18 | 49 |
| 50-64 | 108 | 4.2 | 5 | 1 | 2 | 4 | 5 | 8 | 8 | 12 |
| 65+ | 52 | 6.6 | 27 | 2 | 2 | 6 | 8 | 10 | 19 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1038 | 3.1 | 14 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| 20-34 | 1159 | 4.3 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 1499 | 5.0 | 26 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| 50-64 | 2490 | 5.5 | 24 | 1 | 1 | 4 | 7 | 11 | 14 | 26 |
| 65+ | 6581 | 6.3 | 33 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 8.7 | 160 | 1 | 2 | 5 | 9 | 19 | 37 | 94 |
| 20-34 | 204 | 7.7 | 55 | 1 | 2 | 6 | 9 | 15 | 20 | 43 |
| 35-49 | 355 | 9.0 | 79 | 2 | 2 | 7 | 11 | 19 | 26 | 40 |
| 50-64 | 581 | 10.2 | 111 | 2 | 3 | 7 | 12 | 22 | 32 | 64 |
| 65+ | 830 | 12.3 | 130 | 3 | 3 | 9 | 15 | 25 | 36 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1376 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| B. *Operated* | 369 | 5.2 | 24 | 1 | 2 | 4 | 7 | 9 | 11 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12767 | 5.6 | 28 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| B. *Operated* | 2057 | 10.5 | 112 | 2 | 3 | 7 | 13 | 22 | 32 | 70 |
| **1. SINGLE DX** | 1745 | 3.5 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 14824 | 6.2 | 43 | 1 | 1 | 4 | 8 | 12 | 17 | 34 |
| **A. NOT OPERATED** | 14143 | 5.3 | 26 | 1 | 1 | 4 | 7 | 10 | 14 | 26 |
| **B. OPERATED** | 2426 | 9.7 | 102 | 2 | 3 | 7 | 12 | 21 | 30 | 63 |
| TOTAL 0-19 YRS | 1711 | 3.3 | 21 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 20-34 | 1653 | 4.6 | 21 | 1 | 1 | 4 | 6 | 9 | 12 | 25 |
| 35-49 | 2169 | 5.6 | 36 | 1 | 1 | 4 | 7 | 11 | 15 | 31 |
| 50-64 | 3377 | 6.1 | 41 | 1 | 2 | 4 | 7 | 12 | 16 | 34 |
| 65+ | 7659 | 6.9 | 46 | 1 | 2 | 5 | 8 | 13 | 19 | 36 |
| **GRAND TOTAL** | **16569** | **6.0** | **40** | **1** | **1** | **4** | **7** | **12** | **16** | **33** |

## 76: Nutritional deficiencies (260-269)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 5.4 | 19 | 1 | 1 | 4 | 7 | 11 | 15 | 20 |
| 20-34 | 7 | 3.1 | 1 | <1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 10 | 11.3 | 192 | 2 | 2 | 6 | 15 | 32 | 48 | 48 |
| 50-64 | 12 | 8.5 | 28 | <1 | 1 | 9 | 11 | 16 | 17 | 17 |
| 65+ | 22 | 5.6 | 20 | 1 | 1 | 5 | 8 | 11 | 16 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 5 | 4.4 | 13 | 1 | 1 | 3 | 7 | 10 | 10 | 10 |
| 35-49 | 9 | 8.0 | 59 | 1 | 1 | 6 | 10 | 21 | 25 | 25 |
| 50-64 | 5 | 6.8 | 34 | 1 | 1 | 6 | 10 | 16 | 16 | 16 |
| 65+ | 11 | 8.6 | 31 | 3 | 3 | 8 | 10 | 17 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 10.9 | 200 | 1 | 2 | 6 | 12 | 30 | 57 | 90 |
| 20-34 | 91 | 11.5 | 229 | 1 | 2 | 6 | 12 | 30 | 50 | 75 |
| 35-49 | 166 | 8.9 | 51 | 2 | 3 | 7 | 11 | 17 | 23 | 57 |
| 50-64 | 324 | 10.6 | 104 | 2 | 3 | 8 | 13 | 20 | 28 | 51 |
| 65+ | 1428 | 9.5 | 62 | 2 | 3 | 8 | 12 | 18 | 25 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 12.6 | 276 | 1 | 3 | 8 | 15 | 66 | 95 | 99+ |
| 20-34 | 106 | 8.8 | 90 | 4 | 4 | 5 | 8 | 22 | 30 | 50 |
| 35-49 | 163 | 10.0 | 99 | 4 | 4 | 5 | 11 | 24 | 31 | 47 |
| 50-64 | 226 | 14.7 | 172 | 3 | 4 | 11 | 18 | 28 | 44 | 65 |
| 65+ | 673 | 15.0 | 160 | 3 | 4 | 11 | 19 | 31 | 44 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 79 | 6.5 | 44 | 1 | 1 | 4 | 8 | 14 | 17 | 40 |
| B. *Operated* | 31 | 7.2 | 36 | 1 | 1 | 6 | 9 | 15 | 22 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2192 | 9.8 | 86 | 2 | 3 | 7 | 12 | 19 | 27 | 62 |
| B. *Operated* | 1220 | 13.6 | 158 | 3 | 4 | 10 | 17 | 29 | 41 | 81 |
| **1. SINGLE DX** | 110 | 6.7 | 41 | 1 | 1 | 5 | 8 | 15 | 17 | 34 |
| **2. MULTIPLE DX** | 3412 | 11.2 | 115 | 2 | 3 | 8 | 14 | 23 | 33 | 67 |
| **A. NOT OPERATED** | 2271 | 9.7 | 85 | 2 | 3 | 7 | 12 | 19 | 27 | 62 |
| **B. OPERATED** | 1251 | 13.5 | 155 | 3 | 4 | 9 | 17 | 28 | 41 | 80 |
| TOTAL 0-19 YRS | 264 | 10.6 | 198 | 1 | 2 | 6 | 12 | 29 | 58 | 99+ |
| 20-34 | 209 | 9.7 | 149 | 2 | 3 | 5 | 10 | 22 | 36 | 67 |
| 35-49 | 348 | 9.5 | 77 | 3 | 4 | 7 | 11 | 20 | 27 | 48 |
| 50-64 | 567 | 12.2 | 133 | 2 | 3 | 9 | 15 | 24 | 33 | 59 |
| 65+ | 2134 | 11.2 | 99 | 2 | 3 | 8 | 14 | 22 | 32 | 64 |
| **GRAND TOTAL** | **3522** | **11.1** | **113** | **2** | **3** | **8** | **14** | **23** | **32** | **67** |

## 77: Cystic fibrosis (277.0)

| | | | | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 481 | 10.0 | 30 | 2 | 3 | 10 | 13 | 16 | 19 | 28 |
| 20-34 | 174 | 11.0 | 24 | 2 | 4 | 11 | 14 | 17 | 21 | 25 |
| 35-49 | 14 | 10.5 | 26 | 2 | 2 | 11 | 13 | 15 | 20 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 12.3 | 63 | 2 | 2 | 11 | 16 | 25 | 29 | 31 |
| 20-34 | 7 | 14.1 | 125 | 3 | 3 | 14 | 15 | 33 | 37 | 37 |
| 35-49 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 992 | 10.8 | 47 | 2 | 3 | 10 | 14 | 18 | 21 | 37 |
| 20-34 | 496 | 12.5 | 55 | 3 | 5 | 12 | 15 | 20 | 23 | 40 |
| 35-49 | 50 | 14.2 | 43 | 3 | 6 | 14 | 16 | 24 | 27 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 121 | 17.4 | 231 | 2 | 4 | 14 | 21 | 32 | 51 | 91 |
| 20-34 | 69 | 15.6 | 100 | 4 | 6 | 13 | 19 | 27 | 39 | 46 |
| 35-49 | 10 | 14.3 | 211 | 3 | 3 | 10 | 16 | 37 | 52 | 52 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 669 | 10.2 | 28 | 2 | 3 | 10 | 14 | 16 | 19 | 27 |
| B. *Operated* | 35 | 12.1 | 76 | 2 | 2 | 10 | 15 | 26 | 30 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1538 | 11.5 | 50 | 2 | 4 | 11 | 14 | 19 | 22 | 38 |
| B. *Operated* | 200 | 16.6 | 184 | 3 | 4 | 14 | 21 | 31 | 44 | 84 |
| **1. SINGLE DX** | 704 | 10.3 | 31 | 2 | 3 | 10 | 14 | 16 | 20 | 29 |
| **2. MULTIPLE DX** | 1738 | 12.1 | 68 | 2 | 4 | 11 | 15 | 20 | 25 | 45 |
| **A. NOT OPERATED** | 2207 | 11.1 | 44 | 2 | 3 | 10 | 14 | 18 | 21 | 32 |
| **B. OPERATED** | 235 | 16.0 | 170 | 2 | 3 | 14 | 20 | 30 | 40 | 82 |
| TOTAL 0-19 YRS | 1620 | 11.1 | 59 | 2 | 3 | 10 | 14 | 18 | 22 | 40 |
| 20-34 | 746 | 12.5 | 54 | 3 | 5 | 12 | 15 | 20 | 24 | 42 |
| 35-49 | 76 | 13.2 | 63 | 2 | 3 | 13 | 16 | 23 | 26 | 47 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2442** | **11.6** | **58** | **2** | **3** | **11** | **14** | **19** | **23** | **40** |

## 78: Obesity of nonendocrine origin (278.0)

| | | | | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 3.3 | 19 | 1 | 1 | 2 | 4 | 5 | 8 | 28 |
| 20-34 | 20 | 16.4 | 710 | 1 | 1 | 5 | 12 | 77 | 77 | 77 |
| 35-49 | 22 | 6.2 | 256 | <1 | 1 | 2 | 4 | 8 | 36 | 77 |
| 50-64 | 3 | 3.3 | 6 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 6.0 | 2 | 3 | 4 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 624 | 6.6 | 5 | 4 | 4 | 6 | 8 | 9 | 10 | 14 |
| 35-49 | 505 | 6.8 | 7 | 4 | 4 | 6 | 8 | 9 | 10 | 14 |
| 50-64 | 69 | 6.7 | 5 | 2 | 4 | 7 | 8 | 9 | 10 | 13 |
| 65+ | 2 | 7.0 | 8 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 12.4 | 468 | 1 | 1 | 5 | 10 | 35 | 69 | 99 |
| 20-34 | 84 | 5.4 | 66 | <1 | 1 | 3 | 6 | 10 | 24 | 44 |
| 35-49 | 145 | 5.4 | 78 | <1 | 1 | 3 | 6 | 11 | 16 | 47 |
| 50-64 | 82 | 7.0 | 46 | <1 | 1 | 5 | 10 | 16 | 21 | 32 |
| 65+ | 23 | 5.9 | 22 | 1 | 1 | 4 | 8 | 13 | 17 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 8.5 | 62 | 4 | 5 | 7 | 9 | 12 | 16 | 56 |
| 20-34 | 1163 | 7.7 | 21 | 4 | 5 | 7 | 8 | 10 | 13 | 25 |
| 35-49 | 1777 | 8.3 | 38 | 5 | 5 | 7 | 9 | 11 | 15 | 31 |
| 50-64 | 463 | 9.1 | 38 | 5 | 5 | 8 | 10 | 13 | 17 | 40 |
| 65+ | 25 | 10.1 | 34 | 5 | 5 | 8 | 13 | 19 | 23 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 83 | 7.2 | 267 | 1 | 1 | 3 | 5 | 9 | 45 | 77 |
| B. *Operated* | 1237 | 6.7 | 6 | 4 | 4 | 6 | 8 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 411 | 7.1 | 145 | <1 | 1 | 4 | 7 | 15 | 25 | 75 |
| B. *Operated* | 3494 | 8.2 | 33 | 5 | 5 | 7 | 9 | 11 | 15 | 32 |
| **1. SINGLE DX** | 1320 | 6.7 | 22 | 3 | 4 | 6 | 8 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | 3905 | 8.1 | 45 | 3 | 4 | 7 | 9 | 11 | 15 | 39 |
| **A. NOT OPERATED** | 494 | 7.1 | 165 | <1 | 1 | 3 | 7 | 14 | 27 | 77 |
| **B. OPERATED** | 4731 | 7.8 | 26 | 4 | 5 | 7 | 9 | 11 | 13 | 27 |
| TOTAL 0-19 YRS | 218 | 8.6 | 197 | 1 | 2 | 5 | 8 | 13 | 30 | 93 |
| 20-34 | 1891 | 7.3 | 26 | 3 | 4 | 7 | 8 | 10 | 12 | 25 |
| 35-49 | 2449 | 7.8 | 36 | 3 | 4 | 7 | 9 | 11 | 13 | 30 |
| 50-64 | 617 | 8.5 | 36 | 2 | 4 | 7 | 9 | 13 | 17 | 37 |
| 65+ | 50 | 8.0 | 31 | 1 | 2 | 6 | 9 | 17 | 19 | 26 |
| **GRAND TOTAL** | **5225** | **7.8** | **39** | **3** | **4** | **7** | **8** | **11** | **14** | **34** |

## 79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 564 | 2.7 | 32 | <1 | <1 | 1 | 3 | 5 | 7 | 18 |
| 20-34 | 295 | 3.7 | 26 | <1 | <1 | 2 | 5 | 7 | 13 | 26 |
| 35-49 | 152 | 3.7 | 19 | <1 | <1 | 2 | 5 | 9 | 14 | 21 |
| 50-64 | 129 | 3.3 | 14 | <1 | <1 | 2 | 4 | 7 | 11 | 19 |
| 65+ | 82 | 3.6 | 7 | <1 | <1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 149 | 4.6 | 35 | 1 | 1 | 3 | 5 | 8 | 14 | 32 |
| 20-34 | 307 | 3.5 | 27 | <1 | 1 | 2 | 4 | 7 | 11 | 23 |
| 35-49 | 298 | 3.4 | 42 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 50-64 | 140 | 2.9 | 8 | <1 | 1 | 2 | 4 | 5 | 7 | 16 |
| 65+ | 54 | 4.4 | 17 | <1 | 1 | 3 | 7 | 10 | 15 | 96 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 817 | 4.8 | 59 | <1 | <1 | 3 | 5 | 10 | 15 | 41 |
| 20-34 | 823 | 6.1 | 53 | <1 | <1 | 4 | 8 | 14 | 21 | 40 |
| 35-49 | 1083 | 6.0 | 53 | <1 | <1 | 4 | 7 | 14 | 19 | 35 |
| 50-64 | 1100 | 5.8 | 31 | <1 | <1 | 4 | 8 | 13 | 17 | 28 |
| 65+ | 1404 | 7.9 | 49 | 1 | 2 | 6 | 10 | 15 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 221 | 11.1 | 221 | 1 | 1 | 6 | 13 | 34 | 67 | 99+ |
| 20-34 | 643 | 12.5 | 195 | 1 | 2 | 8 | 17 | 31 | 41 | 98 |
| 35-49 | 730 | 12.2 | 187 | 1 | 2 | 8 | 15 | 29 | 45 | 85 |
| 50-64 | 607 | 9.5 | 108 | 1 | 1 | 6 | 12 | 22 | 31 | 55 |
| 65+ | 556 | 11.4 | 112 | 1 | 2 | 9 | 14 | 24 | 32 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1222 | 3.2 | 25 | <1 | <1 | 2 | 4 | 7 | 10 | 19 |
| B. *Operated* | 948 | 3.6 | 30 | <1 | 1 | 2 | 4 | 7 | 11 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5227 | 6.3 | 50 | <1 | <1 | 4 | 8 | 14 | 19 | 34 |
| B. *Operated* | 2757 | 11.4 | 160 | 1 | 2 | 7 | 14 | 28 | 40 | 83 |
| **1. SINGLE DX** | 2170 | 3.4 | 27 | <1 | <1 | 2 | 4 | 7 | 10 | 20 |
| **2. MULTIPLE DX** | 7984 | 8.1 | 94 | <1 | <1 | 5 | 10 | 18 | 27 | 57 |
| **A. NOT OPERATED** | 6449 | 5.7 | 46 | <1 | <1 | 4 | 7 | 13 | 18 | 33 |
| **B. OPERATED** | 3705 | 9.4 | 138 | 1 | 1 | 5 | 12 | 24 | 33 | 77 |
| TOTAL 0-19 YRS | 1751 | 4.9 | 75 | <1 | <1 | 2 | 5 | 10 | 18 | 60 |
| 20-34 | 2068 | 7.3 | 102 | <1 | <1 | 4 | 9 | 18 | 28 | 56 |
| 35-49 | 2263 | 7.5 | 104 | <1 | <1 | 4 | 9 | 18 | 27 | 62 |
| 50-64 | 1976 | 6.6 | 57 | <1 | <1 | 4 | 8 | 15 | 21 | 40 |
| 65+ | 2096 | 8.5 | 67 | 1 | 2 | 7 | 10 | 17 | 24 | 45 |
| **GRAND TOTAL** | **10154** | **7.1** | **83** | **<1** | **<1** | **4** | **9** | **16** | **24** | **52** |

## 80: Gout (274)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 39 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 35-49 | 88 | 3.6 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 9 |
| 50-64 | 81 | 4.7 | 23 | 1 | 1 | 3 | 5 | 10 | 11 | 30 |
| 65+ | 120 | 4.5 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 12 | 2.9 | 8 | <1 | <1 | 1 | 4 | 8 | 9 | 9 |
| 35-49 | 10 | 4.9 | 14 | 1 | 1 | 4 | 6 | 10 | 14 | 14 |
| 50-64 | 25 | 3.0 | 8 | <1 | 1 | 2 | 3 | 9 | 10 | 10 |
| 65+ | 32 | 4.1 | 15 | <1 | <1 | 3 | 5 | 8 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.4 | 2 | <1 | <1 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 57 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 35-49 | 200 | 5.2 | 14 | 2 | 2 | 4 | 7 | 9 | 11 | 20 |
| 50-64 | 445 | 5.7 | 30 | 2 | 2 | 5 | 7 | 10 | 13 | 18 |
| 65+ | 1081 | 6.2 | 24 | 2 | 2 | 5 | 8 | 11 | 14 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 13 | 5.3 | 5 | 1 | 3 | 6 | 7 | 8 | 9 | 9 |
| 35-49 | 56 | 7.2 | 43 | 1 | 2 | 6 | 9 | 13 | 18 | 38 |
| 50-64 | 113 | 8.2 | 63 | 1 | 2 | 5 | 11 | 17 | 24 | 41 |
| 65+ | 231 | 9.3 | 71 | 1 | 2 | 7 | 11 | 19 | 30 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 328 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 79 | 3.7 | 12 | <1 | <1 | 3 | 5 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1788 | 5.9 | 24 | 2 | 2 | 5 | 7 | 10 | 13 | 24 |
| B. *Operated* | 413 | 8.6 | 63 | 1 | 2 | 6 | 11 | 18 | 27 | 45 |
| **1. SINGLE DX** | 407 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 2201 | 6.4 | 32 | 2 | 2 | 5 | 8 | 12 | 16 | 32 |
| **A. NOT OPERATED** | 2116 | 5.6 | 22 | 2 | 2 | 4 | 7 | 10 | 13 | 23 |
| **B. OPERATED** | 492 | 7.8 | 58 | 1 | 2 | 6 | 10 | 16 | 23 | 42 |
| TOTAL 0-19 YRS | 5 | 2.4 | 2 | <1 | <1 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 121 | 3.6 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 35-49 | 354 | 5.1 | 18 | 1 | 2 | 4 | 7 | 9 | 12 | 24 |
| 50-64 | 664 | 5.9 | 35 | 1 | 2 | 4 | 8 | 11 | 15 | 32 |
| 65+ | 1464 | 6.5 | 32 | 2 | 2 | 5 | 8 | 12 | 16 | 32 |
| **GRAND TOTAL** | **2608** | **6.0** | **30** | **1** | **2** | **5** | **8** | **11** | **15** | **30** |

## 81: Disorders of fluid, electrolyte, and acid-base balance (276)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 418 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 139 | 2.7 | 4 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 35-49 | 153 | 4.3 | 36 | 1 | 1 | 3 | 5 | 7 | 12 | 39 |
| 50-64 | 158 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 65+ | 462 | 5.3 | 32 | 1 | 2 | 4 | 6 | 10 | 14 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 11.7 | 60 | 3 | 3 | 14 | 17 | 18 | 18 | 18 |
| 20-34 | 2 | 6.0 | 50 | <1 | <1 | 5 | 11 | 11 | 11 | 11 |
| 35-49 | 3 | 6.0 | 7 | 4 | 4 | 5 | 8 | 9 | 9 | 9 |
| 50-64 | 6 | 7.7 | 31 | 3 | 3 | 5 | 12 | 16 | 17 | 17 |
| 65+ | 18 | 11.6 | 116 | 2 | 3 | 7 | 14 | 28 | 36 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8884 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 20-34 | 3544 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 3892 | 4.6 | 20 | 1 | 1 | 4 | 5 | 8 | 11 | 21 |
| 50-64 | 7572 | 5.7 | 23 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |
| 65+ | 35289 | 7.3 | 43 | 2 | 2 | 6 | 9 | 13 | 18 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 198 | 10.0 | 177 | 1 | 1 | 5 | 13 | 24 | 39 | 68 |
| 20-34 | 249 | 7.0 | 68 | 1 | 1 | 5 | 8 | 15 | 25 | 37 |
| 35-49 | 430 | 8.9 | 90 | 1 | 1 | 6 | 11 | 17 | 25 | 53 |
| 50-64 | 902 | 11.1 | 118 | 1 | 2 | 8 | 14 | 24 | 32 | 62 |
| 65+ | 3546 | 14.4 | 159 | 3 | 4 | 11 | 18 | 29 | 41 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1330 | 3.9 | 20 | 1 | 1 | 3 | 5 | 7 | 10 | 23 |
| B. *Operated* | 32 | 10.0 | 80 | 2 | 3 | 6 | 14 | 21 | 28 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 59181 | 6.1 | 34 | 1 | 2 | 5 | 7 | 12 | 15 | 29 |
| B. *Operated* | 5325 | 12.9 | 148 | 2 | 3 | 10 | 16 | 27 | 38 | 85 |
| **1. SINGLE DX** | 1362 | 4.0 | 22 | 1 | 1 | 3 | 5 | 7 | 11 | 26 |
| **2. MULTIPLE DX** | 64506 | 6.6 | 47 | 1 | 2 | 5 | 8 | 13 | 18 | 37 |
| **A. NOT OPERATED** | 60511 | 6.0 | 34 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |
| **B. OPERATED** | 5357 | 12.9 | 148 | 2 | 3 | 10 | 16 | 27 | 38 | 85 |
| TOTAL 0-19 YRS | 9503 | 3.3 | 11 | 1 | 1 | 3 | 4 | 5 | 7 | 16 |
| 20-34 | 3934 | 3.7 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| 35-49 | 4478 | 5.0 | 29 | 1 | 1 | 4 | 6 | 9 | 13 | 26 |
| 50-64 | 8638 | 6.2 | 35 | 1 | 2 | 5 | 8 | 12 | 16 | 31 |
| 65+ | 39315 | 7.9 | 57 | 2 | 2 | 6 | 9 | 15 | 20 | 43 |
| **GRAND TOTAL** | **65868** | **6.6** | **47** | **1** | **2** | **5** | **8** | **13** | **18** | **36** |

## 82: Iron deficiency anemia (280)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 20-34 | 78 | 2.9 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 35-49 | 114 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 70 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 65+ | 201 | 3.6 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.6 | 9 | 1 | 1 | 3 | 4 | 9 | 11 | 12 |
| 20-34 | 20 | 5.1 | 7 | 2 | 3 | 4 | 6 | 8 | 11 | 13 |
| 35-49 | 36 | 4.1 | 7 | 1 | 2 | 3 | 5 | 8 | 10 | 12 |
| 50-64 | 24 | 5.7 | 9 | 2 | 2 | 5 | 8 | 9 | 11 | 13 |
| 65+ | 59 | 5.6 | 10 | 2 | 3 | 5 | 7 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 242 | 4.1 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 329 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 703 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 1014 | 5.0 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 5251 | 5.9 | 26 | 1 | 2 | 5 | 7 | 11 | 14 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 6.7 | 91 | 1 | 2 | 5 | 7 | 11 | 18 | 64 |
| 20-34 | 137 | 5.8 | 29 | 1 | 2 | 5 | 7 | 10 | 12 | 29 |
| 35-49 | 382 | 6.7 | 20 | 2 | 2 | 6 | 8 | 12 | 15 | 21 |
| 50-64 | 542 | 8.2 | 42 | 2 | 3 | 7 | 10 | 15 | 19 | 34 |
| 65+ | 1983 | 8.9 | 45 | 3 | 3 | 7 | 11 | 16 | 21 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 540 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| B. *Operated* | 155 | 5.0 | 9 | 2 | 2 | 4 | 6 | 9 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7539 | 5.5 | 22 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | 3093 | 8.4 | 42 | 2 | 3 | 7 | 10 | 15 | 20 | 34 |
| **1. SINGLE DX** | 695 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 10632 | 6.3 | 30 | 1 | 2 | 5 | 8 | 12 | 15 | 28 |
| **A. NOT OPERATED** | 8079 | 5.3 | 21 | 1 | 1 | 4 | 7 | 10 | 12 | 22 |
| **B. OPERATED** | 3248 | 8.2 | 41 | 2 | 3 | 7 | 10 | 15 | 19 | 34 |
| TOTAL 0-19 YRS | 384 | 4.2 | 23 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| 20-34 | 564 | 4.3 | 13 | 1 | 1 | 4 | 6 | 8 | 9 | 15 |
| 35-49 | 1235 | 4.9 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| 50-64 | 1650 | 6.0 | 25 | 1 | 2 | 5 | 8 | 11 | 14 | 23 |
| 65+ | 7494 | 6.6 | 33 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| **GRAND TOTAL** | **11327** | **6.2** | **29** | **1** | **2** | **5** | **8** | **11** | **15** | **27** |

## 83: Sickle-cell anemia and trait (282.5-282.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1873 | 4.1 | 8 | 1 | 1 | 4 | 5 | 8 | 9 | 12 |
| 20-34 | 2152 | 5.4 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 18 |
| 35-49 | 423 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 50-64 | 39 | 5.4 | 12 | 1 | 1 | 5 | 7 | 10 | 14 | 15 |
| 65+ | 12 | 4.7 | 6 | 2 | 2 | 4 | 7 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.9 | 14 | 1 | 1 | 4 | 5 | 11 | 14 | 14 |
| 20-34 | 44 | 9.9 | 52 | 3 | 4 | 8 | 11 | 18 | 27 | 36 |
| 35-49 | 6 | 6.3 | 2 | 4 | 4 | 6 | 7 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1838 | 5.2 | 18 | 1 | 2 | 4 | 6 | 10 | 12 | 20 |
| 20-34 | 2769 | 6.8 | 29 | 2 | 2 | 6 | 9 | 12 | 15 | 27 |
| 35-49 | 822 | 7.2 | 27 | 2 | 3 | 6 | 9 | 13 | 16 | 29 |
| 50-64 | 154 | 7.6 | 37 | 1 | 2 | 6 | 10 | 15 | 19 | 38 |
| 65+ | 27 | 5.8 | 32 | 1 | 2 | 5 | 7 | 10 | 14 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 14.5 | 276 | 2 | 2 | 10 | 18 | 30 | 61 | 99+ |
| 20-34 | 220 | 12.9 | 144 | 2 | 3 | 10 | 16 | 23 | 33 | 74 |
| 35-49 | 88 | 13.0 | 125 | 2 | 3 | 10 | 16 | 26 | 37 | 54 |
| 50-64 | 15 | 10.8 | 35 | 3 | 6 | 10 | 14 | 25 | 78 | 99+ |
| 65+ | 5 | 32.8 | 1447 | 9 | 9 | 15 | 48 | 99 | 99 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4499 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| B. *Operated* | 60 | 8.9 | 46 | 2 | 3 | 7 | 11 | 17 | 24 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5610 | 6.4 | 26 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 398 | 13.4 | 176 | 2 | 3 | 10 | 16 | 26 | 40 | 96 |
| **1. SINGLE DX** | 4559 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 6008 | 6.8 | 39 | 2 | 2 | 5 | 8 | 12 | 16 | 31 |
| **A. NOT OPERATED** | 10109 | 5.7 | 20 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| **B. OPERATED** | 458 | 12.8 | 161 | 2 | 3 | 10 | 15 | 25 | 36 | 92 |
| TOTAL 0-19 YRS | 3790 | 4.8 | 20 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 20-34 | 5185 | 6.5 | 30 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| 35-49 | 1339 | 7.1 | 32 | 2 | 2 | 6 | 9 | 13 | 16 | 31 |
| 50-64 | 208 | 7.4 | 34 | 1 | 2 | 6 | 9 | 14 | 19 | 40 |
| 65+ | 45 | 8.8 | 230 | 2 | 2 | 5 | 8 | 15 | 31 | 99 |
| **GRAND TOTAL** | **10567** | **6.0** | **28** | **1** | **2** | **5** | **7** | **11** | **14** | **26** |

## 84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 737 | 2.1 | 5 | <1 | <1 | 1 | 2 | 5 | 6 | 12 |
| 20-34 | 166 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 10 |
| 35-49 | 133 | 3.2 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 50-64 | 227 | 3.1 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| 65+ | 816 | 2.8 | 8 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 165 | 4.5 | 11 | 1 | 1 | 4 | 5 | 7 | 11 | 19 |
| 20-34 | 63 | 5.2 | 12 | 1 | 2 | 5 | 6 | 9 | 11 | 20 |
| 35-49 | 76 | 5.4 | 10 | 1 | 2 | 5 | 8 | 10 | 12 | 16 |
| 50-64 | 97 | 6.6 | 18 | 1 | 2 | 6 | 9 | 13 | 16 | 18 |
| 65+ | 202 | 6.0 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1164 | 3.4 | 20 | <1 | <1 | 2 | 4 | 8 | 11 | 20 |
| 20-34 | 656 | 4.0 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 35-49 | 1179 | 4.3 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| 50-64 | 2710 | 4.6 | 24 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| 65+ | 9821 | 5.3 | 30 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 320 | 9.2 | 117 | 1 | 2 | 6 | 11 | 20 | 30 | 62 |
| 20-34 | 303 | 8.1 | 58 | 1 | 2 | 6 | 10 | 16 | 21 | 43 |
| 35-49 | 531 | 8.2 | 61 | 1 | 2 | 6 | 10 | 16 | 21 | 41 |
| 50-64 | 1067 | 9.7 | 86 | 1 | 2 | 8 | 11 | 20 | 27 | 57 |
| 65+ | 3406 | 10.1 | 79 | 2 | 3 | 8 | 13 | 19 | 26 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2079 | 2.6 | 7 | <1 | <1 | 1 | 3 | 6 | 8 | 13 |
| B. *Operated* | 603 | 5.5 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15530 | 4.9 | 27 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| B. *Operated* | 5627 | 9.7 | 80 | 2 | 2 | 8 | 12 | 19 | 26 | 52 |
| **1. SINGLE DX** | 2682 | 3.3 | 11 | <1 | <1 | 2 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 21157 | 6.2 | 46 | 1 | 1 | 4 | 8 | 13 | 18 | 35 |
| **A. NOT OPERATED** | 17609 | 4.6 | 25 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| **B. OPERATED** | 6230 | 9.3 | 75 | 2 | 2 | 7 | 11 | 18 | 25 | 49 |
| TOTAL 0-19 YRS | 2386 | 3.9 | 33 | <1 | <1 | 2 | 5 | 8 | 13 | 30 |
| 20-34 | 1188 | 4.9 | 27 | <1 | 1 | 4 | 6 | 10 | 14 | 26 |
| 35-49 | 1919 | 5.3 | 32 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| 50-64 | 4101 | 5.9 | 44 | 1 | 1 | 4 | 8 | 12 | 17 | 32 |
| 65+ | 14245 | 6.3 | 45 | 1 | 1 | 4 | 8 | 13 | 18 | 35 |
| **GRAND TOTAL** | **23839** | **5.8** | **43** | **1** | **1** | **4** | **7** | **12** | **17** | **33** |

## 85: Hemophilia (congenital factor Vi[illegible]er) (286.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 3.4 | 9 | <1 | 1 | 3 | 4 | 7 | 11 | 16 |
| 20-34 | 35 | 3.8 | 6 | 1 | 2 | 3 | 5 | 8 | 9 | 10 |
| 35-49 | 21 | 3.8 | 36 | <1 | <1 | 2 | 4 | 6 | 17 | 29 |
| 50-64 | 3 | 5.0 | 7 | 3 | 3 | 4 | 7 | 6 | 8 | 8 |
| 65+ | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 7.7 | 63 | 1 | 1 | 5 | 13 | 21 | 23 | 23 |
| 20-34 | 6 | 14.5 | 20 | 7 | 7 | 15 | 17 | 20 | 20 | 20 |
| 35-49 | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| 50-64 | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 242 | 4.1 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 20-34 | 103 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 35-49 | 44 | 5.7 | 15 | 1 | 2 | 5 | 7 | 13 | 14 | 17 |
| 50-64 | 17 | 7.4 | 27 | 3 | 3 | 6 | 8 | 12 | 20 | 25 |
| 65+ | 12 | 6.8 | 11 | 2 | 3 | 7 | 9 | 12 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 11.2 | 141 | 2 | 2 | 8 | 15 | 23 | 31 | 59 |
| 20-34 | 25 | 14.5 | 398 | 2 | 3 | 8 | 15 | 29 | 54 | 99 |
| 35-49 | 8 | 8.9 | 30 | 3 | 3 | 8 | 14 | 16 | 16 | 16 |
| 50-64 | 6 | 15.0 | 61 | 8 | 8 | 12 | 16 | 29 | 30 | 30 |
| 65+ | 3 | 20.7 | 646 | 5 | 5 | 7 | 39 | 50 | 50 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 137 | 3.6 | 12 | <1 | 1 | 3 | 4 | 7 | 10 | 18 |
| B. *Operated* | 21 | 9.7 | 49 | 1 | 1 | 7 | 15 | 20 | 21 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 418 | 4.4 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | 70 | 12.8 | 227 | 2 | 3 | 8 | 15 | 27 | 39 | 91 |
| **1. SINGLE DX** | 158 | 4.4 | 21 | <1 | 1 | 3 | 5 | 10 | 15 | 23 |
| **2. MULTIPLE DX** | 488 | 5.7 | 53 | 1 | 1 | 4 | 7 | 12 | 16 | 35 |
| **A. NOT OPERATED** | 555 | 4.2 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| **B. OPERATED** | 91 | 12.1 | 187 | 2 | 2 | 8 | 15 | 24 | 30 | 83 |
| TOTAL 0-19 YRS | 357 | 4.6 | 28 | 1 | 1 | 3 | 6 | 10 | 15 | 25 |
| 20-34 | 169 | 5.9 | 81 | 1 | 1 | 4 | 7 | 12 | 16 | 37 |
| 35-49 | 75 | 5.6 | 24 | <1 | 1 | 4 | 7 | 13 | 15 | 26 |
| 50-64 | 28 | 8.7 | 41 | 3 | 3 | 7 | 11 | 15 | 25 | 30 |
| 65+ | 17 | 9.3 | 118 | 2 | 3 | 7 | 9 | 13 | 37 | 50 |
| **GRAND TOTAL** | **646** | **5.4** | **45** | **1** | **1** | **3** | **7** | **11** | **16** | **29** |

## 86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 887 | 2.8 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 122 | 3.8 | 11 | <1 | 1 | 3 | 5 | 7 | 8 | 18 |
| 35-49 | 158 | 3.1 | 10 | <1 | 1 | 2 | 4 | 7 | 10 | 13 |
| 50-64 | 119 | 3.9 | 21 | <1 | 1 | 3 | 5 | 7 | 12 | 27 |
| 65+ | 130 | 4.0 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 468 | 5.0 | 13 | 1 | 1 | 5 | 6 | 9 | 12 | 20 |
| 20-34 | 283 | 6.3 | 23 | 2 | 3 | 5 | 7 | 10 | 17 | 22 |
| 35-49 | 157 | 6.4 | 13 | 2 | 3 | 5 | 8 | 12 | 14 | 18 |
| 50-64 | 147 | 7.0 | 23 | 2 | 2 | 6 | 9 | 12 | 15 | 22 |
| 65+ | 144 | 7.5 | 32 | 2 | 2 | 7 | 9 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1301 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 20-34 | 631 | 5.2 | 27 | 1 | 1 | 4 | 7 | 10 | 13 | 18 |
| 35-49 | 789 | 5.6 | 21 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| 50-64 | 1498 | 6.1 | 24 | 1 | 1 | 5 | 8 | 12 | 14 | 24 |
| 65+ | 3105 | 6.4 | 35 | 1 | 1 | 5 | 8 | 13 | 16 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 406 | 8.2 | 116 | 1 | 2 | 5 | 9 | 16 | 28 | 71 |
| 20-34 | 498 | 8.6 | 58 | 2 | 3 | 6 | 10 | 16 | 23 | 40 |
| 35-49 | 521 | 10.0 | 104 | 2 | 3 | 7 | 12 | 20 | 29 | 63 |
| 50-64 | 885 | 11.0 | 84 | 2 | 3 | 8 | 14 | 23 | 28 | 51 |
| 65+ | 1845 | 12.1 | 102 | 3 | 4 | 9 | 15 | 23 | 31 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1416 | 3.1 | 9 | <1 | <1 | 2 | 4 | 6 | 8 | 14 |
| B. *Operated* | 1199 | 6.0 | 20 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7324 | 5.8 | 28 | 1 | 1 | 5 | 7 | 11 | 14 | 26 |
| B. *Operated* | 4155 | 10.8 | 96 | 2 | 3 | 8 | 13 | 21 | 29 | 55 |
| **1. SINGLE DX** | 2615 | 4.5 | 16 | <1 | 1 | 4 | 6 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | 11479 | 7.6 | 58 | 1 | 2 | 6 | 9 | 15 | 21 | 39 |
| **A. NOT OPERATED** | 8740 | 5.4 | 25 | 1 | 1 | 4 | 7 | 11 | 14 | 24 |
| **B. OPERATED** | 5354 | 9.7 | 83 | 2 | 3 | 7 | 12 | 19 | 26 | 51 |
| TOTAL 0-19 YRS | 3062 | 4.5 | 28 | <1 | 1 | 3 | 5 | 9 | 12 | 24 |
| 20-34 | 1534 | 6.4 | 38 | 1 | 2 | 5 | 8 | 12 | 16 | 35 |
| 35-49 | 1625 | 6.8 | 51 | 1 | 1 | 5 | 8 | 13 | 18 | 36 |
| 50-64 | 2649 | 7.7 | 49 | 1 | 2 | 6 | 9 | 15 | 20 | 38 |
| 65+ | 5224 | 8.4 | 65 | 1 | 2 | 6 | 10 | 17 | 23 | 41 |
| **GRAND TOTAL** | **14094** | **7.0** | **52** | **1** | **1** | **5** | **9** | **14** | **19** | **37** |

## 87: Nonspecific mesenteric lymphadenitis (289.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2253 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 505 | 2.0 | 2 | 1 | 1 | 2 | 2 | 4 | 4 | 7 |
| 35-49 | 116 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 23 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 65+ | 5 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1214 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 463 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 67 | 3.8 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 9 |
| 50-64 | 13 | 6.2 | 7 | 2 | 3 | 7 | 8 | 9 | 11 | 11 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1245 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 348 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 88 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 50-64 | 40 | 4.0 | 5 | 1 | 1 | 4 | 5 | 7 | 9 | 11 |
| 65+ | 25 | 4.6 | 9 | 2 | 2 | 4 | 6 | 7 | 12 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 606 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | 323 | 4.9 | 7 | 2 | 3 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 57 | 5.4 | 10 | 2 | 2 | 4 | 7 | 10 | 12 | 16 |
| 50-64 | 17 | 7.6 | 15 | 2 | 3 | 6 | 11 | 13 | 15 | 16 |
| 65+ | 13 | 9.2 | 26 | 3 | 3 | 9 | 13 | 15 | 19 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2902 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| B. *Operated* | 1758 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1746 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| B. *Operated* | 1016 | 4.6 | 7 | 2 | 2 | 4 | 5 | 7 | 10 | 15 |
| **1. SINGLE DX** | 4660 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 2762 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **A. NOT OPERATED** | 4648 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **B. OPERATED** | 2774 | 3.9 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| TOTAL 0-19 YRS | 5318 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1639 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 328 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 93 | 4.5 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 65+ | 44 | 5.7 | 18 | 2 | 2 | 4 | 7 | 13 | 14 | 20 |
| **GRAND TOTAL** | **7422** | **2.8** | **3** | **1** | **1** | **2** | **4** | **5** | **6** | **10** |

## 88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 488 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 45 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 12 | 18 |
| 35-49 | 28 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 19 |
| 50-64 | 6 | 4.3 | 12 | 1 | 1 | 3 | 7 | 10 | 10 | 10 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 243 | 3.1 | 10 | <1 | <1 | 2 | 4 | 7 | 9 | 18 |
| 20-34 | 166 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 106 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | 58 | 3.0 | 14 | <1 | 1 | 2 | 3 | 4 | 11 | 22 |
| 65+ | 29 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 454 | 4.5 | 6 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 20-34 | 63 | 4.7 | 50 | 1 | 1 | 4 | 5 | 8 | 10 | 50 |
| 35-49 | 31 | 4.6 | 19 | <1 | 1 | 3 | 4 | 11 | 15 | 19 |
| 50-64 | 16 | 3.8 | 3 | <1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 65+ | 17 | 7.3 | 23 | 2 | 3 | 6 | 9 | 12 | 18 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 5.2 | 15 | 1 | 1 | 4 | 8 | 10 | 12 | 18 |
| 20-34 | 113 | 4.0 | 16 | <1 | <1 | 3 | 5 | 9 | 11 | 21 |
| 35-49 | 78 | 5.1 | 28 | 1 | 1 | 4 | 6 | 11 | 16 | 28 |
| 50-64 | 90 | 5.5 | 31 | 1 | 1 | 4 | 7 | 13 | 15 | 30 |
| 65+ | 71 | 5.4 | 52 | 1 | 1 | 3 | 7 | 13 | 17 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 568 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 13 |
| B. *Operated* | 602 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 581 | 4.6 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 542 | 5.0 | 25 | 1 | 1 | 3 | 7 | 10 | 14 | 26 |
| **1. SINGLE DX** | 1170 | 3.3 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 1123 | 4.8 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 1149 | 4.3 | 9 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| **B. OPERATED** | 1144 | 3.8 | 17 | <1 | 1 | 2 | 5 | 8 | 11 | 20 |
| TOTAL 0-19 YRS | 1375 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 20-34 | 387 | 3.4 | 17 | <1 | <1 | 2 | 4 | 7 | 10 | 19 |
| 35-49 | 243 | 3.7 | 16 | <1 | 1 | 2 | 4 | 7 | 11 | 20 |
| 50-64 | 170 | 4.4 | 23 | 1 | 1 | 3 | 5 | 9 | 14 | 28 |
| 65+ | 118 | 4.9 | 38 | 1 | 1 | 3 | 6 | 10 | 16 | 33 |
| **GRAND TOTAL** | **2293** | **4.0** | **13** | **<1** | **1** | **3** | **5** | **8** | **10** | **18** |

### 89: Transient organic psychotic conditions (293)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 6.3 | 93 | 1 | 1 | 2 | 9 | 16 | 44 | 99+ |
| 20-34 | 89 | 10.4 | 93 | <1 | 1 | 7 | 17 | 26 | 30 | 34 |
| 35-49 | 47 | 10.4 | 148 | 1 | 1 | 7 | 15 | 22 | 30 | 70 |
| 50-64 | 62 | 11.0 | 143 | 1 | 1 | 5 | 20 | 33 | 36 | 92 |
| 65+ | 130 | 9.6 | 100 | 1 | 1 | 6 | 13 | 25 | 29 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 65+ | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 11.7 | 188 | 1 | 1 | 5 | 21 | 29 | 43 | 93 |
| 20-34 | 234 | 13.4 | 195 | 1 | 1 | 9 | 19 | 30 | 41 | 82 |
| 35-49 | 224 | 11.8 | 154 | 1 | 2 | 7 | 16 | 29 | 38 | 65 |
| 50-64 | 383 | 10.9 | 149 | 1 | 2 | 7 | 14 | 24 | 30 | 88 |
| 65+ | 1549 | 9.3 | 91 | 2 | 2 | 6 | 12 | 20 | 28 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 13 | 12.9 | 240 | 1 | 2 | 7 | 14 | 35 | 51 | 55 |
| 35-49 | 14 | 19.2 | 358 | 2 | 4 | 12 | 29 | 48 | 60 | 64 |
| 50-64 | 36 | 12.9 | 128 | 2 | 3 | 8 | 17 | 25 | 39 | 52 |
| 65+ | 193 | 11.8 | 158 | 1 | 1 | 9 | 16 | 28 | 40 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 363 | 9.8 | 111 | 1 | 1 | 6 | 14 | 26 | 33 | 67 |
| B. *Operated* | 5 | 7.0 | 23 | 2 | 2 | 8 | 11 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2458 | 10.3 | 120 | 1 | 2 | 7 | 13 | 24 | 32 | 63 |
| B. *Operated* | 257 | 12.4 | 168 | 1 | 1 | 9 | 16 | 29 | 42 | 74 |
| **1. SINGLE DX** | 368 | 9.8 | 110 | 1 | 1 | 6 | 14 | 26 | 33 | 66 |
| **2. MULTIPLE DX** | 2715 | 10.5 | 125 | 1 | 2 | 7 | 13 | 24 | 33 | 65 |
| **A. NOT OPERATED** | 2821 | 10.2 | 119 | 1 | 2 | 7 | 13 | 24 | 32 | 63 |
| **B. OPERATED** | 262 | 12.3 | 166 | 1 | 1 | 9 | 16 | 29 | 41 | 74 |
| TOTAL 0-19 YRS | 104 | 9.8 | 160 | 1 | 1 | 4 | 15 | 29 | 44 | 99+ |
| 20-34 | 336 | 12.6 | 170 | 1 | 1 | 8 | 18 | 29 | 36 | 68 |
| 35-49 | 286 | 11.9 | 164 | 1 | 2 | 8 | 16 | 29 | 39 | 68 |
| 50-64 | 483 | 11.1 | 146 | 1 | 2 | 7 | 15 | 25 | 34 | 88 |
| 65+ | 1874 | 9.6 | 98 | 1 | 2 | 6 | 12 | 21 | 29 | 58 |
| **GRAND TOTAL** | **3083** | **10.4** | **123** | **1** | **2** | **7** | **13** | **24** | **33** | **65** |

### 90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 513 | 2.6 | 32 | <1 | 1 | 1 | 2 | 4 | 6 | 31 |
| 20-34 | 353 | 4.5 | 34 | 1 | 1 | 3 | 5 | 9 | 19 | 28 |
| 35-49 | 169 | 4.7 | 48 | <1 | 1 | 3 | 5 | 11 | 16 | 59 |
| 50-64 | 188 | 9.0 | 127 | 1 | 1 | 5 | 12 | 23 | 35 | 99+ |
| 65+ | 995 | 11.0 | 155 | 1 | 2 | 7 | 14 | 26 | 38 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 18.0 | 589 | 3 | 3 | 5 | 36 | 46 | 46 | 46 |
| 20-34 | 9 | 6.1 | 40 | <1 | <1 | 3 | 12 | 16 | 17 | 17 |
| 35-49 | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 8 | 4.4 | 15 | 1 | 1 | 3 | 7 | 10 | 11 | 11 |
| 65+ | 23 | 8.7 | 203 | 1 | 2 | 5 | 8 | 17 | 39 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 649 | 6.5 | 156 | 1 | 1 | 2 | 5 | 17 | 38 | 99+ |
| 20-34 | 1176 | 8.0 | 114 | 1 | 1 | 5 | 8 | 17 | 30 | 67 |
| 35-49 | 829 | 9.3 | 138 | 1 | 2 | 6 | 10 | 23 | 34 | 83 |
| 50-64 | 1059 | 11.2 | 135 | 2 | 2 | 7 | 15 | 27 | 42 | 99+ |
| 65+ | 8117 | 11.3 | 143 | 2 | 3 | 8 | 14 | 25 | 40 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 9.3 | 267 | <1 | 1 | 3 | 27 | 99+ | 99+ | 99+ |
| 20-34 | 83 | 14.4 | 529 | 1 | 1 | 6 | 16 | 81 | 99+ | 99+ |
| 35-49 | 64 | 14.5 | 284 | 1 | 2 | 8 | 19 | 44 | 49 | 71 |
| 50-64 | 128 | 18.3 | 353 | 2 | 3 | 12 | 24 | 45 | 80 | 99+ |
| 65+ | 807 | 17.2 | 236 | 3 | 4 | 13 | 24 | 43 | 84 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2218 | 7.4 | 110 | 1 | 1 | 4 | 9 | 19 | 29 | 79 |
| B. *Operated* | 46 | 7.7 | 147 | 1 | 1 | 3 | 8 | 16 | 27 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11830 | 10.5 | 142 | 1 | 2 | 7 | 13 | 24 | 38 | 99+ |
| B. *Operated* | 1117 | 16.7 | 277 | 2 | 3 | 12 | 24 | 47 | 88 | 99+ |
| **1. SINGLE DX** | 2264 | 7.4 | 110 | 1 | 1 | 4 | 9 | 19 | 29 | 77 |
| **2. MULTIPLE DX** | 12947 | 11.1 | 157 | 1 | 2 | 7 | 14 | 26 | 42 | 99+ |
| **A. NOT OPERATED** | 14048 | 10.0 | 138 | 1 | 2 | 6 | 12 | 23 | 37 | 99+ |
| **B. OPERATED** | 1163 | 16.4 | 275 | 2 | 3 | 12 | 23 | 46 | 83 | 99+ |
| TOTAL 0-19 YRS | 1200 | 4.9 | 111 | 1 | 1 | 2 | 4 | 10 | 28 | 99+ |
| 20-34 | 1621 | 7.5 | 122 | 1 | 1 | 4 | 8 | 17 | 29 | 81 |
| 35-49 | 1065 | 8.9 | 137 | 1 | 2 | 5 | 9 | 21 | 34 | 80 |
| 50-64 | 1383 | 11.5 | 159 | 1 | 2 | 7 | 15 | 28 | 43 | 99+ |
| 65+ | 9942 | 11.7 | 155 | 2 | 3 | 8 | 14 | 27 | 43 | 99+ |
| **GRAND TOTAL** | **15211** | **10.5** | **152** | **1** | **2** | **7** | **13** | **25** | **40** | **99+** |

## 91: Arteriosclerotic dementia (290.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 10.3 | 151 | 2 | 2 | 6 | 18 | 28 | 28 | 28 |
| 65+ | 57 | 11.4 | 96 | 3 | 3 | 8 | 14 | 25 | 33 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 35-49 | 8 | 13.3 | 54 | 4 | 4 | 14 | 22 | 70 | 99+ | 99+ |
| 50-64 | 78 | 12.2 | 133 | 2 | 2 | 9 | 18 | 26 | 39 | 91 |
| 65+ | 932 | 11.9 | 150 | 2 | 3 | 8 | 15 | 27 | 47 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 24.5 | 61 | 19 | 19 | 24 | 30 | 30 | 30 | 30 |
| 50-64 | 13 | 13.0 | 48 | 4 | 5 | 11 | 15 | 23 | 28 | 29 |
| 65+ | 110 | 16.9 | 212 | 3 | 5 | 13 | 21 | 45 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 11.3 | 97 | 2 | 3 | 8 | 14 | 27 | 32 | 47 |
| B. *Operated* | 2 | 7.5 | 5 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1019 | 12.0 | 147 | 2 | 3 | 9 | 15 | 27 | 46 | 99+ |
| B. *Operated* | 125 | 16.6 | 194 | 4 | 5 | 13 | 21 | 33 | 57 | 99+ |
| **1. SINGLE DX** | 63 | 11.2 | 95 | 2 | 3 | 8 | 14 | 26 | 32 | 47 |
| **2. MULTIPLE DX** | 1144 | 12.5 | 154 | 2 | 3 | 9 | 16 | 28 | 50 | 99+ |
| **A. NOT OPERATED** | 1080 | 11.9 | 144 | 2 | 3 | 8 | 15 | 27 | 45 | 99+ |
| **B. OPERATED** | 127 | 16.5 | 192 | 4 | 5 | 12 | 21 | 33 | 57 | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 35-49 | 10 | 15.5 | 71 | 4 | 4 | 15 | 24 | 58 | 96 | 99+ |
| 50-64 | 96 | 12.2 | 119 | 2 | 2 | 9 | 18 | 26 | 36 | 85 |
| 65+ | 1100 | 12.4 | 155 | 2 | 3 | 9 | 16 | 28 | 49 | 99+ |
| **GRAND TOTAL** | **1207** | **12.4** | **151** | **2** | **3** | **9** | **16** | **28** | **47** | **99+** |

## 92: Alcoholic psychoses (291)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.3 | 8 | <1 | <1 | 2 | 5 | 8 | 8 | 8 |
| 20-34 | 245 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 326 | 4.4 | 28 | 1 | 1 | 3 | 5 | 7 | 11 | 23 |
| 50-64 | 188 | 5.2 | 24 | 1 | 1 | 4 | 6 | 12 | 15 | 24 |
| 65+ | 66 | 7.0 | 64 | 2 | 2 | 5 | 7 | 17 | 27 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 21.0 | 18 | 18 | 18 | 21 | 24 | 24 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 7.7 | 84 | 1 | 1 | 4 | 7 | 27 | 31 | 35 |
| 20-34 | 2280 | 6.0 | 38 | 1 | 2 | 4 | 6 | 11 | 22 | 30 |
| 35-49 | 3839 | 5.9 | 37 | 1 | 2 | 5 | 6 | 11 | 19 | 30 |
| 50-64 | 2775 | 7.0 | 54 | 2 | 2 | 5 | 8 | 14 | 23 | 43 |
| 65+ | 1254 | 9.2 | 96 | 2 | 2 | 6 | 11 | 20 | 27 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 45 | 9.7 | 125 | 1 | 1 | 5 | 11 | 22 | 43 | 47 |
| 35-49 | 138 | 11.7 | 138 | 2 | 2 | 8 | 15 | 26 | 34 | 99+ |
| 50-64 | 159 | 15.0 | 180 | 2 | 3 | 10 | 21 | 37 | 46 | 97 |
| 65+ | 98 | 18.2 | 244 | 4 | 5 | 15 | 22 | 41 | 74 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 837 | 4.5 | 25 | 1 | 1 | 3 | 5 | 8 | 13 | 26 |
| B. *Operated* | 5 | 13.8 | 49 | 7 | 7 | 10 | 19 | 24 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10215 | 6.6 | 51 | 1 | 2 | 5 | 7 | 13 | 22 | 37 |
| B. *Operated* | 440 | 14.1 | 182 | 2 | 3 | 10 | 19 | 32 | 47 | 99+ |
| **1. SINGLE DX** | 842 | 4.6 | 26 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| **2. MULTIPLE DX** | 10655 | 6.9 | 58 | 1 | 2 | 5 | 7 | 15 | 24 | 43 |
| **A. NOT OPERATED** | 11052 | 6.5 | 49 | 1 | 2 | 5 | 7 | 13 | 21 | 36 |
| **B. OPERATED** | 445 | 14.1 | 180 | 2 | 3 | 10 | 19 | 32 | 47 | 99+ |
| TOTAL 0-19 YRS | 80 | 7.1 | 74 | 1 | 1 | 4 | 7 | 22 | 31 | 34 |
| 20-34 | 2570 | 5.8 | 38 | 1 | 1 | 4 | 6 | 11 | 21 | 31 |
| 35-49 | 4305 | 6.0 | 40 | 1 | 2 | 4 | 6 | 11 | 20 | 31 |
| 50-64 | 3122 | 7.3 | 62 | 1 | 2 | 5 | 8 | 16 | 24 | 47 |
| 65+ | 1420 | 9.7 | 110 | 2 | 2 | 6 | 12 | 21 | 29 | 88 |
| **GRAND TOTAL** | **11497** | **6.8** | **56** | **1** | **2** | **5** | **7** | **14** | **23** | **42** |

## 93: Drug psychoses (292)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 7.8 | 88 | 1 | 1 | 3 | 11 | 17 | 33 | 41 |
| 20-34 | 158 | 6.2 | 71 | 1 | 1 | 4 | 7 | 13 | 21 | 58 |
| 35-49 | 63 | 5.0 | 26 | <1 | 1 | 3 | 6 | 13 | 17 | 23 |
| 50-64 | 19 | 8.5 | 87 | 1 | 1 | 5 | 11 | 27 | 30 | 31 |
| 65+ | 48 | 5.8 | 21 | 2 | 2 | 4 | 7 | 14 | 17 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 9.5 | 5 | 8 | 8 | 9 | 11 | 11 | 11 | 11 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 230 | 10.1 | 209 | 1 | 1 | 5 | 11 | 29 | 40 | 99+ |
| 20-34 | 1406 | 8.0 | 83 | 1 | 2 | 5 | 9 | 18 | 28 | 56 |
| 35-49 | 600 | 7.4 | 49 | 1 | 2 | 5 | 9 | 16 | 22 | 31 |
| 50-64 | 365 | 7.9 | 58 | 1 | 2 | 5 | 9 | 17 | 24 | 40 |
| 65+ | 926 | 7.5 | 43 | 2 | 2 | 6 | 10 | 16 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 30 | 10.9 | 68 | 1 | 3 | 9 | 14 | 21 | 27 | 40 |
| 35-49 | 20 | 11.1 | 50 | 3 | 4 | 9 | 14 | 25 | 26 | 26 |
| 50-64 | 29 | 12.6 | 82 | 3 | 3 | 11 | 19 | 27 | 29 | 34 |
| 65+ | 75 | 13.0 | 210 | 1 | 2 | 9 | 15 | 21 | 44 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 348 | 6.3 | 60 | 1 | 1 | 4 | 7 | 15 | 20 | 39 |
| B. *Operated* | 3 | 6.7 | 26 | 1 | 1 | 8 | 10 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3527 | 7.9 | 73 | 1 | 2 | 5 | 9 | 17 | 26 | 43 |
| B. *Operated* | 155 | 12.2 | 136 | 2 | 3 | 9 | 15 | 25 | 34 | 69 |
| **1. SINGLE DX** | 351 | 6.3 | 60 | 1 | 1 | 4 | 7 | 15 | 20 | 39 |
| **2. MULTIPLE DX** | 3682 | 8.1 | 76 | 1 | 2 | 5 | 10 | 17 | 26 | 44 |
| **A. NOT OPERATED** | 3875 | 7.8 | 72 | 1 | 2 | 5 | 9 | 17 | 25 | 42 |
| **B. OPERATED** | 158 | 12.1 | 134 | 2 | 3 | 9 | 15 | 25 | 34 | 69 |
| TOTAL 0-19 YRS | 291 | 9.6 | 184 | 1 | 1 | 5 | 11 | 27 | 38 | 99 |
| 20-34 | 1594 | 7.9 | 82 | 1 | 2 | 5 | 9 | 17 | 28 | 57 |
| 35-49 | 683 | 7.3 | 48 | 1 | 2 | 5 | 9 | 16 | 22 | 31 |
| 50-64 | 415 | 8.3 | 61 | 1 | 2 | 6 | 10 | 19 | 25 | 38 |
| 65+ | 1050 | 7.8 | 56 | 2 | 2 | 6 | 10 | 16 | 21 | 42 |
| **GRAND TOTAL** | **4033** | **7.9** | **75** | **1** | **2** | **5** | **9** | **17** | **26** | **44** |

## 94: Paranoid schizophrenia (295.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 310 | 19.4 | 263 | 2 | 4 | 14 | 28 | 43 | 63 | 99+ |
| 20-34 | 3906 | 15.0 | 193 | 1 | 3 | 12 | 20 | 33 | 46 | 99+ |
| 35-49 | 2108 | 14.3 | 153 | 1 | 3 | 11 | 19 | 31 | 40 | 82 |
| 50-64 | 750 | 14.9 | 136 | 2 | 3 | 13 | 21 | 30 | 39 | 99+ |
| 65+ | 197 | 17.1 | 192 | 2 | 3 | 15 | 23 | 36 | 57 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 10.5 | 1 | 10 | 10 | 10 | 11 | 11 | 11 | 11 |
| 35-49 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 50-64 | 2 | 18.5 | 13 | 16 | 16 | 18 | 21 | 21 | 21 | 21 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 188 | 22.6 | 372 | 2 | 4 | 17 | 34 | 60 | 86 | 99+ |
| 20-34 | 2696 | 16.3 | 210 | 2 | 3 | 13 | 22 | 38 | 54 | 99+ |
| 35-49 | 1840 | 16.2 | 191 | 2 | 4 | 13 | 22 | 36 | 51 | 99+ |
| 50-64 | 980 | 17.4 | 176 | 3 | 4 | 15 | 23 | 34 | 47 | 99+ |
| 65+ | 465 | 19.3 | 225 | 3 | 5 | 16 | 27 | 40 | 67 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 14.0 | 93 | 7 | 7 | 17 | 62 | 99+ | 99+ | 99+ |
| 20-34 | 96 | 23.3 | 326 | 5 | 5 | 19 | 31 | 55 | 79 | 99+ |
| 35-49 | 75 | 24.7 | 277 | 5 | 8 | 21 | 35 | 53 | 82 | 99+ |
| 50-64 | 48 | 23.0 | 177 | 7 | 8 | 21 | 28 | 39 | 49 | 76 |
| 65+ | 37 | 23.8 | 157 | 9 | 11 | 23 | 35 | 78 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7271 | 15.0 | 180 | 1 | 3 | 12 | 20 | 33 | 44 | 99+ |
| B. *Operated* | 5 | 15.6 | 25 | 10 | 10 | 16 | 20 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6169 | 16.9 | 207 | 2 | 3 | 14 | 23 | 38 | 54 | 99+ |
| B. *Operated* | 259 | 23.6 | 256 | 5 | 7 | 21 | 31 | 53 | 88 | 99+ |
| **1. SINGLE DX** | 7276 | 15.0 | 180 | 1 | 3 | 12 | 20 | 33 | 44 | 99+ |
| **2. MULTIPLE DX** | 6428 | 17.1 | 210 | 2 | 4 | 14 | 24 | 38 | 55 | 99+ |
| **A. NOT OPERATED** | 13440 | 15.9 | 193 | 2 | 3 | 13 | 21 | 35 | 49 | 99+ |
| **B. OPERATED** | 264 | 23.4 | 253 | 5 | 7 | 21 | 31 | 51 | 85 | 99+ |
| TOTAL 0-19 YRS | 501 | 20.6 | 305 | 2 | 4 | 15 | 29 | 50 | 66 | 99+ |
| 20-34 | 6700 | 15.6 | 203 | 2 | 3 | 12 | 21 | 35 | 50 | 99+ |
| 35-49 | 4024 | 15.3 | 175 | 2 | 3 | 12 | 21 | 33 | 45 | 99+ |
| 50-64 | 1780 | 16.5 | 161 | 2 | 4 | 14 | 22 | 33 | 45 | 99+ |
| 65+ | 699 | 18.9 | 214 | 3 | 4 | 16 | 26 | 40 | 63 | 99+ |
| **GRAND TOTAL** | **13704** | **16.0** | **195** | **2** | **3** | **13** | **22** | **35** | **49** | **99+** |

### 95: Acute schizophrenic episode (295.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 21.8 | 309 | 3 | 5 | 19 | 35 | 53 | 70 | 99+ |
| 20-34 | 301 | 13.6 | 131 | 2 | 3 | 11 | 19 | 27 | 37 | 60 |
| 35-49 | 72 | 9.6 | 61 | 1 | 2 | 7 | 14 | 24 | 28 | 99+ |
| 50-64 | 27 | 12.3 | 113 | 1 | 2 | 10 | 17 | 22 | 34 | 50 |
| 65+ | 10 | 17.5 | 131 | 6 | 7 | 14 | 18 | 36 | 46 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 24.5 | 319 | 5 | 7 | 21 | 35 | 55 | 95 | 99+ |
| 20-34 | 213 | 16.7 | 263 | 1 | 2 | 12 | 21 | 36 | 54 | 78 |
| 35-49 | 83 | 13.9 | 122 | 1 | 2 | 10 | 21 | 28 | 34 | 49 |
| 50-64 | 51 | 14.8 | 234 | 2 | 3 | 10 | 18 | 25 | 54 | 81 |
| 65+ | 27 | 12.8 | 66 | 2 | 3 | 12 | 15 | 25 | 45 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 14 | 23.9 | 326 | 4 | 6 | 18 | 36 | 45 | 62 | 67 |
| 35-49 | 5 | 20.6 | 224 | 5 | 5 | 17 | 28 | 45 | 45 | 45 |
| 50-64 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 65+ | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 521 | 14.8 | 172 | 2 | 3 | 11 | 20 | 34 | 49 | 99+ |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 456 | 17.2 | 244 | 2 | 3 | 13 | 23 | 39 | 54 | 99 |
| B. *Operated* | 22 | 21.7 | 265 | 5 | 6 | 16 | 35 | 44 | 54 | 67 |
| **1. SINGLE DX** | 521 | 14.8 | 172 | 2 | 3 | 11 | 20 | 34 | 49 | 99+ |
| **2. MULTIPLE DX** | 478 | 17.4 | 246 | 2 | 3 | 13 | 23 | 39 | 54 | 98 |
| **A. NOT OPERATED** | 977 | 15.9 | 207 | 2 | 3 | 12 | 21 | 36 | 52 | 99+ |
| **B. OPERATED** | 22 | 21.7 | 265 | 5 | 6 | 16 | 35 | 44 | 54 | 67 |
| TOTAL 0-19 YRS | 194 | 22.9 | 313 | 4 | 6 | 20 | 35 | 54 | 82 | 99+ |
| 20-34 | 528 | 15.1 | 192 | 2 | 3 | 11 | 20 | 33 | 47 | 71 |
| 35-49 | 160 | 12.2 | 103 | 1 | 2 | 9 | 19 | 26 | 34 | 94 |
| 50-64 | 79 | 13.8 | 189 | 1 | 3 | 10 | 18 | 23 | 45 | 76 |
| 65+ | 38 | 14.3 | 84 | 3 | 4 | 14 | 18 | 26 | 43 | 99+ |
| **GRAND TOTAL** | **999** | **16.0** | **209** | **2** | **3** | **12** | **21** | **36** | **52** | **99+** |

### 96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 611 | 19.8 | 303 | 2 | 3 | 15 | 29 | 48 | 63 | 99+ |
| 20-34 | 5571 | 15.0 | 183 | 1 | 3 | 12 | 20 | 33 | 46 | 99+ |
| 35-49 | 3027 | 14.1 | 138 | 2 | 3 | 11 | 19 | 30 | 39 | 99+ |
| 50-64 | 1279 | 15.5 | 154 | 1 | 3 | 13 | 21 | 32 | 40 | 78 |
| 65+ | 342 | 16.6 | 192 | 2 | 4 | 14 | 21 | 35 | 45 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 12 | 21.1 | 134 | 6 | 7 | 20 | 31 | 37 | 38 | 38 |
| 35-49 | 2 | 28.5 | 365 | 15 | 15 | 42 | 85 | 99+ | 99+ | 99+ |
| 50-64 | 4 | 13.8 | 138 | 2 | 2 | 11 | 21 | 30 | 30 | 30 |
| 65+ | 4 | 18.8 | 78 | 11 | 11 | 16 | 25 | 31 | 31 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 500 | 22.9 | 396 | 2 | 4 | 18 | 37 | 64 | 99+ | 99+ |
| 20-34 | 4845 | 16.9 | 229 | 2 | 3 | 13 | 22 | 40 | 59 | 99+ |
| 35-49 | 3231 | 16.3 | 191 | 2 | 4 | 13 | 22 | 36 | 47 | 99+ |
| 50-64 | 2022 | 17.7 | 187 | 3 | 4 | 14 | 24 | 37 | 50 | 99+ |
| 65+ | 911 | 17.8 | 231 | 3 | 4 | 14 | 24 | 38 | 56 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 28.5 | 391 | 10 | 11 | 26 | 62 | 99+ | 99+ | 99+ |
| 20-34 | 182 | 21.9 | 247 | 5 | 7 | 19 | 29 | 51 | 77 | 99+ |
| 35-49 | 160 | 21.5 | 243 | 6 | 8 | 18 | 28 | 57 | 99+ | 99+ |
| 50-64 | 123 | 27.6 | 356 | 9 | 10 | 24 | 34 | 64 | 98 | 99+ |
| 65+ | 65 | 32.4 | 430 | 8 | 12 | 28 | 41 | 70 | 90 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10830 | 15.1 | 175 | 1 | 3 | 12 | 20 | 33 | 45 | 99+ |
| B. *Operated* | 23 | 19.3 | 140 | 3 | 6 | 17 | 30 | 38 | 59 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11509 | 17.2 | 220 | 2 | 4 | 14 | 23 | 40 | 55 | 99+ |
| B. *Operated* | 547 | 24.5 | 309 | 6 | 8 | 20 | 33 | 59 | 95 | 99+ |
| **1. SINGLE DX** | 10853 | 15.2 | 175 | 1 | 3 | 12 | 21 | 33 | 45 | 99+ |
| **2. MULTIPLE DX** | 12056 | 17.5 | 226 | 2 | 4 | 14 | 24 | 41 | 56 | 99+ |
| **A. NOT OPERATED** | 22339 | 16.2 | 199 | 2 | 3 | 13 | 22 | 36 | 49 | 99+ |
| **B. OPERATED** | 570 | 24.3 | 303 | 6 | 8 | 20 | 33 | 58 | 95 | 99+ |
| TOTAL 0-19 YRS | 1129 | 21.3 | 348 | 2 | 4 | 17 | 33 | 55 | 84 | 99+ |
| 20-34 | 10610 | 16.0 | 206 | 2 | 3 | 12 | 21 | 36 | 51 | 99+ |
| 35-49 | 6420 | 15.4 | 169 | 2 | 3 | 12 | 21 | 34 | 45 | 99+ |
| 50-64 | 3428 | 17.2 | 185 | 2 | 4 | 14 | 23 | 35 | 48 | 99+ |
| 65+ | 1322 | 18.2 | 240 | 3 | 4 | 14 | 25 | 39 | 56 | 99+ |
| **GRAND TOTAL** | **22909** | **16.4** | **204** | **2** | **3** | **13** | **22** | **37** | **50** | **99+** |

## 97: Childhood psychosis (299)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 268 | 20.2 | 212 | 2 | 5 | 20 | 21 | 41 | 68 | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 27.4 | 646 | 2 | 3 | 29 | 72 | 99+ | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 27.5 | 1085 | 1 | 3 | 18 | 64 | 99 | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 268 | 20.2 | 212 | 2 | 5 | 20 | 21 | 41 | 68 | 99+ |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 120 | 27.4 | 646 | 2 | 3 | 29 | 72 | 99+ | 99+ | 99+ |
| B. *Operated* | 8 | 27.5 | 1085 | 1 | 3 | 18 | 64 | 99 | 99+ | 99+ |
| **1. SINGLE DX** | 268 | 20.2 | 212 | 2 | 5 | 20 | 21 | 41 | 68 | 99+ |
| **2. MULTIPLE DX** | 128 | 27.4 | 665 | 2 | 3 | 29 | 71 | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | 388 | 22.4 | 356 | 2 | 4 | 21 | 31 | 77 | 99+ | 99+ |
| **B. OPERATED** | 8 | 27.5 | 1085 | 1 | 3 | 18 | 64 | 99 | 99+ | 99+ |
| TOTAL 0-19 YRS | 396 | 22.5 | 368 | 2 | 4 | 21 | 31 | 80 | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **396** | **22.5** | **368** | **2** | **4** | **21** | **31** | **80** | **99+** | **99+** |

## 98: Major depressive psychoses (296.2-296.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1107 | 22.8 | 427 | 2 | 3 | 17 | 34 | 58 | 79 | 99+ |
| 20-34 | 3550 | 12.7 | 146 | 1 | 2 | 9 | 17 | 28 | 35 | 64 |
| 35-49 | 3666 | 13.7 | 133 | 1 | 3 | 11 | 19 | 28 | 35 | 53 |
| 50-64 | 2507 | 15.9 | 151 | 2 | 4 | 14 | 22 | 31 | 38 | 65 |
| 65+ | 2117 | 19.5 | 183 | 3 | 5 | 17 | 26 | 37 | 46 | 71 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 12.4 | 115 | 2 | 2 | 8 | 18 | 30 | 30 | 30 |
| 20-34 | 7 | 21.4 | 430 | 6 | 6 | 16 | 26 | 58 | 65 | 65 |
| 35-49 | 14 | 19.1 | 191 | 7 | 8 | 13 | 26 | 41 | 51 | 54 |
| 50-64 | 6 | 22.3 | 102 | 12 | 12 | 22 | 24 | 38 | 40 | 40 |
| 65+ | 14 | 25.4 | 272 | 4 | 5 | 27 | 37 | 65 | 91 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1981 | 24.8 | 491 | 2 | 3 | 20 | 41 | 71 | 99 | 99+ |
| 20-34 | 7564 | 14.7 | 185 | 2 | 3 | 11 | 20 | 32 | 43 | 84 |
| 35-49 | 7767 | 15.2 | 163 | 2 | 3 | 12 | 20 | 31 | 40 | 72 |
| 50-64 | 6205 | 17.4 | 184 | 3 | 4 | 14 | 23 | 34 | 44 | 73 |
| 65+ | 7636 | 19.9 | 231 | 3 | 5 | 16 | 27 | 40 | 50 | 80 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 28.1 | 537 | 2 | 5 | 20 | 47 | 87 | 99+ | 99+ |
| 20-34 | 366 | 21.6 | 274 | 3 | 6 | 18 | 30 | 46 | 62 | 99+ |
| 35-49 | 511 | 23.3 | 261 | 5 | 7 | 19 | 33 | 47 | 57 | 99+ |
| 50-64 | 463 | 24.4 | 252 | 6 | 8 | 21 | 31 | 48 | 59 | 95 |
| 65+ | 708 | 28.0 | 350 | 7 | 9 | 24 | 37 | 58 | 72 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12947 | 15.6 | 184 | 1 | 3 | 12 | 21 | 32 | 43 | 75 |
| B. *Operated* | 46 | 21.0 | 228 | 5 | 7 | 16 | 29 | 42 | 65 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31153 | 17.3 | 218 | 2 | 3 | 14 | 23 | 36 | 49 | 89 |
| B. *Operated* | 2111 | 24.9 | 305 | 5 | 8 | 21 | 34 | 51 | 68 | 99+ |
| **1. SINGLE DX** | 12993 | 15.6 | 184 | 1 | 3 | 12 | 21 | 32 | 43 | 75 |
| **2. MULTIPLE DX** | 33264 | 17.8 | 227 | 2 | 4 | 14 | 24 | 38 | 50 | 92 |
| **A. NOT OPERATED** | 44100 | 16.8 | 209 | 2 | 3 | 13 | 23 | 35 | 47 | 86 |
| **B. OPERATED** | 2157 | 24.9 | 303 | 5 | 8 | 21 | 34 | 51 | 68 | 99+ |
| TOTAL 0-19 YRS | 3156 | 24.2 | 470 | 2 | 3 | 19 | 38 | 67 | 93 | 99+ |
| 20-34 | 11487 | 14.3 | 179 | 1 | 2 | 10 | 20 | 31 | 42 | 80 |
| 35-49 | 11958 | 15.1 | 161 | 2 | 3 | 12 | 20 | 31 | 40 | 68 |
| 50-64 | 9181 | 17.3 | 181 | 3 | 4 | 14 | 23 | 34 | 44 | 73 |
| 65+ | 10475 | 20.4 | 234 | 3 | 5 | 17 | 28 | 41 | 52 | 83 |
| **GRAND TOTAL** | **46257** | **17.2** | **216** | **2** | **3** | **13** | **23** | **36** | **48** | **89** |

## 99: Other affective psychoses (296.0-296.1; 296.4-296.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 465 | 21.4 | 380 | 2 | 3 | 16 | 30 | 57 | 80 | 99+ |
| 20-34 | 3344 | 14.2 | 149 | 1 | 3 | 11 | 19 | 30 | 40 | 77 |
| 35-49 | 2848 | 14.2 | 140 | 2 | 3 | 11 | 19 | 29 | 37 | 75 |
| 50-64 | 1489 | 16.0 | 140 | 2 | 4 | 13 | 21 | 31 | 41 | 70 |
| 65+ | 643 | 16.9 | 164 | 2 | 4 | 14 | 22 | 34 | 46 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 13.1 | 66 | 4 | 6 | 10 | 22 | 57 | 96 | 99+ |
| 35-49 | 9 | 20.1 | 66 | 10 | 12 | 18 | 24 | 33 | 35 | 35 |
| 50-64 | 3 | 14.0 | 91 | 5 | 5 | 13 | 21 | 24 | 24 | 24 |
| 65+ | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 748 | 25.0 | 442 | 3 | 4 | 19 | 41 | 64 | 85 | 99+ |
| 20-34 | 3722 | 16.4 | 192 | 2 | 3 | 13 | 22 | 34 | 46 | 99+ |
| 35-49 | 3591 | 16.1 | 171 | 2 | 4 | 13 | 21 | 32 | 43 | 83 |
| 50-64 | 2608 | 17.9 | 188 | 3 | 4 | 15 | 24 | 35 | 47 | 96 |
| 65+ | 1884 | 20.0 | 221 | 4 | 5 | 17 | 27 | 42 | 53 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 34.6 | 604 | 4 | 10 | 38 | 55 | 99 | 99+ | 99+ |
| 20-34 | 137 | 22.3 | 281 | 3 | 6 | 19 | 29 | 49 | 70 | 99+ |
| 35-49 | 194 | 24.6 | 252 | 6 | 9 | 21 | 34 | 47 | 70 | 99+ |
| 50-64 | 191 | 26.3 | 292 | 7 | 10 | 23 | 33 | 49 | 72 | 99+ |
| 65+ | 142 | 26.3 | 290 | 6 | 10 | 22 | 36 | 54 | 67 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8789 | 15.1 | 161 | 2 | 3 | 12 | 20 | 31 | 42 | 82 |
| B. *Operated* | 24 | 15.2 | 76 | 5 | 5 | 15 | 22 | 31 | 51 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12553 | 17.7 | 210 | 2 | 4 | 14 | 24 | 37 | 50 | 99+ |
| B. *Operated* | 679 | 25.2 | 287 | 6 | 8 | 22 | 34 | 53 | 71 | 99+ |
| **1. SINGLE DX** | 8813 | 15.1 | 160 | 2 | 3 | 12 | 20 | 31 | 42 | 82 |
| **2. MULTIPLE DX** | 13232 | 18.1 | 216 | 2 | 4 | 15 | 24 | 38 | 51 | 99+ |
| **A. NOT OPERATED** | 21342 | 16.6 | 191 | 2 | 3 | 13 | 22 | 35 | 47 | 97 |
| **B. OPERATED** | 703 | 24.8 | 283 | 5 | 8 | 21 | 33 | 52 | 70 | 99+ |
| TOTAL 0-19 YRS | 1228 | 23.8 | 424 | 2 | 4 | 18 | 37 | 61 | 84 | 99+ |
| 20-34 | 7213 | 15.5 | 175 | 2 | 3 | 12 | 21 | 33 | 44 | 97 |
| 35-49 | 6642 | 15.5 | 163 | 2 | 3 | 12 | 21 | 32 | 42 | 81 |
| 50-64 | 4291 | 17.6 | 180 | 3 | 4 | 15 | 24 | 35 | 46 | 89 |
| 65+ | 2671 | 19.6 | 215 | 3 | 5 | 16 | 26 | 41 | 52 | 99+ |
| **GRAND TOTAL** | **22045** | **16.9** | **196** | **2** | **4** | **14** | **23** | **35** | **47** | **99+** |

## 100: Miscellaneous psychoses (297; 298)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 327 | 14.8 | 275 | 1 | 1 | 9 | 21 | 40 | 53 | 99+ |
| 20-34 | 1219 | 10.1 | 113 | 1 | 1 | 7 | 14 | 22 | 31 | 56 |
| 35-49 | 742 | 9.5 | 87 | 1 | 1 | 7 | 12 | 21 | 26 | 49 |
| 50-64 | 440 | 11.4 | 107 | 1 | 1 | 9 | 16 | 25 | 31 | 56 |
| 65+ | 485 | 11.1 | 104 | 1 | 2 | 8 | 15 | 24 | 31 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.2 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 3 | 3.7 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 3 | 4.7 | 6 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 50-64 | 4 | 5.0 | 7 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 65+ | 6 | 6.0 | 10 | 3 | 3 | 5 | 6 | 11 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 400 | 15.6 | 302 | 1 | 2 | 10 | 21 | 40 | 71 | 99+ |
| 20-34 | 1759 | 12.2 | 149 | 1 | 2 | 9 | 16 | 27 | 39 | 99 |
| 35-49 | 1188 | 11.6 | 100 | 1 | 2 | 9 | 16 | 24 | 31 | 48 |
| 50-64 | 1266 | 11.4 | 133 | 1 | 2 | 8 | 15 | 25 | 35 | 73 |
| 65+ | 3056 | 10.4 | 116 | 2 | 2 | 7 | 13 | 22 | 31 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 17.4 | 311 | 2 | 3 | 13 | 25 | 38 | 58 | 69 |
| 20-34 | 59 | 17.1 | 197 | 1 | 2 | 14 | 21 | 40 | 50 | 97 |
| 35-49 | 53 | 17.2 | 320 | 1 | 4 | 13 | 20 | 36 | 60 | 91 |
| 50-64 | 108 | 14.7 | 185 | 2 | 3 | 12 | 18 | 30 | 37 | 77 |
| 65+ | 281 | 17.1 | 266 | 2 | 4 | 12 | 22 | 35 | 60 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3213 | 10.8 | 123 | 1 | 1 | 8 | 14 | 24 | 32 | 60 |
| B. *Operated* | 22 | 4.3 | 7 | 1 | 2 | 4 | 6 | 7 | 10 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7669 | 11.4 | 135 | 1 | 2 | 8 | 15 | 25 | 35 | 76 |
| B. *Operated* | 518 | 16.6 | 247 | 2 | 4 | 13 | 21 | 35 | 52 | 99 |
| **1. SINGLE DX** | 3235 | 10.7 | 123 | 1 | 1 | 8 | 14 | 24 | 32 | 60 |
| **2. MULTIPLE DX** | 8187 | 11.8 | 143 | 1 | 2 | 8 | 15 | 25 | 35 | 78 |
| **A. NOT OPERATED** | 10882 | 11.2 | 131 | 1 | 2 | 8 | 15 | 25 | 34 | 73 |
| **B. OPERATED** | 540 | 16.1 | 243 | 2 | 3 | 12 | 20 | 35 | 51 | 99 |
| TOTAL 0-19 YRS | 750 | 15.2 | 289 | 1 | 2 | 10 | 21 | 40 | 60 | 99+ |
| 20-34 | 3040 | 11.5 | 137 | 1 | 2 | 8 | 15 | 26 | 36 | 79 |
| 35-49 | 1986 | 11.0 | 103 | 1 | 2 | 8 | 15 | 23 | 30 | 52 |
| 50-64 | 1818 | 11.6 | 130 | 1 | 2 | 8 | 16 | 25 | 34 | 70 |
| 65+ | 3828 | 11.0 | 128 | 2 | 2 | 7 | 14 | 24 | 33 | 71 |
| **GRAND TOTAL** | **11422** | **11.5** | **138** | **1** | **2** | **8** | **15** | **25** | **35** | **75** |

### 101: Anxiety states (300.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 138 | 5.1 | 50 | <1 | 1 | 3 | 4 | 14 | 19 | 57 |
| 20-34 | 585 | 5.4 | 45 | <1 | 1 | 3 | 6 | 12 | 18 | 40 |
| 35-49 | 514 | 5.2 | 39 | 1 | 1 | 3 | 6 | 12 | 16 | 31 |
| 50-64 | 279 | 5.6 | 39 | 1 | 1 | 3 | 7 | 13 | 21 | 30 |
| 65+ | 154 | 5.7 | 45 | 1 | 1 | 3 | 7 | 13 | 20 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 14.7 | 310 | 4 | 4 | 5 | 27 | 35 | 35 | 35 |
| 35-49 | 11 | 5.6 | 13 | 1 | 1 | 6 | 9 | 10 | 11 | 11 |
| 50-64 | 8 | 4.0 | 9 | 1 | 1 | 3 | 5 | 9 | 10 | 10 |
| 65+ | 3 | 3.3 | 10 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 242 | 9.0 | 161 | 1 | 1 | 4 | 11 | 30 | 43 | 99+ |
| 20-34 | 1423 | 7.9 | 80 | 1 | 1 | 5 | 10 | 19 | 26 | 40 |
| 35-49 | 1540 | 7.1 | 66 | 1 | 1 | 4 | 8 | 18 | 23 | 39 |
| 50-64 | 1309 | 6.9 | 58 | 1 | 1 | 4 | 8 | 16 | 23 | 39 |
| 65+ | 1269 | 6.1 | 55 | 1 | 1 | 4 | 7 | 13 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 20-34 | 95 | 7.3 | 104 | 1 | 1 | 3 | 10 | 19 | 28 | 53 |
| 35-49 | 98 | 11.9 | 219 | 1 | 1 | 6 | 16 | 28 | 37 | 84 |
| 50-64 | 61 | 9.1 | 47 | 1 | 2 | 7 | 14 | 20 | 22 | 28 |
| 65+ | 67 | 11.7 | 169 | 1 | 2 | 7 | 18 | 29 | 32 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1670 | 5.3 | 43 | 1 | 1 | 3 | 6 | 12 | 18 | 32 |
| B. *Operated* | 25 | 5.9 | 46 | 1 | 1 | 3 | 7 | 10 | 17 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5783 | 7.1 | 70 | 1 | 1 | 4 | 8 | 17 | 24 | 42 |
| B. *Operated* | 323 | 9.9 | 144 | 1 | 1 | 6 | 14 | 24 | 30 | 71 |
| **1. SINGLE DX** | 1695 | 5.4 | 43 | 1 | 1 | 3 | 6 | 12 | 18 | 33 |
| **2. MULTIPLE DX** | 6106 | 7.2 | 74 | 1 | 1 | 4 | 8 | 18 | 25 | 42 |
| **A. NOT OPERATED** | 7453 | 6.7 | 64 | 1 | 1 | 4 | 8 | 16 | 23 | 41 |
| **B. OPERATED** | 348 | 9.6 | 138 | 1 | 1 | 6 | 13 | 23 | 30 | 69 |
| TOTAL 0-19 YRS | 382 | 7.5 | 123 | 1 | 1 | 3 | 8 | 20 | 37 | 99+ |
| 20-34 | 2106 | 7.2 | 73 | 1 | 1 | 4 | 9 | 18 | 24 | 41 |
| 35-49 | 2163 | 6.8 | 68 | 1 | 1 | 4 | 8 | 16 | 23 | 39 |
| 50-64 | 1657 | 6.7 | 55 | 1 | 1 | 4 | 8 | 16 | 22 | 37 |
| 65+ | 1493 | 6.3 | 60 | 1 | 1 | 4 | 7 | 14 | 21 | 38 |
| **GRAND TOTAL** | **7801** | **6.8** | **68** | **1** | **1** | **4** | **8** | **16** | **23** | **42** |

### 102: Neurotic depression (300.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 772 | 21.7 | 430 | 1 | 2 | 14 | 35 | 54 | 68 | 98 |
| 20-34 | 1529 | 8.9 | 89 | 1 | 1 | 6 | 12 | 21 | 28 | 45 |
| 35-49 | 1191 | 8.8 | 70 | 1 | 1 | 6 | 12 | 20 | 25 | 41 |
| 50-64 | 508 | 10.2 | 93 | 1 | 2 | 7 | 14 | 23 | 30 | 41 |
| 65+ | 313 | 10.9 | 89 | 1 | 2 | 8 | 14 | 23 | 30 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 20-34 | 6 | 10.2 | 115 | 3 | 3 | 6 | 12 | 29 | 31 | 31 |
| 35-49 | 9 | 11.4 | 48 | 4 | 4 | 10 | 17 | 21 | 22 | 22 |
| 50-64 | 8 | 16.8 | 154 | 3 | 3 | 15 | 26 | 34 | 37 | 37 |
| 65+ | 4 | 14.8 | 30 | 7 | 7 | 16 | 18 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1678 | 23.8 | 506 | 2 | 3 | 17 | 39 | 69 | 91 | 99+ |
| 20-34 | 3800 | 10.9 | 109 | 1 | 2 | 8 | 15 | 24 | 31 | 51 |
| 35-49 | 3167 | 10.9 | 94 | 2 | 2 | 8 | 15 | 23 | 29 | 47 |
| 50-64 | 1846 | 10.8 | 100 | 2 | 2 | 7 | 15 | 23 | 29 | 49 |
| 65+ | 1818 | 10.7 | 104 | 2 | 3 | 8 | 13 | 23 | 31 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 32.0 | 797 | 3 | 5 | 26 | 51 | 92 | 96 | 99+ |
| 20-34 | 167 | 15.4 | 139 | 2 | 4 | 12 | 22 | 32 | 39 | 99+ |
| 35-49 | 179 | 16.4 | 161 | 3 | 4 | 14 | 20 | 31 | 39 | 65 |
| 50-64 | 122 | 16.8 | 181 | 3 | 4 | 12 | 23 | 33 | 41 | 69 |
| 65+ | 132 | 15.8 | 212 | 3 | 4 | 11 | 19 | 34 | 47 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4313 | 11.5 | 168 | 1 | 1 | 7 | 15 | 28 | 39 | 70 |
| B. *Operated* | 28 | 13.6 | 91 | 3 | 4 | 13 | 19 | 27 | 32 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12309 | 12.6 | 177 | 1 | 2 | 8 | 17 | 28 | 41 | 88 |
| B. *Operated* | 645 | 17.2 | 229 | 3 | 4 | 12 | 23 | 37 | 47 | 93 |
| **1. SINGLE DX** | 4341 | 11.5 | 168 | 1 | 2 | 7 | 15 | 28 | 39 | 70 |
| **2. MULTIPLE DX** | 12954 | 12.9 | 181 | 1 | 2 | 8 | 17 | 29 | 42 | 88 |
| **A. NOT OPERATED** | 16622 | 12.3 | 175 | 1 | 2 | 8 | 16 | 28 | 41 | 81 |
| **B. OPERATED** | 673 | 17.0 | 223 | 3 | 4 | 12 | 23 | 36 | 47 | 93 |
| TOTAL 0-19 YRS | 2496 | 23.3 | 489 | 2 | 3 | 16 | 38 | 63 | 86 | 99+ |
| 20-34 | 5502 | 10.5 | 106 | 1 | 2 | 7 | 14 | 24 | 30 | 51 |
| 35-49 | 4546 | 10.6 | 93 | 1 | 2 | 8 | 14 | 23 | 29 | 46 |
| 50-64 | 2484 | 11.0 | 104 | 2 | 2 | 8 | 15 | 23 | 30 | 50 |
| 65+ | 2267 | 11.0 | 110 | 2 | 3 | 8 | 14 | 23 | 31 | 56 |
| **GRAND TOTAL** | **17295** | **12.5** | **178** | **1** | **2** | **8** | **17** | **29** | **41** | **82** |

### 103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 652 | 12.3 | 288 | 1 | 1 | 5 | 16 | 41 | 59 | 99+ |
| 20-34 | 1286 | 8.5 | 143 | 1 | 1 | 5 | 10 | 21 | 33 | 99+ |
| 35-49 | 557 | 7.9 | 84 | <1 | 1 | 5 | 10 | 21 | 30 | 99+ |
| 50-64 | 185 | 6.5 | 73 | <1 | 1 | 3 | 8 | 16 | 25 | 54 |
| 65+ | 103 | 8.0 | 76 | 1 | 1 | 4 | 12 | 23 | 25 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.2 | 46 | 1 | 1 | 5 | 11 | 20 | 21 | 21 |
| 20-34 | 115 | 7.8 | 17 | 2 | 2 | 9 | 9 | 11 | 15 | 23 |
| 35-49 | 90 | 6.2 | 15 | 1 | 2 | 6 | 9 | 12 | 14 | 99+ |
| 50-64 | 77 | 3.7 | 4 | 1 | 1 | 4 | 5 | 7 | 9 | 9 |
| 65+ | 22 | 3.2 | 7 | 1 | 1 | 2 | 4 | 7 | 10 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1123 | 13.0 | 294 | 1 | 1 | 6 | 19 | 42 | 69 | 99+ |
| 20-34 | 3112 | 9.7 | 147 | 1 | 1 | 6 | 13 | 26 | 42 | 99+ |
| 35-49 | 1665 | 9.7 | 129 | 1 | 1 | 6 | 14 | 27 | 38 | 99+ |
| 50-64 | 778 | 9.3 | 98 | 1 | 2 | 6 | 12 | 24 | 32 | 99+ |
| 65+ | 688 | 8.8 | 102 | 1 | 2 | 6 | 11 | 21 | 28 | 77 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 19.0 | 463 | 1 | 1 | 10 | 38 | 95 | 99+ | 99+ |
| 20-34 | 188 | 12.4 | 196 | 1 | 1 | 9 | 17 | 36 | 94 | 99+ |
| 35-49 | 134 | 10.4 | 152 | 1 | 2 | 7 | 12 | 23 | 31 | 64 |
| 50-64 | 167 | 7.8 | 74 | 1 | 2 | 5 | 9 | 16 | 24 | 52 |
| 65+ | 107 | 11.4 | 152 | 1 | 2 | 6 | 15 | 26 | 42 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2783 | 9.1 | 161 | 1 | 1 | 5 | 11 | 25 | 41 | 99+ |
| B. *Operated* | 315 | 6.0 | 17 | 1 | 2 | 5 | 9 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7366 | 10.1 | 158 | 1 | 1 | 6 | 13 | 27 | 43 | 99+ |
| B. *Operated* | 638 | 11.0 | 171 | 1 | 2 | 7 | 14 | 29 | 53 | 99+ |
| **1. SINGLE DX** | 3098 | 8.8 | 147 | 1 | 1 | 5 | 10 | 23 | 37 | 99+ |
| **2. MULTIPLE DX** | 8004 | 10.2 | 159 | 1 | 1 | 6 | 13 | 27 | 43 | 99+ |
| **A. NOT OPERATED** | 10149 | 9.8 | 159 | 1 | 1 | 5 | 13 | 27 | 42 | 99+ |
| **B. OPERATED** | 953 | 9.4 | 126 | 1 | 2 | 6 | 10 | 23 | 36 | 99+ |
| TOTAL 0-19 YRS | 1828 | 12.9 | 295 | 1 | 1 | 6 | 19 | 42 | 68 | 99+ |
| 20-34 | 4701 | 9.4 | 145 | 1 | 1 | 5 | 12 | 25 | 41 | 99+ |
| 35-49 | 2446 | 9.2 | 117 | 1 | 1 | 6 | 12 | 24 | 36 | 99+ |
| 50-64 | 1207 | 8.3 | 88 | 1 | 1 | 5 | 10 | 21 | 29 | 71 |
| 65+ | 920 | 8.9 | 104 | 1 | 2 | 5 | 11 | 22 | 28 | 60 |
| **GRAND TOTAL** | **11102** | **9.8** | **156** | **1** | **1** | **5** | **13** | **27** | **42** | **99+** |

### 104: Alcoholic dependence syndrome (303)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 334 | 8.5 | 148 | <1 | <1 | 2 | 10 | 29 | 35 | 55 |
| 20-34 | 3610 | 9.4 | 95 | 1 | 1 | 5 | 15 | 28 | 28 | 33 |
| 35-49 | 4016 | 9.3 | 93 | 1 | 2 | 5 | 13 | 28 | 28 | 35 |
| 50-64 | 1685 | 9.2 | 98 | 1 | 2 | 5 | 11 | 28 | 29 | 37 |
| 65+ | 357 | 8.1 | 79 | 1 | 1 | 5 | 8 | 21 | 28 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 9.3 | 105 | 2 | 2 | 5 | 12 | 27 | 29 | 29 |
| 35-49 | 7 | 22.9 | 39 | 14 | 14 | 26 | 28 | 28 | 28 | 28 |
| 50-64 | 3 | 8.3 | 20 | 4 | 4 | 8 | 12 | 13 | 13 | 13 |
| 65+ | 3 | 14.3 | 136 | 4 | 4 | 12 | 23 | 27 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2334 | 23.7 | 265 | 1 | 2 | 24 | 35 | 43 | 48 | 64 |
| 20-34 | 15879 | 13.8 | 119 | 1 | 2 | 9 | 24 | 29 | 30 | 37 |
| 35-49 | 16695 | 12.0 | 105 | 2 | 2 | 6 | 21 | 28 | 30 | 36 |
| 50-64 | 9865 | 11.6 | 104 | 2 | 2 | 6 | 21 | 28 | 30 | 36 |
| 65+ | 3872 | 11.9 | 101 | 2 | 2 | 7 | 21 | 28 | 30 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 30.2 | 438 | 1 | 3 | 28 | 41 | 52 | 78 | 92 |
| 20-34 | 388 | 17.1 | 129 | 1 | 3 | 19 | 27 | 30 | 34 | 44 |
| 35-49 | 506 | 17.1 | 141 | 2 | 4 | 15 | 27 | 30 | 34 | 53 |
| 50-64 | 469 | 18.1 | 158 | 3 | 4 | 16 | 27 | 33 | 41 | 60 |
| 65+ | 230 | 15.9 | 183 | 2 | 4 | 12 | 22 | 31 | 42 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10002 | 9.2 | 96 | 1 | 1 | 5 | 14 | 28 | 28 | 35 |
| B. *Operated* | 19 | 14.9 | 102 | 2 | 3 | 13 | 27 | 28 | 29 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48645 | 13.1 | 123 | 2 | 2 | 7 | 23 | 29 | 31 | 42 |
| B. *Operated* | 1639 | 17.6 | 162 | 2 | 4 | 16 | 27 | 31 | 38 | 61 |
| **1. SINGLE DX** | 10021 | 9.3 | 96 | 1 | 1 | 5 | 14 | 28 | 28 | 35 |
| **2. MULTIPLE DX** | 50284 | 13.2 | 125 | 2 | 2 | 7 | 23 | 29 | 31 | 42 |
| **A. NOT OPERATED** | 58647 | 12.4 | 121 | 1 | 2 | 7 | 22 | 28 | 31 | 42 |
| **B. OPERATED** | 1658 | 17.6 | 161 | 2 | 4 | 16 | 27 | 31 | 38 | 61 |
| TOTAL 0-19 YRS | 2714 | 21.9 | 279 | 1 | 1 | 22 | 35 | 42 | 47 | 65 |
| 20-34 | 19883 | 13.1 | 118 | 1 | 2 | 7 | 23 | 28 | 30 | 37 |
| 35-49 | 21224 | 11.6 | 106 | 1 | 2 | 6 | 21 | 28 | 30 | 36 |
| 50-64 | 12022 | 11.5 | 108 | 2 | 2 | 6 | 21 | 28 | 30 | 38 |
| 65+ | 4462 | 11.8 | 106 | 2 | 2 | 7 | 20 | 28 | 30 | 42 |
| **GRAND TOTAL** | **60305** | **12.6** | **123** | **1** | **2** | **7** | **22** | **28** | **31** | **42** |

## 105: Opioid dependence (304.0; 304.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 15.7 | 202 | 1 | 2 | 9 | 29 | 33 | 38 | 57 |
| 20-34 | 697 | 10.1 | 53 | 1 | 2 | 8 | 14 | 20 | 25 | 30 |
| 35-49 | 241 | 10.9 | 66 | 1 | 2 | 10 | 14 | 21 | 27 | 42 |
| 50-64 | 19 | 16.2 | 110 | 3 | 5 | 13 | 21 | 33 | 39 | 42 |
| 65+ | 4 | 10.5 | 20 | 5 | 5 | 10 | 13 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 15.6 | 152 | 2 | 3 | 11 | 27 | 31 | 38 | 44 |
| 20-34 | 2112 | 12.1 | 90 | 2 | 3 | 8 | 18 | 27 | 30 | 42 |
| 35-49 | 849 | 12.3 | 76 | 2 | 3 | 10 | 18 | 26 | 28 | 35 |
| 50-64 | 109 | 13.5 | 107 | 2 | 3 | 9 | 20 | 28 | 31 | 47 |
| 65+ | 57 | 13.3 | 92 | 2 | 3 | 10 | 21 | 27 | 31 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 20-34 | 78 | 18.2 | 121 | 4 | 7 | 16 | 25 | 30 | 35 | 62 |
| 35-49 | 42 | 20.0 | 127 | 6 | 7 | 20 | 27 | 31 | 34 | 67 |
| 50-64 | 5 | 11.8 | 120 | 4 | 4 | 7 | 15 | 31 | 31 | 31 |
| 65+ | 4 | 21.8 | 333 | 11 | 11 | 13 | 32 | 49 | 49 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 987 | 10.6 | 62 | 1 | 2 | 9 | 15 | 21 | 28 | 35 |
| B. *Operated* | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3209 | 12.3 | 89 | 2 | 3 | 9 | 18 | 27 | 30 | 42 |
| B. *Operated* | 130 | 18.7 | 128 | 5 | 7 | 17 | 26 | 31 | 37 | 66 |
| **1. SINGLE DX** | 989 | 10.6 | 62 | 1 | 2 | 9 | 15 | 21 | 28 | 35 |
| **2. MULTIPLE DX** | 3339 | 12.6 | 92 | 2 | 3 | 9 | 18 | 28 | 30 | 42 |
| **A. NOT OPERATED** | 4196 | 11.9 | 83 | 2 | 3 | 9 | 17 | 27 | 29 | 42 |
| **B. OPERATED** | 132 | 18.5 | 129 | 5 | 7 | 17 | 26 | 31 | 36 | 66 |
| TOTAL 0-19 YRS | 109 | 15.8 | 163 | 2 | 3 | 10 | 28 | 32 | 37 | 49 |
| 20-34 | 2888 | 11.8 | 84 | 2 | 3 | 9 | 17 | 27 | 29 | 42 |
| 35-49 | 1133 | 12.3 | 78 | 2 | 3 | 10 | 17 | 26 | 28 | 38 |
| 50-64 | 133 | 13.8 | 107 | 2 | 4 | 10 | 21 | 29 | 33 | 45 |
| 65+ | 65 | 13.7 | 102 | 2 | 3 | 11 | 21 | 28 | 32 | 48 |
| **GRAND TOTAL** | **4328** | **12.1** | **86** | **2** | **3** | **9** | **17** | **27** | **29** | **42** |

## 106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 300 | 23.0 | 437 | 1 | 2 | 18 | 42 | 53 | 60 | 93 |
| 20-34 | 893 | 12.3 | 127 | 1 | 2 | 7 | 22 | 28 | 29 | 42 |
| 35-49 | 275 | 12.4 | 125 | 1 | 2 | 7 | 21 | 28 | 37 | 42 |
| 50-64 | 52 | 12.0 | 154 | 1 | 2 | 7 | 14 | 30 | 41 | 56 |
| 65+ | 10 | 14.3 | 200 | 2 | 2 | 6 | 28 | 35 | 42 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 41.0 | 338 | 28 | 28 | 41 | 54 | 54 | 54 | 54 |
| 20-34 | 3 | 11.3 | 261 | 2 | 2 | 2 | 23 | 30 | 30 | 30 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1676 | 27.0 | 293 | 3 | 5 | 28 | 39 | 49 | 56 | 82 |
| 20-34 | 3516 | 16.9 | 127 | 2 | 3 | 18 | 28 | 30 | 33 | 43 |
| 35-49 | 952 | 15.2 | 114 | 2 | 3 | 13 | 25 | 28 | 30 | 39 |
| 50-64 | 233 | 15.2 | 142 | 2 | 4 | 11 | 23 | 31 | 35 | 46 |
| 65+ | 153 | 14.9 | 132 | 2 | 3 | 11 | 22 | 32 | 41 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 37.9 | 312 | 17 | 19 | 31 | 51 | 69 | 86 | 99+ |
| 20-34 | 93 | 21.8 | 93 | 4 | 7 | 25 | 29 | 32 | 36 | 38 |
| 35-49 | 39 | 21.3 | 93 | 5 | 7 | 21 | 27 | 35 | 39 | 40 |
| 50-64 | 9 | 19.3 | 111 | 10 | 10 | 16 | 30 | 35 | 37 | 37 |
| 65+ | 7 | 12.4 | 134 | 6 | 6 | 9 | 12 | 33 | 38 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1530 | 14.4 | 206 | 1 | 2 | 7 | 24 | 33 | 42 | 60 |
| B. *Operated* | 6 | 20.2 | 439 | 2 | 2 | 16 | 30 | 52 | 54 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6530 | 19.1 | 190 | 2 | 3 | 20 | 28 | 35 | 43 | 60 |
| B. *Operated* | 173 | 23.5 | 162 | 5 | 8 | 24 | 30 | 37 | 42 | 80 |
| **1. SINGLE DX** | 1536 | 14.4 | 207 | 1 | 2 | 7 | 24 | 33 | 42 | 60 |
| **2. MULTIPLE DX** | 6703 | 19.3 | 190 | 2 | 3 | 20 | 28 | 35 | 43 | 61 |
| **A. NOT OPERATED** | 8060 | 18.2 | 197 | 2 | 3 | 18 | 28 | 35 | 42 | 60 |
| **B. OPERATED** | 179 | 23.4 | 170 | 4 | 7 | 24 | 30 | 38 | 44 | 79 |
| TOTAL 0-19 YRS | 2003 | 26.6 | 318 | 2 | 4 | 28 | 39 | 49 | 57 | 84 |
| 20-34 | 4505 | 16.1 | 130 | 2 | 3 | 15 | 27 | 30 | 33 | 42 |
| 35-49 | 1266 | 14.8 | 118 | 2 | 3 | 12 | 24 | 28 | 31 | 42 |
| 50-64 | 295 | 14.7 | 144 | 2 | 3 | 10 | 23 | 31 | 36 | 49 |
| 65+ | 170 | 14.8 | 134 | 2 | 3 | 11 | 21 | 32 | 41 | 43 |
| **GRAND TOTAL** | **8239** | **18.4** | **197** | **2** | **3** | **18** | **28** | **35** | **42** | **61** |

## 107: Nondependent abuse of alcohol (305.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 792 | 1.4 | 5 | <1 | <1 | 1 | 1 | 2 | 2 | 11 |
| 20-34 | 425 | 2.4 | 17 | <1 | <1 | 1 | 2 | 4 | 7 | 28 |
| 35-49 | 249 | 3.0 | 17 | <1 | <1 | 2 | 3 | 6 | 8 | 27 |
| 50-64 | 110 | 3.4 | 20 | <1 | <1 | 2 | 4 | 7 | 8 | 28 |
| 65+ | 52 | 4.6 | 106 | <1 | <1 | 2 | 3 | 9 | 21 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 968 | 9.2 | 244 | <1 | <1 | 1 | 7 | 37 | 47 | 60 |
| 20-34 | 1266 | 5.9 | 70 | <1 | <1 | 2 | 6 | 18 | 28 | 34 |
| 35-49 | 862 | 5.8 | 56 | <1 | 1 | 3 | 6 | 17 | 26 | 34 |
| 50-64 | 533 | 5.8 | 55 | 1 | 1 | 3 | 6 | 14 | 25 | 33 |
| 65+ | 278 | 5.6 | 46 | 1 | 1 | 3 | 6 | 12 | 22 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 8.3 | 339 | <1 | <1 | 1 | 2 | 35 | 58 | 74 |
| 20-34 | 54 | 6.6 | 75 | <1 | <1 | 3 | 7 | 23 | 26 | 37 |
| 35-49 | 38 | 9.2 | 114 | <1 | <1 | 4 | 13 | 28 | 34 | 38 |
| 50-64 | 21 | 11.7 | 114 | <1 | 1 | 7 | 19 | 28 | 34 | 35 |
| 65+ | 18 | 7.7 | 34 | 1 | 1 | 7 | 10 | 18 | 21 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1628 | 2.1 | 15 | <1 | <1 | 1 | 2 | 4 | 6 | 26 |
| B. *Operated* | 4 | 6.0 | 13 | 2 | 2 | 6 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3907 | 6.7 | 109 | <1 | <1 | 2 | 6 | 21 | 30 | 52 |
| B. *Operated* | 154 | 8.3 | 124 | <1 | <1 | 4 | 10 | 25 | 32 | 49 |
| **1. SINGLE DX** | 1632 | 2.2 | 15 | <1 | <1 | 1 | 2 | 4 | 6 | 26 |
| **2. MULTIPLE DX** | 4061 | 6.7 | 109 | <1 | <1 | 2 | 6 | 21 | 30 | 51 |
| **A. NOT OPERATED** | 5535 | 5.3 | 85 | <1 | <1 | 2 | 4 | 15 | 28 | 47 |
| **B. OPERATED** | 158 | 8.3 | 121 | <1 | <1 | 4 | 10 | 25 | 32 | 48 |
| TOTAL 0-19 YRS | 1783 | 5.7 | 154 | <1 | <1 | 1 | 2 | 25 | 41 | 57 |
| 20-34 | 1747 | 5.0 | 60 | <1 | <1 | 2 | 5 | 15 | 26 | 32 |
| 35-49 | 1149 | 5.3 | 51 | <1 | 1 | 3 | 6 | 15 | 24 | 34 |
| 50-64 | 665 | 5.5 | 53 | <1 | 1 | 3 | 6 | 13 | 24 | 33 |
| 65+ | 349 | 5.6 | 54 | 1 | 1 | 3 | 6 | 12 | 22 | 35 |
| **GRAND TOTAL** | **5693** | **5.4** | **86** | **<1** | **<1** | **2** | **5** | **15** | **28** | **47** |

## 108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 176 | 12.7 | 289 | <1 | 1 | 4 | 22 | 39 | 46 | 66 |
| 20-34 | 511 | 9.6 | 95 | <1 | 1 | 5 | 19 | 27 | 28 | 35 |
| 35-49 | 127 | 11.7 | 107 | 1 | 1 | 8 | 21 | 28 | 28 | 36 |
| 50-64 | 21 | 10.3 | 110 | 1 | 2 | 5 | 17 | 29 | 30 | 31 |
| 65+ | 11 | 7.8 | 56 | 1 | 2 | 5 | 10 | 18 | 27 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 5.2 | 60 | 1 | 1 | 2 | 7 | 19 | 19 | 19 |
| 35-49 | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1069 | 24.9 | 370 | 1 | 2 | 25 | 41 | 50 | 60 | 81 |
| 20-34 | 1970 | 13.5 | 140 | 1 | 2 | 9 | 23 | 29 | 32 | 45 |
| 35-49 | 506 | 12.0 | 110 | 1 | 2 | 8 | 21 | 28 | 31 | 40 |
| 50-64 | 139 | 10.8 | 87 | 1 | 2 | 7 | 16 | 28 | 30 | 35 |
| 65+ | 121 | 10.7 | 90 | 2 | 3 | 7 | 15 | 26 | 31 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 35.5 | 443 | 3 | 4 | 38 | 52 | 63 | 67 | 69 |
| 20-34 | 63 | 21.9 | 145 | 3 | 4 | 21 | 30 | 39 | 44 | 46 |
| 35-49 | 30 | 17.7 | 101 | 3 | 4 | 18 | 23 | 32 | 33 | 39 |
| 50-64 | 10 | 14.9 | 319 | 5 | 5 | 8 | 10 | 45 | 62 | 62 |
| 65+ | 3 | 14.3 | 146 | 5 | 5 | 10 | 23 | 28 | 28 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 846 | 10.5 | 139 | <1 | 1 | 5 | 20 | 28 | 30 | 52 |
| B. *Operated* | 7 | 5.1 | 40 | 1 | 1 | 3 | 5 | 16 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3805 | 16.3 | 226 | 1 | 2 | 11 | 28 | 37 | 45 | 68 |
| B. *Operated* | 126 | 22.3 | 227 | 3 | 5 | 21 | 30 | 44 | 50 | 66 |
| **1. SINGLE DX** | 853 | 10.5 | 138 | <1 | 1 | 5 | 19 | 28 | 30 | 52 |
| **2. MULTIPLE DX** | 3931 | 16.5 | 227 | 1 | 2 | 11 | 28 | 38 | 45 | 68 |
| **A. NOT OPERATED** | 4651 | 15.3 | 215 | 1 | 1 | 9 | 26 | 35 | 43 | 65 |
| **B. OPERATED** | 133 | 21.4 | 232 | 2 | 4 | 20 | 29 | 44 | 49 | 66 |
| TOTAL 0-19 YRS | 1265 | 23.4 | 379 | 1 | 2 | 21 | 39 | 49 | 59 | 80 |
| 20-34 | 2549 | 12.9 | 135 | 1 | 1 | 8 | 21 | 29 | 31 | 44 |
| 35-49 | 665 | 12.2 | 110 | 1 | 2 | 8 | 21 | 28 | 30 | 39 |
| 50-64 | 170 | 11.0 | 102 | 1 | 2 | 7 | 16 | 28 | 30 | 43 |
| 65+ | 135 | 10.5 | 88 | 2 | 2 | 7 | 15 | 26 | 30 | 40 |
| **GRAND TOTAL** | **4784** | **15.4** | **216** | **1** | **2** | **10** | **27** | **35** | **44** | **65** |

## 109: Psychophysiologic disorder (306; 316)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 138 | 3.8 | 19 | 1 | 1 | 3 | 4 | 7 | 8 | 31 |
| 35-49 | 114 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 50-64 | 63 | 3.5 | 13 | 1 | 1 | 3 | 4 | 6 | 10 | 23 |
| 65+ | 43 | 3.7 | 24 | 1 | 1 | 2 | 4 | 7 | 14 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.9 | 3 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 9 | 3.4 | 4 | <1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 35-49 | 13 | 4.1 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 8 |
| 50-64 | 7 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 65+ | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 215 | 4.4 | 39 | 1 | 1 | 3 | 4 | 8 | 11 | 48 |
| 20-34 | 412 | 4.7 | 31 | 1 | 1 | 3 | 5 | 9 | 13 | 38 |
| 35-49 | 414 | 4.6 | 23 | 1 | 1 | 3 | 6 | 9 | 12 | 26 |
| 50-64 | 433 | 4.7 | 21 | 1 | 1 | 4 | 6 | 8 | 11 | 25 |
| 65+ | 457 | 4.6 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 11.6 | 355 | 1 | 2 | 6 | 11 | 28 | 62 | 83 |
| 20-34 | 39 | 11.8 | 247 | 1 | 2 | 7 | 13 | 20 | 44 | 88 |
| 35-49 | 48 | 8.4 | 57 | 1 | 2 | 6 | 10 | 14 | 25 | 43 |
| 50-64 | 30 | 6.9 | 27 | 2 | 2 | 6 | 8 | 13 | 14 | 28 |
| 65+ | 36 | 9.1 | 113 | 2 | 2 | 6 | 10 | 34 | 44 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 472 | 3.3 | 12 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| B. *Operated* | 46 | 3.4 | 4 | <1 | 1 | 3 | 4 | 7 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1931 | 4.6 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 27 |
| B. *Operated* | 174 | 9.4 | 142 | 2 | 2 | 6 | 10 | 18 | 39 | 87 |
| **1. SINGLE DX** | 518 | 3.3 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | 2105 | 5.0 | 35 | 1 | 1 | 4 | 6 | 9 | 13 | 37 |
| **A. NOT OPERATED** | 2403 | 4.4 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 26 |
| **B. OPERATED** | 220 | 8.2 | 119 | 1 | 2 | 5 | 9 | 14 | 28 | 84 |
| TOTAL 0-19 YRS | 364 | 4.2 | 47 | 1 | 1 | 3 | 4 | 7 | 11 | 44 |
| 20-34 | 598 | 4.9 | 45 | 1 | 1 | 3 | 5 | 9 | 14 | 41 |
| 35-49 | 589 | 4.6 | 24 | 1 | 1 | 3 | 6 | 9 | 12 | 27 |
| 50-64 | 533 | 4.6 | 20 | 1 | 1 | 4 | 6 | 8 | 12 | 25 |
| 65+ | 539 | 4.8 | 21 | 1 | 1 | 4 | 6 | 9 | 12 | 28 |
| **GRAND TOTAL** | **2623** | **4.7** | **31** | **1** | **1** | **3** | **5** | **9** | **12** | **30** |

## 110: Adjustment reactions and acute reactions to stress (308-309)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2242 | 12.6 | 210 | 1 | 1 | 7 | 17 | 34 | 47 | 75 |
| 20-34 | 2312 | 5.9 | 44 | <1 | 1 | 4 | 7 | 13 | 18 | 34 |
| 35-49 | 1399 | 6.7 | 60 | <1 | 1 | 4 | 8 | 15 | 21 | 41 |
| 50-64 | 323 | 6.8 | 65 | <1 | 1 | 4 | 9 | 15 | 21 | 37 |
| 65+ | 159 | 8.7 | 81 | <1 | 1 | 6 | 13 | 18 | 23 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 6 | 1 | 1 | 5 | 53 | 99+ | 99+ | 99+ |
| 20-34 | 2 | 23.0 | 72 | 17 | 17 | 23 | 29 | 29 | 29 | 29 |
| 35-49 | 3 | 10.3 | 56 | 3 | 3 | 10 | 16 | 18 | 18 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 11.5 | 61 | 6 | 6 | 11 | 17 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3518 | 14.9 | 287 | 1 | 1 | 8 | 21 | 42 | 56 | 99+ |
| 20-34 | 5573 | 7.7 | 74 | 1 | 1 | 5 | 10 | 18 | 24 | 43 |
| 35-49 | 3365 | 7.8 | 64 | 1 | 1 | 5 | 10 | 18 | 24 | 40 |
| 50-64 | 1322 | 8.3 | 60 | 1 | 2 | 6 | 11 | 19 | 25 | 37 |
| 65+ | 1110 | 8.6 | 67 | 1 | 2 | 6 | 11 | 19 | 25 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 103 | 19.1 | 441 | 1 | 1 | 12 | 30 | 59 | 84 | 99+ |
| 20-34 | 138 | 10.5 | 138 | 1 | 1 | 7 | 14 | 24 | 32 | 71 |
| 35-49 | 126 | 12.1 | 119 | 1 | 2 | 10 | 16 | 25 | 31 | 64 |
| 50-64 | 49 | 14.0 | 192 | 1 | 2 | 9 | 18 | 33 | 42 | 71 |
| 65+ | 65 | 13.0 | 96 | 2 | 3 | 12 | 20 | 27 | 29 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6435 | 8.5 | 116 | 1 | 1 | 5 | 10 | 21 | 32 | 60 |
| B. *Operated* | 10 | 11.1 | 79 | 1 | 2 | 10 | 18 | 57 | 96 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14888 | 9.6 | 129 | 1 | 1 | 6 | 12 | 23 | 32 | 64 |
| B. *Operated* | 481 | 13.4 | 206 | 1 | 1 | 10 | 17 | 30 | 41 | 85 |
| **1. SINGLE DX** | 6445 | 8.5 | 116 | 1 | 1 | 5 | 10 | 21 | 32 | 60 |
| **2. MULTIPLE DX** | 15369 | 9.7 | 132 | 1 | 1 | 6 | 12 | 23 | 32 | 64 |
| **A. NOT OPERATED** | 21323 | 9.3 | 126 | 1 | 1 | 5 | 11 | 22 | 32 | 62 |
| **B. OPERATED** | 491 | 13.4 | 203 | 1 | 1 | 10 | 17 | 30 | 41 | 90 |
| TOTAL 0-19 YRS | 5866 | 14.1 | 262 | 1 | 1 | 8 | 20 | 39 | 53 | 98 |
| 20-34 | 8025 | 7.3 | 67 | 1 | 1 | 5 | 9 | 16 | 23 | 41 |
| 35-49 | 4893 | 7.6 | 65 | 1 | 1 | 5 | 10 | 17 | 24 | 40 |
| 50-64 | 1694 | 8.2 | 66 | 1 | 1 | 6 | 11 | 18 | 25 | 39 |
| 65+ | 1336 | 8.9 | 71 | 1 | 2 | 6 | 12 | 20 | 25 | 43 |
| **GRAND TOTAL** | **21814** | **9.3** | **128** | **1** | **1** | **5** | **12** | **22** | **32** | **63** |

## 111: Miscellaneous mental disorders (307; 311-315)

| | | | | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2568 | 19.6 | 433 | 1 | 2 | 12 | 31 | 54 | 72 | 99+ |
| 20-34 | 1237 | 10.1 | 192 | 1 | 1 | 5 | 12 | 29 | 41 | 81 |
| 35-49 | 756 | 8.3 | 113 | 1 | 1 | 5 | 9 | 20 | 29 | 60 |
| 50-64 | 335 | 11.3 | 168 | 1 | 1 | 7 | 15 | 26 | 39 | 68 |
| 65+ | 218 | 10.2 | 145 | 1 | 1 | 6 | 12 | 26 | 33 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 11.7 | 171 | <1 | <1 | 6 | 19 | 35 | 38 | 39 |
| 20-34 | 22 | 4.6 | 10 | 2 | 2 | 4 | 6 | 8 | 11 | 15 |
| 35-49 | 23 | 5.1 | 25 | 1 | 2 | 3 | 6 | 12 | 17 | 22 |
| 50-64 | 5 | 8.0 | 46 | 3 | 3 | 4 | 12 | 19 | 19 | 19 |
| 65+ | 6 | 18.2 | 449 | 2 | 2 | 8 | 30 | 53 | 56 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5118 | 25.1 | 550 | 2 | 3 | 19 | 44 | 74 | 99+ | 99+ |
| 20-34 | 3353 | 11.6 | 199 | 1 | 2 | 6 | 15 | 32 | 45 | 99+ |
| 35-49 | 2347 | 9.8 | 130 | 1 | 2 | 6 | 12 | 24 | 32 | 61 |
| 50-64 | 1511 | 9.6 | 114 | 1 | 2 | 6 | 12 | 22 | 31 | 53 |
| 65+ | 1650 | 8.8 | 77 | 1 | 2 | 6 | 11 | 20 | 27 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 28.0 | 616 | 3 | 4 | 28 | 58 | 99+ | 99+ | 99+ |
| 20-34 | 191 | 20.0 | 435 | 2 | 3 | 12 | 31 | 53 | 85 | 99+ |
| 35-49 | 186 | 14.7 | 226 | 2 | 3 | 9 | 20 | 38 | 53 | 99+ |
| 50-64 | 137 | 14.4 | 201 | 3 | 4 | 10 | 19 | 29 | 44 | 76 |
| 65+ | 164 | 14.6 | 218 | 3 | 3 | 10 | 17 | 32 | 43 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5114 | 14.7 | 323 | 1 | 1 | 7 | 21 | 43 | 60 | 99+ |
| B. *Operated* | 78 | 8.0 | 106 | 1 | 2 | 4 | 8 | 21 | 32 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13979 | 15.7 | 344 | 1 | 2 | 8 | 23 | 47 | 69 | 99+ |
| B. *Operated* | 810 | 18.0 | 355 | 2 | 3 | 11 | 25 | 54 | 85 | 99+ |
| **1. SINGLE DX** | 5192 | 14.6 | 320 | 1 | 1 | 7 | 20 | 43 | 59 | 99+ |
| **2. MULTIPLE DX** | 14789 | 15.8 | 345 | 1 | 2 | 8 | 23 | 47 | 70 | 99+ |
| **A. NOT OPERATED** | 19093 | 15.4 | 338 | 1 | 2 | 8 | 22 | 45 | 66 | 99+ |
| **B. OPERATED** | 888 | 17.2 | 341 | 2 | 3 | 11 | 24 | 50 | 77 | 99+ |
| TOTAL 0-19 YRS | 7840 | 23.3 | 519 | 1 | 2 | 16 | 41 | 69 | 92 | 99+ |
| 20-34 | 4803 | 11.5 | 209 | 1 | 1 | 6 | 14 | 32 | 45 | 98 |
| 35-49 | 3312 | 9.7 | 132 | 1 | 2 | 6 | 11 | 24 | 33 | 62 |
| 50-64 | 1988 | 10.2 | 130 | 1 | 2 | 6 | 13 | 24 | 32 | 58 |
| 65+ | 2038 | 9.5 | 99 | 1 | 2 | 6 | 12 | 21 | 30 | 58 |
| **GRAND TOTAL** | **19981** | **15.5** | **339** | **1** | **2** | **8** | **22** | **45** | **67** | **99+** |

## 112: Mental retardation (317-319)

| | | | | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 6.2 | 46 | <1 | <1 | 3 | 10 | 15 | 23 | 24 |
| 20-34 | 26 | 15.0 | 408 | 2 | 2 | 9 | 21 | 77 | 99+ | 99+ |
| 35-49 | 5 | 22.6 | 603 | 5 | 5 | 15 | 32 | 65 | 65 | 65 |
| 50-64 | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| 65+ | 1 | 3.0 | | 3 | 3 | 51 | 99+ | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.3 | 12 | 3 | 3 | 4 | 5 | 11 | 14 | 14 |
| 20-34 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 137 | 12.8 | 310 | 1 | 2 | 7 | 15 | 32 | 82 | 99+ |
| 20-34 | 174 | 12.3 | 170 | 1 | 2 | 10 | 18 | 36 | 99+ | 99+ |
| 35-49 | 73 | 11.5 | 126 | 1 | 3 | 10 | 16 | 27 | 65 | 99+ |
| 50-64 | 37 | 13.8 | 214 | 1 | 3 | 10 | 19 | 52 | 85 | 99+ |
| 65+ | 12 | 12.2 | 134 | 1 | 3 | 9 | 18 | 53 | 91 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 5.3 | 21 | <1 | 1 | 4 | 6 | 10 | 16 | 21 |
| 20-34 | 12 | 4.8 | 19 | 1 | 1 | 3 | 6 | 10 | 16 | 17 |
| 35-49 | 5 | 6.6 | 24 | 2 | 2 | 5 | 8 | 15 | 15 | 15 |
| 50-64 | 4 | 21.5 | 738 | 5 | 5 | 9 | 37 | 62 | 62 | 62 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 11.5 | 271 | <1 | 1 | 7 | 14 | 48 | 88 | 99+ |
| B. *Operated* | 12 | 6.0 | 17 | 2 | 3 | 4 | 7 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 433 | 12.4 | 208 | 1 | 2 | 9 | 17 | 33 | 89 | 99+ |
| B. *Operated* | 41 | 6.9 | 97 | 1 | 1 | 5 | 7 | 13 | 19 | 62 |
| **1. SINGLE DX** | 70 | 10.6 | 230 | 1 | 1 | 5 | 14 | 33 | 77 | 99+ |
| **2. MULTIPLE DX** | 474 | 12.0 | 201 | 1 | 2 | 8 | 16 | 31 | 81 | 99+ |
| **A. NOT OPERATED** | 491 | 12.3 | 215 | 1 | 2 | 9 | 16 | 35 | 88 | 99+ |
| **B. OPERATED** | 53 | 6.7 | 78 | 1 | 2 | 5 | 7 | 14 | 17 | 61 |
| TOTAL 0-19 YRS | 190 | 10.8 | 241 | 1 | 1 | 6 | 13 | 28 | 64 | 99+ |
| 20-34 | 213 | 12.2 | 192 | 1 | 2 | 9 | 17 | 37 | 99+ | 99+ |
| 35-49 | 84 | 11.8 | 149 | 2 | 2 | 9 | 15 | 27 | 66 | 99+ |
| 50-64 | 44 | 14.1 | 240 | 2 | 3 | 10 | 18 | 59 | 73 | 99+ |
| 65+ | 13 | 11.5 | 130 | 1 | 3 | 9 | 25 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | **544** | **11.8** | **204** | **1** | **2** | **7** | **16** | **31** | **79** | **99+** |

### 113: Inflammatory diseases of central nervous system (320-326)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1300 | 9.7 | 18 | 2 | 3 | 10 | 12 | 15 | 16 | 21 |
| 20-34 | 208 | 6.9 | 30 | 1 | 1 | 6 | 10 | 14 | 15 | 29 |
| 35-49 | 152 | 7.3 | 43 | 1 | 1 | 6 | 10 | 14 | 20 | 40 |
| 50-64 | 81 | 7.5 | 55 | 1 | 1 | 6 | 11 | 16 | 17 | 43 |
| 65+ | 23 | 10.9 | 68 | 2 | 3 | 10 | 14 | 19 | 27 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 13.0 | 61 | 3 | 5 | 11 | 14 | 22 | 32 | 43 |
| 20-34 | 100 | 7.5 | 107 | 1 | 1 | 5 | 10 | 16 | 18 | 58 |
| 35-49 | 122 | 5.9 | 61 | 1 | 1 | 3 | 7 | 13 | 19 | 45 |
| 50-64 | 90 | 7.1 | 74 | 1 | 1 | 4 | 9 | 17 | 29 | 42 |
| 65+ | 20 | 5.8 | 40 | 1 | 1 | 3 | 7 | 15 | 22 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1642 | 10.9 | 37 | 2 | 3 | 11 | 13 | 16 | 20 | 32 |
| 20-34 | 278 | 9.1 | 54 | 2 | 2 | 8 | 12 | 17 | 21 | 43 |
| 35-49 | 275 | 9.3 | 66 | 2 | 2 | 7 | 13 | 17 | 25 | 35 |
| 50-64 | 284 | 12.7 | 104 | 1 | 3 | 11 | 15 | 23 | 33 | 52 |
| 65+ | 275 | 13.4 | 97 | 2 | 4 | 12 | 17 | 26 | 32 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 398 | 19.7 | 178 | 7 | 10 | 15 | 23 | 43 | 52 | 99+ |
| 20-34 | 181 | 19.4 | 306 | 1 | 2 | 14 | 28 | 48 | 63 | 99+ |
| 35-49 | 300 | 15.8 | 248 | 2 | 2 | 12 | 21 | 37 | 55 | 99+ |
| 50-64 | 312 | 19.1 | 310 | 1 | 3 | 14 | 27 | 46 | 65 | 99+ |
| 65+ | 215 | 22.2 | 278 | 3 | 4 | 18 | 33 | 45 | 63 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1764 | 9.1 | 26 | 1 | 2 | 10 | 12 | 14 | 16 | 24 |
| B. *Operated* | 450 | 8.4 | 81 | 1 | 1 | 6 | 11 | 17 | 23 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2754 | 11.0 | 56 | 2 | 3 | 11 | 14 | 18 | 23 | 42 |
| B. *Operated* | 1406 | 19.1 | 257 | 2 | 3 | 15 | 26 | 44 | 58 | 99+ |
| **1. SINGLE DX** | 2214 | 9.0 | 37 | 1 | 2 | 10 | 11 | 15 | 17 | 30 |
| **2. MULTIPLE DX** | 4160 | 13.7 | 138 | 2 | 3 | 11 | 16 | 27 | 41 | 72 |
| **A. NOT OPERATED** | 4518 | 10.3 | 45 | 2 | 3 | 10 | 13 | 16 | 21 | 34 |
| **B. OPERATED** | 1856 | 16.5 | 236 | 1 | 2 | 12 | 22 | 40 | 52 | 99+ |
| TOTAL 0-19 YRS | 3458 | 11.6 | 56 | 2 | 4 | 11 | 13 | 17 | 23 | 47 |
| 20-34 | 767 | 10.7 | 138 | 1 | 2 | 8 | 13 | 23 | 35 | 70 |
| 35-49 | 849 | 10.7 | 140 | 1 | 2 | 7 | 14 | 24 | 34 | 75 |
| 50-64 | 767 | 14.1 | 200 | 1 | 2 | 10 | 18 | 33 | 45 | 78 |
| 65+ | 533 | 16.6 | 189 | 2 | 3 | 13 | 23 | 37 | 46 | 82 |
| **GRAND TOTAL** | **6374** | **12.1** | **108** | **2** | **2** | **10** | **14** | **22** | **33** | **66** |

### 114: Parkinson's disease (332)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| 20-34 | 8 | 5.9 | 24 | 2 | 2 | 4 | 8 | 14 | 16 | 16 |
| 35-49 | 17 | 7.6 | 21 | 1 | 2 | 8 | 10 | 15 | 16 | 17 |
| 50-64 | 120 | 6.8 | 31 | 2 | 2 | 5 | 9 | 14 | 18 | 27 |
| 65+ | 262 | 9.3 | 71 | 2 | 3 | 7 | 11 | 16 | 23 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | | | | | | | | | | |
| 50-64 | 10 | 5.4 | 20 | 1 | 1 | 3 | 8 | 12 | 14 | 14 |
| 65+ | 14 | 10.6 | 66 | 1 | 2 | 10 | 13 | 23 | 26 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.2 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 5 | 16.4 | 284 | 5 | 5 | 11 | 21 | 46 | 46 | 46 |
| 35-49 | 44 | 7.7 | 20 | 2 | 3 | 7 | 10 | 14 | 18 | 21 |
| 50-64 | 398 | 9.1 | 59 | 2 | 3 | 7 | 11 | 17 | 22 | 39 |
| 65+ | 2985 | 10.4 | 94 | 3 | 3 | 8 | 12 | 20 | 28 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 21.0 | 478 | 1 | 2 | 22 | 53 | 95 | 99+ | 99+ |
| 50-64 | 64 | 16.9 | 321 | 3 | 4 | 11 | 19 | 36 | 57 | 93 |
| 65+ | 410 | 17.1 | 219 | 3 | 5 | 14 | 20 | 34 | 56 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 409 | 8.4 | 57 | 2 | 2 | 7 | 11 | 15 | 19 | 41 |
| B. *Operated* | 25 | 8.6 | 50 | 1 | 2 | 7 | 12 | 20 | 24 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3437 | 10.2 | 89 | 2 | 3 | 8 | 12 | 19 | 27 | 55 |
| B. *Operated* | 479 | 17.1 | 234 | 3 | 5 | 13 | 20 | 35 | 56 | 99+ |
| **1. SINGLE DX** | 434 | 8.4 | 57 | 2 | 2 | 7 | 11 | 15 | 20 | 40 |
| **2. MULTIPLE DX** | 3916 | 11.1 | 112 | 3 | 3 | 8 | 13 | 21 | 31 | 73 |
| **A. NOT OPERATED** | 3846 | 10.0 | 86 | 2 | 3 | 8 | 12 | 19 | 26 | 55 |
| **B. OPERATED** | 504 | 16.7 | 228 | 3 | 4 | 13 | 20 | 34 | 55 | 99+ |
| TOTAL 0-19 YRS | 7 | 5.0 | 8 | 3 | 3 | 4 | 6 | 10 | 11 | 11 |
| 20-34 | 14 | 10.1 | 127 | 2 | 2 | 7 | 12 | 19 | 40 | 46 |
| 35-49 | 66 | 8.7 | 60 | 2 | 2 | 7 | 10 | 17 | 23 | 92 |
| 50-64 | 592 | 9.4 | 88 | 2 | 3 | 7 | 11 | 18 | 23 | 46 |
| 65+ | 3671 | 11.1 | 111 | 3 | 3 | 8 | 13 | 21 | 31 | 72 |
| **GRAND TOTAL** | **4350** | **10.8** | **107** | **2** | **3** | **8** | **13** | **21** | **29** | **70** |

## 115: Multiple sclerosis (340)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 8.9 | 80 | 2 | 3 | 6 | 10 | 20 | 27 | 44 |
| 20-34 | 637 | 7.2 | 44 | 1 | 2 | 6 | 10 | 12 | 15 | 27 |
| 35-49 | 754 | 7.8 | 27 | 1 | 2 | 7 | 10 | 14 | 17 | 26 |
| 50-64 | 230 | 9.0 | 36 | 2 | 3 | 8 | 11 | 17 | 20 | 32 |
| 65+ | 25 | 9.5 | 51 | 1 | 1 | 9 | 13 | 23 | 24 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 89 | 5.7 | 28 | 1 | 1 | 4 | 8 | 14 | 17 | 23 |
| 35-49 | 111 | 5.5 | 36 | 1 | 1 | 3 | 8 | 12 | 16 | 33 |
| 50-64 | 33 | 7.3 | 54 | 1 | 2 | 5 | 10 | 16 | 16 | 38 |
| 65+ | 8 | 2.4 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 7.6 | 34 | 2 | 2 | 6 | 11 | 19 | 25 | 99+ |
| 20-34 | 662 | 9.9 | 82 | 1 | 2 | 8 | 12 | 19 | 27 | 43 |
| 35-49 | 1163 | 10.2 | 86 | 1 | 2 | 8 | 13 | 20 | 25 | 58 |
| 50-64 | 603 | 10.2 | 51 | 2 | 3 | 9 | 13 | 18 | 24 | 39 |
| 65+ | 138 | 10.8 | 78 | 2 | 3 | 9 | 14 | 21 | 27 | 71 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 18.1 | 408 | 1 | 2 | 11 | 27 | 65 | 91 | 99+ |
| 20-34 | 154 | 12.1 | 176 | 1 | 2 | 9 | 15 | 23 | 51 | 99 |
| 35-49 | 300 | 13.9 | 120 | 2 | 3 | 11 | 19 | 29 | 36 | 60 |
| 50-64 | 192 | 13.0 | 131 | 2 | 3 | 10 | 18 | 26 | 35 | 93 |
| 65+ | 42 | 19.1 | 424 | 2 | 4 | 10 | 23 | 47 | 71 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1674 | 7.7 | 36 | 1 | 2 | 7 | 10 | 14 | 17 | 28 |
| B. *Operated* | 242 | 5.7 | 35 | 1 | 1 | 3 | 8 | 14 | 16 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2599 | 10.1 | 76 | 1 | 3 | 8 | 13 | 19 | 25 | 49 |
| B. *Operated* | 702 | 13.7 | 160 | 2 | 3 | 10 | 18 | 29 | 41 | 93 |
| **1. SINGLE DX** | 1916 | 7.5 | 36 | 1 | 2 | 7 | 10 | 14 | 17 | 28 |
| **2. MULTIPLE DX** | 3301 | 10.9 | 96 | 1 | 3 | 9 | 14 | 21 | 29 | 64 |
| **A. NOT OPERATED** | 4273 | 9.2 | 62 | 1 | 2 | 8 | 11 | 17 | 23 | 43 |
| **B. OPERATED** | 944 | 11.6 | 140 | 1 | 2 | 9 | 16 | 26 | 35 | 83 |
| TOTAL 0-19 YRS | 76 | 9.9 | 130 | 2 | 2 | 6 | 11 | 24 | 53 | 99+ |
| 20-34 | 1542 | 8.7 | 75 | 1 | 2 | 7 | 11 | 16 | 22 | 51 |
| 35-49 | 2328 | 9.7 | 73 | 1 | 2 | 8 | 12 | 19 | 25 | 49 |
| 50-64 | 1058 | 10.3 | 65 | 2 | 3 | 9 | 13 | 19 | 26 | 42 |
| 65+ | 213 | 12.0 | 154 | 2 | 3 | 9 | 15 | 24 | 35 | 84 |
| **GRAND TOTAL** | **5217** | **9.6** | **77** | **1** | **2** | **8** | **12** | **19** | **25** | **52** |

## 116: Epilepsy (345)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2373 | 3.3 | 20 | 1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 20-34 | 1552 | 3.2 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 728 | 3.4 | 18 | 1 | 1 | 2 | 4 | 6 | 9 | 13 |
| 50-64 | 428 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 65+ | 345 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 7.5 | 50 | 1 | 1 | 4 | 13 | 17 | 20 | 28 |
| 20-34 | 80 | 7.6 | 36 | 1 | 1 | 6 | 11 | 17 | 19 | 24 |
| 35-49 | 35 | 5.1 | 52 | <1 | 1 | 3 | 5 | 11 | 19 | 37 |
| 50-64 | 19 | 4.3 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 9 |
| 65+ | 15 | 5.9 | 37 | 1 | 1 | 5 | 7 | 10 | 22 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3816 | 4.6 | 35 | 1 | 1 | 3 | 5 | 9 | 13 | 31 |
| 20-34 | 2774 | 4.7 | 26 | 1 | 1 | 3 | 6 | 9 | 13 | 26 |
| 35-49 | 2502 | 5.1 | 33 | 1 | 1 | 4 | 6 | 10 | 13 | 26 |
| 50-64 | 2771 | 5.6 | 32 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| 65+ | 4510 | 6.8 | 47 | 1 | 2 | 5 | 8 | 13 | 18 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 215 | 13.6 | 248 | 1 | 2 | 8 | 17 | 32 | 48 | 96 |
| 20-34 | 283 | 9.2 | 119 | 1 | 1 | 6 | 12 | 20 | 25 | 73 |
| 35-49 | 249 | 9.9 | 112 | 2 | 2 | 7 | 12 | 21 | 29 | 59 |
| 50-64 | 272 | 14.0 | 201 | 2 | 3 | 9 | 18 | 34 | 47 | 99+ |
| 65+ | 434 | 14.7 | 189 | 2 | 3 | 11 | 18 | 35 | 49 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5426 | 3.3 | 15 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| B. *Operated* | 202 | 6.7 | 40 | 1 | 1 | 4 | 10 | 16 | 19 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16373 | 5.5 | 37 | 1 | 1 | 4 | 7 | 11 | 15 | 31 |
| B. *Operated* | 1453 | 12.5 | 178 | 2 | 2 | 8 | 16 | 28 | 43 | 98 |
| **1. SINGLE DX** | 5628 | 3.4 | 17 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| **2. MULTIPLE DX** | 17826 | 6.0 | 52 | 1 | 1 | 4 | 7 | 12 | 18 | 40 |
| **A. NOT OPERATED** | 21799 | 4.9 | 32 | 1 | 1 | 3 | 6 | 10 | 14 | 29 |
| **B. OPERATED** | 1655 | 11.8 | 165 | 1 | 2 | 8 | 15 | 25 | 40 | 91 |
| TOTAL 0-19 YRS | 6457 | 4.4 | 40 | 1 | 1 | 3 | 5 | 9 | 14 | 33 |
| 20-34 | 4689 | 4.5 | 29 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| 35-49 | 3514 | 5.1 | 38 | 1 | 1 | 3 | 6 | 10 | 13 | 29 |
| 50-64 | 3490 | 6.0 | 48 | 1 | 2 | 4 | 7 | 12 | 17 | 42 |
| 65+ | 5304 | 7.2 | 61 | 1 | 2 | 5 | 8 | 14 | 20 | 46 |
| **GRAND TOTAL** | **23454** | **5.4** | **45** | **1** | **1** | **4** | **6** | **11** | **16** | **36** |

## 117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 777 | 3.6 | 36 | <1 | 1 | 2 | 4 | 7 | 11 | 97 |
| 20-34 | 820 | 4.0 | 22 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 619 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 50-64 | 410 | 5.1 | 48 | 1 | 1 | 3 | 6 | 10 | 14 | 31 |
| 65+ | 532 | 6.1 | 46 | 1 | 1 | 4 | 8 | 12 | 16 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 769 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 20-34 | 615 | 4.8 | 28 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| 35-49 | 574 | 4.9 | 23 | 1 | 1 | 3 | 7 | 11 | 14 | 24 |
| 50-64 | 464 | 5.6 | 31 | 1 | 1 | 4 | 8 | 11 | 14 | 25 |
| 65+ | 384 | 7.0 | 47 | 1 | 1 | 5 | 9 | 15 | 19 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2157 | 6.6 | 136 | 1 | 1 | 4 | 6 | 22 | 90 | 99+ |
| 20-34 | 1687 | 7.6 | 125 | 1 | 1 | 4 | 8 | 17 | 32 | 88 |
| 35-49 | 1681 | 8.6 | 129 | 1 | 2 | 5 | 9 | 20 | 30 | 72 |
| 50-64 | 2673 | 11.1 | 167 | 1 | 2 | 7 | 13 | 28 | 42 | 77 |
| 65+ | 8475 | 11.1 | 136 | 2 | 3 | 7 | 13 | 25 | 36 | 87 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1657 | 9.0 | 171 | 1 | 2 | 5 | 10 | 21 | 41 | 99+ |
| 20-34 | 1189 | 10.7 | 176 | 1 | 2 | 7 | 13 | 27 | 42 | 99+ |
| 35-49 | 1287 | 10.0 | 145 | 1 | 2 | 7 | 13 | 24 | 38 | 99+ |
| 50-64 | 1715 | 12.2 | 182 | 1 | 2 | 8 | 16 | 28 | 41 | 97 |
| 65+ | 3370 | 14.7 | 211 | 2 | 3 | 11 | 19 | 34 | 51 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3158 | 4.4 | 32 | 1 | 1 | 3 | 5 | 9 | 12 | 29 |
| B. *Operated* | 2806 | 5.2 | 27 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16673 | 9.9 | 142 | 1 | 2 | 6 | 12 | 24 | 38 | 99+ |
| B. *Operated* | 9218 | 12.1 | 190 | 1 | 2 | 8 | 15 | 29 | 46 | 99+ |
| **1. SINGLE DX** | 5964 | 4.8 | 30 | 1 | 1 | 3 | 6 | 10 | 13 | 25 |
| **2. MULTIPLE DX** | 25891 | 10.7 | 160 | 1 | 2 | 7 | 13 | 26 | 41 | 99+ |
| **A. NOT OPERATED** | 19831 | 9.0 | 129 | 1 | 2 | 5 | 10 | 21 | 35 | 99+ |
| **B. OPERATED** | 12024 | 10.5 | 160 | 1 | 2 | 7 | 13 | 25 | 38 | 99+ |
| TOTAL 0-19 YRS | 5360 | 6.6 | 118 | 1 | 1 | 4 | 7 | 15 | 37 | 99+ |
| 20-34 | 4311 | 7.4 | 112 | 1 | 1 | 4 | 8 | 16 | 28 | 82 |
| 35-49 | 4161 | 7.9 | 107 | 1 | 1 | 5 | 9 | 17 | 28 | 78 |
| 50-64 | 5262 | 10.5 | 156 | 1 | 2 | 6 | 13 | 25 | 38 | 82 |
| 65+ | 12761 | 11.7 | 154 | 2 | 3 | 8 | 14 | 27 | 39 | 98 |
| **GRAND TOTAL** | **31855** | **9.6** | **141** | **1** | **2** | **6** | **11** | **23** | **36** | **99+** |

## 118: Migraine (346)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 770 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 1732 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 35-49 | 1303 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 16 |
| 50-64 | 395 | 3.4 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 65+ | 71 | 3.9 | 16 | 1 | 1 | 3 | 4 | 9 | 10 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 134 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 18 |
| 35-49 | 136 | 3.3 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 12 |
| 50-64 | 49 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 65+ | 10 | 3.6 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 605 | 3.4 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 20-34 | 2473 | 4.6 | 16 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| 35-49 | 2567 | 5.2 | 19 | 1 | 1 | 4 | 7 | 11 | 13 | 21 |
| 50-64 | 1193 | 5.0 | 16 | 1 | 1 | 4 | 6 | 10 | 13 | 19 |
| 65+ | 422 | 4.7 | 17 | 1 | 1 | 3 | 6 | 9 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 7.0 | 254 | 2 | 2 | 3 | 5 | 8 | 23 | 96 |
| 20-34 | 214 | 6.3 | 30 | [illegible] | 2 | 5 | 8 | 13 | 15 | 24 |
| 35-49 | 250 | 7.0 | 40 | 1 | 2 | 5 | 9 | 14 | 18 | 34 |
| 50-64 | 188 | 6.8 | 30 | 1 | 2 | 5 | 9 | 15 | 18 | 29 |
| 65+ | 74 | 6.8 | 42 | 1 | 2 | 5 | 8 | 14 | 17 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4271 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| B. *Operated* | 347 | 3.3 | 7 | 1 | 1 | 2 | 4 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7260 | 4.8 | 16 | 1 | 1 | 4 | 6 | 10 | 13 | 20 |
| B. *Operated* | 762 | 6.7 | 45 | 1 | 2 | 5 | 8 | 14 | 17 | 31 |
| **1. SINGLE DX** | 4618 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 8022 | 5.0 | 19 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| **A. NOT OPERATED** | 11531 | 4.2 | 14 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| **B. OPERATED** | 1109 | 5.7 | 35 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| TOTAL 0-19 YRS | 1429 | 2.9 | 13 | 1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 20-34 | 4553 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 35-49 | 4256 | 4.7 | 18 | 1 | 1 | 3 | 6 | 10 | 13 | 20 |
| 50-64 | 1825 | 4.8 | 16 | 1 | 1 | 3 | 6 | 10 | 13 | 19 |
| 65+ | 577 | 4.8 | 20 | 1 | 1 | 3 | 6 | 9 | 13 | 23 |
| **GRAND TOTAL** | **12640** | **4.3** | **16** | **1** | **1** | **3** | **5** | **9** | **12** | **19** |

## 119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | 4 | 1 | 1 | 1 | 3 | 5 | 5 | 5 |
| 20-34 | 24 | 2.7 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 35-49 | 19 | 3.5 | 4 | <1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 50-64 | 18 | 2.6 | 1 | <1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 65+ | 9 | 2.8 | 2 | <1 | <1 | 3 | 4 | 52 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 20-34 | 947 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 35-49 | 1608 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 50-64 | 1435 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 65+ | 680 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 33 | 2.7 | 3 | <1 | <1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 92 | 3.7 | 8 | <1 | <1 | 3 | 5 | 8 | 10 | 11 |
| 50-64 | 81 | 3.6 | 9 | <1 | <1 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 64 | 3.9 | 9 | <1 | 1 | 3 | 5 | 8 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 2.4 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 471 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 1060 | 2.9 | 10 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| 50-64 | 1443 | 2.7 | 8 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| 65+ | 1109 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 7 | 77 |
| B. *Operated* | 4716 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 272 | 3.6 | 8 | <1 | <1 | 3 | 5 | 7 | 10 | 13 |
| B. *Operated* | 4121 | 2.7 | 8 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| **1. SINGLE DX** | 4790 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | 4393 | 2.7 | 8 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| **A. NOT OPERATED** | 346 | 3.4 | 7 | <1 | <1 | 3 | 5 | 7 | 9 | 13 |
| **B. OPERATED** | 8837 | 2.1 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 11 |
| TOTAL 0-19 YRS | 90 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 13 |
| 20-34 | 1475 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 35-49 | 2779 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 50-64 | 2977 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 13 |
| 65+ | 1862 | 2.3 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 13 |
| **GRAND TOTAL** | **9183** | **2.2** | **5** | **<1** | **<1** | **2** | **2** | **4** | **6** | **11** |

## 120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 251 | 6.5 | 58 | 1 | 1 | 4 | 8 | 16 | 23 | 98 |
| 20-34 | 454 | 5.1 | 32 | 1 | 1 | 3 | 6 | 11 | 18 | 31 |
| 35-49 | 602 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 50-64 | 472 | 5.4 | 49 | 1 | 1 | 3 | 6 | 10 | 16 | 40 |
| 65+ | 331 | 5.5 | 47 | 1 | 1 | 4 | 7 | 11 | 14 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 311 | 3.0 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 20 |
| 20-34 | 1728 | 3.3 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 35-49 | 2095 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 1568 | 3.0 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 65+ | 834 | 3.6 | 21 | <1 | 1 | 2 | 4 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 240 | 7.7 | 97 | 1 | 1 | 4 | 9 | 21 | 32 | 99+ |
| 20-34 | 650 | 6.2 | 62 | 1 | 1 | 4 | 7 | 12 | 18 | 43 |
| 35-49 | 1135 | 6.3 | 47 | 1 | 1 | 4 | 7 | 12 | 17 | 35 |
| 50-64 | 1678 | 6.9 | 62 | 1 | 2 | 5 | 8 | 13 | 19 | 47 |
| 65+ | 2495 | 7.7 | 58 | 1 | 2 | 6 | 9 | 15 | 21 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 283 | 7.0 | 149 | 1 | 1 | 3 | 6 | 13 | 39 | 87 |
| 20-34 | 1457 | 5.6 | 79 | 1 | 1 | 3 | 6 | 10 | 16 | 60 |
| 35-49 | 1937 | 5.2 | 45 | 1 | 1 | 3 | 6 | 11 | 15 | 42 |
| 50-64 | 2079 | 5.7 | 52 | 1 | 1 | 4 | 7 | 12 | 18 | 50 |
| 65+ | 1801 | 8.9 | 129 | 1 | 1 | 5 | 11 | 21 | 31 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2110 | 5.2 | 37 | 1 | 1 | 4 | 6 | 11 | 16 | 34 |
| B. *Operated* | 6536 | 3.2 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6198 | 7.1 | 60 | 1 | 2 | 5 | 8 | 14 | 20 | 44 |
| B. *Operated* | 7557 | 6.4 | 80 | 1 | 1 | 4 | 7 | 14 | 21 | 65 |
| **1. SINGLE DX** | 8646 | 3.7 | 17 | <1 | 1 | 2 | 4 | 7 | 10 | 21 |
| **2. MULTIPLE DX** | 13755 | 6.7 | 71 | 1 | 1 | 4 | 8 | 14 | 21 | 54 |
| **A. NOT OPERATED** | 8308 | 6.6 | 55 | 1 | 1 | 5 | 8 | 13 | 19 | 41 |
| **B. OPERATED** | 14093 | 4.9 | 50 | 1 | 1 | 3 | 5 | 10 | 15 | 44 |
| TOTAL 0-19 YRS | 1085 | 5.9 | 80 | 1 | 1 | 3 | 6 | 12 | 24 | 76 |
| 20-34 | 4289 | 4.7 | 45 | 1 | 1 | 3 | 5 | 9 | 13 | 41 |
| 35-49 | 5769 | 4.6 | 31 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| 50-64 | 5797 | 5.3 | 45 | 1 | 1 | 3 | 6 | 11 | 15 | 38 |
| 65+ | 5461 | 7.3 | 78 | 1 | 1 | 5 | 9 | 15 | 23 | 56 |
| **GRAND TOTAL** | **22401** | **5.5** | **52** | **1** | **1** | **3** | **6** | **11** | **17** | **43** |

### 121: Retinal detachment and defects (361)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
|  |  |  |  | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 8 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 20-34 | 2 | 1.0 |  | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | 3 | 1.7 |  | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 16 | 3.6 | 5 | <1 | 1 | 3 | 4 | 5 | 9 | 11 |
| 65+ | 10 | 2.5 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 203 | 3.4 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 16 |
| 20-34 | 469 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 539 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 50-64 | 1452 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 65+ | 1335 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 13 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 20-34 | 14 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 35-49 | 21 | 2.4 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 40 | 2.7 | 6 | <1 | <1 | 1 | 4 | 6 | 8 | 9 |
| 65+ | 71 | 2.8 | 12 | <1 | <1 | 2 | 3 | 5 | 8 | 23 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 239 | 4.0 | 8 | 1 | 2 | 3 | 5 | 6 | 9 | 16 |
| 20-34 | 524 | 4.1 | 8 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 696 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1994 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| 65+ | 2930 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 39 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 11 |
| B. *Operated* | 3998 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 159 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 9 |
| B. *Operated* | 6383 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| **1. SINGLE DX** | 4037 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | 6542 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 198 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| **B. OPERATED** | 10381 | 3.7 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| TOTAL 0-19 YRS | 463 | 3.7 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 20-34 | 1009 | 3.7 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 1259 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | 3502 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 4346 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| **GRAND TOTAL** | **10579** | **3.7** | **5** | **1** | **1** | **3** | **4** | **6** | **8** | **12** |

### 122: Open angle and primary closure glaucoma (365.1-365.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
|  |  |  |  | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 6 | 1.3 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 3 |
| 20-34 | 5 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 14 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 50-64 | 37 | 1.9 | 2 | <1 | 1 | 1 | 2 | 4 | 5 | 6 |
| 65+ | 80 | 1.8 | 1 | <1 | 1 | 1 | 2 | 4 | 5 | 6 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 21 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 44 | 99+ |
| 20-34 | 36 | 2.6 | 2 | <1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 35-49 | 101 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 314 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 468 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 13 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 20-34 | 8 | 2.8 | 2 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 10 | 3.6 | 10 | <1 | <1 | 2 | 4 | 9 | 10 | 10 |
| 50-64 | 42 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 65+ | 182 | 3.7 | 51 | 1 | 1 | 3 | 4 | 6 | 8 | 69 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 18 | 3.6 | 14 | <1 | 1 | 2 | 6 | 10 | 12 | 13 |
| 20-34 | 25 | 3.8 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 9 |
| 35-49 | 75 | 3.9 | 13 | 1 | 1 | 3 | 4 | 7 | 11 | 22 |
| 50-64 | 290 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 1033 | 3.8 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 142 | 1.8 | 2 | <1 | 1 | 1 | 2 | 4 | 5 | 6 |
| B. *Operated* | 940 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 255 | 3.4 | 38 | 1 | 1 | 2 | 4 | 6 | 8 | 19 |
| B. *Operated* | 1441 | 3.7 | 16 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **1. SINGLE DX** | 1082 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 1696 | 3.6 | 19 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **A. NOT OPERATED** | 397 | 2.9 | 25 | 1 | 1 | 2 | 4 | 5 | 7 | 14 |
| **B. OPERATED** | 2381 | 3.2 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 58 | 2.5 | 6 | <1 | 1 | 2 | 3 | 6 | 10 | 92 |
| 20-34 | 74 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 35-49 | 200 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 50-64 | 683 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 65+ | 1763 | 3.3 | 18 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| **GRAND TOTAL** | **2778** | **3.1** | **13** | **1** | **1** | **2** | **4** | **6** | **8** | **14** |

## 123: Other glaucoma (365.0; 365.3-365.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 2.6 | 2 | 1 | 1 | 3 | 3 | 5 | 5 | 5 |
| 35-49 | 4 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 11 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| 65+ | 38 | 2.7 | 18 | <1 | <1 | 1 | 2 | 4 | 11 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 6 | 7 |
| 20-34 | 37 | 3.7 | 16 | 1 | 1 | 2 | 4 | 8 | 13 | 20 |
| 35-49 | 53 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 50-64 | 125 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 65+ | 177 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 20-34 | 11 | 5.0 | 12 | <1 | 1 | 4 | 7 | 10 | 13 | 13 |
| 35-49 | 10 | 4.7 | 6 | 3 | 3 | 4 | 5 | 8 | 11 | 11 |
| 50-64 | 28 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 10 | 13 |
| 65+ | 115 | 2.9 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 2.9 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 20-34 | 75 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 11 |
| 35-49 | 84 | 3.1 | 5 | 1 | 1 | 2 | 4 | 7 | 9 | 11 |
| 50-64 | 237 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 65+ | 528 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62 | 2.5 | 12 | <1 | 1 | 2 | 3 | 4 | 7 | 23 |
| B. *Operated* | 414 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 177 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| B. *Operated* | 953 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **1. SINGLE DX** | 476 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | 1130 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **A. NOT OPERATED** | 239 | 3.0 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **B. OPERATED** | 1367 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| TOTAL 0-19 YRS | 66 | 2.3 | 4 | <1 | <1 | 2 | 2 | 5 | 6 | 14 |
| 20-34 | 130 | 3.5 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 35-49 | 151 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 401 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 65+ | 858 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **GRAND TOTAL** | **1606** | **3.0** | **7** | **1** | **1** | **2** | **4** | **6** | **7** | **13** |

## 124: Senile cataract (366.1; 366.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 9 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 65+ | 40 | 1.5 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 575 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 50-64 | 3811 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 65+ | 14826 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 23 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 50-64 | 153 | 2.3 | 9 | <1 | <1 | 1 | 2 | 5 | 8 | 21 |
| 65+ | 683 | 2.4 | 9 | <1 | <1 | 1 | 2 | 5 | 8 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 501 | 2.2 | 7 | <1 | 1 | 2 | 2 | 3 | 5 | 11 |
| 50-64 | 4409 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 65+ | 23243 | 2.2 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| B. *Operated* | 19212 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 859 | 2.3 | 8 | <1 | <1 | 1 | 2 | 5 | 8 | 15 |
| B. *Operated* | 28153 | 2.2 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| **1. SINGLE DX** | 19264 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | 29012 | 2.2 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| **A. NOT OPERATED** | 911 | 2.3 | 8 | <1 | <1 | 1 | 2 | 5 | 7 | 14 |
| **B. OPERATED** | 47365 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 7 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1102 | 1.9 | 4 | <1 | <1 | 2 | 2 | 3 | 3 | 7 |
| 50-64 | 8382 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 7 |
| 65+ | 38792 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 3 | 8 |
| **GRAND TOTAL** | **48276** | **2.0** | **3** | **<1** | **<1** | **2** | **2** | **3** | **3** | **7** |

### 125: Cataract, except senile (366.0; 366.2-366.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 151 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 73 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 35-49 | 149 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 6 |
| 50-64 | 282 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 65+ | 487 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.0 | 13 | <1 | <1 | 1 | 4 | 9 | 10 | 10 |
| 20-34 | 4 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 4 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 14 | 2.1 | 3 | 1 | 1 | 1 | 2 | 5 | 7 | 7 |
| 65+ | 20 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 124 | 2.7 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 18 |
| 20-34 | 101 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 165 | 2.2 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 50-64 | 395 | 2.2 | 4 | <1 | 1 | 2 | 2 | 4 | 4 | 9 |
| 65+ | 828 | 2.4 | 6 | 1 | 1 | 2 | 2 | 3 | 5 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 2.0 | 4 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| B. *Operated* | 1142 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 5 | 10 |
| B. *Operated* | 1613 | 2.3 | 5 | <1 | 1 | 2 | 2 | 4 | 5 | 11 |
| **1. SINGLE DX** | 1146 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | 1661 | 2.3 | 5 | <1 | 1 | 2 | 2 | 4 | 5 | 11 |
| **A. NOT OPERATED** | 52 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 5 | 10 |
| **B. OPERATED** | 2755 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 282 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 5 | 13 |
| 20-34 | 178 | 2.3 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 35-49 | 319 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 50-64 | 693 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 65+ | 1335 | 2.2 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 10 |
| **GRAND TOTAL** | **2807** | **2.1** | **3** | **<1** | **1** | **2** | **2** | **3** | **4** | **9** |

### 126: Strabismus (378)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 1.6 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 5 |
| 20-34 | 19 | 3.4 | 8 | <1 | 1 | 3 | 4 | 5 | 10 | 14 |
| 35-49 | 22 | 3.4 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | 20 | 3.4 | 8 | 1 | 1 | 2 | 4 | 6 | 10 | 14 |
| 65+ | 10 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2879 | 1.3 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 339 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 35-49 | 199 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 50-64 | 94 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 9 |
| 65+ | 49 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 9 |
| 20-34 | 42 | 3.0 | 7 | <1 | 1 | 2 | 3 | 7 | 9 | 12 |
| 35-49 | 54 | 4.9 | 27 | <1 | <1 | 4 | 6 | 10 | 15 | 29 |
| 50-64 | 106 | 4.5 | 11 | 1 | 1 | 3 | 6 | 8 | 10 | 17 |
| 65+ | 166 | 5.9 | 66 | 1 | 2 | 4 | 6 | 10 | 15 | 82 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 852 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 199 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 35-49 | 153 | 2.4 | 7 | <1 | 1 | 2 | 2 | 4 | 7 | 14 |
| 50-64 | 154 | 3.5 | 20 | <1 | 1 | 2 | 4 | 8 | 8 | 25 |
| 65+ | 152 | 4.7 | 63 | 1 | 1 | 2 | 5 | 10 | 13 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 102 | 2.9 | 5 | <1 | <1 | 2 | 4 | 5 | 6 | 14 |
| B. *Operated* | 3560 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 487 | 4.2 | 32 | <1 | <1 | 3 | 5 | 8 | 11 | 26 |
| B. *Operated* | 1510 | 2.1 | 11 | <1 | <1 | 1 | 2 | 3 | 6 | 13 |
| **1. SINGLE DX** | 3662 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 5 |
| **2. MULTIPLE DX** | 1997 | 2.6 | 17 | <1 | <1 | 2 | 2 | 5 | 8 | 17 |
| **A. NOT OPERATED** | 589 | 3.9 | 27 | <1 | <1 | 3 | 5 | 8 | 10 | 24 |
| **B. OPERATED** | 5070 | 1.6 | 4 | <1 | <1 | 1 | 2 | 2 | 3 | 8 |
| TOTAL 0-19 YRS | 3881 | 1.3 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 599 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 35-49 | 428 | 2.4 | 8 | <1 | <1 | 2 | 2 | 4 | 7 | 14 |
| 50-64 | 374 | 3.4 | 13 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 65+ | 377 | 4.9 | 56 | 1 | 1 | 3 | 6 | 9 | 13 | 30 |
| **GRAND TOTAL** | **5659** | **1.8** | **7** | **<1** | **<1** | **1** | **2** | **3** | **5** | **10** |

## 127: Miscellaneous disorders of superficial structures of eye (370-375)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 529 | 2.3 | 9 | <1 | <1 | 1 | 3 | 5 | 6 | 11 |
| 20-34 | 101 | 3.9 | 11 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 35-49 | 65 | 4.1 | 9 | <1 | 1 | 3 | 6 | 8 | 9 | 14 |
| 50-64 | 65 | 5.1 | 16 | 1 | 1 | 4 | 8 | 10 | 12 | 20 |
| 65+ | 84 | 4.7 | 14 | 1 | 1 | 4 | 6 | 9 | 10 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 405 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 20-34 | 532 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 641 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 50-64 | 757 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 65+ | 1169 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 545 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 137 | 4.0 | 14 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 35-49 | 122 | 5.2 | 16 | <1 | 1 | 4 | 7 | 10 | 13 | 21 |
| 50-64 | 158 | 5.3 | 21 | <1 | 1 | 4 | 7 | 10 | 14 | 26 |
| 65+ | 418 | 5.6 | 24 | <1 | 1 | 4 | 8 | 12 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 339 | 2.7 | 12 | <1 | 1 | 2 | 3 | 5 | 6 | 17 |
| 35-49 | 672 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 16 |
| 50-64 | 1268 | 2.7 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 65+ | 3006 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 844 | 3.1 | 11 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| B. *Operated* | 3504 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1380 | 4.5 | 15 | <1 | 1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | 5579 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **1. SINGLE DX** | 4348 | 2.1 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 6959 | 3.1 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 2224 | 4.0 | 14 | <1 | <1 | 3 | 5 | 8 | 10 | 19 |
| **B. OPERATED** | 9083 | 2.4 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 1773 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 1109 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 35-49 | 1500 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 2248 | 2.6 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 65+ | 4677 | 3.0 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| **GRAND TOTAL** | **11307** | **2.7** | **8** | **<1** | **<1** | **2** | **3** | **5** | **7** | **14** |

## 128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1243 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 224 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 135 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 109 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 9 | 11 |
| 65+ | 151 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 178 | 3.2 | 11 | <1 | <1 | 2 | 4 | 7 | 9 | 16 |
| 20-34 | 274 | 2.2 | 6 | <1 | <1 | 1 | 3 | 4 | 6 | 14 |
| 35-49 | 258 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| 50-64 | 539 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 9 |
| 65+ | 1084 | 2.4 | 9 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1524 | 4.1 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 331 | 4.4 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| 35-49 | 271 | 5.1 | 20 | 1 | 1 | 4 | 6 | 10 | 14 | 25 |
| 50-64 | 401 | 4.8 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| 65+ | 745 | 5.2 | 20 | 1 | 1 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 255 | 4.9 | 22 | 1 | 1 | 3 | 7 | 10 | 14 | 27 |
| 20-34 | 503 | 4.4 | 22 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 35-49 | 552 | 4.3 | 25 | 1 | 1 | 3 | 5 | 8 | 13 | 26 |
| 50-64 | 1279 | 3.6 | 10 | 1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 65+ | 2851 | 3.8 | 20 | 1 | 1 | 2 | 4 | 8 | 11 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1862 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 2333 | 2.3 | 7 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3272 | 4.5 | 13 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| B. *Operated* | 5440 | 3.9 | 19 | 1 | 1 | 3 | 4 | 8 | 11 | 22 |
| **1. SINGLE DX** | 4195 | 2.9 | 7 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 8712 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **A. NOT OPERATED** | 5134 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **B. OPERATED** | 7773 | 3.4 | 16 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| TOTAL 0-19 YRS | 3200 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 1332 | 3.9 | 17 | <1 | <1 | 3 | 5 | 8 | 10 | 20 |
| 35-49 | 1216 | 4.0 | 19 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 50-64 | 2328 | 3.5 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 65+ | 4831 | 3.7 | 18 | <1 | 1 | 2 | 4 | 8 | 11 | 19 |
| **GRAND TOTAL** | **12907** | **3.7** | **14** | **<1** | **1** | **3** | **5** | **7** | **10** | **18** |

## 129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 6 |
| 20-34 | 28 | 2.5 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 7 |
| 35-49 | 26 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 8 | 8 |
| 50-64 | 16 | 2.6 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 19 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 67 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 44 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 37 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 6 | 8 |
| 65+ | 33 | 1.9 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 79 | 3.3 | 13 | <1 | 1 | 2 | 4 | 8 | 9 | 22 |
| 35-49 | 130 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 159 | 4.8 | 21 | 1 | 1 | 3 | 6 | 9 | 14 | 21 |
| 65+ | 209 | 4.6 | 14 | 1 | 1 | 3 | 6 | 9 | 10 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 2.9 | 29 | <1 | <1 | 2 | 3 | 6 | 7 | 38 |
| 20-34 | 96 | 2.4 | 5 | <1 | <1 | 2 | 3 | 4 | 7 | 13 |
| 35-49 | 117 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 164 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 65+ | 197 | 4.1 | 18 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 128 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 222 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 672 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| B. *Operated* | 632 | 3.2 | 12 | <1 | 1 | 2 | 4 | 6 | 9 | 16 |
| **1. SINGLE DX** | 350 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 1304 | 3.6 | 13 | <1 | 1 | 3 | 4 | 7 | 9 | 20 |
| **A. NOT OPERATED** | 800 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 9 | 20 |
| **B. OPERATED** | 854 | 2.9 | 10 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 233 | 2.4 | 9 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 270 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 8 | 11 |
| 35-49 | 317 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 50-64 | 376 | 3.8 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 65+ | 458 | 4.1 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| **GRAND TOTAL** | **1654** | **3.3** | **11** | **<1** | **1** | **2** | **4** | **7** | **9** | **16** |

## 130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1716 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 33 | 3.9 | 10 | <1 | 1 | 3 | 4 | 8 | 12 | 15 |
| 35-49 | 26 | 4.2 | 9 | 1 | 1 | 3 | 5 | 9 | 10 | 14 |
| 50-64 | 15 | 2.7 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 9 |
| 65+ | 18 | 3.4 | 10 | 1 | 1 | 2 | 4 | 8 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6627 | 1.1 | | <1 | <1 | <1 | <1 | 1 | 2 | 3 |
| 20-34 | 654 | 1.5 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 568 | 1.7 | 2 | <1 | 1 | 1 | 2 | 3 | 3 | 6 |
| 50-64 | 529 | 1.7 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 214 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6756 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 192 | 4.2 | 10 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 35-49 | 171 | 4.3 | 15 | <1 | 1 | 3 | 5 | 8 | 12 | 22 |
| 50-64 | 150 | 4.6 | 17 | 1 | 1 | 4 | 6 | 8 | 11 | 25 |
| 65+ | 110 | 6.2 | 31 | 2 | 2 | 5 | 7 | 11 | 15 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6333 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 8 |
| 20-34 | 970 | 1.8 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 836 | 2.1 | 5 | <1 | 1 | 2 | 2 | 3 | 4 | 11 |
| 50-64 | 919 | 2.1 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 65+ | 444 | 2.6 | 15 | 1 | 1 | 2 | 3 | 4 | 6 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1808 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| B. *Operated* | 8592 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7379 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 9502 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| **1. SINGLE DX** | 10400 | 1.5 | 1 | <1 | <1 | <1 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | 16881 | 2.4 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| **A. NOT OPERATED** | 9187 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| **B. OPERATED** | 18094 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| TOTAL 0-19 YRS | 21432 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 1849 | 2.0 | 4 | <1 | 1 | 1 | 2 | 3 | 5 | 10 |
| 35-49 | 1601 | 2.2 | 6 | <1 | 1 | 2 | 2 | 4 | 5 | 12 |
| 50-64 | 1613 | 2.2 | 4 | 1 | 1 | 2 | 2 | 4 | 6 | 10 |
| 65+ | 786 | 2.9 | 15 | 1 | 1 | 2 | 3 | 5 | 8 | 19 |
| **GRAND TOTAL** | **27281** | **2.0** | **4** | **<1** | **<1** | **1** | **2** | **4** | **5** | **9** |

## 131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 397 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 8 | 11 |
| 20-34 | 122 | 3.6 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 107 | 4.8 | 14 | 2 | 2 | 4 | 5 | 7 | 12 | 23 |
| 50-64 | 63 | 4.1 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 10 |
| 65+ | 25 | 8.2 | 120 | 1 | 2 | 5 | 8 | 18 | 28 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 760 | 1.6 | 2 | <1 | <1 | <1 | 1 | 3 | 5 | 8 |
| 20-34 | 176 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 118 | 2.6 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 18 |
| 50-64 | 112 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 8 | 12 |
| 65+ | 69 | 5.2 | 72 | <1 | <1 | 2 | 4 | 12 | 24 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1095 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 20-34 | 323 | 4.6 | 9 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 35-49 | 249 | 5.4 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 22 |
| 50-64 | 205 | 6.4 | 27 | 2 | 2 | 5 | 7 | 11 | 18 | 28 |
| 65+ | 238 | 9.2 | 76 | 2 | 3 | 7 | 10 | 18 | 31 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 926 | 2.6 | 11 | <1 | <1 | 1 | 3 | 6 | 9 | 16 |
| 20-34 | 311 | 3.9 | 26 | 1 | 1 | 2 | 4 | 9 | 15 | 21 |
| 35-49 | 266 | 3.2 | 13 | 1 | 1 | 2 | 3 | 6 | 10 | 20 |
| 50-64 | 277 | 5.2 | 59 | 1 | 1 | 3 | 5 | 15 | 19 | 40 |
| 65+ | 298 | 8.3 | 126 | 1 | 1 | 3 | 11 | 21 | 30 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 714 | 3.8 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| B. *Operated* | 1235 | 2.0 | 8 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2110 | 4.9 | 22 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| B. *Operated* | 2078 | 4.0 | 40 | <1 | 1 | 2 | 4 | 9 | 15 | 31 |
| **1. SINGLE DX** | 1949 | 2.7 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | 4188 | 4.5 | 31 | <1 | 1 | 3 | 5 | 9 | 14 | 29 |
| **A. NOT OPERATED** | 2824 | 4.7 | 19 | 1 | 2 | 4 | 5 | 8 | 11 | 22 |
| **B. OPERATED** | 3313 | 3.3 | 29 | <1 | <1 | 2 | 3 | 7 | 11 | 28 |
| TOTAL 0-19 YRS | 3178 | 2.8 | 8 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 932 | 3.8 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 740 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 50-64 | 657 | 5.0 | 36 | 1 | 1 | 3 | 6 | 10 | 16 | 29 |
| 65+ | 630 | 8.3 | 102 | 1 | 1 | 4 | 10 | 19 | 30 | 55 |
| **GRAND TOTAL** | **6137** | **3.9** | **25** | **<1** | **<1** | **3** | **5** | **8** | **11** | **26** |

## 132: Vertiginous syndromes (386)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 10 |
| 20-34 | 400 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 624 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | 905 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 65+ | 893 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 2.0 | 4 | <1 | <1 | 1 | 3 | 4 | 6 | 10 |
| 20-34 | 146 | 2.6 | 4 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 35-49 | 238 | 2.8 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 13 |
| 50-64 | 263 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 65+ | 120 | 3.2 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 3.7 | 14 | 1 | 1 | 3 | 4 | 6 | 9 | 21 |
| 20-34 | 585 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 1216 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 50-64 | 2802 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 5370 | 4.2 | 9 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 2.5 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 9 |
| 20-34 | 133 | 5.1 | 62 | 1 | 1 | 3 | 5 | 10 | 14 | 29 |
| 35-49 | 204 | 4.2 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| 50-64 | 335 | 5.5 | 23 | 1 | 1 | 4 | 7 | 11 | 13 | 22 |
| 65+ | 453 | 6.7 | 30 | 2 | 2 | 5 | 8 | 12 | 16 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2899 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| B. *Operated* | 811 | 2.9 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10087 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 1158 | 5.6 | 29 | 1 | 1 | 4 | 7 | 11 | 14 | 26 |
| **1. SINGLE DX** | 3710 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 11245 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 12986 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **B. OPERATED** | 1969 | 4.5 | 21 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| TOTAL 0-19 YRS | 268 | 3.0 | 8 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 1264 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 2282 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 4305 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 6836 | 4.3 | 10 | 1 | 1 | 4 | 5 | 8 | 10 | 15 |
| **GRAND TOTAL** | **14955** | **3.9** | **9** | **1** | **1** | **3** | **5** | **7** | **9** | **14** |

## 133: Otosclerosis (387)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 12 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 21 | 1.9 | | <1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 26 | 1.9 | | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 65+ | 18 | 2.2 | 1 | 2 | 2 | 2 | 2 | 3 | 4 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 531 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 804 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 713 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 265 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 10 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 16 | 1.9 | 2 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 50-64 | 13 | 3.2 | 15 | 1 | 1 | 2 | 3 | 10 | 13 | 14 |
| 65+ | 18 | 2.3 | | 1 | 2 | 2 | 3 | 3 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 1.7 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 20-34 | 170 | 1.8 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 7 |
| 35-49 | 285 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 364 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 65+ | 218 | 2.2 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 79 | 2.0 | 1 | <1 | 1 | 2 | 2 | 2 | 4 | 5 |
| B. *Operated* | 2388 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 60 | 2.3 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 13 |
| B. *Operated* | 1074 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **1. SINGLE DX** | 2467 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | 1134 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **A. NOT OPERATED** | 139 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 10 |
| **B. OPERATED** | 3462 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| TOTAL 0-19 YRS | 117 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 723 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 1126 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 1116 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 65+ | 519 | 2.1 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **GRAND TOTAL** | **3601** | **1.9** | **1** | **1** | **1** | **2** | **2** | **3** | **3** | **5** |

## 134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 58 | 3.6 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 63 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 64 | 3.7 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 65+ | 36 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1682 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 1064 | 1.6 | 2 | <1 | 1 | 1 | 2 | 3 | 3 | 5 |
| 35-49 | 863 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 708 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 4 |
| 65+ | 254 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 3.0 | 14 | <1 | <1 | 1 | 4 | 7 | 12 | 19 |
| 20-34 | 91 | 3.2 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 16 |
| 35-49 | 88 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 50-64 | 158 | 4.2 | 10 | 1 | 1 | 4 | 5 | 8 | 10 | 16 |
| 65+ | 168 | 4.3 | 9 | 1 | 1 | 3 | 6 | 9 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1595 | 1.6 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 1132 | 1.9 | 3 | 1 | 1 | 1 | 2 | 3 | 4 | 9 |
| 35-49 | 1034 | 2.0 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 969 | 2.1 | 6 | 1 | 1 | 2 | 2 | 3 | 4 | 11 |
| 65+ | 629 | 2.6 | 8 | 1 | 1 | 2 | 3 | 4 | 7 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 281 | 3.1 | 5 | <1 | <1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 4571 | 1.6 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 604 | 3.8 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | 5359 | 1.9 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 10 |
| **1. SINGLE DX** | 4852 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 5963 | 2.1 | 4 | <1 | 1 | 2 | 2 | 4 | 5 | 11 |
| **A. NOT OPERATED** | 885 | 3.5 | 8 | <1 | <1 | 3 | 4 | 7 | 9 | 15 |
| **B. OPERATED** | 9930 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 3436 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 2345 | 1.9 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 9 |
| 35-49 | 2048 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 1899 | 2.2 | 5 | 1 | 1 | 2 | 2 | 4 | 5 | 11 |
| 65+ | 1087 | 2.7 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| **GRAND TOTAL** | **10815** | **1.9** | **3** | **<1** | **1** | **1** | **2** | **3** | **4** | **9** |

### 135: Rheumatic fever, acute (390-392)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 5.8 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| 20-34 | 42 | 5.4 | 14 | 2 | 2 | 5 | 6 | 11 | 13 | 20 |
| 35-49 | 24 | 5.8 | 22 | 2 | 2 | 4 | 7 | 10 | 19 | 20 |
| 50-64 | 7 | 4.0 | 5 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 65+ | 4 | 7.0 | 31 | 2 | 2 | 6 | 11 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 6 | 7.8 | 12 | 2 | 2 | 9 | 9 | 12 | 12 | 12 |
| 35-49 | 2 | 4.5 | 25 | <1 | <1 | 4 | 8 | 8 | 8 | 8 |
| 50-64 | 3 | 3.7 | 14 | 1 | 1 | 2 | 6 | 8 | 8 | 8 |
| 65+ | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 7.8 | 103 | 1 | 2 | 5 | 8 | 16 | 21 | 59 |
| 20-34 | 76 | 7.8 | 58 | 2 | 2 | 5 | 9 | 15 | 22 | 43 |
| 35-49 | 59 | 6.5 | 23 | 2 | 2 | 5 | 8 | 14 | 17 | 21 |
| 50-64 | 71 | 6.7 | 37 | 1 | 2 | 5 | 8 | 15 | 17 | 32 |
| 65+ | 99 | 9.9 | 120 | 2 | 3 | 6 | 12 | 19 | 31 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 13.1 | 96 | 2 | 3 | 10 | 18 | 22 | 35 | 43 |
| 20-34 | 15 | 19.1 | 193 | 4 | 5 | 16 | 23 | 33 | 52 | 59 |
| 35-49 | 27 | 9.1 | 142 | 1 | 1 | 7 | 11 | 15 | 29 | 62 |
| 50-64 | 53 | 12.0 | 99 | 1 | 2 | 12 | 17 | 24 | 32 | 47 |
| 65+ | 42 | 16.0 | 239 | 2 | 3 | 9 | 26 | 40 | 51 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 267 | 5.7 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | 15 | 5.4 | 14 | <1 | 1 | 6 | 9 | 9 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 421 | 7.9 | 77 | 2 | 2 | 5 | 9 | 16 | 21 | 46 |
| B. *Operated* | 155 | 13.4 | 158 | 2 | 2 | 10 | 19 | 31 | 42 | 61 |
| **1. SINGLE DX** | 282 | 5.7 | 19 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 576 | 9.4 | 105 | 2 | 2 | 6 | 12 | 20 | 30 | 53 |
| **A. NOT OPERATED** | 688 | 7.1 | 56 | 2 | 2 | 5 | 8 | 15 | 18 | 39 |
| **B. OPERATED** | 170 | 12.7 | 150 | 1 | 2 | 9 | 17 | 28 | 39 | 61 |
| TOTAL 0-19 YRS | 326 | 6.9 | 57 | 1 | 2 | 5 | 8 | 14 | 18 | 45 |
| 20-34 | 139 | 8.3 | 71 | 2 | 2 | 5 | 10 | 16 | 24 | 46 |
| 35-49 | 112 | 6.9 | 52 | 1 | 2 | 5 | 9 | 14 | 18 | 38 |
| 50-64 | 134 | 8.6 | 67 | 1 | 2 | 6 | 13 | 20 | 27 | 35 |
| 65+ | 147 | 11.5 | 158 | 2 | 3 | 7 | 14 | 27 | 37 | 62 |
| **GRAND TOTAL** | **858** | **8.2** | **80** | **2** | **2** | **5** | **10** | **17** | **23** | **49** |

### 136: Chronic rheumatic heart disease (393-398)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.9 | 15 | 1 | 1 | 2 | 6 | 10 | 12 | 12 |
| 20-34 | 33 | 3.1 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 35-49 | 28 | 4.4 | 14 | <1 | <1 | 4 | 5 | 8 | 12 | 19 |
| 50-64 | 27 | 4.2 | 12 | <1 | <1 | 3 | 6 | 9 | 11 | 14 |
| 65+ | 22 | 5.0 | 6 | 1 | 2 | 5 | 7 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.2 | 7 | <1 | 1 | 2 | 4 | 8 | 9 | 9 |
| 20-34 | 83 | 5.8 | 16 | 1 | 1 | 7 | 9 | 11 | 12 | 17 |
| 35-49 | 195 | 4.8 | 20 | 1 | 1 | 2 | 9 | 12 | 13 | 17 |
| 50-64 | 275 | 5.2 | 31 | 1 | 1 | 2 | 9 | 13 | 16 | 27 |
| 65+ | 99 | 6.4 | 46 | 1 | 1 | 2 | 11 | 15 | 18 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 4.4 | 22 | <1 | <1 | 3 | 5 | 11 | 14 | 22 |
| 20-34 | 104 | 4.7 | 26 | 1 | 1 | 4 | 6 | 8 | 9 | 29 |
| 35-49 | 283 | 5.0 | 21 | 1 | 1 | 4 | 7 | 9 | 12 | 22 |
| 50-64 | 619 | 6.2 | 23 | 1 | 2 | 5 | 8 | 12 | 15 | 24 |
| 65+ | 1074 | 7.8 | 41 | 2 | 3 | 6 | 10 | 14 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 8.4 | 107 | 1 | 1 | 3 | 13 | 19 | 24 | 48 |
| 20-34 | 219 | 9.1 | 104 | 1 | 1 | 7 | 11 | 19 | 28 | 52 |
| 35-49 | 700 | 9.1 | 64 | 1 | 2 | 8 | 12 | 19 | 24 | 39 |
| 50-64 | 1564 | 10.2 | 100 | 1 | 2 | 9 | 14 | 21 | 29 | 49 |
| 65+ | 1470 | 11.3 | 117 | 1 | 2 | 10 | 15 | 24 | 31 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 119 | 4.1 | 10 | <1 | 1 | 3 | 6 | 8 | 10 | 16 |
| B. *Operated* | 664 | 5.3 | 28 | 1 | 1 | 2 | 9 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2107 | 6.8 | 33 | 1 | 2 | 5 | 9 | 13 | 16 | 29 |
| B. *Operated* | 4001 | 10.3 | 101 | 1 | 2 | 9 | 14 | 22 | 29 | 50 |
| **1. SINGLE DX** | 783 | 5.1 | 25 | 1 | 1 | 2 | 8 | 12 | 14 | 22 |
| **2. MULTIPLE DX** | 6108 | 9.1 | 80 | 1 | 2 | 7 | 12 | 19 | 25 | 46 |
| **A. NOT OPERATED** | 2226 | 6.6 | 32 | 1 | 2 | 5 | 8 | 13 | 16 | 28 |
| **B. OPERATED** | 4665 | 9.6 | 94 | 1 | 1 | 8 | 13 | 20 | 27 | 48 |
| TOTAL 0-19 YRS | 96 | 6.2 | 66 | <1 | 1 | 3 | 9 | 16 | 20 | 47 |
| 20-34 | 439 | 7.0 | 66 | 1 | 1 | 4 | 9 | 13 | 20 | 43 |
| 35-49 | 1206 | 7.3 | 50 | 1 | 1 | 5 | 10 | 16 | 21 | 33 |
| 50-64 | 2485 | 8.6 | 77 | 1 | 2 | 7 | 12 | 18 | 24 | 44 |
| 65+ | 2665 | 9.7 | 86 | 1 | 2 | 8 | 13 | 20 | 27 | 50 |
| **GRAND TOTAL** | **6891** | **8.7** | **76** | **1** | **2** | **7** | **12** | **18** | **24** | **45** |

## 137: Essential hypertension (401)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | 385 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 998 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 1059 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 672 | 4.3 | 28 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 4.4 | 30 | 1 | 1 | 3 | 4 | 9 | 21 | 24 |
| 20-34 | 86 | 3.3 | 9 | <1 | 1 | 2 | 4 | 7 | 10 | 16 |
| 35-49 | 144 | 4.1 | 21 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| 50-64 | 155 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 14 |
| 65+ | 76 | 5.2 | 16 | 1 | 2 | 4 | 7 | 11 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 236 | 4.4 | 12 | 1 | 1 | 4 | 5 | 8 | 10 | 23 |
| 20-34 | 1176 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 4307 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 6507 | 5.1 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 65+ | 7638 | 5.6 | 25 | 2 | 2 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 5.9 | 30 | 1 | 2 | 4 | 8 | 13 | 18 | 25 |
| 20-34 | 264 | 6.6 | 34 | 1 | 2 | 5 | 8 | 15 | 18 | 37 |
| 35-49 | 755 | 7.0 | 35 | 1 | 2 | 5 | 9 | 15 | 18 | 28 |
| 50-64 | 1119 | 7.3 | 49 | 1 | 2 | 6 | 10 | 15 | 18 | 33 |
| 65+ | 1142 | 8.1 | 68 | 1 | 1 | 6 | 10 | 17 | 24 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3215 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 488 | 4.0 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19864 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| B. *Operated* | 3348 | 7.4 | 51 | 1 | 2 | 6 | 10 | 15 | 20 | 35 |
| **1. SINGLE DX** | 3703 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 23212 | 5.5 | 23 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| **A. NOT OPERATED** | 23079 | 4.9 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| **B. OPERATED** | 3836 | 7.0 | 48 | 1 | 2 | 5 | 9 | 15 | 19 | 33 |
| TOTAL 0-19 YRS | 432 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 20-34 | 1911 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 6204 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 8840 | 5.2 | 18 | 1 | 2 | 4 | 6 | 10 | 12 | 21 |
| 65+ | 9528 | 5.8 | 31 | 1 | 2 | 4 | 7 | 11 | 14 | 26 |
| **GRAND TOTAL** | **26915** | **5.2** | **21** | **1** | **2** | **4** | **6** | **10** | **13** | **23** |

## 138: Hypertensive heart disease (402)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 3 | 2 | 2 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 30 | 4.0 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 116 | 4.7 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 14 |
| 50-64 | 201 | 5.1 | 11 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 65+ | 341 | 5.5 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 5 | 2.2 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 16 | 3.1 | 5 | <1 | 2 | 2 | 3 | 8 | 9 | 9 |
| 50-64 | 73 | 3.0 | 10 | 1 | 1 | 2 | 2 | 8 | 10 | 17 |
| 65+ | 45 | 3.5 | 12 | 1 | 1 | 2 | 4 | 9 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 8.3 | 11 | 3 | 5 | 8 | 10 | 14 | 14 | 14 |
| 20-34 | 100 | 5.3 | 16 | 1 | 2 | 4 | 6 | 10 | 15 | 21 |
| 35-49 | 741 | 6.0 | 16 | 2 | 2 | 5 | 7 | 11 | 13 | 21 |
| 50-64 | 2753 | 7.0 | 29 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| 65+ | 8288 | 8.1 | 44 | 2 | 3 | 6 | 10 | 15 | 19 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| 20-34 | 27 | 5.7 | 12 | 1 | 2 | 5 | 7 | 11 | 12 | 15 |
| 35-49 | 211 | 6.0 | 29 | 1 | 1 | 5 | 8 | 12 | 16 | 25 |
| 50-64 | 623 | 7.7 | 63 | 1 | 2 | 6 | 10 | 16 | 23 | 41 |
| 65+ | 1141 | 13.0 | 135 | 2 | 2 | 10 | 17 | 27 | 37 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 691 | 5.2 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 140 | 3.1 | 10 | 1 | 1 | 2 | 3 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11896 | 7.7 | 39 | 2 | 3 | 6 | 9 | 14 | 18 | 33 |
| B. *Operated* | 2004 | 10.5 | 108 | 1 | 2 | 8 | 14 | 23 | 31 | 64 |
| **1. SINGLE DX** | 831 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 13900 | 8.1 | 50 | 2 | 3 | 6 | 10 | 15 | 20 | 40 |
| **A. NOT OPERATED** | 12587 | 7.6 | 38 | 2 | 3 | 6 | 9 | 14 | 18 | 33 |
| **B. OPERATED** | 2144 | 10.1 | 105 | 1 | 2 | 7 | 13 | 22 | 30 | 62 |
| TOTAL 0-19 YRS | 20 | 7.5 | 14 | 1 | 2 | 7 | 10 | 13 | 14 | 14 |
| 20-34 | 162 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 35-49 | 1084 | 5.8 | 18 | 1 | 2 | 5 | 7 | 11 | 13 | 21 |
| 50-64 | 3650 | 6.9 | 34 | 2 | 2 | 6 | 8 | 13 | 17 | 29 |
| 65+ | 9815 | 8.6 | 56 | 2 | 3 | 7 | 10 | 16 | 22 | 44 |
| **GRAND TOTAL** | **14731** | **7.9** | **48** | **2** | **2** | **6** | **10** | **15** | **20** | **39** |

## 139: Miscellaneous hypertensive disease (403-405)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 5.0 | 24 | <1 | 1 | 3 | 6 | 11 | 18 | 20 |
| 20-34 | 26 | 3.5 | 4 | <1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 35-49 | 35 | 5.3 | 12 | 2 | 2 | 5 | 6 | 9 | 12 | 19 |
| 50-64 | 69 | 5.3 | 17 | 1 | 2 | 4 | 6 | 11 | 16 | 19 |
| 65+ | 62 | 6.7 | 66 | 1 | 1 | 4 | 8 | 13 | 21 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.6 | 8 | 1 | 1 | 3 | 4 | 9 | 10 | 10 |
| 20-34 | 68 | 5.5 | 26 | 1 | 2 | 4 | 7 | 15 | 19 | 22 |
| 35-49 | 124 | 5.2 | 28 | 1 | 1 | 3 | 7 | 12 | 16 | 27 |
| 50-64 | 142 | 5.2 | 25 | 1 | 1 | 3 | 7 | 12 | 15 | 24 |
| 65+ | 80 | 5.1 | 27 | 1 | 1 | 3 | 7 | 12 | 14 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 5.4 | 21 | 1 | 1 | 4 | 7 | 12 | 16 | 20 |
| 20-34 | 141 | 5.0 | 17 | 1 | 1 | 4 | 7 | 10 | 12 | 40 |
| 35-49 | 245 | 6.3 | 27 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| 50-64 | 492 | 7.9 | 40 | 2 | 2 | 6 | 10 | 15 | 19 | 33 |
| 65+ | 1091 | 9.6 | 87 | 2 | 3 | 7 | 12 | 18 | 25 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 9.4 | 74 | 2 | 2 | 7 | 13 | 20 | 28 | 38 |
| 20-34 | 319 | 8.0 | 55 | 1 | 2 | 6 | 10 | 17 | 23 | 41 |
| 35-49 | 580 | 9.1 | 87 | 1 | 2 | 7 | 11 | 20 | 27 | 50 |
| 50-64 | 956 | 9.9 | 114 | 1 | 2 | 7 | 13 | 20 | 27 | 66 |
| 65+ | 1049 | 12.9 | 158 | 2 | 2 | 9 | 17 | 29 | 39 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 215 | 5.4 | 30 | 1 | 1 | 4 | 6 | 10 | 16 | 23 |
| B. *Operated* | 430 | 5.2 | 26 | 1 | 1 | 3 | 7 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2053 | 8.3 | 64 | 2 | 2 | 6 | 10 | 16 | 22 | 50 |
| B. *Operated* | 3000 | 10.6 | 120 | 1 | 2 | 8 | 13 | 23 | 33 | 69 |
| **1. SINGLE DX** | 645 | 5.3 | 27 | 1 | 1 | 3 | 7 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | 5053 | 9.6 | 98 | 1 | 2 | 7 | 12 | 20 | 28 | 61 |
| **A. NOT OPERATED** | 2268 | 8.0 | 61 | 1 | 2 | 6 | 10 | 15 | 21 | 49 |
| **B. OPERATED** | 3430 | 9.9 | 111 | 1 | 2 | 7 | 13 | 21 | 31 | 67 |
| TOTAL 0-19 YRS | 219 | 7.0 | 48 | 1 | 1 | 5 | 8 | 15 | 20 | 35 |
| 20-34 | 554 | 6.7 | 42 | 1 | 2 | 5 | 9 | 15 | 19 | 37 |
| 35-49 | 984 | 7.8 | 65 | 1 | 2 | 5 | 10 | 17 | 23 | 38 |
| 50-64 | 1659 | 8.7 | 83 | 1 | 2 | 6 | 11 | 17 | 23 | 53 |
| 65+ | 2282 | 10.9 | 121 | 2 | 2 | 8 | 13 | 23 | 33 | 72 |
| **GRAND TOTAL** | **5698** | **9.1** | **92** | **1** | **2** | **7** | **12** | **19** | **27** | **56** |

## 140: Acute myocardial infarction (410)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 9.6 | 6 | 6 | 6 | 11 | 12 | 65 | 99+ | 99+ |
| 20-34 | 168 | 8.1 | 15 | 1 | 3 | 8 | 10 | 13 | 14 | 18 |
| 35-49 | 1996 | 8.5 | 11 | 2 | 4 | 9 | 10 | 12 | 13 | 17 |
| 50-64 | 4074 | 8.9 | 12 | 3 | 5 | 9 | 11 | 13 | 14 | 18 |
| 65+ | 3386 | 9.2 | 14 | 4 | 5 | 9 | 11 | 13 | 15 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 76 | 7.5 | 14 | 2 | 2 | 8 | 10 | 12 | 13 | 16 |
| 35-49 | 625 | 8.2 | 17 | 2 | 2 | 8 | 11 | 13 | 15 | 20 |
| 50-64 | 1002 | 8.9 | 23 | 2 | 2 | 9 | 11 | 14 | 16 | 24 |
| 65+ | 324 | 10.4 | 40 | 2 | 4 | 9 | 13 | 16 | 20 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 8.7 | 12 | 4 | 5 | 8 | 10 | 13 | 15 | 21 |
| 20-34 | 411 | 8.4 | 19 | 2 | 4 | 8 | 10 | 13 | 14 | 17 |
| 35-49 | 5811 | 9.2 | 16 | 3 | 4 | 9 | 11 | 14 | 15 | 21 |
| 50-64 | 21063 | 10.1 | 20 | 4 | 5 | 10 | 12 | 15 | 17 | 26 |
| 65+ | 45670 | 11.1 | 34 | 5 | 6 | 10 | 13 | 17 | 21 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 9.7 | 16 | 3 | 5 | 9 | 13 | 15 | 16 | 16 |
| 20-34 | 290 | 9.8 | 41 | 2 | 3 | 9 | 12 | 16 | 20 | 32 |
| 35-49 | 3669 | 10.2 | 41 | 2 | 3 | 9 | 12 | 16 | 20 | 32 |
| 50-64 | 9375 | 11.8 | 60 | 2 | 4 | 11 | 14 | 20 | 25 | 43 |
| 65+ | 9424 | 15.2 | 99 | 5 | 7 | 13 | 18 | 26 | 34 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9632 | 8.9 | 12 | 3 | 5 | 9 | 11 | 13 | 14 | 19 |
| B. *Operated* | 2027 | 8.9 | 24 | 2 | 2 | 9 | 11 | 14 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 73022 | 10.6 | 29 | 4 | 6 | 10 | 13 | 16 | 20 | 30 |
| B. *Operated* | 22773 | 13.0 | 77 | 2 | 5 | 11 | 15 | 22 | 28 | 51 |
| **1. SINGLE DX** | 11659 | 8.9 | 14 | 2 | 4 | 9 | 11 | 13 | 15 | 20 |
| **2. MULTIPLE DX** | 95795 | 11.2 | 42 | 4 | 6 | 10 | 13 | 18 | 22 | 37 |
| **A. NOT OPERATED** | 82654 | 10.4 | 28 | 4 | 5 | 10 | 12 | 16 | 19 | 29 |
| **B. OPERATED** | 24800 | 12.6 | 74 | 2 | 5 | 11 | 15 | 21 | 28 | 50 |
| TOTAL 0-19 YRS | 90 | 8.9 | 12 | 4 | 5 | 8 | 11 | 14 | 16 | 68 |
| 20-34 | 945 | 8.7 | 25 | 2 | 3 | 8 | 11 | 14 | 16 | 23 |
| 35-49 | 12101 | 9.3 | 23 | 2 | 4 | 9 | 11 | 14 | 16 | 24 |
| 50-64 | 35514 | 10.4 | 31 | 3 | 5 | 10 | 12 | 16 | 19 | 30 |
| 65+ | 58804 | 11.7 | 46 | 4 | 6 | 10 | 14 | 18 | 23 | 39 |
| **GRAND TOTAL** | **107454** | **10.9** | **39** | **4** | **5** | **10** | **13** | **17** | **21** | **35** |

## 141: Angina pectoris (413)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.4 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 166 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 1392 | 3.1 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 50-64 | 2116 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 65+ | 1852 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 35 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 478 | 2.9 | 8 | 1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 50-64 | 884 | 2.7 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 65+ | 342 | 3.1 | 14 | 1 | 1 | 2 | 3 | 7 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 4.1 | 7 | 1 | 2 | 3 | 6 | 8 | 9 | 15 |
| 20-34 | 580 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 35-49 | 6102 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 16953 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 29319 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 5.7 | 32 | <1 | 1 | 3 | 7 | 13 | 19 | 22 |
| 20-34 | 188 | 4.7 | 15 | 1 | 1 | 3 | 7 | 10 | 13 | 17 |
| 35-49 | 3338 | 4.2 | 16 | 1 | 1 | 2 | 6 | 9 | 12 | 19 |
| 50-64 | 10079 | 4.6 | 22 | 1 | 1 | 2 | 7 | 10 | 13 | 21 |
| 65+ | 6974 | 5.9 | 38 | 1 | 1 | 3 | 8 | 13 | 17 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5534 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 1740 | 2.8 | 8 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53025 | 4.4 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| B. *Operated* | 20595 | 5.0 | 27 | 1 | 1 | 3 | 7 | 11 | 14 | 24 |
| **1. SINGLE DX** | 7274 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 73620 | 4.6 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| **A. NOT OPERATED** | 58559 | 4.3 | 9 | 1 | 2 | 4 | 5 | 8 | 9 | 15 |
| **B. OPERATED** | 22335 | 4.8 | 26 | 1 | 1 | 3 | 7 | 11 | 14 | 24 |
| TOTAL 0-19 YRS | 96 | 4.3 | 11 | 1 | 2 | 3 | 6 | 8 | 11 | 19 |
| 20-34 | 969 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 35-49 | 11310 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 30032 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 38487 | 4.8 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **GRAND TOTAL** | **80894** | **4.4** | **14** | **1** | **1** | **3** | **6** | **8** | **11** | **18** |

## 142: Other acute and subacute forms of ischemic heart disease (411)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.5 | 8 | <1 | <1 | 3 | 4 | 8 | 9 | 9 |
| 20-34 | 88 | 3.6 | 11 | 1 | 1 | 3 | 5 | 7 | 8 | 21 |
| 35-49 | 1229 | 3.6 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | 2634 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 65+ | 3285 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 5.5 | 8 | 2 | 3 | 5 | 7 | 10 | 12 | 12 |
| 35-49 | 302 | 4.7 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 17 |
| 50-64 | 711 | 5.3 | 21 | 1 | 1 | 4 | 7 | 11 | 14 | 21 |
| 65+ | 417 | 6.1 | 28 | 1 | 1 | 4 | 9 | 13 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 5.4 | 10 | 2 | 2 | 5 | 7 | 10 | 11 | 15 |
| 20-34 | 402 | 4.4 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 6266 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 22699 | 5.0 | 10 | 2 | 2 | 4 | 6 | 9 | 11 | 16 |
| 65+ | 48486 | 5.7 | 17 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 7.0 | 17 | 2 | 2 | 7 | 10 | 12 | 13 | 13 |
| 20-34 | 113 | 6.7 | 25 | 1 | 2 | 6 | 9 | 13 | 15 | 27 |
| 35-49 | 3139 | 6.6 | 28 | 1 | 2 | 6 | 9 | 13 | 15 | 25 |
| 50-64 | 11068 | 7.8 | 38 | 1 | 2 | 7 | 10 | 15 | 18 | 29 |
| 65+ | 11427 | 9.7 | 70 | 1 | 2 | 8 | 13 | 19 | 24 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7242 | 4.0 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| B. *Operated* | 1441 | 5.4 | 21 | 1 | 1 | 4 | 7 | 11 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77927 | 5.4 | 14 | 2 | 2 | 5 | 7 | 9 | 12 | 19 |
| B. *Operated* | 25759 | 8.5 | 52 | 1 | 2 | 7 | 11 | 16 | 21 | 35 |
| **1. SINGLE DX** | 8683 | 4.2 | 9 | 1 | 2 | 4 | 5 | 8 | 9 | 15 |
| **2. MULTIPLE DX** | 103686 | 6.2 | 25 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| **A. NOT OPERATED** | 85169 | 5.3 | 14 | 2 | 2 | 4 | 7 | 9 | 11 | 18 |
| **B. OPERATED** | 27200 | 8.3 | 51 | 1 | 2 | 7 | 11 | 16 | 21 | 35 |
| TOTAL 0-19 YRS | 92 | 5.5 | 11 | 2 | 2 | 5 | 8 | 10 | 12 | 15 |
| 20-34 | 614 | 4.7 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 10936 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 50-64 | 37112 | 5.8 | 20 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| 65+ | 63615 | 6.4 | 28 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| **GRAND TOTAL** | **112369** | **6.0** | **24** | **2** | **2** | **5** | **7** | **11** | **14** | **24** |

### 143: Miscellaneous ischemic heart disease (412; 414)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.4 | 8 | <1 | <1 | 2 | 5 | 8 | 8 | 8 |
| 20-34 | 30 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 35-49 | 188 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 50-64 | 418 | 3.8 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 65+ | 342 | 5.4 | 32 | 1 | 2 | 3 | 6 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.3 | 12 | 1 | 1 | 2 | 3 | 10 | 12 | 12 |
| 20-34 | 104 | 3.5 | 8 | 1 | 1 | 2 | 4 | 9 | 9 | 13 |
| 35-49 | 2456 | 3.6 | 12 | 1 | 1 | 2 | 4 | 9 | 11 | 16 |
| 50-64 | 6413 | 3.9 | 15 | 1 | 1 | 2 | 5 | 10 | 12 | 17 |
| 65+ | 2687 | 4.4 | 20 | 1 | 1 | 2 | 6 | 11 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 5.2 | 34 | <1 | <1 | 3 | 6 | 14 | 20 | 23 |
| 20-34 | 126 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 35-49 | 1506 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 50-64 | 4946 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 8258 | 6.1 | 25 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 7.0 | 132 | <1 | 1 | 2 | 9 | 15 | 36 | 53 |
| 20-34 | 380 | 4.4 | 21 | 1 | 1 | 2 | 6 | 10 | 12 | 23 |
| 35-49 | 8321 | 5.0 | 25 | 1 | 1 | 3 | 8 | 11 | 14 | 22 |
| 50-64 | 26967 | 6.2 | 39 | 1 | 1 | 3 | 9 | 13 | 17 | 29 |
| 65+ | 17892 | 8.0 | 65 | 1 | 1 | 6 | 11 | 17 | 22 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 983 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 12 | 20 |
| B. *Operated* | 11673 | 3.9 | 15 | 1 | 1 | 2 | 5 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14858 | 5.5 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| B. *Operated* | 53601 | 6.6 | 46 | 1 | 1 | 4 | 10 | 14 | 18 | 31 |
| **1. SINGLE DX** | 12656 | 4.0 | 15 | 1 | 1 | 2 | 5 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | 68459 | 6.3 | 41 | 1 | 1 | 4 | 9 | 14 | 17 | 30 |
| **A. NOT OPERATED** | 15841 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| **B. OPERATED** | 65274 | 6.1 | 42 | 1 | 1 | 3 | 9 | 14 | 17 | 30 |
| TOTAL 0-19 YRS | 81 | 5.7 | 79 | <1 | 1 | 2 | 6 | 12 | 20 | 52 |
| 20-34 | 640 | 4.0 | 16 | 1 | 1 | 2 | 5 | 9 | 11 | 20 |
| 35-49 | 12471 | 4.6 | 20 | 1 | 1 | 3 | 7 | 10 | 13 | 20 |
| 50-64 | 38744 | 5.6 | 32 | 1 | 1 | 3 | 8 | 12 | 15 | 26 |
| 65+ | 29179 | 7.1 | 51 | 1 | 2 | 5 | 10 | 15 | 19 | 34 |
| **GRAND TOTAL** | **81115** | **6.0** | **38** | **1** | **1** | **3** | **9** | **13** | **17** | **29** |

### 144: Pulmonary embolism and infarction (415.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 7.7 | 18 | <1 | 2 | 8 | 9 | 11 | 15 | 21 |
| 20-34 | 265 | 7.8 | 11 | 2 | 4 | 8 | 10 | 12 | 14 | 16 |
| 35-49 | 335 | 8.6 | 14 | 3 | 4 | 8 | 10 | 13 | 14 | 18 |
| 50-64 | 374 | 9.0 | 11 | 4 | 5 | 9 | 11 | 13 | 15 | 18 |
| 65+ | 401 | 9.3 | 14 | 4 | 5 | 9 | 11 | 14 | 16 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 7.7 | 18 | 2 | 3 | 8 | 8 | 14 | 16 | 16 |
| 20-34 | 68 | 9.5 | 19 | 3 | 5 | 9 | 12 | 15 | 17 | 25 |
| 35-49 | 64 | 9.4 | 17 | 3 | 4 | 9 | 12 | 14 | 15 | 25 |
| 50-64 | 75 | 9.8 | 25 | 2 | 4 | 9 | 12 | 16 | 19 | 25 |
| 65+ | 60 | 10.7 | 31 | 5 | 6 | 9 | 13 | 18 | 21 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 9.3 | 25 | 2 | 3 | 9 | 11 | 16 | 19 | 24 |
| 20-34 | 510 | 9.1 | 27 | 3 | 4 | 8 | 11 | 14 | 16 | 25 |
| 35-49 | 1092 | 9.4 | 21 | 3 | 4 | 9 | 11 | 14 | 17 | 24 |
| 50-64 | 2056 | 10.6 | 28 | 4 | 6 | 10 | 13 | 16 | 20 | 29 |
| 65+ | 5056 | 11.6 | 39 | 5 | 6 | 10 | 14 | 18 | 23 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 15.9 | 179 | 6 | 6 | 9 | 19 | 36 | 49 | 50 |
| 20-34 | 246 | 12.0 | 44 | 4 | 6 | 11 | 14 | 19 | 23 | 36 |
| 35-49 | 412 | 13.5 | 82 | 5 | 7 | 11 | 15 | 22 | 30 | 66 |
| 50-64 | 820 | 13.5 | 60 | 5 | 7 | 12 | 15 | 23 | 29 | 43 |
| 65+ | 1443 | 15.6 | 98 | 6 | 7 | 13 | 19 | 28 | 34 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1399 | 8.7 | 13 | 3 | 5 | 9 | 11 | 13 | 15 | 18 |
| B. *Operated* | 274 | 9.8 | 23 | 3 | 5 | 9 | 12 | 15 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8758 | 10.9 | 34 | 4 | 6 | 10 | 13 | 17 | 21 | 32 |
| B. *Operated* | 2932 | 14.4 | 82 | 6 | 7 | 12 | 17 | 25 | 31 | 52 |
| **1. SINGLE DX** | 1673 | 8.9 | 15 | 3 | 5 | 9 | 11 | 14 | 15 | 21 |
| **2. MULTIPLE DX** | 11690 | 11.8 | 48 | 5 | 6 | 10 | 14 | 19 | 24 | 39 |
| **A. NOT OPERATED** | 10157 | 10.6 | 31 | 4 | 6 | 10 | 13 | 17 | 20 | 31 |
| **B. OPERATED** | 3206 | 14.0 | 79 | 5 | 7 | 12 | 16 | 24 | 30 | 52 |
| TOTAL 0-19 YRS | 86 | 9.5 | 46 | 2 | 3 | 8 | 11 | 18 | 20 | 42 |
| 20-34 | 1089 | 9.5 | 28 | 3 | 4 | 9 | 11 | 14 | 18 | 27 |
| 35-49 | 1903 | 10.1 | 36 | 3 | 5 | 9 | 12 | 15 | 19 | 34 |
| 50-64 | 3325 | 11.1 | 36 | 5 | 6 | 10 | 13 | 17 | 22 | 34 |
| 65+ | 6960 | 12.3 | 52 | 5 | 6 | 11 | 14 | 20 | 25 | 42 |
| **GRAND TOTAL** | **13363** | **11.4** | **45** | **4** | **6** | **10** | **13** | **18** | **23** | **38** |

## 145: Acute and subacute endocarditis (421)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 17.5 | 175 | 1 | 2 | 14 | 29 | 36 | 43 | 43 |
| 20-34 | 25 | 11.4 | 145 | 1 | 1 | 7 | 13 | 31 | 35 | 44 |
| 35-49 | 12 | 13.8 | 73 | 4 | 6 | 12 | 15 | 30 | 31 | 31 |
| 50-64 | 16 | 22.4 | 133 | 7 | 9 | 22 | 32 | 38 | 39 | 39 |
| 65+ | 19 | 16.7 | 254 | 2 | 3 | 9 | 25 | 40 | 54 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 17.8 | 628 | 2 | 2 | 7 | 32 | 55 | 55 | 55 |
| 20-34 | 2 | 32.5 | 85 | 26 | 26 | 32 | 39 | 39 | 39 | 39 |
| 35-49 | 5 | 15.8 | 83 | 2 | 3 | 20 | 24 | 92 | 99+ | 99+ |
| 50-64 | 3 | 16.7 | 56 | 9 | 9 | 17 | 22 | 24 | 24 | 24 |
| 65+ | 4 | 24.8 | 321 | 2 | 2 | 26 | 37 | 45 | 45 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 23.1 | 220 | 2 | 3 | 22 | 33 | 43 | 46 | 56 |
| 20-34 | 293 | 21.9 | 182 | 3 | 4 | 23 | 30 | 41 | 45 | 55 |
| 35-49 | 221 | 23.0 | 215 | 3 | 5 | 25 | 31 | 43 | 47 | 59 |
| 50-64 | 245 | 23.1 | 179 | 4 | 5 | 24 | 30 | 42 | 45 | 57 |
| 65+ | 453 | 24.5 | 230 | 4 | 7 | 22 | 34 | 44 | 49 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 27.7 | 225 | 2 | 5 | 28 | 42 | 48 | 58 | 99+ |
| 20-34 | 188 | 30.4 | 247 | 6 | 9 | 29 | 42 | 51 | 62 | 80 |
| 35-49 | 134 | 32.7 | 216 | 10 | 13 | 33 | 44 | 49 | 53 | 69 |
| 50-64 | 152 | 29.4 | 334 | 4 | 9 | 28 | 39 | 54 | 66 | 99+ |
| 65+ | 264 | 32.6 | 272 | 10 | 12 | 32 | 44 | 53 | 67 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 15.9 | 169 | 2 | 3 | 12 | 29 | 32 | 41 | 56 |
| B. *Operated* | 18 | 20.2 | 231 | 2 | 2 | 22 | 29 | 51 | 80 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1294 | 23.3 | 207 | 3 | 5 | 23 | 32 | 43 | 46 | 61 |
| B. *Operated* | 766 | 31.3 | 268 | 7 | 11 | 30 | 43 | 52 | 62 | 99 |
| **1. SINGLE DX** | 100 | 16.7 | 181 | 2 | 3 | 13 | 29 | 36 | 44 | 80 |
| **2. MULTIPLE DX** | 2060 | 26.3 | 244 | 4 | 7 | 27 | 36 | 46 | 53 | 76 |
| **A. NOT OPERATED** | 1376 | 22.9 | 207 | 3 | 5 | 22 | 31 | 43 | 46 | 60 |
| **B. OPERATED** | 784 | 31.0 | 269 | 7 | 11 | 30 | 43 | 52 | 62 | 99 |
| TOTAL 0-19 YRS | 124 | 23.5 | 231 | 2 | 3 | 22 | 34 | 46 | 49 | 68 |
| 20-34 | 508 | 24.6 | 228 | 3 | 5 | 26 | 32 | 44 | 51 | 65 |
| 35-49 | 372 | 26.1 | 236 | 4 | 6 | 27 | 36 | 46 | 51 | 65 |
| 50-64 | 416 | 25.3 | 242 | 5 | 7 | 25 | 33 | 45 | 53 | 90 |
| 65+ | 740 | 27.2 | 263 | 4 | 8 | 28 | 37 | 48 | 56 | 85 |
| **GRAND TOTAL** | **2160** | **25.8** | **245** | **3** | **6** | **27** | **35** | **46** | **53** | **76** |

## 146: Paroxysmal supraventricular tachycardia (427.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 158 | 2.0 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 261 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 50-64 | 354 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 279 | 2.8 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 5 | 2.6 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 7 | 4.0 | 8 | 1 | 1 | 3 | 6 | 8 | 9 | 9 |
| 50-64 | 10 | 3.4 | 6 | 1 | 1 | 2 | 5 | 7 | 8 | 8 |
| 65+ | 8 | 5.0 | 23 | <1 | <1 | 3 | 8 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 146 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 227 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 35-49 | 581 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 50-64 | 1527 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 2961 | 4.9 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 9.0 | 118 | 1 | 2 | 4 | 15 | 21 | 36 | 40 |
| 20-34 | 13 | 5.5 | 15 | 1 | 2 | 5 | 7 | 10 | 15 | 16 |
| 35-49 | 48 | 4.5 | 13 | 1 | 1 | 3 | 6 | 9 | 12 | 17 |
| 50-64 | 126 | 7.0 | 28 | 2 | 2 | 6 | 9 | 13 | 17 | 26 |
| 65+ | 202 | 9.5 | 56 | 2 | 2 | 8 | 12 | 17 | 23 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1152 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 31 | 3.8 | 10 | <1 | 1 | 2 | 5 | 8 | 12 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5442 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| B. *Operated* | 403 | 8.0 | 46 | 2 | 2 | 6 | 11 | 16 | 20 | 31 |
| **1. SINGLE DX** | 1183 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 5845 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| **A. NOT OPERATED** | 6594 | 3.9 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **B. OPERATED** | 434 | 7.7 | 44 | 1 | 2 | 6 | 10 | 15 | 20 | 31 |
| TOTAL 0-19 YRS | 261 | 3.0 | 14 | <1 | 1 | 2 | 3 | 5 | 7 | 19 |
| 20-34 | 403 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 897 | 2.9 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 50-64 | 2017 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 65+ | 3450 | 5.0 | 21 | 1 | 1 | 4 | 6 | 10 | 12 | 23 |
| **GRAND TOTAL** | **7028** | **4.2** | **16** | **1** | **1** | **3** | **5** | **8** | **11** | **19** |

## 147: Atrial fibrillation and flutter (427.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 2.6 | 7 | <1 | <1 | 1 | 4 | 5 | 6 | 14 |
| 20-34 | 364 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 655 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 1295 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 1524 | 3.0 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 3.2 | 3 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 13 | 3.4 | 5 | <1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 50-64 | 31 | 2.9 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 10 |
| 65+ | 37 | 6.9 | 81 | <1 | 1 | 4 | 7 | 15 | 28 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 3.1 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 20-34 | 626 | 2.9 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 35-49 | 1788 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 50-64 | 7444 | 4.3 | 14 | 1 | 1 | 3 | 6 | 8 | 11 | 18 |
| 65+ | 22088 | 5.6 | 24 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 6.1 | 135 | <1 | <1 | 3 | 5 | 63 | 97 | 99+ |
| 20-34 | 37 | 4.8 | 16 | 1 | 1 | 3 | 7 | 11 | 14 | 16 |
| 35-49 | 135 | 6.3 | 50 | 1 | 1 | 4 | 8 | 12 | 16 | 45 |
| 50-64 | 718 | 7.9 | 56 | 1 | 2 | 6 | 10 | 16 | 21 | 45 |
| 65+ | 2181- | 10.7 | 91 | 2 | 3 | 8 | 14 | 21 | 28 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3871 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 87 | 4.7 | 40 | 1 | 1 | 3 | 5 | 8 | 14 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32044 | 5.1 | 21 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| B. *Operated* | 3081 | 9.7 | 83 | 2 | 2 | 7 | 12 | 20 | 27 | 53 |
| **1. SINGLE DX** | 3958 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | 35125 | 5.5 | 28 | 1 | 1 | 4 | 7 | 11 | 14 | 26 |
| **A. NOT OPERATED** | 35915 | 4.9 | 20 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| **B. OPERATED** | 3168 | 9.6 | 82 | 1 | 2 | 7 | 12 | 19 | 27 | 53 |
| TOTAL 0-19 YRS | 141 | 3.2 | 14 | <1 | 1 | 2 | 4 | 6 | 8 | 44 |
| 20-34 | 1033 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 2591 | 3.3 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 50-64 | 9488 | 4.3 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 19 |
| 65+ | 25830 | 5.9 | 32 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |
| **GRAND TOTAL** | **39083** | **5.2** | **27** | **1** | **1** | **4** | **7** | **10** | **14** | **25** |

## 148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 244 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 458 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 892 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 50-64 | 1138 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 65+ | 1324 | 4.1 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 13 | 17 |
| 20-34 | 61 | 3.9 | 11 | 1 | 1 | 2 | 6 | 7 | 10 | 16 |
| 35-49 | 161 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| 50-64 | 344 | 4.5 | 13 | 1 | 1 | 4 | 6 | 8 | 11 | 20 |
| 65+ | 963 | 5.6 | 19 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 564 | 4.0 | 33 | 1 | 1 | 3 | 5 | 8 | 11 | 26 |
| 20-34 | 1426 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 3664 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 9954 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 27311 | 6.1 | 25 | 2 | 2 | 5 | 7 | 11 | 14 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 7.7 | 113 | 1 | 1 | 4 | 8 | 23 | 43 | 99+ |
| 20-34 | 236 | 5.9 | 30 | 1 | 1 | 4 | 8 | 12 | 15 | 30 |
| 35-49 | 723 | 6.9 | 60 | 1 | 2 | 5 | 9 | 13 | 17 | 47 |
| 50-64 | 3087 | 7.9 | 50 | 2 | 2 | 6 | 10 | 15 | 20 | 40 |
| 65+ | 14542 | 9.0 | 55 | 2 | 3 | 7 | 11 | 17 | 22 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4056 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 1594 | 5.1 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42919 | 5.5 | 22 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | 18771 | 8.7 | 55 | 2 | 3 | 7 | 11 | 16 | 22 | 41 |
| **1. SINGLE DX** | 5650 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 61690 | 6.5 | 34 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| **A. NOT OPERATED** | 46975 | 5.3 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| **B. OPERATED** | 20365 | 8.4 | 53 | 2 | 2 | 7 | 10 | 16 | 21 | 40 |
| TOTAL 0-19 YRS | 1056 | 4.3 | 41 | 1 | 1 | 3 | 5 | 8 | 12 | 42 |
| 20-34 | 2181 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 35-49 | 5440 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 50-64 | 14523 | 5.5 | 25 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| 65+ | 44140 | 7.0 | 37 | 2 | 2 | 5 | 9 | 13 | 17 | 31 |
| **GRAND TOTAL** | **67340** | **6.3** | **33** | **1** | **2** | **5** | **8** | **12** | **16** | **29** |

## 149: Heart failure (428)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 5.0 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 20-34 | 17 | 5.9 | 35 | 1 | 1 | 3 | 9 | 14 | 19 | 22 |
| 35-49 | 135 | 5.0 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 632 | 5.5 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 24 |
| 65+ | 2925 | 5.8 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 11 | 4.9 | 12 | 1 | 1 | 3 | 7 | 10 | 11 | 11 |
| 50-64 | 50 | 7.5 | 61 | 1 | 1 | 4 | 11 | 18 | 24 | 38 |
| 65+ | 79 | 10.8 | 73 | 2 | 2 | 9 | 15 | 20 | 29 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 575 | 6.4 | 48 | 1 | 2 | 5 | 8 | 12 | 17 | 41 |
| 20-34 | 472 | 6.4 | 25 | 1 | 2 | 5 | 8 | 12 | 15 | 29 |
| 35-49 | 3381 | 6.9 | 29 | 2 | 2 | 6 | 9 | 12 | 16 | 28 |
| 50-64 | 21056 | 7.3 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| 65+ | 106708 | 8.2 | 42 | 2 | 3 | 7 | 10 | 15 | 19 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 13.8 | 231 | 2 | 2 | 8 | 17 | 35 | 53 | 87 |
| 20-34 | 174 | 7.7 | 48 | 1 | 2 | 6 | 10 | 14 | 21 | 35 |
| 35-49 | 670 | 10.1 | 96 | 1 | 2 | 8 | 13 | 20 | 28 | 53 |
| 50-64 | 3135 | 12.3 | 109 | 2 | 3 | 10 | 15 | 25 | 32 | 59 |
| 65+ | 10943 | 14.6 | 131 | 3 | 5 | 12 | 18 | 28 | 37 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3744 | 5.7 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| B. *Operated* | 143 | 9.1 | 66 | 1 | 2 | 7 | 12 | 19 | 25 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 132192 | 8.0 | 40 | 2 | 3 | 7 | 10 | 15 | 19 | 33 |
| B. *Operated* | 15050 | 13.8 | 126 | 2 | 4 | 11 | 17 | 27 | 36 | 69 |
| **1. SINGLE DX** | 3887 | 5.8 | 19 | 2 | 2 | 5 | 7 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | 147242 | 8.6 | 52 | 2 | 3 | 7 | 10 | 16 | 21 | 38 |
| **A. NOT OPERATED** | 135936 | 8.0 | 39 | 2 | 3 | 6 | 10 | 14 | 19 | 32 |
| **B. OPERATED** | 15193 | 13.8 | 126 | 2 | 4 | 11 | 17 | 27 | 36 | 69 |
| TOTAL 0-19 YRS | 740 | 7.6 | 85 | 1 | 2 | 5 | 9 | 15 | 24 | 63 |
| 20-34 | 664 | 6.7 | 31 | 1 | 2 | 5 | 8 | 13 | 16 | 31 |
| 35-49 | 4197 | 7.4 | 40 | 2 | 2 | 6 | 9 | 13 | 18 | 33 |
| 50-64 | 24873 | 7.9 | 43 | 2 | 3 | 6 | 10 | 15 | 19 | 34 |
| 65+ | 120655 | 8.7 | 53 | 2 | 3 | 7 | 11 | 16 | 21 | 39 |
| **GRAND TOTAL** | **151129** | **8.6** | **51** | **2** | **3** | **7** | **10** | **16** | **21** | **38** |

## 150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 4.4 | 55 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 20-34 | 721 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 837 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 605 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| 65+ | 338 | 4.7 | 17 | <1 | 1 | 4 | 6 | 9 | 11 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 238 | 3.5 | 14 | 1 | 1 | 2 | 4 | 9 | 11 | 17 |
| 20-34 | 219 | 4.7 | 22 | 1 | 1 | 2 | 7 | 11 | 14 | 21 |
| 35-49 | 560 | 4.0 | 20 | 1 | 1 | 2 | 5 | 10 | 11 | 16 |
| 50-64 | 853 | 4.0 | 16 | 1 | 1 | 2 | 5 | 10 | 12 | 16 |
| 65+ | 510 | 5.2 | 35 | 1 | 1 | 2 | 8 | 13 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 459 | 4.8 | 21 | 1 | 1 | 4 | 6 | 9 | 12 | 24 |
| 20-34 | 1733 | 4.8 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 23 |
| 35-49 | 3113 | 5.5 | 24 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |
| 50-64 | 5665 | 6.7 | 28 | 2 | 2 | 5 | 8 | 13 | 16 | 26 |
| 65+ | 8906 | 7.9 | 38 | 2 | 3 | 6 | 10 | 15 | 19 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 367 | 7.5 | 80 | 1 | 1 | 5 | 9 | 18 | 25 | 42 |
| 20-34 | 706 | 7.7 | 64 | 1 | 1 | 5 | 10 | 17 | 23 | 40 |
| 35-49 | 1870 | 7.5 | 74 | 1 | 1 | 5 | 10 | 16 | 22 | 47 |
| 50-64 | 4589 | 8.4 | 76 | 1 | 1 | 6 | 11 | 18 | 24 | 49 |
| 65+ | 5481 | 10.7 | 115 | 1 | 2 | 9 | 14 | 22 | 30 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2691 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 2380 | 4.3 | 21 | 1 | 1 | 2 | 6 | 11 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19876 | 6.8 | 32 | 2 | 2 | 5 | 9 | 13 | 17 | 29 |
| B. *Operated* | 13013 | 9.2 | 93 | 1 | 2 | 7 | 12 | 20 | 26 | 50 |
| **1. SINGLE DX** | 5071 | 4.1 | 17 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | 32889 | 7.8 | 58 | 1 | 2 | 6 | 10 | 16 | 21 | 38 |
| **A. NOT OPERATED** | 22567 | 6.5 | 31 | 1 | 2 | 5 | 8 | 13 | 16 | 28 |
| **B. OPERATED** | 15393 | 8.4 | 85 | 1 | 1 | 6 | 12 | 18 | 25 | 48 |
| TOTAL 0-19 YRS | 1254 | 5.3 | 44 | 1 | 1 | 3 | 7 | 11 | 16 | 33 |
| 20-34 | 3379 | 5.1 | 28 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| 35-49 | 6380 | 5.7 | 38 | 1 | 1 | 4 | 7 | 12 | 16 | 30 |
| 50-64 | 11712 | 7.1 | 47 | 1 | 2 | 5 | 9 | 14 | 19 | 34 |
| 65+ | 15235 | 8.7 | 68 | 1 | 2 | 7 | 11 | 17 | 23 | 41 |
| **GRAND TOTAL** | **37960** | **7.3** | **54** | **1** | **2** | **5** | **9** | **15** | **20** | **36** |

### 151: Cardiovascular disease, unspecified (429.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 11 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 65+ | 21 | 11.7 | 436 | 1 | 1 | 6 | 8 | 31 | 67 | 92 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 35-49 | 7 | 6.1 | 48 | 2 | 2 | 2 | 10 | 18 | 19 | 19 |
| 50-64 | 21 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 9 | 13 |
| 65+ | 12 | 4.8 | 22 | 1 | 1 | 2 | 6 | 14 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 4 | 8.3 | 4 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| 35-49 | 74 | 4.8 | 12 | 1 | 2 | 4 | 6 | 10 | 12 | 16 |
| 50-64 | 332 | 5.3 | 21 | 1 | 2 | 4 | 7 | 9 | 12 | 18 |
| 65+ | 1011 | 6.7 | 40 | 2 | 2 | 5 | 8 | 12 | 16 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 114 | 3.8 | 20 | 1 | 1 | 2 | 4 | 8 | 11 | 28 |
| 50-64 | 326 | 4.7 | 22 | 1 | 1 | 2 | 7 | 11 | 13 | 21 |
| 65+ | 329 | 8.9 | 113 | 1 | 1 | 6 | 11 | 20 | 29 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 8.1 | 278 | 1 | 1 | 3 | 6 | 13 | 40 | 92 |
| B. *Operated* | 42 | 4.1 | 19 | 1 | 1 | 2 | 4 | 13 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1426 | 6.2 | 34 | 2 | 2 | 5 | 8 | 12 | 15 | 34 |
| B. *Operated* | 772 | 6.4 | 65 | 1 | 1 | 3 | 9 | 14 | 20 | 37 |
| **1. SINGLE DX** | 77 | 5.9 | 138 | 1 | 1 | 2 | 5 | 13 | 18 | 80 |
| **2. MULTIPLE DX** | 2198 | 6.3 | 45 | 1 | 2 | 4 | 8 | 12 | 16 | 36 |
| **A. NOT OPERATED** | 1461 | 6.3 | 40 | 2 | 2 | 5 | 8 | 12 | 15 | 35 |
| **B. OPERATED** | 814 | 6.3 | 63 | 1 | 1 | 3 | 9 | 14 | 20 | 37 |
| TOTAL 0-19 YRS | 7 | 6.0 | 13 | 2 | 2 | 5 | 10 | 11 | 11 | 11 |
| 20-34 | 7 | 6.9 | 14 | 2 | 2 | 7 | 10 | 11 | 11 | 11 |
| 35-49 | 198 | 4.2 | 17 | 1 | 1 | 3 | 5 | 9 | 11 | 22 |
| 50-64 | 690 | 4.9 | 21 | 1 | 1 | 4 | 7 | 10 | 12 | 19 |
| 65+ | 1373 | 7.3 | 64 | 1 | 2 | 5 | 9 | 14 | 20 | 52 |
| **GRAND TOTAL** | **2275** | **6.3** | **48** | **1** | **2** | **4** | **8** | **12** | **16** | **36** |

### 152: Subarachnoid hemorrhage without paralysis (430)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.8 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 18 | 5.3 | 17 | <1 | 1 | 4 | 9 | 11 | 12 | 13 |
| 35-49 | 25 | 3.8 | 18 | <1 | 1 | 3 | 5 | 7 | 11 | 21 |
| 50-64 | 30 | 5.3 | 50 | <1 | <1 | 2 | 7 | 13 | 27 | 28 |
| 65+ | 18 | 11.4 | 108 | <1 | 1 | 9 | 16 | 24 | 36 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 7.9 | 16 | 1 | 2 | 8 | 11 | 12 | 13 | 13 |
| 20-34 | 103 | 11.8 | 54 | 2 | 2 | 11 | 15 | 20 | 29 | 32 |
| 35-49 | 138 | 14.8 | 115 | 2 | 3 | 13 | 18 | 25 | 32 | 64 |
| 50-64 | 128 | 14.6 | 123 | 2 | 2 | 12 | 19 | 28 | 35 | 58 |
| 65+ | 37 | 17.3 | 168 | 3 | 5 | 15 | 21 | 31 | 35 | 73 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.3 | 9 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 20-34 | 13 | 6.5 | 100 | 1 | 1 | 3 | 6 | 16 | 34 | 38 |
| 35-49 | 36 | 9.8 | 80 | 1 | 1 | 7 | 14 | 19 | 29 | 40 |
| 50-64 | 71 | 13.8 | 326 | <1 | 1 | 8 | 18 | 43 | 60 | 99 |
| 65+ | 190 | 14.1 | 118 | 2 | 3 | 12 | 18 | 27 | 37 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 22.8 | 550 | 4 | 5 | 14 | 24 | 60 | 80 | 95 |
| 20-34 | 132 | 20.4 | 296 | 3 | 5 | 17 | 26 | 48 | 69 | 99+ |
| 35-49 | 300 | 22.3 | 254 | 4 | 8 | 19 | 27 | 43 | 61 | 96 |
| 50-64 | 419 | 25.3 | 350 | 4 | 8 | 20 | 33 | 56 | 74 | 99+ |
| 65+ | 255 | 26.4 | 275 | 6 | 10 | 23 | 34 | 53 | 78 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 97 | 5.9 | 49 | <1 | <1 | 3 | 8 | 13 | 21 | 35 |
| B. *Operated* | 414 | 14.1 | 107 | 2 | 3 | 12 | 18 | 26 | 32 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 317 | 13.0 | 161 | 1 | 2 | 10 | 17 | 27 | 40 | 68 |
| B. *Operated* | 1128 | 24.1 | 308 | 5 | 8 | 20 | 31 | 50 | 71 | 99+ |
| **1. SINGLE DX** | 511 | 12.5 | 106 | 1 | 2 | 11 | 17 | 25 | 30 | 55 |
| **2. MULTIPLE DX** | 1445 | 21.7 | 297 | 2 | 5 | 18 | 28 | 47 | 64 | 99+ |
| **A. NOT OPERATED** | 414 | 11.3 | 144 | <1 | 1 | 8 | 15 | 25 | 36 | 63 |
| **B. OPERATED** | 1542 | 21.4 | 274 | 3 | 6 | 17 | 27 | 45 | 62 | 99+ |
| TOTAL 0-19 YRS | 43 | 14.2 | 360 | 1 | 2 | 8 | 14 | 33 | 61 | 95 |
| 20-34 | 266 | 15.4 | 201 | 2 | 2 | 13 | 19 | 31 | 48 | 99 |
| 35-49 | 499 | 18.4 | 219 | 2 | 3 | 15 | 24 | 36 | 50 | 90 |
| 50-64 | 648 | 21.0 | 325 | 1 | 3 | 17 | 28 | 47 | 65 | 99+ |
| 65+ | 500 | 20.5 | 237 | 3 | 5 | 17 | 27 | 43 | 54 | 99+ |
| **GRAND TOTAL** | **1956** | **19.3** | **263** | **2** | **3** | **16** | **25** | **41** | **57** | **99+** |

## 153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | 4 | 51.8 | 368 | 34 | 34 | 48 | 67 | 76 | 76 | 76 |
| 50-64 | 11 | 33.8 | 509 | 3 | 6 | 32 | 62 | 76 | 97 | 99+ |
| 65+ | 18 | 21.8 | 234 | 4 | 5 | 18 | 37 | 41 | 47 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 37.7 | 720 | 2 | 8 | 36 | 62 | 95 | 99 | 99+ |
| 35-49 | 32 | 34.7 | 280 | 13 | 16 | 27 | 49 | 58 | 64 | 75 |
| 50-64 | 37 | 35.8 | 562 | 7 | 11 | 30 | 57 | 78 | 99 | 99+ |
| 65+ | 35 | 34.1 | 473 | 6 | 13 | 27 | 56 | 74 | 96 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34 | 28.8 | 423 | 3 | 6 | 29 | 42 | 63 | 73 | 99+ |
| B. *Operated* | 115 | 35.2 | 459 | 9 | 13 | 29 | 55 | 71 | 95 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 149 | 33.7 | 455 | 5 | 11 | 29 | 51 | 71 | 92 | 99+ |
| **A. NOT OPERATED** | 34 | 28.8 | 423 | 3 | 6 | 29 | 42 | 63 | 73 | 99+ |
| **B. OPERATED** | 115 | 35.2 | 459 | 9 | 13 | 29 | 55 | 71 | 95 | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 12 | 35.1 | 739 | 2 | 5 | 35 | 61 | 94 | 99 | 99+ |
| 35-49 | 36 | 36.6 | 310 | 14 | 17 | 28 | 51 | 61 | 72 | 76 |
| 50-64 | 48 | 35.4 | 539 | 5 | 11 | 30 | 58 | 76 | 99+ | 99+ |
| 65+ | 53 | 29.9 | 420 | 5 | 6 | 25 | 48 | 64 | 86 | 99+ |
| **GRAND TOTAL** | **149** | **33.7** | **455** | **5** | **11** | **29** | **51** | **71** | **92** | **99+** |

## 154: Intracerebral hemorrhage without paralysis (431-432)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 9.1 | 131 | <1 | <1 | 4 | 11 | 31 | 35 | 36 |
| 20-34 | 14 | 4.9 | 33 | <1 | <1 | 4 | 5 | 10 | 20 | 23 |
| 35-49 | 26 | 8.7 | 86 | <1 | 1 | 5 | 13 | 21 | 26 | 41 |
| 50-64 | 67 | 7.8 | 63 | 1 | 1 | 5 | 11 | 19 | 25 | 40 |
| 65+ | 234 | 9.5 | 62 | 1 | 1 | 8 | 12 | 20 | 28 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 8.8 | 99 | 1 | 2 | 8 | 11 | 15 | 17 | 69 |
| 20-34 | 58 | 8.5 | 44 | 1 | 2 | 7 | 11 | 17 | 22 | 33 |
| 35-49 | 84 | 11.2 | 220 | 2 | 3 | 7 | 11 | 15 | 44 | 85 |
| 50-64 | 124 | 10.0 | 59 | 2 | 4 | 8 | 12 | 22 | 31 | 99+ |
| 65+ | 256 | 11.5 | 87 | 3 | 4 | 9 | 14 | 23 | 29 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 6.5 | 39 | <1 | 1 | 4 | 10 | 17 | 18 | 24 |
| 20-34 | 35 | 10.1 | 173 | 1 | 2 | 7 | 12 | 18 | 62 | 99+ |
| 35-49 | 140 | 11.7 | 122 | 1 | 2 | 8 | 16 | 30 | 38 | 55 |
| 50-64 | 541 | 13.0 | 170 | 2 | 3 | 9 | 16 | 29 | 39 | 70 |
| 65+ | 2241 | 13.0 | 117 | 3 | 4 | 10 | 16 | 25 | 35 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 14.9 | 167 | 2 | 4 | 12 | 20 | 35 | 46 | 99+ |
| 20-34 | 109 | 19.9 | 429 | 3 | 4 | 13 | 25 | 52 | 73 | 99 |
| 35-49 | 234 | 19.2 | 278 | 4 | 5 | 14 | 25 | 44 | 69 | 99+ |
| 50-64 | 502 | 19.8 | 301 | 4 | 6 | 14 | 26 | 52 | 66 | 99+ |
| 65+ | 1193 | 20.0 | 253 | 5 | 7 | 15 | 25 | 42 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 354 | 8.9 | 66 | <1 | 1 | 7 | 12 | 20 | 27 | 38 |
| B. *Operated* | 575 | 10.6 | 98 | 2 | 3 | 8 | 13 | 22 | 29 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3000 | 12.8 | 127 | 2 | 3 | 10 | 16 | 25 | 36 | 80 |
| B. *Operated* | 2133 | 19.6 | 273 | 4 | 6 | 15 | 25 | 45 | 65 | 99+ |
| **1. SINGLE DX** | 929 | 10.0 | 86 | 1 | 2 | 8 | 12 | 21 | 28 | 59 |
| **2. MULTIPLE DX** | 5133 | 15.7 | 199 | 3 | 4 | 12 | 19 | 34 | 50 | 99+ |
| **A. NOT OPERATED** | 3354 | 12.4 | 122 | 2 | 3 | 10 | 16 | 25 | 35 | 78 |
| **B. OPERATED** | 2708 | 17.7 | 249 | 4 | 5 | 13 | 23 | 40 | 61 | 99+ |
| TOTAL 0-19 YRS | 204 | 11.2 | 131 | 1 | 1 | 8 | 15 | 24 | 37 | 83 |
| 20-34 | 216 | 14.3 | 290 | 1 | 2 | 9 | 16 | 32 | 54 | 99 |
| 35-49 | 484 | 15.1 | 228 | 2 | 3 | 11 | 19 | 35 | 51 | 99+ |
| 50-64 | 1234 | 15.2 | 222 | 2 | 3 | 11 | 19 | 35 | 55 | 99+ |
| 65+ | 3924 | 14.8 | 165 | 3 | 4 | 11 | 19 | 30 | 44 | 99+ |
| **GRAND TOTAL** | **6062** | **14.8** | **186** | **2** | **4** | **11** | **18** | **32** | **47** | **99+** |

## 155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 44.5 | 1985 | 13 | 13 | 44 | 76 | 76 | 76 | 76 |
| 20-34 | 6 | 22.5 | 308 | 1 | 2 | 17 | 41 | 45 | 46 | 46 |
| 35-49 | 54 | 17.1 | 227 | 2 | 3 | 13 | 23 | 43 | 52 | 99 |
| 50-64 | 200 | 19.7 | 295 | 3 | 5 | 14 | 25 | 46 | 64 | 99+ |
| 65+ | 903 | 16.4 | 177 | 4 | 5 | 13 | 20 | 33 | 47 | 94 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.7 | 9 | 2 | 2 | 8 | 99+ | 99+ | 99+ | 99+ |
| 20-34 | 12 | 31.5 | 474 | 11 | 11 | 26 | 44 | 67 | 68 | 68 |
| 35-49 | 54 | 31.8 | 662 | 6 | 8 | 26 | 57 | 92 | 99+ | 99+ |
| 50-64 | 121 | 27.5 | 395 | 7 | 8 | 21 | 37 | 59 | 68 | 98 |
| 65+ | 323 | 24.7 | 286 | 7 | 8 | 20 | 35 | 54 | 66 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1165 | 17.0 | 204 | 4 | 5 | 13 | 21 | 37 | 51 | 99 |
| B. *Operated* | 513 | 26.2 | 359 | 7 | 8 | 21 | 37 | 60 | 77 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 1678 | 19.8 | 269 | 4 | 6 | 15 | 25 | 45 | 60 | 99+ |
| **A. NOT OPERATED** | 1165 | 17.0 | 204 | 4 | 5 | 13 | 21 | 37 | 51 | 99 |
| **B. OPERATED** | 513 | 26.2 | 359 | 7 | 8 | 21 | 37 | 60 | 77 | 99+ |
| TOTAL 0-19 YRS | 5 | 20.6 | 977 | 2 | 2 | 13 | 94 | 99+ | 99+ | 99+ |
| 20-34 | 18 | 28.5 | 416 | 5 | 11 | 19 | 44 | 61 | 68 | 68 |
| 35-49 | 108 | 24.4 | 495 | 3 | 5 | 19 | 36 | 74 | 96 | 99+ |
| 50-64 | 321 | 22.6 | 346 | 4 | 6 | 17 | 30 | 55 | 66 | 99+ |
| 65+ | 1226 | 18.6 | 219 | 4 | 6 | 14 | 23 | 40 | 53 | 99+ |
| **GRAND TOTAL** | **1678** | **19.8** | **269** | **4** | **6** | **15** | **25** | **45** | **60** | **99+** |

## 156: Precerebral artery occlusion without paralysis (433)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 35-49 | 16 | 5.4 | 23 | <1 | 1 | 4 | 8 | 13 | 16 | 17 |
| 50-64 | 84 | 3.5 | 10 | <1 | 1 | 2 | 5 | 7 | 9 | 17 |
| 65+ | 142 | 4.1 | 14 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 14 | 4.1 | 9 | 1 | 1 | 3 | 7 | 8 | 9 | 9 |
| 35-49 | 208 | 4.7 | 12 | 1 | 1 | 4 | 6 | 9 | 12 | 15 |
| 50-64 | 1955 | 4.7 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 3301 | 4.8 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 12.5 | 132 | 2 | 2 | 11 | 22 | 26 | 26 | 26 |
| 20-34 | 8 | 16.0 | 665 | 1 | 1 | 6 | 16 | 61 | 77 | 77 |
| 35-49 | 77 | 5.0 | 59 | 1 | 1 | 3 | 6 | 9 | 18 | 89 |
| 50-64 | 530 | 5.4 | 26 | 1 | 1 | 4 | 7 | 11 | 14 | 22 |
| 65+ | 2266 | 6.8 | 55 | 1 | 2 | 5 | 8 | 13 | 17 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 6.4 | 28 | 1 | 2 | 5 | 6 | 13 | 20 | 24 |
| 20-34 | 25 | 8.9 | 99 | 1 | 2 | 6 | 11 | 20 | 34 | 43 |
| 35-49 | 632 | 6.2 | 26 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| 50-64 | 6484 | 6.7 | 30 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| 65+ | 15701 | 7.3 | 37 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 244 | 4.0 | 13 | <1 | 1 | 3 | 5 | 9 | 11 | 18 |
| B. *Operated* | 5479 | 4.7 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2885 | 6.5 | 52 | 1 | 1 | 5 | 8 | 12 | 16 | 41 |
| B. *Operated* | 22859 | 7.1 | 35 | 2 | 2 | 6 | 9 | 13 | 17 | 30 |
| **1. SINGLE DX** | 5723 | 4.7 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 16 |
| **2. MULTIPLE DX** | 25744 | 7.0 | 37 | 1 | 2 | 6 | 9 | 13 | 17 | 31 |
| **A. NOT OPERATED** | 3129 | 6.3 | 50 | 1 | 1 | 5 | 8 | 12 | 16 | 40 |
| **B. OPERATED** | 28338 | 6.6 | 31 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| TOTAL 0-19 YRS | 22 | 7.3 | 48 | 1 | 2 | 5 | 7 | 20 | 25 | 26 |
| 20-34 | 49 | 8.5 | 165 | 1 | 1 | 5 | 8 | 18 | 32 | 77 |
| 35-49 | 933 | 5.8 | 26 | 1 | 2 | 5 | 7 | 11 | 14 | 26 |
| 50-64 | 9053 | 6.2 | 26 | 1 | 2 | 5 | 8 | 11 | 15 | 26 |
| 65+ | 21410 | 6.8 | 36 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| **GRAND TOTAL** | **31467** | **6.6** | **33** | **1** | **2** | **5** | **8** | **12** | **16** | **29** |

### 157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 43.0 | | 43 | 43 | 43 | 43 | 43 | 43 | 43 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 15 | 13.5 | 162 | 2 | 2 | 8 | 23 | 35 | 36 | 37 |
| 50-64 | 67 | 16.6 | 286 | 3 | 4 | 11 | 18 | 39 | 57 | 88 |
| 65+ | 242 | 12.1 | 132 | 2 | 3 | 8 | 15 | 24 | 36 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 9.0 | 69 | 2 | 2 | 6 | 14 | 21 | 21 | 21 |
| 20-34 | 9 | 9.1 | 29 | 2 | 3 | 9 | 11 | 17 | 21 | 21 |
| 35-49 | 61 | 9.8 | 89 | 2 | 2 | 8 | 12 | 18 | 30 | 52 |
| 50-64 | 362 | 11.8 | 124 | 2 | 3 | 8 | 15 | 25 | 40 | 96 |
| 65+ | 803 | 12.3 | 143 | 2 | 3 | 9 | 15 | 25 | 36 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 326 | 13.1 | 169 | 2 | 3 | 9 | 15 | 29 | 43 | 81 |
| B. *Operated* | 1239 | 12.0 | 134 | 2 | 3 | 9 | 15 | 25 | 36 | 78 |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 1565 | 12.2 | 141 | 2 | 3 | 9 | 15 | 26 | 37 | 78 |
| **A. NOT OPERATED** | 326 | 13.1 | 169 | 2 | 3 | 9 | 15 | 29 | 43 | 81 |
| **B. OPERATED** | 1239 | 12.0 | 134 | 2 | 3 | 9 | 15 | 25 | 36 | 78 |
| TOTAL 0-19 YRS | 5 | 15.8 | 283 | 2 | 2 | 7 | 26 | 43 | 43 | 43 |
| 20-34 | 10 | 8.7 | 28 | 2 | 3 | 8 | 11 | 16 | 21 | 21 |
| 35-49 | 76 | 10.5 | 104 | 2 | 2 | 8 | 12 | 26 | 35 | 51 |
| 50-64 | 429 | 12.6 | 152 | 2 | 3 | 9 | 15 | 28 | 43 | 94 |
| 65+ | 1045 | 12.3 | 140 | 2 | 3 | 9 | 15 | 25 | 36 | 77 |
| **GRAND TOTAL** | **1565** | **12.2** | **141** | **2** | **3** | **9** | **15** | **26** | **37** | **78** |

### 158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.9 | 5 | <1 | 1 | 3 | 6 | 7 | 8 | 8 |
| 20-34 | 26 | 5.8 | 15 | 1 | 2 | 5 | 9 | 12 | 13 | 14 |
| 35-49 | 87 | 6.7 | 68 | 1 | 2 | 5 | 8 | 11 | 14 | 55 |
| 50-64 | 412 | 7.3 | 44 | 2 | 2 | 6 | 9 | 13 | 18 | 33 |
| 65+ | 1397 | 8.1 | 46 | 2 | 3 | 6 | 10 | 15 | 20 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.7 | 7 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | 35 | 5.3 | 23 | 1 | 2 | 3 | 7 | 12 | 14 | 24 |
| 35-49 | 69 | 7.8 | 92 | 1 | 2 | 5 | 9 | 14 | 21 | 63 |
| 50-64 | 152 | 6.6 | 39 | 1 | 2 | 5 | 9 | 13 | 17 | 40 |
| 65+ | 180 | 7.7 | 61 | 2 | 2 | 6 | 10 | 15 | 24 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 9.6 | 58 | 2 | 2 | 8 | 13 | 25 | 27 | 99+ |
| 20-34 | 115 | 8.5 | 59 | 2 | 2 | 6 | 11 | 17 | 23 | 39 |
| 35-49 | 673 | 8.9 | 66 | 2 | 3 | 7 | 11 | 17 | 25 | 47 |
| 50-64 | 4117 | 9.7 | 81 | 2 | 3 | 7 | 11 | 19 | 26 | 57 |
| 65+ | 22208 | 10.9 | 92 | 3 | 4 | 8 | 13 | 20 | 28 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 16.3 | 168 | 2 | 3 | 13 | 26 | 33 | 43 | 51 |
| 20-34 | 81 | 11.2 | 205 | 2 | 3 | 8 | 12 | 19 | 56 | 99+ |
| 35-49 | 392 | 11.4 | 148 | 2 | 3 | 8 | 13 | 24 | 36 | 89 |
| 50-64 | 1397 | 12.2 | 146 | 2 | 3 | 9 | 15 | 26 | 40 | 92 |
| 65+ | 4063 | 15.9 | 214 | 3 | 4 | 11 | 20 | 36 | 56 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1936 | 7.8 | 46 | 2 | 2 | 6 | 10 | 14 | 19 | 37 |
| B. *Operated* | 443 | 7.1 | 55 | 1 | 2 | 5 | 9 | 14 | 17 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27162 | 10.7 | 89 | 3 | 3 | 8 | 13 | 20 | 28 | 66 |
| B. *Operated* | 5958 | 14.6 | 197 | 3 | 4 | 11 | 18 | 33 | 51 | 99+ |
| **1. SINGLE DX** | 2379 | 7.6 | 48 | 2 | 2 | 6 | 9 | 14 | 19 | 39 |
| **2. MULTIPLE DX** | 33120 | 11.4 | 111 | 3 | 3 | 9 | 14 | 22 | 32 | 81 |
| **A. NOT OPERATED** | 29098 | 10.5 | 87 | 2 | 3 | 8 | 13 | 20 | 27 | 64 |
| **B. OPERATED** | 6401 | 14.1 | 190 | 2 | 3 | 10 | 17 | 32 | 49 | 99+ |
| TOTAL 0-19 YRS | 95 | 10.1 | 93 | 2 | 2 | 7 | 13 | 26 | 31 | 77 |
| 20-34 | 257 | 8.6 | 99 | 2 | 2 | 6 | 11 | 17 | 24 | 93 |
| 35-49 | 1221 | 9.5 | 95 | 2 | 3 | 7 | 11 | 18 | 27 | 77 |
| 50-64 | 6078 | 10.0 | 94 | 2 | 3 | 7 | 12 | 20 | 28 | 64 |
| 65+ | 27848 | 11.5 | 111 | 3 | 3 | 9 | 14 | 22 | 32 | 81 |
| **GRAND TOTAL** | **35499** | **11.1** | **108** | **2** | **3** | **8** | **13** | **22** | **31** | **79** |

## 159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 9.2 | 82 | 2 | 2 | 7 | 10 | 33 | 48 | 99+ |
| 20-34 | 40 | 12.1 | 103 | 1 | 3 | 10 | 17 | 24 | 31 | 53 |
| 35-49 | 301 | 13.8 | 189 | 3 | 4 | 10 | 17 | 27 | 45 | 96 |
| 50-64 | 1832 | 13.7 | 152 | 3 | 4 | 10 | 17 | 28 | 39 | 77 |
| 65+ | 10242 | 13.6 | 128 | 4 | 5 | 10 | 16 | 26 | 37 | 85 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 16.6 | 358 | 2 | 4 | 12 | 13 | 44 | 69 | 69 |
| 20-34 | 35 | 12.5 | 122 | 2 | 3 | 10 | 14 | 38 | 40 | 41 |
| 35-49 | 126 | 17.7 | 291 | 4 | 4 | 12 | 22 | 52 | 69 | 99+ |
| 50-64 | 482 | 18.4 | 275 | 4 | 5 | 13 | 24 | 44 | 62 | 99+ |
| 65+ | 1563 | 19.7 | 253 | 4 | 6 | 15 | 26 | 45 | 65 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12440 | 13.6 | 133 | 3 | 4 | 10 | 16 | 27 | 38 | 85 |
| B. *Operated* | 2216 | 19.2 | 259 | 4 | 5 | 14 | 26 | 45 | 64 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 14656 | 14.4 | 156 | 4 | 5 | 11 | 17 | 29 | 43 | 98 |
| **A. NOT OPERATED** | 12440 | 13.6 | 133 | 3 | 4 | 10 | 16 | 27 | 38 | 85 |
| **B. OPERATED** | 2216 | 19.2 | 259 | 4 | 5 | 14 | 26 | 45 | 64 | 99+ |
| TOTAL 0-19 YRS | 35 | 11.3 | 164 | 2 | 2 | 9 | 13 | 33 | 59 | 99+ |
| 20-34 | 75 | 12.3 | 110 | 2 | 3 | 10 | 14 | 25 | 39 | 50 |
| 35-49 | 427 | 15.0 | 222 | 3 | 4 | 10 | 18 | 36 | 55 | 99+ |
| 50-64 | 2314 | 14.7 | 181 | 3 | 4 | 10 | 18 | 31 | 45 | 84 |
| 65+ | 11805 | 14.4 | 149 | 4 | 5 | 11 | 17 | 29 | 42 | 99+ |
| **GRAND TOTAL** | **14656** | **14.4** | **156** | **4** | **5** | **11** | **17** | **29** | **43** | **98** |

## 160: Transient cerebral ischemia without paralysis (435)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 74 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 35-49 | 253 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 874 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 65+ | 2293 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.8 | 95 | 2 | 2 | 5 | 15 | 23 | 23 | 23 |
| 20-34 | 23 | 3.8 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 8 |
| 35-49 | 166 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 15 |
| 50-64 | 531 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 65+ | 616 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 4.3 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 24 |
| 20-34 | 195 | 4.0 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 1099 | 4.6 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 50-64 | 5613 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 30909 | 5.9 | 30 | 2 | 2 | 5 | 7 | 10 | 14 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 10.3 | 96 | 1 | 1 | 8 | 16 | 23 | 32 | 35 |
| 20-34 | 71 | 4.8 | 18 | 1 | 1 | 4 | 6 | 9 | 11 | 26 |
| 35-49 | 481 | 5.7 | 22 | 1 | 2 | 5 | 7 | 11 | 13 | 28 |
| 50-64 | 2465 | 6.1 | 25 | 1 | 2 | 5 | 8 | 11 | 15 | 24 |
| 65+ | 6318 | 8.0 | 60 | 2 | 2 | 6 | 10 | 16 | 22 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3503 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| B. *Operated* | 1340 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37884 | 5.7 | 27 | 1 | 2 | 5 | 7 | 10 | 13 | 27 |
| B. *Operated* | 9350 | 7.4 | 49 | 1 | 2 | 6 | 9 | 14 | 19 | 41 |
| **1. SINGLE DX** | 4843 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 47234 | 6.0 | 32 | 1 | 2 | 5 | 7 | 11 | 14 | 31 |
| **A. NOT OPERATED** | 41387 | 5.5 | 26 | 1 | 2 | 4 | 7 | 10 | 13 | 26 |
| **B. OPERATED** | 10690 | 6.9 | 46 | 1 | 2 | 5 | 9 | 13 | 18 | 38 |
| TOTAL 0-19 YRS | 96 | 5.2 | 33 | 1 | 1 | 3 | 6 | 9 | 19 | 31 |
| 20-34 | 363 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 35-49 | 1999 | 4.7 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 9483 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 65+ | 40136 | 6.1 | 34 | 1 | 2 | 5 | 7 | 11 | 15 | 32 |
| **GRAND TOTAL** | **52077** | **5.8** | **30** | **1** | **2** | **5** | **7** | **11** | **14** | **29** |

### 161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 2.8 | 3 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 28 | 4.5 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 89 | 6.2 | 26 | <1 | 1 | 5 | 8 | 13 | 18 | 24 |
| 50-64 | 380 | 6.7 | 36 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| 65+ | 1272 | 8.3 | 59 | 2 | 2 | 6 | 10 | 16 | 21 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.4 | 6 | <1 | <1 | 5 | 6 | 8 | 8 | 8 |
| 20-34 | 9 | 4.7 | 11 | 1 | 1 | 4 | 6 | 10 | 12 | 12 |
| 35-49 | 45 | 5.6 | 16 | 1 | 1 | 5 | 8 | 11 | 13 | 18 |
| 50-64 | 97 | 6.9 | 56 | 1 | 2 | 5 | 9 | 13 | 17 | 46 |
| 65+ | 144 | 9.3 | 87 | 2 | 2 | 7 | 12 | 19 | 31 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 8.2 | 86 | 1 | 2 | 5 | 10 | 16 | 24 | 48 |
| 20-34 | 73 | 7.0 | 33 | 1 | 2 | 6 | 9 | 12 | 14 | 35 |
| 35-49 | 425 | 8.0 | 69 | 2 | 2 | 6 | 10 | 15 | 19 | 48 |
| 50-64 | 2734 | 8.8 | 65 | 2 | 3 | 7 | 10 | 17 | 23 | 49 |
| 65+ | 14199 | 9.8 | 72 | 2 | 3 | 8 | 12 | 18 | 24 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.6 | | 5 | 5 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 35 | 8.4 | 50 | 1 | 2 | 7 | 11 | 15 | 23 | 35 |
| 35-49 | 180 | 11.9 | 182 | 2 | 3 | 7 | 14 | 26 | 40 | 74 |
| 50-64 | 746 | 11.7 | 129 | 2 | 3 | 9 | 14 | 24 | 36 | 77 |
| 65+ | 2038 | 14.7 | 154 | 3 | 4 | 11 | 19 | 31 | 41 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1785 | 7.8 | 52 | 1 | 2 | 6 | 10 | 15 | 20 | 38 |
| B. *Operated* | 302 | 7.8 | 65 | 1 | 2 | 6 | 10 | 15 | 20 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17461 | 9.6 | 71 | 2 | 3 | 7 | 12 | 18 | 24 | 50 |
| B. *Operated* | 3004 | 13.7 | 150 | 3 | 4 | 10 | 17 | 29 | 40 | 95 |
| **1. SINGLE DX** | 2087 | 7.8 | 54 | 1 | 2 | 6 | 10 | 15 | 20 | 41 |
| **2. MULTIPLE DX** | 20465 | 10.2 | 85 | 2 | 3 | 8 | 12 | 20 | 27 | 57 |
| **A. NOT OPERATED** | 19246 | 9.4 | 70 | 2 | 3 | 7 | 11 | 18 | 24 | 49 |
| **B. OPERATED** | 3306 | 13.2 | 145 | 2 | 3 | 10 | 16 | 29 | 39 | 94 |
| TOTAL 0-19 YRS | 58 | 6.0 | 51 | <1 | 1 | 4 | 6 | 12 | 16 | 46 |
| 20-34 | 145 | 6.7 | 33 | 1 | 2 | 5 | 9 | 13 | 15 | 35 |
| 35-49 | 739 | 8.6 | 92 | 1 | 2 | 6 | 10 | 17 | 24 | 56 |
| 50-64 | 3957 | 9.1 | 76 | 2 | 3 | 7 | 11 | 18 | 25 | 61 |
| 65+ | 17653 | 10.3 | 84 | 2 | 3 | 8 | 12 | 20 | 27 | 57 |
| **GRAND TOTAL** | **22552** | **10.0** | **83** | **2** | **3** | **8** | **12** | **19** | **26** | **56** |

### 162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 13.8 | 411 | 2 | 3 | 7 | 10 | 32 | 69 | 84 |
| 20-34 | 26 | 11.5 | 94 | 2 | 3 | 10 | 14 | 20 | 32 | 46 |
| 35-49 | 165 | 11.0 | 114 | 2 | 3 | 8 | 13 | 21 | 25 | 72 |
| 50-64 | 1154 | 11.7 | 113 | 2 | 3 | 9 | 14 | 22 | 33 | 65 |
| 65+ | 5691 | 12.0 | 117 | 3 | 4 | 9 | 14 | 23 | 32 | 80 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.8 | 30 | 2 | 2 | 5 | 9 | 16 | 16 | 16 |
| 20-34 | 9 | 8.7 | 45 | 2 | 2 | 7 | 13 | 19 | 22 | 22 |
| 35-49 | 57 | 13.9 | 162 | 4 | 4 | 10 | 17 | 31 | 40 | 98 |
| 50-64 | 264 | 18.9 | 370 | 3 | 4 | 12 | 24 | 53 | 80 | 99+ |
| 65+ | 752 | 18.0 | 212 | 4 | 5 | 13 | 23 | 39 | 55 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7052 | 11.9 | 117 | 3 | 4 | 9 | 14 | 23 | 32 | 77 |
| B. *Operated* | 1087 | 17.8 | 248 | 4 | 5 | 13 | 23 | 41 | 59 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 8139 | 12.7 | 138 | 3 | 4 | 9 | 15 | 25 | 37 | 85 |
| **A. NOT OPERATED** | 7052 | 11.9 | 117 | 3 | 4 | 9 | 14 | 23 | 32 | 77 |
| **B. OPERATED** | 1087 | 17.8 | 248 | 4 | 5 | 13 | 23 | 41 | 59 | 99+ |
| TOTAL 0-19 YRS | 21 | 12.1 | 323 | 2 | 3 | 7 | 10 | 25 | 56 | 84 |
| 20-34 | 35 | 10.8 | 81 | 2 | 3 | 8 | 14 | 20 | 26 | 46 |
| 35-49 | 222 | 11.7 | 128 | 2 | 4 | 8 | 14 | 22 | 31 | 83 |
| 50-64 | 1418 | 13.0 | 169 | 3 | 4 | 9 | 15 | 27 | 43 | 86 |
| 65+ | 6443 | 12.7 | 132 | 3 | 4 | 9 | 15 | 25 | 36 | 85 |
| **GRAND TOTAL** | **8139** | **12.7** | **138** | **3** | **4** | **9** | **15** | **25** | **37** | **85** |

## 163: Other and ill-defined cerebrovascular disease (437-438)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.5 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 20-34 | 65 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 13 |
| 35-49 | 208 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 50-64 | 276 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 65+ | 433 | 4.8 | 22 | 1 | 1 | 4 | 6 | 10 | 12 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 8.9 | 70 | 2 | 2 | 7 | 11 | 23 | 28 | 28 |
| 20-34 | 46 | 5.9 | 21 | 1 | 1 | 5 | 9 | 11 | 16 | 17 |
| 35-49 | 131 | 7.2 | 47 | 1 | 1 | 6 | 10 | 16 | 23 | 30 |
| 50-64 | 194 | 5.2 | 30 | 1 | 1 | 3 | 7 | 12 | 16 | 28 |
| 65+ | 178 | 3.8 | 15 | 1 | 1 | 2 | 5 | 8 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 4.4 | 12 | <1 | 1 | 3 | 6 | 10 | 11 | 14 |
| 20-34 | 207 | 5.0 | 14 | 1 | 2 | 4 | 6 | 10 | 13 | 21 |
| 35-49 | 803 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| 50-64 | 2061 | 6.2 | 36 | 1 | 2 | 5 | 7 | 12 | 15 | 29 |
| 65+ | 7617 | 7.7 | 66 | 2 | 2 | 6 | 9 | 15 | 21 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 14.9 | 472 | 2 | 2 | 7 | 19 | 28 | 82 | 94 |
| 20-34 | 74 | 9.2 | 88 | 1 | 2 | 8 | 12 | 17 | 27 | 55 |
| 35-49 | 316 | 10.9 | 170 | 1 | 2 | 8 | 12 | 23 | 43 | 99+ |
| 50-64 | 883 | 9.6 | 119 | 1 | 2 | 6 | 12 | 21 | 30 | 62 |
| 65+ | 1623 | 10.4 | 138 | 1 | 2 | 7 | 13 | 22 | 36 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 994 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| B. *Operated* | 558 | 5.3 | 30 | 1 | 1 | 3 | 8 | 13 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10730 | 7.2 | 56 | 2 | 2 | 5 | 8 | 13 | 19 | 50 |
| B. *Operated* | 2928 | 10.2 | 138 | 1 | 2 | 7 | 12 | 22 | 35 | 91 |
| **1. SINGLE DX** | 1552 | 4.7 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| **2. MULTIPLE DX** | 13658 | 7.8 | 76 | 2 | 2 | 6 | 9 | 15 | 22 | 63 |
| **A. NOT OPERATED** | 11724 | 6.9 | 54 | 2 | 2 | 5 | 8 | 13 | 18 | 47 |
| **B. OPERATED** | 3486 | 9.4 | 124 | 1 | 2 | 7 | 12 | 21 | 30 | 33 |
| TOTAL 0-19 YRS | 95 | 8.1 | 194 | 1 | 1 | 4 | 8 | 19 | 27 | 91 |
| 20-34 | 392 | 5.6 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| 35-49 | 1458 | 6.5 | 59 | 1 | 2 | 5 | 8 | 12 | 17 | 50 |
| 50-64 | 3414 | 6.9 | 58 | 1 | 2 | 5 | 8 | 13 | 19 | 44 |
| 65+ | 9851 | 8.0 | 77 | 2 | 2 | 6 | 9 | 16 | 22 | 71 |
| **GRAND TOTAL** | **15210** | **7.5** | **71** | **1** | **2** | **5** | **9** | **15** | **21** | **59** |

## 164: Atherosclerosis (440)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 12.0 | 242 | 1 | 1 | 12 | 23 | 23 | 23 | 23 |
| 35-49 | 5 | 9.6 | 349 | <1 | <1 | 1 | 12 | 43 | 43 | 43 |
| 50-64 | 25 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 65+ | 31 | 5.6 | 131 | 1 | 1 | 3 | 5 | 9 | 14 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.4 | 10 | 1 | 1 | 2 | 4 | 9 | 9 | 9 |
| 20-34 | 10 | 4.2 | 10 | 1 | 1 | 3 | 8 | 9 | 9 | 9 |
| 35-49 | 114 | 4.5 | 13 | 1 | 1 | 3 | 8 | 9 | 11 | 14 |
| 50-64 | 453 | 5.2 | 24 | 1 | 1 | 3 | 8 | 11 | 13 | 21 |
| 65+ | 558 | 5.5 | 27 | 1 | 1 | 4 | 9 | 12 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 5 | 4.0 | 1 | 3 | 3 | 4 | 4 | 5 | 5 | 5 |
| 35-49 | 37 | 4.7 | 21 | <1 | <1 | 3 | 5 | 11 | 17 | 19 |
| 50-64 | 196 | 5.8 | 30 | 1 | 1 | 4 | 8 | 11 | 15 | 31 |
| 65+ | 866 | 7.0 | 61 | 1 | 2 | 5 | 8 | 14 | 18 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 9.1 | 117 | 1 | 2 | 5 | 11 | 24 | 33 | 48 |
| 20-34 | 63 | 7.3 | 37 | 1 | 1 | 6 | 11 | 16 | 20 | 22 |
| 35-49 | 530 | 8.1 | 68 | 1 | 1 | 7 | 11 | 16 | 20 | 45 |
| 50-64 | 3045 | 10.1 | 115 | 1 | 2 | 8 | 13 | 20 | 30 | 65 |
| 65+ | 6815 | 12.5 | 139 | 1 | 2 | 10 | 16 | 27 | 36 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 63 | 5.0 | 97 | 1 | 1 | 2 | 4 | 8 | 17 | 62 |
| B. *Operated* | 1140 | 5.3 | 24 | 1 | 1 | 4 | 8 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1105 | 6.7 | 54 | 1 | 1 | 5 | 8 | 14 | 17 | 40 |
| B. *Operated* | 10477 | 11.5 | 130 | 1 | 2 | 9 | 14 | 24 | 34 | 66 |
| **1. SINGLE DX** | 1203 | 5.3 | 28 | 1 | 1 | 3 | 8 | 11 | 13 | 20 |
| **2. MULTIPLE DX** | 11582 | 11.1 | 124 | 1 | 2 | 8 | 14 | 23 | 33 | 65 |
| **A. NOT OPERATED** | 1168 | 6.6 | 57 | 1 | 1 | 5 | 8 | 13 | 17 | 43 |
| **B. OPERATED** | 11617 | 10.9 | 123 | 1 | 2 | 8 | 14 | 23 | 33 | 64 |
| TOTAL 0-19 YRS | 30 | 7.9 | 100 | 1 | 1 | 3 | 9 | 21 | 26 | 48 |
| 20-34 | 80 | 6.8 | 35 | 1 | 1 | 5 | 10 | 15 | 20 | 23 |
| 35-49 | 686 | 7.3 | 60 | 1 | 1 | 6 | 10 | 15 | 19 | 42 |
| 50-64 | 3719 | 9.2 | 102 | 1 | 1 | 7 | 11 | 19 | 27 | 61 |
| 65+ | 8270 | 11.4 | 129 | 1 | 2 | 9 | 14 | 24 | 34 | 65 |
| **GRAND TOTAL** | **12785** | **10.5** | **118** | **1** | **1** | **8** | **13** | **22** | **32** | **63** |

### 165: Aortic aneurysm (441)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 1.4 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 30 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| 65+ | 105 | 3.1 | 11 | <1 | <1 | 2 | 4 | 7 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 19 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| 20-34 | 3 | 7.3 | 26 | 3 | 3 | 6 | 11 | 13 | 13 | 13 |
| 35-49 | 23 | 7.3 | 44 | 1 | 1 | 8 | 9 | 13 | 21 | 31 |
| 50-64 | 317 | 8.8 | 23 | 1 | 2 | 9 | 11 | 14 | 17 | 22 |
| 65+ | 655 | 9.4 | 27 | 1 | 2 | 9 | 12 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.0 | 38 | <1 | <1 | 2 | 9 | 14 | 14 | 14 |
| 20-34 | 7 | 2.9 | 14 | <1 | <1 | 1 | 3 | 10 | 11 | 11 |
| 35-49 | 12 | 4.4 | 10 | 1 | 1 | 4 | 7 | 9 | 10 | 10 |
| 50-64 | 174 | 4.8 | 19 | 1 | 1 | 3 | 6 | 11 | 14 | 21 |
| 65+ | 1113 | 6.0 | 33 | 1 | 1 | 4 | 7 | 12 | 16 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 18.7 | 359 | 3 | 5 | 14 | 24 | 75 | 94 | 99+ |
| 20-34 | 28 | 10.9 | 59 | 2 | 2 | 11 | 14 | 18 | 29 | 34 |
| 35-49 | 122 | 11.5 | 71 | 1 | 2 | 10 | 14 | 24 | 32 | 56 |
| 50-64 | 2082 | 12.2 | 78 | 2 | 4 | 10 | 14 | 21 | 27 | 52 |
| 65+ | 6384 | 14.2 | 107 | 2 | 5 | 12 | 16 | 25 | 33 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 141 | 2.9 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| B. *Operated* | 1001 | 9.1 | 26 | 1 | 2 | 9 | 11 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1310 | 5.8 | 31 | 1 | 1 | 4 | 7 | 12 | 15 | 30 |
| B. *Operated* | 8629 | 13.7 | 101 | 2 | 5 | 11 | 16 | 24 | 32 | 62 |
| **1. SINGLE DX** | 1142 | 8.4 | 28 | 1 | 1 | 9 | 11 | 14 | 17 | 24 |
| **2. MULTIPLE DX** | 9939 | 12.6 | 99 | 2 | 3 | 11 | 15 | 23 | 31 | 58 |
| **A. NOT OPERATED** | 1451 | 5.5 | 30 | 1 | 1 | 4 | 7 | 11 | 15 | 29 |
| **B. OPERATED** | 9630 | 13.2 | 95 | 2 | 4 | 11 | 15 | 23 | 31 | 58 |
| TOTAL 0-19 YRS | 21 | 13.1 | 276 | <1 | 1 | 9 | 17 | 50 | 83 | 99+ |
| 20-34 | 38 | 9.1 | 57 | <1 | 1 | 9 | 13 | 14 | 25 | 34 |
| 35-49 | 162 | 10.1 | 68 | 1 | 1 | 9 | 12 | 22 | 29 | 40 |
| 50-64 | 2603 | 11.2 | 71 | 2 | 2 | 10 | 13 | 19 | 25 | 50 |
| 65+ | 8257 | 12.6 | 100 | 2 | 2 | 11 | 15 | 23 | 31 | 58 |
| **GRAND TOTAL** | **11081** | **12.2** | **93** | **2** | **2** | **10** | **15** | **22** | **30** | **56** |

### 166: Aneurysm except aortic (442)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 5 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 35-49 | 5 | 7.6 | 66 | 1 | 1 | 2 | 16 | 17 | 17 | 17 |
| 50-64 | 6 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 8 | 2.4 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.4 | 10 | <1 | 1 | 2 | 6 | 8 | 10 | 11 |
| 20-34 | 58 | 5.9 | 37 | 1 | 1 | 3 | 8 | 14 | 19 | 28 |
| 35-49 | 72 | 6.4 | 37 | 1 | 1 | 4 | 9 | 13 | 22 | 27 |
| 50-64 | 162 | 6.8 | 20 | 1 | 2 | 6 | 9 | 12 | 15 | 22 |
| 65+ | 164 | 7.3 | 26 | 1 | 2 | 6 | 10 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 20-34 | 3 | 4.3 | 24 | <1 | <1 | 2 | 8 | 10 | 10 | 10 |
| 35-49 | 7 | 2.6 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 50-64 | 26 | 3.9 | 20 | <1 | <1 | 2 | 6 | 10 | 14 | 20 |
| 65+ | 58 | 5.9 | 39 | 1 | 1 | 3 | 7 | 13 | 23 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 6.9 | 38 | 1 | 1 | 6 | 9 | 14 | 21 | 29 |
| 20-34 | 54 | 11.6 | 129 | 1 | 2 | 8 | 13 | 24 | 38 | 58 |
| 35-49 | 156 | 9.9 | 73 | 1 | 2 | 9 | 12 | 20 | 31 | 47 |
| 50-64 | 582 | 11.0 | 100 | 2 | 3 | 8 | 13 | 23 | 32 | 55 |
| 65+ | 1051 | 11.4 | 99 | 2 | 3 | 9 | 14 | 23 | 31 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 3.0 | 18 | <1 | <1 | 2 | 2 | 5 | 16 | 17 |
| B. *Operated* | 472 | 6.7 | 27 | 1 | 1 | 6 | 9 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 96 | 5.0 | 31 | <1 | 1 | 3 | 7 | 13 | 19 | 26 |
| B. *Operated* | 1867 | 11.1 | 98 | 2 | 3 | 9 | 13 | 22 | 31 | 56 |
| **1. SINGLE DX** | 497 | 6.5 | 27 | 1 | 1 | 5 | 9 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | 1963 | 10.8 | 96 | 1 | 2 | 9 | 13 | 22 | 31 | 55 |
| **A. NOT OPERATED** | 121 | 4.6 | 29 | <1 | 1 | 2 | 6 | 12 | 17 | 26 |
| **B. OPERATED** | 2339 | 10.2 | 87 | 1 | 2 | 8 | 12 | 20 | 28 | 53 |
| TOTAL 0-19 YRS | 43 | 5.3 | 28 | 1 | 1 | 4 | 7 | 10 | 15 | 29 |
| 20-34 | 120 | 8.3 | 86 | 1 | 1 | 5 | 11 | 20 | 24 | 48 |
| 35-49 | 240 | 8.6 | 63 | 1 | 1 | 7 | 12 | 18 | 25 | 45 |
| 50-64 | 776 | 9.8 | 85 | 1 | 2 | 7 | 12 | 19 | 28 | 53 |
| 65+ | 1281 | 10.6 | 90 | 1 | 2 | 9 | 13 | 20 | 28 | 55 |
| **GRAND TOTAL** | **2460** | **9.9** | **85** | **1** | **2** | **8** | **12** | **20** | **28** | **52** |

### 167: Arterial embolism and thrombosis (444)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 6.1 | 10 | <1 | 1 | 7 | 9 | 9 | 10 | 10 |
| 20-34 | 36 | 6.3 | 9 | 2 | 2 | 6 | 9 | 10 | 11 | 11 |
| 35-49 | 56 | 6.9 | 74 | 1 | 1 | 6 | 8 | 11 | 13 | 62 |
| 50-64 | 92 | 5.1 | 19 | 1 | 1 | 4 | 7 | 11 | 14 | 20 |
| 65+ | 86 | 5.2 | 25 | 1 | 1 | 4 | 8 | 10 | 12 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 6.1 | 12 | 1 | 2 | 5 | 9 | 11 | 11 | 12 |
| 20-34 | 67 | 5.1 | 13 | 1 | 1 | 4 | 8 | 10 | 12 | 14 |
| 35-49 | 415 | 5.7 | 16 | 1 | 1 | 5 | 8 | 11 | 12 | 20 |
| 50-64 | 1111 | 6.5 | 32 | 1 | 1 | 6 | 9 | 12 | 14 | 25 |
| 65+ | 1072 | 6.6 | 27 | 1 | 1 | 6 | 9 | 13 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.5 | 46 | <1 | <1 | 7 | 12 | 19 | 20 | 20 |
| 20-34 | 54 | 7.2 | 39 | 1 | 2 | 7 | 9 | 12 | 14 | 42 |
| 35-49 | 123 | 7.1 | 35 | 1 | 1 | 6 | 10 | 12 | 16 | 35 |
| 50-64 | 369 | 6.4 | 32 | 1 | 1 | 5 | 9 | 13 | 15 | 28 |
| 65+ | 1065 | 7.4 | 37 | 1 | 2 | 6 | 9 | 14 | 17 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 9.1 | 45 | 2 | 2 | 7 | 13 | 19 | 23 | 27 |
| 20-34 | 195 | 11.6 | 155 | 1 | 2 | 9 | 13 | 22 | 42 | 93 |
| 35-49 | 1164 | 9.6 | 77 | 1 | 2 | 8 | 12 | 17 | 24 | 46 |
| 50-64 | 5502 | 10.7 | 91 | 1 | 2 | 9 | 13 | 20 | 28 | 53 |
| 65+ | 10097 | 12.4 | 119 | 2 | 2 | 10 | 15 | 24 | 32 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 283 | 5.7 | 30 | 1 | 1 | 5 | 8 | 11 | 12 | 20 |
| B. *Operated* | 2689 | 6.4 | 27 | 1 | 1 | 6 | 9 | 12 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1617 | 7.1 | 36 | 1 | 2 | 6 | 9 | 13 | 17 | 31 |
| B. *Operated* | 16984 | 11.6 | 108 | 1 | 2 | 9 | 14 | 22 | 31 | 59 |
| **1. SINGLE DX** | 2972 | 6.3 | 27 | 1 | 1 | 6 | 9 | 12 | 14 | 23 |
| **2. MULTIPLE DX** | 18601 | 11.2 | 103 | 1 | 2 | 9 | 14 | 22 | 30 | 58 |
| **A. NOT OPERATED** | 1900 | 6.9 | 35 | 1 | 1 | 6 | 9 | 13 | 16 | 30 |
| **B. OPERATED** | 19673 | 10.9 | 100 | 1 | 2 | 9 | 13 | 21 | 29 | 57 |
| TOTAL 0-19 YRS | 69 | 7.4 | 28 | 1 | 2 | 6 | 10 | 13 | 20 | 26 |
| 20-34 | 352 | 9.1 | 103 | 1 | 2 | 7 | 11 | 18 | 27 | 79 |
| 35-49 | 1758 | 8.4 | 62 | 1 | 2 | 7 | 10 | 15 | 20 | 43 |
| 50-64 | 7074 | 9.7 | 81 | 1 | 2 | 8 | 12 | 18 | 25 | 50 |
| 65+ | 12320 | 11.4 | 107 | 1 | 2 | 9 | 14 | 22 | 30 | 59 |
| **GRAND TOTAL** | **21573** | **10.6** | **96** | **1** | **2** | **9** | **13** | **20** | **28** | **55** |

### 168: Miscellaneous diseases of arteries (443; 446-448)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 441 | 5.7 | 15 | 1 | 2 | 5 | 8 | 11 | 13 | 18 |
| 20-34 | 62 | 4.4 | 16 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| 35-49 | 89 | 4.8 | 22 | 1 | 1 | 3 | 5 | 8 | 13 | 29 |
| 50-64 | 116 | 4.1 | 11 | <1 | 1 | 3 | 6 | 8 | 11 | 16 |
| 65+ | 163 | 5.4 | 32 | 1 | 1 | 4 | 7 | 10 | 14 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 5.5 | 44 | <1 | 1 | 3 | 8 | 14 | 20 | 31 |
| 20-34 | 141 | 4.8 | 17 | 1 | 1 | 3 | 7 | 11 | 13 | 19 |
| 35-49 | 320 | 4.5 | 18 | 1 | 1 | 3 | 6 | 10 | 13 | 20 |
| 50-64 | 789 | 4.3 | 20 | 1 | 1 | 2 | 6 | 10 | 12 | 22 |
| 65+ | 739 | 5.3 | 38 | 1 | 1 | 3 | 8 | 12 | 16 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 369 | 6.6 | 30 | 1 | 2 | 5 | 8 | 13 | 16 | 30 |
| 20-34 | 190 | 5.4 | 26 | 1 | 1 | 4 | 7 | 10 | 15 | 28 |
| 35-49 | 343 | 5.6 | 21 | 1 | 1 | 4 | 8 | 11 | 14 | 24 |
| 50-64 | 785 | 5.8 | 32 | 1 | 1 | 4 | 7 | 11 | 16 | 29 |
| 65+ | 1892 | 7.0 | 45 | 1 | 2 | 5 | 9 | 14 | 19 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 10.6 | 129 | 1 | 1 | 7 | 14 | 31 | 40 | 99+ |
| 20-34 | 273 | 8.5 | 96 | 1 | 1 | 5 | 10 | 19 | 28 | 51 |
| 35-49 | 894 | 8.6 | 101 | 1 | 1 | 6 | 10 | 19 | 27 | 51 |
| 50-64 | 3098 | 8.8 | 98 | 1 | 1 | 6 | 11 | 19 | 27 | 54 |
| 65+ | 5431 | 10.9 | 130 | 1 | 2 | 8 | 14 | 24 | 32 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 871 | 5.2 | 19 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | 2042 | 4.8 | 27 | 1 | 1 | 3 | 7 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3579 | 6.5 | 37 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| B. *Operated* | 9810 | 9.9 | 117 | 1 | 2 | 7 | 13 | 22 | 31 | 60 |
| **1. SINGLE DX** | 2913 | 4.9 | 24 | 1 | 1 | 3 | 7 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 13389 | 9.0 | 98 | 1 | 2 | 6 | 11 | 19 | 28 | 55 |
| **A. NOT OPERATED** | 4450 | 6.2 | 34 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| **B. OPERATED** | 11852 | 9.0 | 105 | 1 | 1 | 6 | 12 | 20 | 28 | 56 |
| TOTAL 0-19 YRS | 977 | 6.6 | 38 | 1 | 2 | 5 | 8 | 13 | 17 | 34 |
| 20-34 | 666 | 6.4 | 55 | 1 | 1 | 4 | 8 | 12 | 19 | 36 |
| 35-49 | 1646 | 7.0 | 67 | 1 | 1 | 4 | 9 | 15 | 20 | 41 |
| 50-64 | 4788 | 7.4 | 76 | 1 | 1 | 5 | 9 | 16 | 23 | 47 |
| 65+ | 8225 | 9.4 | 104 | 1 | 2 | 7 | 12 | 20 | 29 | 57 |
| **GRAND TOTAL** | **16302** | **8.3** | **87** | **1** | **1** | **6** | **10** | **18** | **25** | **51** |

## 169: Phlebitis and thrombophlebitis (451)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 6.8 | 16 | 2 | 2 | 6 | 9 | 11 | 14 | 22 |
| 20-34 | 978 | 6.5 | 11 | 2 | 2 | 6 | 8 | 11 | 13 | 17 |
| 35-49 | 1309 | 7.1 | 13 | 2 | 3 | 7 | 9 | 12 | 14 | 18 |
| 50-64 | 1327 | 7.1 | 11 | 2 | 3 | 7 | 9 | 11 | 13 | 17 |
| 65+ | 1162 | 7.4 | 12 | 2 | 3 | 7 | 9 | 11 | 13 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 6.1 | 16 | 1 | 1 | 6 | 9 | 12 | 13 | 14 |
| 20-34 | 470 | 6.3 | 17 | 1 | 2 | 6 | 9 | 11 | 14 | 18 |
| 35-49 | 661 | 6.9 | 25 | 1 | 2 | 6 | 9 | 12 | 14 | 18 |
| 50-64 | 657 | 6.8 | 16 | 1 | 2 | 6 | 10 | 12 | 14 | 19 |
| 65+ | 499 | 7.6 | 17 | 1 | 2 | 7 | 10 | 13 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 7.1 | 15 | 2 | 3 | 6 | 9 | 12 | 15 | 19 |
| 20-34 | 1089 | 7.9 | 23 | 2 | 3 | 7 | 10 | 13 | 16 | 26 |
| 35-49 | 2460 | 8.1 | 21 | 2 | 3 | 7 | 10 | 13 | 16 | 25 |
| 50-64 | 4053 | 8.6 | 23 | 3 | 4 | 8 | 10 | 14 | 17 | 25 |
| 65+ | 7208 | 9.1 | 31 | 3 | 4 | 8 | 11 | 14 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 8.5 | 28 | 2 | 3 | 7 | 11 | 15 | 19 | 25 |
| 20-34 | 716 | 9.6 | 53 | 2 | 3 | 8 | 12 | 17 | 24 | 38 |
| 35-49 | 1351 | 9.0 | 53 | 2 | 3 | 8 | 11 | 16 | 21 | 38 |
| 50-64 | 2305 | 9.5 | 46 | 2 | 3 | 8 | 12 | 17 | 21 | 35 |
| 65+ | 3760 | 10.7 | 53 | 3 | 4 | 9 | 13 | 19 | 24 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4863 | 7.0 | 12 | 2 | 3 | 7 | 9 | 11 | 13 | 18 |
| B. *Operated* | 2349 | 6.9 | 19 | 1 | 2 | 7 | 9 | 12 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14918 | 8.7 | 27 | 3 | 4 | 8 | 11 | 14 | 17 | 27 |
| B. *Operated* | 8200 | 10.0 | 51 | 2 | 3 | 9 | 12 | 17 | 22 | 39 |
| **1. SINGLE DX** | 7212 | 7.0 | 14 | 2 | 2 | 7 | 9 | 11 | 13 | 18 |
| **2. MULTIPLE DX** | 23118 | 9.1 | 36 | 3 | 4 | 8 | 11 | 15 | 19 | 32 |
| **A. NOT OPERATED** | 19781 | 8.3 | 24 | 3 | 4 | 8 | 10 | 13 | 16 | 25 |
| **B. OPERATED** | 10549 | 9.3 | 46 | 2 | 3 | 8 | 11 | 16 | 21 | 35 |
| TOTAL 0-19 YRS | 325 | 7.2 | 18 | 1 | 2 | 7 | 9 | 13 | 15 | 22 |
| 20-34 | 3253 | 7.6 | 27 | 2 | 2 | 7 | 10 | 13 | 16 | 27 |
| 35-49 | 5781 | 7.9 | 28 | 2 | 3 | 7 | 10 | 13 | 16 | 27 |
| 50-64 | 8342 | 8.5 | 27 | 2 | 3 | 8 | 10 | 14 | 17 | 27 |
| 65+ | 12629 | 9.3 | 36 | 3 | 4 | 8 | 11 | 15 | 19 | 34 |
| **GRAND TOTAL** | **30330** | **8.6** | **31** | **2** | **3** | **8** | **11** | **14** | **18** | **29** |

## 170: Varicose veins of lower extremities (454)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 18 | 6.8 | 44 | 1 | 1 | 4 | 12 | 16 | 21 | 23 |
| 35-49 | 66 | 5.5 | 17 | 1 | 2 | 4 | 8 | 10 | 14 | 20 |
| 50-64 | 99 | 6.6 | 19 | 1 | 2 | 6 | 9 | 13 | 15 | 21 |
| 65+ | 140 | 8.3 | 44 | 1 | 2 | 7 | 11 | 15 | 20 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1718 | 2.9 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 2699 | 3.3 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | 1809 | 4.0 | 15 | 1 | 1 | 3 | 4 | 7 | 10 | 21 |
| 65+ | 593 | 6.5 | 58 | 1 | 1 | 4 | 7 | 16 | 23 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.8 | 45 | 1 | 1 | 7 | 14 | 16 | 16 | 16 |
| 20-34 | 74 | 6.5 | 50 | <1 | <1 | 4 | 8 | 15 | 20 | 35 |
| 35-49 | 234 | 7.3 | 38 | <1 | 1 | 6 | 9 | 15 | 17 | 34 |
| 50-64 | 518 | 8.8 | 45 | 1 | 3 | 7 | 11 | 17 | 21 | 34 |
| 65+ | 1815 | 10.8 | 77 | 3 | 4 | 9 | 13 | 19 | 25 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.9 | 14 | 1 | 2 | 4 | 5 | 11 | 12 | 16 |
| 20-34 | 512 | 5.1 | 36 | 1 | 1 | 3 | 5 | 10 | 17 | 30 |
| 35-49 | 1273 | 5.4 | 34 | 1 | 2 | 4 | 6 | 12 | 17 | 31 |
| 50-64 | 1556 | 7.5 | 76 | 1 | 2 | 4 | 8 | 17 | 24 | 43 |
| 65+ | 1758 | 13.7 | 145 | 2 | 3 | 11 | 19 | 29 | 36 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 324 | 7.1 | 32 | 1 | 2 | 6 | 9 | 14 | 17 | 29 |
| B. *Operated* | 6885 | 3.7 | 14 | 1 | 1 | 3 | 4 | 6 | 9 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2647 | 10.0 | 68 | 2 | 3 | 8 | 12 | 18 | 23 | 49 |
| B. *Operated* | 5124 | 8.9 | 98 | 1 | 2 | 5 | 11 | 21 | 29 | 50 |
| **1. SINGLE DX** | 7209 | 3.8 | 15 | 1 | 1 | 3 | 4 | 6 | 10 | 21 |
| **2. MULTIPLE DX** | 7771 | 9.3 | 88 | 1 | 2 | 6 | 12 | 20 | 27 | 50 |
| **A. NOT OPERATED** | 2971 | 9.7 | 65 | 2 | 3 | 8 | 12 | 18 | 23 | 45 |
| **B. OPERATED** | 12009 | 5.9 | 56 | 1 | 1 | 3 | 6 | 14 | 21 | 38 |
| TOTAL 0-19 YRS | 98 | 3.4 | 9 | <1 | 1 | 3 | 4 | 7 | 11 | 16 |
| 20-34 | 2322 | 3.6 | 15 | 1 | 1 | 3 | 4 | 6 | 8 | 20 |
| 35-49 | 4272 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 12 | 22 |
| 50-64 | 3982 | 6.1 | 47 | 1 | 2 | 4 | 7 | 13 | 19 | 36 |
| 65+ | 4306 | 11.3 | 107 | 2 | 3 | 8 | 15 | 23 | 31 | 56 |
| **GRAND TOTAL** | **14980** | **6.6** | **60** | **1** | **1** | **4** | **8** | **15** | **21** | **40** |

## 171: Hemorrhoids (455)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 191 | 2.6 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 224 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | 159 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 65+ | 103 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 1169 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 1514 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 50-64 | 952 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 65+ | 340 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 3.5 | 7 | <1 | 1 | 3 | 4 | 7 | 7 | 14 |
| 20-34 | 315 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 581 | 3.5 | 8 | <1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 50-64 | 681 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 65+ | 1006 | 4.6 | 28 | 1 | 1 | 4 | 6 | 8 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 131 | 3.7 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 4354 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 7870 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 6363 | 4.4 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 3575 | 5.2 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 703 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 4019 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2615 | 4.0 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 22293 | 4.4 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **1. SINGLE DX** | 4722 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 24908 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **A. NOT OPERATED** | 3318 | 3.7 | 13 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 26312 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| TOTAL 0-19 YRS | 233 | 3.5 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 6029 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 10189 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 8155 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 5024 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| **GRAND TOTAL** | **29630** | **4.2** | **8** | **1** | **2** | **4** | **5** | **7** | **9** | **14** |

## 172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 4.1 | 11 | 1 | 1 | 3 | 6 | 9 | 10 | 14 |
| 20-34 | 443 | 6.5 | 31 | 1 | 2 | 6 | 9 | 11 | 14 | 18 |
| 35-49 | 549 | 6.5 | 16 | 1 | 2 | 6 | 9 | 11 | 14 | 20 |
| 50-64 | 582 | 6.3 | 14 | 1 | 1 | 6 | 9 | 11 | 13 | 16 |
| 65+ | 613 | 6.4 | 15 | 1 | 2 | 6 | 9 | 11 | 13 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 408 | 2.7 | 10 | <1 | <1 | 2 | 3 | 7 | 10 | 15 |
| 20-34 | 1030 | 3.9 | 17 | <1 | 1 | 2 | 6 | 10 | 12 | 18 |
| 35-49 | 565 | 5.6 | 26 | <1 | 1 | 4 | 8 | 12 | 15 | 25 |
| 50-64 | 445 | 6.8 | 24 | 1 | 1 | 7 | 9 | 13 | 15 | 21 |
| 65+ | 413 | 7.1 | 21 | 1 | 1 | 7 | 10 | 13 | 15 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 258 | 4.2 | 17 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 20-34 | 960 | 6.4 | 27 | 1 | 1 | 5 | 9 | 13 | 16 | 24 |
| 35-49 | 1598 | 6.4 | 23 | 1 | 2 | 5 | 9 | 12 | 15 | 24 |
| 50-64 | 3385 | 6.7 | 27 | 1 | 2 | 6 | 9 | 12 | 15 | 25 |
| 65+ | 8648 | 7.0 | 29 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 293 | 4.9 | 39 | <1 | 1 | 2 | 6 | 12 | 18 | 32 |
| 20-34 | 1364 | 6.2 | 49 | <1 | 1 | 4 | 9 | 14 | 18 | 35 |
| 35-49 | 1592 | 8.3 | 61 | 1 | 2 | 7 | 11 | 16 | 22 | 40 |
| 50-64 | 2324 | 9.7 | 66 | 2 | 2 | 8 | 12 | 18 | 24 | 44 |
| 65+ | 4209 | 11.1 | 81 | 2 | 3 | 9 | 13 | 21 | 28 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2313 | 6.3 | 18 | 1 | 2 | 6 | 8 | 11 | 13 | 18 |
| B. *Operated* | 2861 | 5.0 | 22 | <1 | 1 | 3 | 8 | 11 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14849 | 6.8 | 28 | 1 | 2 | 6 | 9 | 12 | 16 | 26 |
| B. *Operated* | 9782 | 9.4 | 72 | 1 | 2 | 8 | 12 | 18 | 25 | 45 |
| **1. SINGLE DX** | 5174 | 5.6 | 20 | 1 | 1 | 5 | 8 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | 24631 | 7.8 | 47 | 1 | 2 | 7 | 10 | 15 | 19 | 35 |
| **A. NOT OPERATED** | 17162 | 6.7 | 26 | 1 | 2 | 6 | 9 | 12 | 15 | 25 |
| **B. OPERATED** | 12643 | 8.4 | 64 | 1 | 1 | 7 | 11 | 17 | 22 | 41 |
| TOTAL 0-19 YRS | 1085 | 3.8 | 20 | <1 | 1 | 2 | 4 | 9 | 12 | 23 |
| 20-34 | 3797 | 5.7 | 34 | 1 | 1 | 4 | 8 | 12 | 15 | 26 |
| 35-49 | 4304 | 7.0 | 38 | 1 | 1 | 6 | 9 | 13 | 17 | 30 |
| 50-64 | 6736 | 7.7 | 41 | 1 | 2 | 7 | 10 | 14 | 18 | 32 |
| 65+ | 13883 | 8.2 | 47 | 2 | 2 | 7 | 10 | 15 | 20 | 37 |
| **GRAND TOTAL** | **29805** | **7.4** | **43** | **1** | **2** | **6** | **10** | **14** | **18** | **33** |

### 173: Acute URI except streptococcal (460-465)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10660 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1170 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 511 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 238 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 65+ | 132 | 4.1 | 10 | 1 | 1 | 4 | 5 | 8 | 9 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1137 | 1.7 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 483 | 2.1 | 11 | 1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 35-49 | 127 | 3.0 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 14 |
| 50-64 | 60 | 3.3 | 8 | <1 | 1 | 2 | 4 | 8 | 9 | 13 |
| 65+ | 21 | 3.4 | 14 | <1 | <1 | 2 | 4 | 9 | 13 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17236 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 3029 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1912 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 50-64 | 1886 | 5.2 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 2662 | 6.3 | 29 | 2 | 2 | 5 | 8 | 11 | 14 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1510 | 3.1 | 20 | 1 | 1 | 2 | 3 | 7 | 10 | 19 |
| 20-34 | 626 | 4.1 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 28 |
| 35-49 | 338 | 6.1 | 57 | 1 | 1 | 4 | 8 | 13 | 18 | 35 |
| 50-64 | 342 | 6.4 | 37 | 1 | 1 | 5 | 8 | 12 | 16 | 37 |
| 65+ | 296 | 9.1 | 78 | 1 | 2 | 7 | 11 | 19 | 26 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12711 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 1828 | 2.0 | 5 | <1 | 1 | 1 | 2 | 3 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26725 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| B. *Operated* | 3112 | 4.5 | 36 | 1 | 1 | 2 | 6 | 10 | 14 | 32 |
| **1. SINGLE DX** | 14539 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 29837 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 39436 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 4940 | 3.6 | 26 | 1 | 1 | 2 | 4 | 8 | 12 | 24 |
| TOTAL 0-19 YRS | 30543 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 5308 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 2888 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 50-64 | 2526 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 3111 | 6.4 | 34 | 2 | 2 | 5 | 8 | 12 | 15 | 29 |
| **GRAND TOTAL** | **44376** | **3.3** | **10** | **1** | **1** | **3** | **4** | **6** | **8** | **14** |

### 174: Bronchitis and bronchiolitis, acute (466)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12370 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 614 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 756 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 10 |
| 50-64 | 710 | 4.7 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| 65+ | 785 | 4.9 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 4.9 | 27 | <1 | 1 | 3 | 7 | 10 | 16 | 26 |
| 20-34 | 21 | 3.5 | 6 | <1 | <1 | 3 | 6 | 7 | 8 | 9 |
| 35-49 | 29 | 3.8 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 50-64 | 28 | 5.1 | 15 | <1 | 1 | 4 | 7 | 11 | 14 | 14 |
| 65+ | 20 | 4.7 | 15 | 1 | 1 | 4 | 6 | 9 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16481 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 2438 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 4236 | 5.3 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 11129 | 6.3 | 18 | 2 | 3 | 5 | 8 | 11 | 13 | 21 |
| 65+ | 24783 | 7.1 | 25 | 2 | 3 | 6 | 9 | 12 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 169 | 9.1 | 66 | 2 | 2 | 7 | 11 | 18 | 22 | 53 |
| 20-34 | 174 | 7.4 | 47 | 1 | 2 | 5 | 9 | 14 | 19 | 31 |
| 35-49 | 398 | 8.0 | 44 | 1 | 2 | 7 | 10 | 14 | 19 | 39 |
| 50-64 | 901 | 10.2 | 96 | 2 | 3 | 8 | 12 | 19 | 25 | 58 |
| 65+ | 1721 | 11.9 | 100 | 3 | 4 | 9 | 14 | 23 | 31 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15235 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 137 | 4.5 | 15 | <1 | 1 | 4 | 6 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 59067 | 5.8 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| B. *Operated* | 3363 | 10.6 | 90 | 2 | 3 | 8 | 13 | 20 | 28 | 60 |
| **1. SINGLE DX** | 15372 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 62430 | 6.1 | 24 | 2 | 2 | 5 | 7 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 74302 | 5.4 | 17 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| **B. OPERATED** | 3500 | 10.4 | 88 | 2 | 3 | 8 | 13 | 20 | 27 | 59 |
| TOTAL 0-19 YRS | 29059 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 20-34 | 3247 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 35-49 | 5419 | 5.3 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 12768 | 6.5 | 24 | 2 | 3 | 5 | 8 | 11 | 14 | 24 |
| 65+ | 27309 | 7.3 | 31 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| **GRAND TOTAL** | **77802** | **5.6** | **21** | **2** | **2** | **4** | **7** | **10** | **13** | **23** |

### 175: Deviated nasal septum (470)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 6 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1352 | 1.7 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 2883 | 1.7 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 1524 | 1.6 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 4 |
| 50-64 | 662 | 1.7 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 |
| 65+ | 167 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 20-34 | 83 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 35-49 | 56 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 50-64 | 39 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 65+ | 12 | 2.9 | 8 | <1 | <1 | 2 | 4 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3024 | 1.7 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 7794 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 5213 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 2739 | 2.1 | 4 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 65+ | 839 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | 6588 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 227 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 7 |
| B. *Operated* | 19609 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **1. SINGLE DX** | 6604 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | 19836 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **A. NOT OPERATED** | 243 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 7 |
| **B. OPERATED** | 26197 | 1.8 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| TOTAL 0-19 YRS | 4418 | 1.7 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 10762 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 6799 | 1.8 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 3442 | 2.0 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 1019 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **GRAND TOTAL** | **26440** | **1.8** | **2** | **1** | **1** | **2** | **2** | **3** | **4** | **5** |

### 176: Nasal polyp (471)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 4 | 3.0 | 16 | <1 | <1 | 1 | 5 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 1.8 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 12 |
| 20-34 | 152 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 171 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 233 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 65+ | 110 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.3 | 27 | <1 | <1 | 1 | 3 | 13 | 15 | 15 |
| 20-34 | 16 | 4.9 | 224 | <1 | <1 | 1 | 2 | 2 | 43 | 61 |
| 35-49 | 12 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 50-64 | 14 | 3.4 | 21 | <1 | <1 | 2 | 3 | 9 | 16 | 18 |
| 65+ | 25 | 3.0 | 13 | <1 | <1 | 2 | 3 | 6 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 195 | 2.5 | 20 | <1 | 1 | 2 | 3 | 4 | 4 | 14 |
| 20-34 | 477 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 740 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 842 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 530 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 2.5 | 7 | <1 | <1 | 2 | 3 | 7 | 9 | 9 |
| B. *Operated* | 742 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74 | 3.4 | 57 | <1 | <1 | 1 | 3 | 6 | 14 | 51 |
| B. *Operated* | 2784 | 2.3 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **1. SINGLE DX** | 750 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 2858 | 2.3 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **A. NOT OPERATED** | 82 | 3.3 | 52 | <1 | <1 | 1 | 3 | 6 | 14 | 47 |
| **B. OPERATED** | 3526 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| TOTAL 0-19 YRS | 279 | 2.3 | 15 | <1 | 1 | 2 | 3 | 4 | 4 | 15 |
| 20-34 | 647 | 2.1 | 7 | <1 | 1 | 2 | 2 | 4 | 4 | 6 |
| 35-49 | 923 | 2.0 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 1090 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 669 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| **GRAND TOTAL** | **3608** | **2.2** | **5** | **<1** | **1** | **2** | **3** | **4** | **5** | **9** |

### 177: Chronic disease of tonsils and adenoids (474)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Nct Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 42 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 7 |
| 35-49 | 7 | 2.3 | 2 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36678 | 1.3 | | <1 | 1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 9437 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 1068 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 6 |
| 50-64 | 166 | 1.7 | 2 | 1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 65+ | 64 | 1.7 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 697 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| 20-34 | 97 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 35-49 | 19 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 9 | 3.7 | 11 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| 65+ | 4 | 8.0 | 77 | <1 | <1 | 5 | 14 | 20 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24020 | 1.4 | 1 | <1 | 1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 2348 | 1.7 | 2 | 1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 474 | 2.0 | 3 | 1 | 1 | 2 | 2 | 3 | 5 | 10 |
| 50-64 | 103 | 2.2 | 3 | 1 | 1 | 2 | 2 | 5 | 6 | 9 |
| 65+ | 69 | 2.6 | 8 | 1 | 1 | 2 | 3 | 6 | 8 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 214 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| B. *Operated* | 47413 | 1.4 | | <1 | 1 | 1 | 2 | 2 | 2 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 826 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 8 |
| B. *Operated* | 27014 | 1.4 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 4 |
| **1. SINGLE DX** | 47627 | 1.4 | | <1 | 1 | 1 | 2 | 2 | 2 | 3 |
| **2. MULTIPLE DX** | 27840 | 1.4 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 5 |
| **A. NOT OPERATED** | 1040 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **B. OPERATED** | 74427 | 1.4 | 1 | <1 | 1 | 1 | 2 | 2 | 2 | 4 |
| TOTAL 0-19 YRS | 61557 | 1.3 | | <1 | 1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 11924 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 1568 | 1.7 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 279 | 2.0 | 3 | 1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 65+ | 139 | 2.4 | 7 | 1 | 1 | 2 | 2 | 5 | 7 | 19 |
| **GRAND TOTAL** | **75467** | **1.4** | **1** | **<1** | **1** | **1** | **2** | **2** | **2** | **4** |

### 178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1555 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 977 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 394 | 3.1 | 6 | <1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 50-64 | 197 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 65+ | 88 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1747 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 2497 | 2.0 | 4 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 35-49 | 2116 | 1.9 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 1700 | 1.9 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 65+ | 844 | 2.1 | 13 | <1 | 1 | 2 | 2 | 3 | 4 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1760 | 3.5 | 16 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 952 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 802 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 50-64 | 700 | 4.3 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 65+ | 625 | 4.9 | 19 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2170 | 3.1 | 17 | <1 | 1 | 2 | 3 | 6 | 9 | 22 |
| 20-34 | 3281 | 2.5 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 3286 | 2.7 | 11 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 3097 | 3.2 | 21 | 1 | 1 | 2 | 3 | 6 | 9 | 19 |
| 65+ | 2050 | 4.3 | 42 | 1 | 1 | 2 | 4 | 9 | 15 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3211 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| B. *Operated* | 8904 | 2.0 | 4 | <1 | 1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4839 | 3.9 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 13884 | 3.0 | 18 | 1 | 1 | 2 | 3 | 6 | 9 | 19 |
| **1. SINGLE DX** | 12115 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 18723 | 3.3 | 17 | 1 | 1 | 2 | 4 | 6 | 9 | 19 |
| **A. NOT OPERATED** | 8050 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **B. OPERATED** | 22788 | 2.6 | 13 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| TOTAL 0-19 YRS | 7232 | 2.9 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 7707 | 2.5 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 6598 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 5694 | 2.9 | 14 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 65+ | 3607 | 3.9 | 31 | 1 | 1 | 2 | 4 | 8 | 12 | 29 |
| **GRAND TOTAL** | **30838** | **2.9** | **12** | **<1** | **1** | **2** | **3** | **5** | **7** | **16** |

## 1,583 Hospitals, United States, January-December 1985

### 179: Pneumonia (480-486)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19265 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 3596 | 4.5 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| 35-49 | 3085 | 5.1 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 14 |
| 50-64 | 3117 | 5.6 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 15 |
| 65+ | 4671 | 6.5 | 15 | 2 | 3 | 6 | 8 | 11 | 13 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 7.1 | 38 | 1 | 2 | 6 | 9 | 15 | 20 | 31 |
| 20-34 | 114 | 8.1 | 36 | 2 | 2 | 7 | 10 | 14 | 23 | 30 |
| 35-49 | 197 | 7.8 | 31 | 2 | 2 | 7 | 10 | 14 | 16 | 27 |
| 50-64 | 256 | 8.7 | 35 | 1 | 2 | 8 | 11 | 15 | 18 | 30 |
| 65+ | 249 | 9.9 | 62 | 2 | 2 | 9 | 12 | 18 | 24 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31311 | 4.6 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 20-34 | 6553 | 6.2 | 23 | 2 | 2 | 5 | 7 | 11 | 14 | 23 |
| 35-49 | 9116 | 6.6 | 21 | 2 | 3 | 6 | 8 | 11 | 14 | 24 |
| 50-64 | 20422 | 7.7 | 27 | 3 | 3 | 7 | 9 | 13 | 17 | 27 |
| 65+ | 77373 | 9.2 | 43 | 3 | 4 | 8 | 11 | 16 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 814 | 12.2 | 110 | 2 | 3 | 10 | 16 | 24 | 33 | 63 |
| 20-34 | 874 | 13.1 | 125 | 2 | 4 | 10 | 16 | 27 | 35 | 79 |
| 35-49 | 1533 | 13.7 | 120 | 3 | 4 | 11 | 17 | 28 | 35 | 64 |
| 50-64 | 3701 | 14.6 | 129 | 4 | 5 | 12 | 18 | 27 | 36 | 69 |
| 65+ | 9736 | 16.6 | 153 | 5 | 6 | 13 | 21 | 31 | 43 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33734 | 4.5 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 935 | 8.6 | 43 | 1 | 2 | 7 | 11 | 15 | 21 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144775 | 7.7 | 35 | 2 | 3 | 6 | 10 | 14 | 18 | 30 |
| B. *Operated* | 16658 | 15.5 | 143 | 4 | 5 | 12 | 19 | 30 | 40 | 86 |
| **1. SINGLE DX** | 34669 | 4.6 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 161433 | 8.5 | 51 | 2 | 3 | 7 | 10 | 16 | 21 | 39 |
| **A. NOT OPERATED** | 178509 | 7.1 | 31 | 2 | 2 | 6 | 9 | 13 | 16 | 28 |
| **B. OPERATED** | 17593 | 15.1 | 140 | 4 | 5 | 12 | 19 | 29 | 39 | 84 |
| TOTAL 0-19 YRS | 51509 | 4.4 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 20-34 | 11137 | 6.2 | 30 | 2 | 2 | 5 | 7 | 11 | 15 | 29 |
| 35-49 | 13931 | 7.1 | 35 | 2 | 3 | 6 | 8 | 12 | 17 | 32 |
| 50-64 | 27496 | 8.4 | 45 | 3 | 3 | 7 | 10 | 15 | 20 | 35 |
| 65+ | 92029 | 9.9 | 59 | 3 | 4 | 8 | 12 | 17 | 23 | 43 |
| **GRAND TOTAL** | **196102** | **7.8** | **46** | **2** | **3** | **6** | **10** | **15** | **19** | **36** |

### 180: Influenza (487)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 708 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 365 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 322 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 50-64 | 285 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 65+ | 292 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 9 | 3.7 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 35-49 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 4 | 8.0 | 17 | 3 | 3 | 8 | 11 | 13 | 13 | 13 |
| 65+ | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1573 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 953 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 1000 | 4.4 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 1556 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 3673 | 6.5 | 23 | 2 | 3 | 5 | 8 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 8.0 | 71 | 1 | 2 | 5 | 10 | 14 | 27 | 40 |
| 20-34 | 34 | 7.5 | 152 | 1 | 1 | 4 | 7 | 12 | 29 | 68 |
| 35-49 | 47 | 8.6 | 54 | 2 | 3 | 7 | 11 | 15 | 17 | 47 |
| 50-64 | 57 | 8.4 | 20 | 3 | 4 | 7 | 10 | 14 | 19 | 21 |
| 65+ | 160 | 12.9 | 87 | 4 | 5 | 11 | 15 | 24 | 35 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1972 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 19 | 5.5 | 28 | 2 | 2 | 3 | 6 | 11 | 19 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8755 | 5.1 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| B. *Operated* | 323 | 10.5 | 81 | 2 | 3 | 8 | 13 | 20 | 28 | 57 |
| **1. SINGLE DX** | 1991 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 9078 | 5.3 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 10727 | 4.8 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| **B. OPERATED** | 342 | 10.3 | 79 | 2 | 3 | 8 | 13 | 20 | 27 | 57 |
| TOTAL 0-19 YRS | 2309 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 1361 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1371 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| 50-64 | 1902 | 5.0 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 4126 | 6.6 | 26 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| **GRAND TOTAL** | **11069** | **5.0** | **18** | **1** | **2** | **4** | **6** | **9** | **12** | **21** |

## 181: Bronchitis, chronic and unspecified (490-491)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2001 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 161 | 3.7 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 275 | 4.3 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 13 |
| 50-64 | 547 | 5.1 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 611 | 5.8 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 4.0 | 14 | <1 | <1 | 2 | 6 | 9 | 12 | 14 |
| 20-34 | 19 | 4.1 | 10 | <1 | <1 | 4 | 5 | 9 | 11 | 12 |
| 35-49 | 49 | 3.9 | 15 | <1 | <1 | 3 | 5 | 9 | 11 | 18 |
| 50-64 | 89 | 3.9 | 12 | <1 | <1 | 3 | 6 | 8 | 10 | 17 |
| 65+ | 56 | 4.9 | 15 | <1 | <1 | 4 | 7 | 10 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2865 | 3.7 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 688 | 4.4 | 9 | 1 | 2 | 4 | 5 | 8 | 10 | 14 |
| 35-49 | 1200 | 5.3 | 13 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 50-64 | 3519 | 6.6 | 29 | 2 | 3 | 5 | 8 | 12 | 15 | 25 |
| 65+ | 7248 | 7.5 | 35 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 6.5 | 42 | 1 | 1 | 5 | 9 | 14 | 17 | 38 |
| 20-34 | 120 | 6.2 | 63 | 1 | 2 | 5 | 7 | 10 | 15 | 40 |
| 35-49 | 256 | 6.3 | 25 | 1 | 2 | 5 | 8 | 12 | 17 | 29 |
| 50-64 | 583 | 9.0 | 95 | 1 | 2 | 7 | 11 | 18 | 26 | 54 |
| 65+ | 906 | 10.1 | 85 | 2 | 2 | 8 | 13 | 20 | 27 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3595 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 234 | 4.2 | 13 | <1 | <1 | 3 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15520 | 6.3 | 27 | 2 | 2 | 5 | 8 | 11 | 14 | 25 |
| B. *Operated* | 1944 | 8.9 | 79 | 1 | 2 | 7 | 11 | 18 | 24 | 53 |
| **1. SINGLE DX** | 3829 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 17464 | 6.6 | 34 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |
| **A. NOT OPERATED** | 19115 | 5.8 | 25 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| **B. OPERATED** | 2178 | 8.4 | 74 | 1 | 2 | 6 | 10 | 17 | 23 | 51 |
| TOTAL 0-19 YRS | 4966 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 988 | 4.5 | 15 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 1780 | 5.3 | 14 | 1 | 2 | 4 | 7 | 9 | 12 | 20 |
| 50-64 | 4738 | 6.7 | 36 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |
| 65+ | 8821 | 7.6 | 39 | 2 | 3 | 6 | 9 | 13 | 18 | 32 |
| **GRAND TOTAL** | **21293** | **6.1** | **30** | **1** | **2** | **5** | **7** | **11** | **15** | **27** |

## 182: Emphysema (492)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 5 | 5.8 | 5 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| 35-49 | 34 | 4.5 | 5 | 2 | 2 | 5 | 6 | 7 | 9 | 11 |
| 50-64 | 289 | 6.7 | 22 | 2 | 2 | 6 | 9 | 12 | 15 | 21 |
| 65+ | 390 | 6.6 | 19 | 2 | 3 | 6 | 8 | 12 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.0 | 18 | 6 | 6 | 9 | 12 | 12 | 12 | 12 |
| 20-34 | 8 | 19.0 | 762 | 1 | 2 | 11 | 15 | 66 | 86 | 86 |
| 35-49 | 19 | 9.9 | 23 | 2 | 4 | 10 | 13 | 17 | 18 | 19 |
| 50-64 | 17 | 8.4 | 21 | 2 | 3 | 9 | 12 | 15 | 17 | 17 |
| 65+ | 5 | 7.8 | 41 | 1 | 1 | 8 | 13 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 8.5 | 164 | 1 | 2 | 4 | 6 | 26 | 44 | 47 |
| 20-34 | 26 | 7.3 | 38 | 1 | 1 | 6 | 10 | 15 | 21 | 28 |
| 35-49 | 276 | 7.3 | 36 | 2 | 2 | 6 | 9 | 14 | 21 | 32 |
| 50-64 | 2079 | 7.8 | 40 | 2 | 3 | 6 | 10 | 14 | 18 | 30 |
| 65+ | 4624 | 8.4 | 46 | 2 | 3 | 7 | 10 | 15 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 13.0 | 42 | 5 | 6 | 12 | 19 | 22 | 23 | 23 |
| 20-34 | 65 | 9.8 | 46 | 3 | 4 | 8 | 12 | 16 | 22 | 39 |
| 35-49 | 99 | 15.1 | 158 | 4 | 4 | 11 | 20 | 30 | 37 | 64 |
| 50-64 | 291 | 15.4 | 218 | 3 | 4 | 11 | 18 | 34 | 51 | 94 |
| 65+ | 534 | 16.0 | 151 | 3 | 5 | 13 | 21 | 31 | 42 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 719 | 6.6 | 20 | 2 | 2 | 6 | 8 | 12 | 15 | 23 |
| B. *Operated* | 51 | 10.6 | 140 | 1 | 3 | 10 | 12 | 16 | 19 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7017 | 8.2 | 44 | 2 | 3 | 7 | 10 | 15 | 19 | 34 |
| B. *Operated* | 1000 | 15.3 | 165 | 3 | 4 | 12 | 19 | 31 | 43 | 82 |
| **1. SINGLE DX** | 770 | 6.8 | 29 | 2 | 2 | 6 | 9 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | 8017 | 9.1 | 65 | 2 | 3 | 7 | 11 | 17 | 23 | 46 |
| **A. NOT OPERATED** | 7736 | 8.1 | 42 | 2 | 3 | 7 | 10 | 15 | 19 | 33 |
| **B. OPERATED** | 1051 | 15.1 | 165 | 3 | 4 | 12 | 19 | 31 | 43 | 83 |
| TOTAL 0-19 YRS | 26 | 10.2 | 98 | 1 | 2 | 6 | 14 | 22 | 28 | 47 |
| 20-34 | 104 | 9.7 | 99 | 1 | 3 | 7 | 12 | 17 | 22 | 62 |
| 35-49 | 428 | 9.0 | 73 | 2 | 2 | 6 | 11 | 19 | 25 | 45 |
| 50-64 | 2676 | 8.5 | 63 | 2 | 3 | 7 | 10 | 16 | 20 | 49 |
| 65+ | 5553 | 9.0 | 60 | 2 | 3 | 7 | 11 | 17 | 23 | 44 |
| **GRAND TOTAL** | **8787** | **8.9** | **62** | **2** | **3** | **7** | **11** | **17** | **22** | **45** |

### 183: Asthma (493)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23837 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 6695 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 5615 | 4.3 | 7 | 1 | 2 | 4 | 6 | 7 | 9 | 13 |
| 50-64 | 4293 | 4.9 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 2517 | 5.2 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 4.3 | 12 | 1 | 1 | 3 | 6 | 9 | 10 | 19 |
| 20-34 | 25 | 4.8 | 8 | <1 | 1 | 4 | 6 | 9 | 10 | 12 |
| 35-49 | 46 | 6.4 | 13 | 2 | 2 | 6 | 8 | 12 | 13 | 15 |
| 50-64 | 43 | 8.7 | 64 | 1 | 1 | 7 | 10 | 15 | 25 | 44 |
| 65+ | 20 | 8.9 | 37 | 2 | 2 | 7 | 14 | 16 | 20 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19245 | 3.6 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 6951 | 4.4 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 9190 | 5.4 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 18 |
| 50-64 | 14002 | 6.3 | 18 | 2 | 3 | 5 | 8 | 11 | 14 | 22 |
| 65+ | 17194 | 7.0 | 23 | 2 | 3 | 6 | 9 | 12 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 237 | 8.3 | 66 | 1 | 2 | 6 | 9 | 17 | 23 | 42 |
| 20-34 | 246 | 8.3 | 48 | 2 | 2 | 6 | 10 | 18 | 22 | 38 |
| 35-49 | 468 | 10.5 | 60 | 3 | 4 | 9 | 13 | 20 | 24 | 42 |
| 50-64 | 825 | 12.0 | 110 | 3 | 4 | 9 | 14 | 23 | 33 | 75 |
| 65+ | 935 | 12.7 | 95 | 3 | 5 | 10 | 15 | 23 | 30 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42957 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 185 | 6.4 | 30 | 1 | 1 | 5 | 8 | 13 | 15 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 66582 | 5.4 | 16 | 2 | 2 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | 2711 | 11.4 | 89 | 3 | 4 | 9 | 14 | 21 | 29 | 52 |
| **1. SINGLE DX** | 43142 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 69293 | 5.6 | 20 | 2 | 2 | 4 | 7 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 109539 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| **B. OPERATED** | 2896 | 11.0 | 87 | 2 | 3 | 9 | 14 | 21 | 28 | 51 |
| TOTAL 0-19 YRS | 43370 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 13917 | 4.1 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 15319 | 5.1 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 19163 | 6.2 | 22 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| 65+ | 20666 | 7.0 | 26 | 2 | 3 | 6 | 9 | 12 | 16 | 27 |
| **GRAND TOTAL** | **112435** | **4.8** | **16** | **1** | **2** | **4** | **6** | **9** | **11** | **19** |

### 184: Miscellaneous obstructive lung diseases (494-496)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 4.6 | 9 | 1 | 2 | 4 | 5 | 9 | 11 | 15 |
| 20-34 | 66 | 4.4 | 9 | 1 | 2 | 4 | 6 | 8 | 9 | 17 |
| 35-49 | 299 | 5.1 | 11 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 50-64 | 1625 | 5.8 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 2252 | 6.2 | 17 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.9 | 25 | 1 | 1 | 3 | 8 | 13 | 16 | 18 |
| 20-34 | 14 | 5.0 | 26 | 1 | 1 | 3 | 8 | 10 | 18 | 20 |
| 35-49 | 40 | 5.9 | 16 | <1 | 1 | 6 | 8 | 13 | 14 | 14 |
| 50-64 | 82 | 6.8 | 39 | 1 | 1 | 5 | 9 | 14 | 17 | 31 |
| 65+ | 73 | 7.2 | 53 | 1 | 1 | 6 | 9 | 15 | 17 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 7.4 | 32 | 2 | 2 | 6 | 10 | 16 | 18 | 29 |
| 20-34 | 207 | 6.6 | 24 | 1 | 2 | 5 | 9 | 13 | 16 | 23 |
| 35-49 | 1573 | 6.6 | 30 | 2 | 2 | 5 | 8 | 12 | 15 | 28 |
| 50-64 | 11335 | 7.4 | 33 | 2 | 3 | 6 | 9 | 13 | 17 | 29 |
| 65+ | 24261 | 8.0 | 40 | 2 | 3 | 6 | 10 | 14 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 13.0 | 108 | 2 | 3 | 10 | 18 | 29 | 42 | 99+ |
| 20-34 | 52 | 9.7 | 68 | 2 | 3 | 7 | 11 | 21 | 30 | 39 |
| 35-49 | 267 | 10.4 | 118 | 2 | 3 | 8 | 12 | 19 | 29 | 81 |
| 50-64 | 1258 | 12.4 | 131 | 2 | 3 | 9 | 15 | 26 | 38 | 86 |
| 65+ | 2474 | 14.6 | 181 | 3 | 4 | 11 | 18 | 30 | 45 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4281 | 5.9 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| B. *Operated* | 225 | 6.5 | 38 | 1 | 1 | 5 | 9 | 14 | 16 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37530 | 7.7 | 38 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| B. *Operated* | 4096 | 13.6 | 161 | 2 | 4 | 10 | 17 | 28 | 41 | 99 |
| **1. SINGLE DX** | 4506 | 5.9 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | 41626 | 8.3 | 53 | 2 | 3 | 7 | 10 | 15 | 20 | 40 |
| **A. NOT OPERATED** | 41811 | 7.5 | 36 | 2 | 3 | 6 | 9 | 14 | 17 | 31 |
| **B. OPERATED** | 4321 | 13.2 | 157 | 2 | 3 | 10 | 16 | 28 | 40 | 98 |
| TOTAL 0-19 YRS | 254 | 7.8 | 48 | 1 | 2 | 6 | 10 | 16 | 22 | 39 |
| 20-34 | 339 | 6.6 | 30 | 1 | 2 | 5 | 9 | 13 | 17 | 30 |
| 35-49 | 2179 | 6.8 | 40 | 2 | 2 | 5 | 8 | 12 | 16 | 33 |
| 50-64 | 14300 | 7.7 | 42 | 2 | 3 | 6 | 9 | 14 | 18 | 35 |
| 65+ | 29060 | 8.4 | 55 | 2 | 3 | 7 | 10 | 15 | 21 | 41 |
| **GRAND TOTAL** | **46132** | **8.1** | **50** | **2** | **3** | **6** | **10** | **15** | **20** | **38** |

### 185: Spontaneous pneumothorax (512)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 186 | 2.9 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 519 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 35-49 | 138 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 50-64 | 53 | 3.4 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 7 |
| 65+ | 35 | 4.9 | 18 | 1 | 1 | 4 | 6 | 8 | 13 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 433 | 6.0 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| 20-34 | 2015 | 5.7 | 13 | 2 | 3 | 5 | 7 | 10 | 13 | 19 |
| 35-49 | 618 | 5.9 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 50-64 | 235 | 6.6 | 18 | 2 | 2 | 6 | 8 | 13 | 15 | 19 |
| 65+ | 136 | 7.1 | 34 | 2 | 2 | 5 | 9 | 15 | 21 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 4.0 | 15 | 1 | 1 | 3 | 4 | 10 | 15 | 17 |
| 20-34 | 209 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 112 | 5.0 | 20 | 1 | 1 | 4 | 6 | 11 | 14 | 25 |
| 50-64 | 181 | 6.3 | 30 | 1 | 2 | 5 | 8 | 12 | 15 | 31 |
| 65+ | 272 | 7.0 | 30 | 1 | 2 | 6 | 9 | 12 | 15 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 168 | 9.6 | 42 | 3 | 3 | 8 | 12 | 17 | 24 | 33 |
| 20-34 | 917 | 9.1 | 46 | 3 | 3 | 7 | 11 | 16 | 20 | 34 |
| 35-49 | 570 | 10.0 | 51 | 3 | 3 | 8 | 13 | 19 | 24 | 39 |
| 50-64 | 864 | 10.8 | 78 | 3 | 4 | 8 | 14 | 22 | 28 | 46 |
| 65+ | 1285 | 12.1 | 121 | 3 | 4 | 9 | 15 | 24 | 34 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 931 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| B. *Operated* | 3437 | 5.9 | 15 | 2 | 2 | 5 | 7 | 11 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 845 | 5.5 | 24 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| B. *Operated* | 3804 | 10.7 | 80 | 3 | 4 | 8 | 13 | 21 | 28 | 48 |
| **1. SINGLE DX** | 4368 | 5.3 | 14 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 4649 | 9.7 | 74 | 2 | 3 | 7 | 12 | 19 | 26 | 46 |
| **A. NOT OPERATED** | 1776 | 4.3 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| **B. OPERATED** | 7241 | 8.4 | 55 | 2 | 3 | 6 | 10 | 16 | 22 | 40 |
| TOTAL 0-19 YRS | 858 | 5.9 | 24 | 1 | 1 | 5 | 8 | 12 | 15 | 24 |
| 20-34 | 3660 | 6.1 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| 35-49 | 1438 | 7.2 | 34 | 2 | 2 | 5 | 9 | 15 | 19 | 29 |
| 50-64 | 1333 | 9.2 | 63 | 2 | 3 | 7 | 12 | 19 | 26 | 40 |
| 65+ | 1728 | 10.8 | 103 | 2 | 3 | 8 | 13 | 22 | 30 | 55 |
| **GRAND TOTAL** | **9017** | **7.6** | **50** | **2** | **2** | **6** | **9** | **15** | **20** | **37** |

### 186: Miscellaneous lung and pleural diseases (500-511; 513-519)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1317 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 680 | 3.3 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 595 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 50-64 | 585 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 658 | 5.5 | 20 | 1 | 1 | 4 | 7 | 10 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 293 | 4.5 | 48 | <1 | 1 | 2 | 5 | 10 | 14 | 38 |
| 20-34 | 304 | 6.4 | 28 | 1 | 1 | 5 | 8 | 13 | 16 | 22 |
| 35-49 | 492 | 6.6 | 38 | 1 | 1 | 5 | 9 | 13 | 17 | 32 |
| 50-64 | 744 | 5.7 | 23 | 1 | 1 | 5 | 8 | 11 | 14 | 25 |
| 65+ | 581 | 6.1 | 30 | 1 | 1 | 5 | 9 | 13 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3003 | 4.9 | 29 | 1 | 1 | 3 | 6 | 9 | 13 | 27 |
| 20-34 | 1660 | 5.2 | 24 | 1 | 1 | 4 | 6 | 11 | 14 | 24 |
| 35-49 | 2574 | 5.7 | 29 | 1 | 2 | 4 | 7 | 11 | 15 | 28 |
| 50-64 | 6380 | 6.7 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| 65+ | 19258 | 8.4 | 45 | 2 | 3 | 7 | 10 | 15 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 790 | 9.3 | 145 | 1 | 1 | 5 | 13 | 22 | 37 | 95 |
| 20-34 | 948 | 10.8 | 113 | 1 | 2 | 8 | 14 | 24 | 32 | 69 |
| 35-49 | 1868 | 11.0 | 124 | 1 | 2 | 8 | 15 | 24 | 33 | 73 |
| 50-64 | 4045 | 11.0 | 113 | 1 | 2 | 8 | 14 | 23 | 31 | 60 |
| 65+ | 7150 | 13.5 | 153 | 2 | 3 | 10 | 17 | 27 | 38 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3835 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| B. *Operated* | 2414 | 5.9 | 31 | 1 | 1 | 5 | 8 | 12 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32875 | 7.4 | 40 | 1 | 2 | 6 | 9 | 14 | 18 | 32 |
| B. *Operated* | 14801 | 12.1 | 137 | 1 | 2 | 9 | 16 | 25 | 35 | 72 |
| **1. SINGLE DX** | 6249 | 4.6 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | 47676 | 8.8 | 75 | 1 | 2 | 7 | 11 | 18 | 24 | 48 |
| **A. NOT OPERATED** | 36710 | 7.0 | 38 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| **B. OPERATED** | 17215 | 11.2 | 127 | 1 | 2 | 8 | 15 | 24 | 33 | 68 |
| TOTAL 0-19 YRS | 5403 | 5.0 | 45 | 1 | 1 | 3 | 5 | 10 | 15 | 39 |
| 20-34 | 3592 | 6.4 | 53 | 1 | 1 | 4 | 8 | 14 | 20 | 42 |
| 35-49 | 5529 | 7.4 | 67 | 1 | 1 | 5 | 9 | 16 | 23 | 45 |
| 50-64 | 11754 | 8.0 | 63 | 1 | 2 | 6 | 10 | 16 | 22 | 43 |
| 65+ | 27647 | 9.6 | 77 | 2 | 3 | 7 | 12 | 19 | 25 | 48 |
| **GRAND TOTAL** | **53925** | **8.3** | **71** | **1** | **2** | **6** | **10** | **17** | **23** | **46** |

## 187: Disease of teeth and jaws (520-526)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 3.0 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 20-34 | 118 | 3.7 | 16 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 35-49 | 65 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 25 | 3.4 | 7 | <1 | 1 | 3 | 4 | 8 | 10 | 12 |
| 65+ | 12 | 3.8 | 8 | <1 | 1 | 3 | 6 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4169 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 6 |
| 20-34 | 4512 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 2030 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 1026 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 4 | 10 |
| 65+ | 354 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 441 | 2.9 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 12 |
| 20-34 | 432 | 3.2 | 7 | <1 | <1 | 2 | 4 | 6 | 9 | 13 |
| 35-49 | 235 | 4.0 | 42 | <1 | 1 | 3 | 4 | 7 | 11 | 22 |
| 50-64 | 215 | 3.7 | 13 | <1 | <1 | 3 | 5 | 8 | 10 | 18 |
| 65+ | 190 | 5.3 | 28 | 1 | 1 | 4 | 6 | 10 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3789 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 4273 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 12 |
| 35-49 | 2643 | 2.9 | 7 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 50-64 | 2261 | 3.0 | 13 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 65+ | 1836 | 3.2 | 17 | 1 | 1 | 2 | 3 | 6 | 8 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 342 | 3.3 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. *Operated* | 12091 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1513 | 3.6 | 16 | <1 | <1 | 3 | 4 | 7 | 10 | 18 |
| B. *Operated* | 14802 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| **1. SINGLE DX** | 12433 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 16315 | 2.9 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **A. NOT OPERATED** | 1855 | 3.5 | 14 | <1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **B. OPERATED** | 26893 | 2.6 | 5 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| TOTAL 0-19 YRS | 8521 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 9335 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 4973 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 50-64 | 3527 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 65+ | 2392 | 3.3 | 16 | 1 | 1 | 2 | 3 | 6 | 9 | 20 |
| **GRAND TOTAL** | **28748** | **2.6** | **6** | **<1** | **<1** | **2** | **3** | **5** | **6** | **12** |

## 188: Disease of mouth, except dental (527-529)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 284 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 140 | 3.5 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 8 |
| 35-49 | 114 | 3.9 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 50-64 | 62 | 4.0 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 65+ | 79 | 4.8 | 5 | 1 | 2 | 5 | 6 | 8 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 409 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 473 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 537 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 50-64 | 514 | 2.8 | 20 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 396 | 2.8 | 9 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 619 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 212 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 205 | 5.2 | 16 | 1 | 2 | 4 | 7 | 9 | 14 | 22 |
| 50-64 | 329 | 5.8 | 20 | 1 | 2 | 5 | 7 | 10 | 12 | 23 |
| 65+ | 589 | 7.3 | 29 | 2 | 3 | 6 | 9 | 14 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 378 | 3.5 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 20-34 | 415 | 3.7 | 12 | 1 | 1 | 3 | 4 | 8 | 11 | 16 |
| 35-49 | 562 | 3.9 | 22 | 1 | 1 | 3 | 4 | 8 | 12 | 21 |
| 50-64 | 739 | 4.0 | 21 | 1 | 1 | 3 | 4 | 8 | 11 | 24 |
| 65+ | 835 | 4.9 | 34 | 1 | 1 | 3 | 5 | 10 | 15 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 679 | 3.7 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| B. *Operated* | 2329 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1954 | 5.4 | 18 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| B. *Operated* | 2929 | 4.1 | 23 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| **1. SINGLE DX** | 3008 | 2.8 | 8 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 4883 | 4.6 | 21 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| **A. NOT OPERATED** | 2633 | 4.9 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| **B. OPERATED** | 5258 | 3.5 | 17 | 1 | 1 | 2 | 4 | 7 | 9 | 19 |
| TOTAL 0-19 YRS | 1690 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 1240 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 1418 | 3.6 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| 50-64 | 1644 | 4.0 | 21 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 65+ | 1899 | 5.2 | 29 | 1 | 1 | 4 | 6 | 10 | 15 | 30 |
| **GRAND TOTAL** | **7891** | **3.9** | **17** | **1** | **1** | **3** | **5** | **8** | **10** | **20** |

### 189: Diseases of esophagus (530)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1027 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 427 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 719 | 2.9 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 50-64 | 557 | 2.9 | 6 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 65+ | 339 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 371 | 4.2 | 23 | <1 | <1 | 2 | 6 | 9 | 12 | 23 |
| 20-34 | 255 | 4.8 | 16 | <1 | 1 | 4 | 7 | 9 | 11 | 16 |
| 35-49 | 351 | 4.9 | 12 | <1 | 1 | 4 | 7 | 9 | 10 | 18 |
| 50-64 | 410 | 5.0 | 19 | <1 | <1 | 4 | 7 | 10 | 14 | 21 |
| 65+ | 455 | 4.6 | 15 | <1 | <1 | 3 | 6 | 10 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1624 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 20-34 | 1795 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 3265 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 4210 | 4.3 | 11 | 1 | 1 | 4 | 5 | 8 | 10 | 16 |
| 65+ | 6254 | 5.3 | 22 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 877 | 11.1 | 145 | 1 | 1 | 8 | 14 | 26 | 34 | 63 |
| 20-34 | 869 | 7.3 | 60 | 1 | 2 | 5 | 9 | 14 | 19 | 38 |
| 35-49 | 1674 | 7.0 | 50 | 1 | 2 | 5 | 8 | 13 | 18 | 38 |
| 50-64 | 2774 | 8.0 | 83 | 1 | 2 | 6 | 9 | 15 | 21 | 54 |
| 65+ | 4879 | 8.7 | 78 | 1 | 2 | 6 | 10 | 18 | 25 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3069 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| B. *Operated* | 1842 | 4.7 | 17 | <1 | <1 | 4 | 7 | 9 | 11 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17148 | 4.5 | 15 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| B. *Operated* | 11073 | 8.3 | 80 | 1 | 2 | 6 | 10 | 17 | 23 | 51 |
| **1. SINGLE DX** | 4911 | 3.6 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 28221 | 6.0 | 44 | 1 | 2 | 4 | 7 | 11 | 16 | 34 |
| **A. NOT OPERATED** | 20217 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 12915 | 7.8 | 73 | 1 | 2 | 6 | 9 | 16 | 22 | 48 |
| TOTAL 0-19 YRS | 3899 | 5.4 | 53 | 1 | 1 | 3 | 6 | 11 | 18 | 36 |
| 20-34 | 3346 | 4.6 | 24 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| 35-49 | 6009 | 4.7 | 22 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 50-64 | 7951 | 5.5 | 39 | 1 | 1 | 4 | 7 | 10 | 14 | 29 |
| 65+ | 11927 | 6.6 | 47 | 1 | 2 | 5 | 8 | 13 | 18 | 37 |
| **GRAND TOTAL** | **33132** | **5.7** | **40** | **1** | **1** | **4** | **7** | **11** | **15** | **32** |

### 190: Gastric ulcer without complication (531.30; 531.70; 531.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 20-34 | 189 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 254 | 4.1 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 50-64 | 242 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 65+ | 177 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.2 | 3 | <1 | <1 | 4 | 4 | 5 | 5 | 5 |
| 20-34 | 101 | 5.8 | 15 | <1 | 2 | 5 | 8 | 9 | 11 | 23 |
| 35-49 | 240 | 6.4 | 18 | <1 | 2 | 6 | 8 | 11 | 14 | 23 |
| 50-64 | 221 | 5.5 | 13 | <1 | <1 | 5 | 8 | 10 | 12 | 16 |
| 65+ | 158 | 6.1 | 20 | <1 | <1 | 5 | 9 | 11 | 13 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 4.2 | 8 | 1 | 2 | 3 | 5 | 9 | 11 | 13 |
| 20-34 | 490 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 919 | 5.2 | 11 | 2 | 2 | 4 | 6 | 9 | 12 | 18 |
| 50-64 | 1162 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 1796 | 6.0 | 18 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 5.2 | 10 | 1 | 2 | 4 | 7 | 11 | 12 | 13 |
| 20-34 | 295 | 6.9 | 23 | 2 | 3 | 6 | 9 | 13 | 16 | 23 |
| 35-49 | 846 | 7.7 | 45 | 2 | 3 | 6 | 9 | 14 | 19 | 36 |
| 50-64 | 1204 | 8.0 | 44 | 2 | 3 | 7 | 10 | 14 | 19 | 32 |
| 65+ | 1856 | 8.4 | 46 | 2 | 3 | 7 | 10 | 15 | 20 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 902 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| B. *Operated* | 726 | 6.0 | 16 | <1 | 1 | 5 | 8 | 11 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4427 | 5.5 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | 4227 | 8.0 | 44 | 2 | 3 | 7 | 10 | 15 | 19 | 34 |
| **1. SINGLE DX** | 1628 | 4.8 | 12 | <1 | 1 | 4 | 6 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 8654 | 6.7 | 30 | 2 | 2 | 5 | 8 | 12 | 15 | 29 |
| **A. NOT OPERATED** | 5329 | 5.2 | 13 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| **B. OPERATED** | 4953 | 7.7 | 40 | 2 | 3 | 6 | 9 | 14 | 18 | 33 |
| TOTAL 0-19 YRS | 132 | 4.1 | 7 | 1 | 2 | 4 | 5 | 8 | 11 | 13 |
| 20-34 | 1075 | 5.2 | 14 | 1 | 2 | 4 | 7 | 10 | 11 | 18 |
| 35-49 | 2259 | 6.2 | 26 | 1 | 2 | 5 | 8 | 11 | 14 | 28 |
| 50-64 | 2829 | 6.3 | 27 | 1 | 2 | 5 | 8 | 11 | 15 | 25 |
| 65+ | 3987 | 7.1 | 32 | 2 | 2 | 6 | 9 | 13 | 16 | 29 |
| **GRAND TOTAL** | **10282** | **6.4** | **28** | **1** | **2** | **5** | **8** | **12** | **15** | **28** |

### 191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.5 | 9 | <1 | 1 | 3 | 4 | 7 | 10 | 13 |
| 20-34 | 139 | 3.6 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 264 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 337 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 65+ | 438 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.6 | 6 | 2 | 2 | 4 | 6 | 8 | 10 | 10 |
| 20-34 | 109 | 6.5 | 13 | 2 | 2 | 6 | 8 | 9 | 12 | 24 |
| 35-49 | 181 | 7.4 | 20 | 3 | 3 | 7 | 9 | 12 | 16 | 20 |
| 50-64 | 311 | 7.3 | 16 | 2 | 3 | 7 | 10 | 12 | 15 | 21 |
| 65+ | 332 | 7.5 | 24 | 2 | 3 | 6 | 10 | 13 | 16 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 4.4 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 16 |
| 20-34 | 298 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| 35-49 | 762 | 5.2 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 21 |
| 50-64 | 1590 | 5.7 | 17 | 2 | 2 | 5 | 7 | 10 | 12 | 21 |
| 65+ | 4454 | 7.0 | 27 | 2 | 3 | 6 | 8 | 12 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 9.4 | 58 | 2 | 3 | 8 | 10 | 18 | 21 | 45 |
| 20-34 | 209 | 8.1 | 44 | 2 | 3 | 7 | 10 | 14 | 18 | 37 |
| 35-49 | 696 | 8.9 | 57 | 2 | 3 | 7 | 11 | 17 | 21 | 47 |
| 50-64 | 1811 | 9.9 | 73 | 3 | 3 | 7 | 11 | 19 | 24 | 47 |
| 65+ | 4807 | 11.1 | 88 | 3 | 4 | 8 | 14 | 21 | 28 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1200 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| B. *Operated* | 944 | 7.3 | 19 | 2 | 3 | 7 | 9 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7151 | 6.4 | 23 | 2 | 3 | 5 | 8 | 11 | 14 | 25 |
| B. *Operated* | 7561 | 10.5 | 81 | 3 | 4 | 8 | 13 | 20 | 27 | 50 |
| **1. SINGLE DX** | 2144 | 5.7 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | 14712 | 8.5 | 57 | 2 | 3 | 6 | 10 | 16 | 21 | 42 |
| **A. NOT OPERATED** | 8351 | 6.1 | 21 | 2 | 2 | 5 | 7 | 10 | 14 | 23 |
| **B. OPERATED** | 8505 | 10.2 | 75 | 3 | 3 | 8 | 12 | 19 | 25 | 49 |
| TOTAL 0-19 YRS | 118 | 5.9 | 29 | 1 | 2 | 5 | 7 | 10 | 15 | 29 |
| 20-34 | 755 | 5.5 | 20 | 1 | 2 | 4 | 7 | 10 | 12 | 24 |
| 35-49 | 1903 | 6.6 | 32 | 2 | 2 | 5 | 8 | 12 | 17 | 29 |
| 50-64 | 4049 | 7.6 | 46 | 2 | 3 | 6 | 9 | 14 | 19 | 40 |
| 65+ | 10031 | 8.9 | 60 | 3 | 3 | 7 | 10 | 17 | 22 | 43 |
| **GRAND TOTAL** | **16856** | **8.1** | **52** | **2** | **3** | **6** | **10** | **15** | **21** | **41** |

### 192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 273 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1148 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 1107 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | 616 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 65+ | 318 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 5.9 | 12 | 1 | 2 | 5 | 10 | 10 | 11 | 11 |
| 20-34 | 142 | 7.4 | 11 | 2 | 3 | 8 | 9 | 11 | 13 | 17 |
| 35-49 | 258 | 8.3 | 16 | 3 | 4 | 8 | 9 | 13 | 16 | 22 |
| 50-64 | 139 | 8.3 | 27 | 2 | 3 | 8 | 11 | 15 | 16 | 29 |
| 65+ | 48 | 7.4 | 30 | 2 | 2 | 6 | 9 | 12 | 17 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 289 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 1729 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 2519 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 2724 | 4.9 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 65+ | 3616 | 5.7 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 5.7 | 8 | 2 | 3 | 5 | 8 | 10 | 11 | 11 |
| 20-34 | 332 | 8.4 | 35 | 2 | 3 | 7 | 10 | 15 | 21 | 30 |
| 35-49 | 745 | 8.7 | 34 | 2 | 3 | 8 | 10 | 16 | 20 | 30 |
| 50-64 | 792 | 8.9 | 39 | 2 | 3 | 7 | 11 | 17 | 21 | 32 |
| 65+ | 901 | 10.1 | 72 | 3 | 3 | 8 | 12 | 18 | 26 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3462 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 604 | 7.9 | 18 | 2 | 3 | 8 | 9 | 13 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10877 | 4.9 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | 2789 | 9.2 | 48 | 2 | 3 | 8 | 11 | 17 | 22 | 37 |
| **1. SINGLE DX** | 4066 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 13666 | 5.8 | 22 | 2 | 2 | 5 | 7 | 10 | 14 | 24 |
| **A. NOT OPERATED** | 14339 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **B. OPERATED** | 3393 | 8.9 | 43 | 2 | 3 | 8 | 11 | 16 | 21 | 34 |
| TOTAL 0-19 YRS | 598 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 3351 | 4.5 | 12 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| 35-49 | 4629 | 5.2 | 16 | 1 | 2 | 4 | 7 | 9 | 12 | 21 |
| 50-64 | 4271 | 5.6 | 18 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| 65+ | 4883 | 6.4 | 29 | 2 | 2 | 5 | 8 | 11 | 15 | 29 |
| **GRAND TOTAL** | **17732** | **5.4** | **19** | **1** | **2** | **4** | **7** | **10** | **13** | **23** |

### 193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 3.5 | 4 | 1 | 2 | 3 | 4 | 7 | 7 | 11 |
| 20-34 | 646 | 3.6 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 798 | 4.0 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 50-64 | 791 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 65+ | 681 | 4.9 | 12 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 6.0 | 9 | 1 | 2 | 6 | 7 | 9 | 11 | 16 |
| 20-34 | 264 | 7.4 | 8 | 3 | 4 | 7 | 9 | 11 | 13 | 17 |
| 35-49 | 344 | 8.1 | 17 | 3 | 4 | 7 | 10 | 12 | 15 | 24 |
| 50-64 | 342 | 8.5 | 23 | 3 | 4 | 8 | 10 | 13 | 16 | 26 |
| 65+ | 283 | 9.2 | 26 | 3 | 4 | 8 | 11 | 15 | 17 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 16 |
| 20-34 | 849 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 1567 | 4.8 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 50-64 | 2657 | 5.5 | 13 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| 65+ | 6365 | 7.0 | 27 | 2 | 3 | 6 | 8 | 12 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 13.7 | 322 | 5 | 5 | 8 | 11 | 24 | 51 | 97 |
| 20-34 | 319 | 9.5 | 52 | 3 | 4 | 8 | 11 | 16 | 23 | 46 |
| 35-49 | 686 | 10.3 | 56 | 3 | 4 | 8 | 12 | 18 | 26 | 43 |
| 50-64 | 1405 | 12.1 | 119 | 3 | 4 | 9 | 14 | 22 | 30 | 71 |
| 65+ | 3358 | 14.1 | 123 | 4 | 5 | 11 | 17 | 26 | 35 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3012 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| B. *Operated* | 1267 | 8.3 | 19 | 3 | 4 | 8 | 10 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11547 | 6.1 | 21 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| B. *Operated* | 5799 | 12.9 | 113 | 4 | 5 | 10 | 15 | 24 | 32 | 67 |
| **1. SINGLE DX** | 4279 | 5.4 | 13 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 17346 | 8.4 | 62 | 2 | 3 | 6 | 10 | 16 | 22 | 42 |
| **A. NOT OPERATED** | 14559 | 5.7 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **B. OPERATED** | 7066 | 12.1 | 100 | 3 | 4 | 9 | 14 | 22 | 30 | 61 |
| TOTAL 0-19 YRS | 270 | 5.2 | 51 | 1 | 2 | 4 | 6 | 8 | 11 | 24 |
| 20-34 | 2078 | 5.3 | 17 | 1 | 2 | 4 | 7 | 9 | 12 | 20 |
| 35-49 | 3395 | 6.1 | 24 | 2 | 2 | 5 | 7 | 11 | 14 | 28 |
| 50-64 | 5195 | 7.3 | 50 | 2 | 3 | 6 | 9 | 13 | 18 | 37 |
| 65+ | 10687 | 9.2 | 68 | 2 | 3 | 7 | 11 | 17 | 23 | 45 |
| **GRAND TOTAL** | **21625** | **7.8** | **54** | **2** | **3** | **6** | **9** | **15** | **20** | **39** |

### 194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.6 | 7 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 20-34 | 32 | 4.2 | 6 | 2 | 2 | 4 | 5 | 8 | 9 | 13 |
| 35-49 | 43 | 5.3 | 23 | 1 | 3 | 4 | 6 | 7 | 10 | 33 |
| 50-64 | 65 | 5.0 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| 65+ | 58 | 5.3 | 6 | 2 | 2 | 5 | 7 | 8 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.8 | 3 | 5 | 5 | 6 | 8 | 9 | 9 | 9 |
| 20-34 | 43 | 9.2 | 22 | 2 | 4 | 8 | 12 | 17 | 19 | 19 |
| 35-49 | 104 | 10.3 | 22 | 2 | 4 | 10 | 13 | 17 | 20 | 58 |
| 50-64 | 99 | 10.8 | 23 | 4 | 6 | 10 | 14 | 17 | 20 | 24 |
| 65+ | 89 | 11.3 | 32 | 3 | 6 | 10 | 14 | 17 | 19 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.6 | 12 | 2 | 2 | 4 | 6 | 10 | 12 | 12 |
| 20-34 | 61 | 5.3 | 13 | 1 | 2 | 4 | 7 | 9 | 12 | 20 |
| 35-49 | 167 | 5.5 | 10 | 2 | 2 | 5 | 7 | 9 | 10 | 17 |
| 50-64 | 226 | 6.8 | 18 | 2 | 3 | 6 | 8 | 12 | 14 | 22 |
| 65+ | 568 | 7.7 | 33 | 2 | 3 | 6 | 9 | 13 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 15.5 | 123 | 6 | 7 | 10 | 22 | 34 | 37 | 37 |
| 20-34 | 74 | 13.5 | 178 | 3 | 4 | 10 | 15 | 21 | 25 | 85 |
| 35-49 | 294 | 13.2 | 72 | 5 | 6 | 11 | 16 | 22 | 27 | 48 |
| 50-64 | 477 | 14.9 | 135 | 4 | 6 | 12 | 18 | 30 | 38 | 62 |
| 65+ | 909 | 16.8 | 188 | 4 | 5 | 13 | 21 | 32 | 47 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 203 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| B. *Operated* | 339 | 10.5 | 25 | 3 | 5 | 10 | 13 | 17 | 19 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1031 | 7.0 | 26 | 2 | 3 | 6 | 8 | 12 | 16 | 23 |
| B. *Operated* | 1762 | 15.6 | 156 | 4 | 5 | 12 | 19 | 29 | 41 | 84 |
| **1. SINGLE DX** | 542 | 8.5 | 26 | 2 | 3 | 8 | 11 | 15 | 18 | 23 |
| **2. MULTIPLE DX** | 2793 | 12.4 | 125 | 3 | 4 | 9 | 15 | 24 | 33 | 73 |
| **A. NOT OPERATED** | 1234 | 6.6 | 23 | 2 | 3 | 6 | 8 | 12 | 15 | 23 |
| **B. OPERATED** | 2101 | 14.8 | 138 | 4 | 5 | 12 | 18 | 27 | 38 | 81 |
| TOTAL 0-19 YRS | 26 | 8.3 | 64 | 1 | 2 | 6 | 9 | 17 | 29 | 37 |
| 20-34 | 210 | 8.8 | 86 | 2 | 2 | 7 | 11 | 17 | 20 | 55 |
| 35-49 | 608 | 10.0 | 55 | 2 | 3 | 8 | 13 | 18 | 23 | 45 |
| 50-64 | 867 | 11.6 | 97 | 3 | 4 | 9 | 14 | 21 | 31 | 51 |
| 65+ | 1624 | 12.9 | 140 | 3 | 4 | 10 | 16 | 26 | 34 | 83 |
| **GRAND TOTAL** | **3335** | **11.8** | **111** | **3** | **4** | **9** | **14** | **22** | **31** | **65** |

## 195: Gastritis and duodenitis (535)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1509 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 2369 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 35-49 | 1735 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 50-64 | 994 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 536 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 4.1 | 6 | <1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 154 | 4.6 | 9 | <1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 235 | 5.6 | 19 | <1 | <1 | 5 | 7 | 11 | 15 | 21 |
| 50-64 | 190 | 4.8 | 14 | <1 | <1 | 4 | 7 | 9 | 12 | 17 |
| 65+ | 130 | 5.3 | 65 | <1 | <1 | 4 | 7 | 10 | 12 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3654 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 6505 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 7236 | 4.5 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 50-64 | 7172 | 4.7 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 65+ | 10014 | 5.6 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 5.0 | 61 | 1 | 2 | 4 | 6 | 8 | 11 | 21 |
| 20-34 | 985 | 6.7 | 33 | 2 | 2 | 5 | 8 | 12 | 16 | 31 |
| 35-49 | 1589 | 7.1 | 29 | 2 | 2 | 6 | 9 | 13 | 17 | 28 |
| 50-64 | 1950 | 7.4 | 44 | 2 | 2 | 6 | 9 | 13 | 18 | 36 |
| 65+ | 3000 | 9.0 | 59 | 2 | 3 | 7 | 11 | 17 | 23 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7143 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| B. *Operated* | 761 | 5.0 | 23 | <1 | <1 | 4 | 7 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34581 | 4.5 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | 7678 | 7.8 | 47 | 2 | 2 | 6 | 9 | 15 | 19 | 37 |
| **1. SINGLE DX** | 7904 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 42259 | 5.1 | 20 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| **A. NOT OPERATED** | 41724 | 4.3 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **B. OPERATED** | 8439 | 7.6 | 45 | 2 | 2 | 6 | 9 | 14 | 19 | 36 |
| TOTAL 0-19 YRS | 5369 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 10013 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 10795 | 4.7 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| 50-64 | 10306 | 5.1 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 65+ | 13680 | 6.2 | 30 | 2 | 2 | 5 | 8 | 11 | 15 | 28 |
| **GRAND TOTAL** | **50163** | **4.8** | **19** | **1** | **2** | **4** | **6** | **9** | **12** | **21** |

## 196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 292 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 312 | 3.3 | 10 | <1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 35-49 | 305 | 3.4 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 50-64 | 213 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 65+ | 113 | 3.9 | 10 | <1 | 1 | 3 | 5 | 7 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 250 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 60 | 7.7 | 48 | <1 | 1 | 6 | 9 | 15 | 21 | 39 |
| 35-49 | 75 | 9.5 | 41 | 1 | 1 | 8 | 12 | 19 | 23 | 29 |
| 50-64 | 81 | 10.0 | 57 | 1 | 2 | 9 | 13 | 17 | 22 | 46 |
| 65+ | 55 | 9.6 | 63 | <1 | <1 | 8 | 12 | 21 | 27 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 627 | 4.3 | 40 | 1 | 1 | 3 | 4 | 7 | 10 | 40 |
| 20-34 | 1005 | 4.8 | 34 | 1 | 1 | 3 | 5 | 8 | 12 | 40 |
| 35-49 | 1168 | 4.6 | 17 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 50-64 | 1280 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 65+ | 1959 | 6.3 | 34 | 1 | 2 | 5 | 8 | 12 | 16 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 131 | 7.2 | 86 | 1 | 2 | 4 | 8 | 16 | 21 | 50 |
| 20-34 | 240 | 9.8 | 62 | 2 | 2 | 8 | 13 | 19 | 24 | 44 |
| 35-49 | 520 | 12.0 | 120 | 2 | 3 | 9 | 15 | 24 | 32 | 52 |
| 50-64 | 740 | 12.8 | 92 | 2 | 3 | 10 | 17 | 26 | 33 | 50 |
| 65+ | 1181 | 15.2 | 157 | 3 | 4 | 12 | 20 | 30 | 41 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1235 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| B. *Operated* | 521 | 6.5 | 37 | 1 | 2 | 4 | 9 | 13 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6039 | 5.2 | 28 | 1 | 2 | 4 | 6 | 10 | 13 | 29 |
| B. *Operated* | 2812 | 13.1 | 126 | 2 | 3 | 10 | 17 | 26 | 36 | 63 |
| **1. SINGLE DX** | 1756 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 12 | 22 |
| **2. MULTIPLE DX** | 8851 | 7.7 | 73 | 1 | 2 | 5 | 9 | 17 | 24 | 45 |
| **A. NOT OPERATED** | 7274 | 4.9 | 25 | 1 | 1 | 4 | 6 | 9 | 12 | 27 |
| **B. OPERATED** | 3333 | 12.1 | 118 | 2 | 3 | 9 | 16 | 25 | 33 | 58 |
| TOTAL 0-19 YRS | 1300 | 4.0 | 31 | 1 | 1 | 3 | 4 | 7 | 9 | 36 |
| 20-34 | 1617 | 5.3 | 38 | 1 | 1 | 3 | 6 | 11 | 15 | 40 |
| 35-49 | 2068 | 6.4 | 53 | 1 | 2 | 4 | 8 | 13 | 19 | 40 |
| 50-64 | 2314 | 7.5 | 55 | 1 | 2 | 5 | 9 | 16 | 22 | 39 |
| 65+ | 3308 | 9.4 | 96 | 2 | 2 | 6 | 12 | 21 | 27 | 55 |
| **GRAND TOTAL** | **10607** | **7.1** | **65** | **1** | **2** | **4** | **8** | **16** | **22** | **43** |

### 197: Acute appendicitis without peritonitis (540.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 132 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 42 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 50-64 | 19 | 4.2 | 9 | <1 | 1 | 3 | 5 | 10 | 11 | 11 |
| 65+ | 8 | 4.8 | 8 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16544 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 12441 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 3862 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 1402 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 390 | 5.0 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 103 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 10 |
| 20-34 | 91 | 3.0 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 28 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 9 |
| 50-64 | 27 | 4.6 | 5 | 1 | 1 | 5 | 6 | 7 | 8 | 10 |
| 65+ | 27 | 6.0 | 20 | 2 | 2 | 5 | 7 | 12 | 18 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3072 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 2921 | 4.6 | 8 | 2 | 2 | 4 | 5 | 8 | 9 | 14 |
| 35-49 | 1352 | 5.4 | 11 | 2 | 3 | 4 | 6 | 9 | 12 | 17 |
| 50-64 | 851 | 6.4 | 16 | 2 | 3 | 5 | 8 | 11 | 14 | 21 |
| 65+ | 583 | 7.8 | 36 | 3 | 3 | 6 | 9 | 13 | 17 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 355 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 34639 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 276 | 3.3 | 8 | 1 | 1 | 2 | 4 | 7 | 8 | 17 |
| B. *Operated* | 8779 | 5.0 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| **1. SINGLE DX** | 34994 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 9055 | 5.0 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| **A. NOT OPERATED** | 631 | 2.8 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 43418 | 3.7 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| TOTAL 0-19 YRS | 19873 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 15585 | 3.6 | 4 | 2 | 2 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 5284 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 2299 | 5.1 | 10 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 1008 | 6.6 | 25 | 3 | 3 | 5 | 8 | 11 | 15 | 24 |
| **GRAND TOTAL** | **44049** | **3.7** | **5** | **2** | **2** | **3** | **4** | **6** | **7** | **12** |

### 198: Acute appendicitis with peritonitis (540.0-540.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 6.9 | 16 | 2 | 3 | 6 | 9 | 12 | 14 | 20 |
| 20-34 | 41 | 6.1 | 14 | 1 | 2 | 6 | 7 | 11 | 14 | 18 |
| 35-49 | 28 | 5.9 | 5 | 3 | 3 | 5 | 8 | 9 | 10 | 11 |
| 50-64 | 33 | 8.2 | 15 | 2 | 4 | 7 | 11 | 14 | 15 | 16 |
| 65+ | 8 | 6.4 | 12 | <1 | 1 | 7 | 8 | 11 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3536 | 6.5 | 10 | 3 | 3 | 6 | 8 | 10 | 12 | 17 |
| 20-34 | 2011 | 6.1 | 8 | 2 | 3 | 6 | 8 | 10 | 11 | 15 |
| 35-49 | 1337 | 6.9 | 10 | 3 | 3 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 851 | 7.7 | 11 | 3 | 4 | 7 | 9 | 12 | 14 | 20 |
| 65+ | 410 | 8.0 | 12 | 4 | 5 | 8 | 10 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 7.2 | 27 | 1 | 1 | 7 | 9 | 12 | 18 | 25 |
| 20-34 | 26 | 7.6 | 12 | 3 | 4 | 7 | 10 | 13 | 14 | 15 |
| 35-49 | 27 | 8.0 | 15 | 1 | 3 | 8 | 11 | 13 | 15 | 16 |
| 50-64 | 35 | 8.6 | 11 | 3 | 4 | 9 | 11 | 14 | 15 | 16 |
| 65+ | 46 | 9.9 | 33 | 2 | 3 | 9 | 14 | 18 | 20 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2383 | 8.8 | 26 | 4 | 4 | 8 | 10 | 14 | 18 | 27 |
| 20-34 | 1563 | 8.9 | 27 | 3 | 4 | 8 | 11 | 14 | 18 | 30 |
| 35-49 | 1365 | 9.8 | 36 | 4 | 5 | 9 | 11 | 16 | 20 | 33 |
| 50-64 | 1578 | 11.2 | 47 | 4 | 5 | 10 | 13 | 18 | 24 | 34 |
| 65+ | 1603 | 12.8 | 66 | 5 | 6 | 11 | 15 | 22 | 28 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 171 | 6.8 | 13 | 2 | 2 | 6 | 8 | 12 | 14 | 18 |
| B. *Operated* | 8145 | 6.6 | 10 | 3 | 3 | 6 | 8 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 157 | 8.5 | 21 | 2 | 3 | 8 | 11 | 14 | 17 | 25 |
| B. *Operated* | 8492 | 10.2 | 42 | 4 | 5 | 9 | 12 | 17 | 22 | 35 |
| **1. SINGLE DX** | 8316 | 6.7 | 10 | 3 | 3 | 6 | 8 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | 8649 | 10.2 | 41 | 4 | 5 | 9 | 12 | 17 | 22 | 35 |
| **A. NOT OPERATED** | 328 | 7.6 | 18 | 2 | 3 | 7 | 10 | 14 | 15 | 21 |
| **B. OPERATED** | 16637 | 8.5 | 29 | 3 | 4 | 7 | 10 | 14 | 18 | 29 |
| TOTAL 0-19 YRS | 6003 | 7.4 | 18 | 3 | 3 | 7 | 9 | 12 | 15 | 23 |
| 20-34 | 3641 | 7.3 | 18 | 3 | 3 | 7 | 9 | 12 | 14 | 25 |
| 35-49 | 2757 | 8.3 | 25 | 3 | 4 | 7 | 10 | 13 | 16 | 28 |
| 50-64 | 2497 | 9.9 | 36 | 4 | 5 | 8 | 12 | 16 | 20 | 31 |
| 65+ | 2067 | 11.8 | 58 | 5 | 6 | 10 | 14 | 20 | 25 | 47 |
| **GRAND TOTAL** | **16965** | **8.4** | **29** | **3** | **4** | **7** | **10** | **14** | **17** | **29** |

### 199: Disease of appendix, except acute appendicitis (541-543)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 211 | 1.9 | 2 | <1 | 1 | 1 | 2 | 4 | 4 | 6 |
| 20-34 | 172 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 66 | 2.9 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 10 |
| 50-64 | 19 | 3.0 | 4 | <1 | <1 | 3 | 4 | 5 | 7 | 9 |
| 65+ | 6 | 3.0 | 4 | 1 | 1 | 2 | 3 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1138 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 824 | 3.8 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 237 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 50-64 | 88 | 5.4 | 10 | 2 | 2 | 5 | 7 | 8 | 10 | 21 |
| 65+ | 34 | 5.5 | 6 | 3 | 3 | 5 | 7 | 9 | 10 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 123 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 55 | 2.9 | 4 | 1 | 1 | 2 | 4 | 4 | 6 | 12 |
| 50-64 | 44 | 5.3 | 29 | 1 | 1 | 5 | 6 | 10 | 16 | 31 |
| 65+ | 38 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 677 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 20-34 | 681 | 5.1 | 8 | 2 | 2 | 4 | 6 | 9 | 11 | 16 |
| 35-49 | 251 | 6.3 | 28 | 2 | 3 | 5 | 8 | 10 | 12 | 28 |
| 50-64 | 124 | 7.8 | 27 | 3 | 3 | 6 | 10 | 14 | 19 | 27 |
| 65+ | 78 | 9.2 | 30 | 4 | 4 | 7 | 12 | 17 | 19 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 474 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| B. *Operated* | 2321 | 3.7 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 399 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 1811 | 5.4 | 14 | 2 | 2 | 4 | 6 | 9 | 12 | 18 |
| **1. SINGLE DX** | 2795 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 2210 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **A. NOT OPERATED** | 873 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **B. OPERATED** | 4132 | 4.4 | 9 | 2 | 2 | 4 | 5 | 8 | 10 | 16 |
| TOTAL 0-19 YRS | 2165 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1800 | 4.0 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 609 | 4.8 | 16 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 275 | 6.3 | 23 | 1 | 2 | 5 | 8 | 11 | 15 | 27 |
| 65+ | 156 | 6.9 | 23 | 2 | 3 | 6 | 8 | 14 | 17 | 25 |
| **GRAND TOTAL** | **5005** | **4.1** | **9** | **1** | **2** | **3** | **5** | **7** | **9** | **15** |

### 200: Inguinal hernia without complication (550.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 7 |
| 20-34 | 54 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 35-49 | 48 | 2.3 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 50-64 | 56 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 41 | 2.2 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7693 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 9919 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 9557 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 12792 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 65+ | 8430 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 375 | 1.6 | 4 | <1 | <1 | 1 | 1 | 3 | 4 | 15 |
| 20-34 | 106 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| 35-49 | 111 | 2.5 | 6 | <1 | <1 | 1 | 3 | 6 | 8 | 11 |
| 50-64 | 240 | 2.3 | 7 | <1 | <1 | 1 | 3 | 5 | 6 | 11 |
| 65+ | 406 | 3.5 | 15 | <1 | <1 | 2 | 4 | 8 | 11 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4798 | 1.8 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 3716 | 2.9 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 5832 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 50-64 | 11961 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 65+ | 16070 | 4.4 | 13 | 1 | 1 | 4 | 5 | 8 | 10 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 273 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 6 |
| B. *Operated* | 48391 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1238 | 2.4 | 9 | <1 | <1 | 1 | 3 | 5 | 8 | 15 |
| B. *Operated* | 42377 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **1. SINGLE DX** | 48664 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 43615 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **A. NOT OPERATED** | 1511 | 2.3 | 8 | <1 | <1 | 1 | 3 | 5 | 7 | 14 |
| **B. OPERATED** | 90768 | 3.0 | 6 | <1 | 1 | 3 | 4 | 5 | 7 | 11 |
| TOTAL 0-19 YRS | 12940 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 13795 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 15548 | 2.8 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | 25049 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 65+ | 24947 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **GRAND TOTAL** | **92279** | **3.0** | **6** | **<1** | **1** | **3** | **4** | **5** | **7** | **12** |

## 201: Inguinal hernia, complicated (550.0-550.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| 20-34 | 14 | 2.1 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 9 | 2.0 | 4 | <1 | <1 | 1 | 2 | 5 | 7 | 7 |
| 50-64 | 12 | 2.5 | 5 | <1 | <1 | 1 | 3 | 7 | 7 | 7 |
| 65+ | 37 | 2.6 | 4 | <1 | 1 | 1 | 4 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1094 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 544 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 |
| 35-49 | 413 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 594 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 65+ | 951 | 4.5 | 12 | 1 | 2 | 4 | 6 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 2.4 | 12 | <1 | 1 | 1 | 2 | 4 | 9 | 22 |
| 20-34 | 9 | 3.2 | 14 | <1 | <1 | 1 | 5 | 9 | 12 | 12 |
| 35-49 | 4 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 38 | 3.3 | 7 | <1 | 1 | 3 | 4 | 6 | 10 | 12 |
| 65+ | 189 | 5.0 | 51 | <1 | 1 | 3 | 6 | 9 | 12 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 881 | 2.6 | 9 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 20-34 | 244 | 3.8 | 9 | 1 | 2 | 3 | 5 | 6 | 9 | 15 |
| 35-49 | 306 | 4.3 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 50-64 | 858 | 5.8 | 22 | 2 | 2 | 4 | 7 | 11 | 14 | 23 |
| 65+ | 3364 | 7.4 | 45 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 109 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 7 |
| B. *Operated* | 3596 | 3.0 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 287 | 4.2 | 38 | <1 | 1 | 3 | 5 | 9 | 12 | 21 |
| B. *Operated* | 5653 | 6.1 | 36 | 1 | 2 | 5 | 7 | 12 | 17 | 29 |
| **1. SINGLE DX** | 3705 | 3.0 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 5940 | 6.0 | 36 | 1 | 1 | 4 | 7 | 12 | 17 | 29 |
| **A. NOT OPERATED** | 396 | 3.6 | 29 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| **B. OPERATED** | 9249 | 4.9 | 26 | 1 | 1 | 4 | 6 | 10 | 14 | 25 |
| TOTAL 0-19 YRS | 2059 | 2.1 | 5 | <1 | 1 | 2 | 2 | 4 | 5 | 10 |
| 20-34 | 811 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 732 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 50-64 | 1502 | 4.8 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 4541 | 6.7 | 40 | 1 | 2 | 5 | 8 | 13 | 18 | 32 |
| **GRAND TOTAL** | **9645** | **4.9** | **27** | **1** | **1** | **4** | **6** | **10** | **13** | **24** |

## 202: Umbilical hernia without complication (553.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 1.8 | 1 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 5 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 6 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 3 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 4 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1134 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 514 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 734 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 572 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 65+ | 202 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 21 | 1.9 | 2 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| 35-49 | 30 | 2.7 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 9 |
| 50-64 | 27 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 65+ | 38 | 5.1 | 23 | <1 | 1 | 4 | 5 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 295 | 2.8 | 40 | <1 | <1 | 2 | 3 | 5 | 6 | 18 |
| 20-34 | 275 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 692 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 756 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 65+ | 499 | 4.7 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 1.8 | 1 | <1 | <1 | 1 | 3 | 3 | 4 | 5 |
| B. *Operated* | 3156 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 176 | 2.6 | 9 | <1 | <1 | 1 | 3 | 5 | 8 | 15 |
| B. *Operated* | 2517 | 3.9 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **1. SINGLE DX** | 3186 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 2693 | 3.8 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 206 | 2.5 | 8 | <1 | <1 | 1 | 3 | 5 | 7 | 15 |
| **B. OPERATED** | 5673 | 3.0 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| TOTAL 0-19 YRS | 1501 | 1.9 | 9 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 815 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 35-49 | 1462 | 3.0 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 50-64 | 1358 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 65+ | 743 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **GRAND TOTAL** | **5879** | **3.0** | **8** | **<1** | **1** | **2** | **4** | **6** | **7** | **12** |

## 203: Ventral hernia without complication (553.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 11 | 2.8 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| 35-49 | 22 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| 50-64 | 19 | 2.6 | 3 | <1 | <1 | 2 | 4 | 5 | 7 | 8 |
| 65+ | 22 | 3.7 | 10 | <1 | 1 | 3 | 6 | 8 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 251 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 1064 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1849 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 1953 | 4.3 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 1250 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.9 | 8 | <1 | <1 | 1 | 5 | 7 | 8 | 8 |
| 20-34 | 50 | 2.1 | 2 | <1 | <1 | 1 | 3 | 5 | 5 | 6 |
| 35-49 | 119 | 3.1 | 29 | <1 | <1 | 2 | 3 | 5 | 11 | 26 |
| 50-64 | 157 | 3.9 | 17 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 65+ | 237 | 4.6 | 28 | <1 | 1 | 4 | 6 | 9 | 11 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 3.9 | 39 | <1 | <1 | 3 | 4 | 7 | 9 | 29 |
| 20-34 | 768 | 4.7 | 17 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 2138 | 5.6 | 21 | 1 | 2 | 5 | 7 | 9 | 12 | 20 |
| 50-64 | 3167 | 6.1 | 16 | 2 | 2 | 5 | 8 | 10 | 13 | 22 |
| 65+ | 3438 | 6.9 | 27 | 2 | 3 | 6 | 8 | 12 | 15 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 81 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| B. *Operated* | 6367 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 571 | 3.9 | 23 | <1 | 1 | 3 | 5 | 8 | 11 | 21 |
| B. *Operated* | 9643 | 6.2 | 22 | 2 | 2 | 5 | 8 | 10 | 13 | 22 |
| **1. SINGLE DX** | 6448 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 10214 | 6.0 | 22 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 652 | 3.7 | 21 | <1 | 1 | 3 | 5 | 7 | 10 | 19 |
| **B. OPERATED** | 16010 | 5.3 | 17 | 1 | 2 | 5 | 7 | 9 | 11 | 19 |
| TOTAL 0-19 YRS | 398 | 2.7 | 15 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 1893 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 4128 | 4.8 | 15 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 5296 | 5.3 | 13 | 1 | 2 | 5 | 7 | 9 | 11 | 19 |
| 65+ | 4947 | 6.3 | 23 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| **GRAND TOTAL** | **16662** | **5.2** | **17** | **1** | **2** | **4** | **7** | **9** | **11** | **19** |

## 204: Diaphragmatic hernia without complication (553.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 69 | 2.8 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 7 |
| 35-49 | 179 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | 213 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 65+ | 148 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 5.9 | 5 | 2 | 3 | 6 | 7 | 9 | 10 | 10 |
| 20-34 | 19 | 6.9 | 6 | 2 | 3 | 7 | 8 | 10 | 12 | 12 |
| 35-49 | 59 | 6.3 | 11 | 1 | 2 | 7 | 8 | 9 | 11 | 20 |
| 50-64 | 95 | 6.3 | 9 | 2 | 2 | 6 | 8 | 10 | 11 | 15 |
| 65+ | 52 | 7.4 | 11 | 1 | 3 | 7 | 10 | 11 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 3.7 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 20-34 | 389 | 3.6 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 1351 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 2292 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 3251 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 8.8 | 45 | 1 | 2 | 8 | 11 | 16 | 22 | 33 |
| 20-34 | 268 | 7.3 | 18 | 2 | 3 | 7 | 9 | 11 | 13 | 28 |
| 35-49 | 691 | 7.5 | 23 | 2 | 3 | 7 | 9 | 12 | 15 | 25 |
| 50-64 | 1089 | 7.8 | 25 | 2 | 2 | 7 | 9 | 13 | 17 | 28 |
| 65+ | 1084 | 9.8 | 61 | 2 | 3 | 8 | 11 | 17 | 21 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 617 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| B. *Operated* | 242 | 6.6 | 9 | 2 | 2 | 7 | 8 | 10 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7328 | 4.5 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| B. *Operated* | 3180 | 8.4 | 38 | 2 | 3 | 7 | 10 | 14 | 19 | 32 |
| **1. SINGLE DX** | 859 | 4.2 | 8 | 1 | 1 | 3 | 6 | 8 | 10 | 12 |
| **2. MULTIPLE DX** | 10508 | 5.7 | 22 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| **A. NOT OPERATED** | 7945 | 4.4 | 10 | 1 | 2 | 4 | 5 | 8 | 9 | 15 |
| **B. OPERATED** | 3422 | 8.3 | 36 | 2 | 3 | 7 | 10 | 14 | 18 | 31 |
| TOTAL 0-19 YRS | 118 | 6.0 | 27 | 1 | 1 | 5 | 8 | 12 | 14 | 31 |
| 20-34 | 745 | 4.9 | 12 | 1 | 2 | 4 | 7 | 9 | 10 | 19 |
| 35-49 | 2280 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 3689 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| 65+ | 4535 | 6.1 | 31 | 2 | 2 | 5 | 8 | 11 | 15 | 28 |
| **GRAND TOTAL** | **11367** | **5.5** | **21** | **1** | **2** | **4** | **7** | **10** | **13** | **22** |

## 205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 4 | 6.5 | 12 | 3 | 3 | 6 | 9 | 11 | 11 | 11 |
| 35-49 | 6 | 2.3 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 11 | 5.2 | 12 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 199 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 35-49 | 286 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 50-64 | 317 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 231 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.0 | 4 | 1 | 1 | 3 | 3 | 6 | 7 | 7 |
| 20-34 | 26 | 3.8 | 13 | <1 | <1 | 3 | 6 | 8 | 13 | 15 |
| 35-49 | 19 | 4.4 | 11 | <1 | <1 | 4 | 6 | 7 | 12 | 15 |
| 50-64 | 23 | 4.1 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| 65+ | 41 | 5.0 | 12 | <1 | 1 | 5 | 6 | 9 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 3.5 | 8 | <1 | 1 | 3 | 5 | 8 | 12 | 99+ |
| 20-34 | 112 | 4.4 | 12 | 1 | 1 | 3 | 5 | 10 | 11 | 17 |
| 35-49 | 193 | 4.8 | 43 | 1 | 1 | 3 | 5 | 8 | 11 | 33 |
| 50-64 | 321 | 5.0 | 23 | 1 | 2 | 4 | 6 | 9 | 13 | 26 |
| 65+ | 485 | 5.4 | 22 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 4.3 | 10 | <1 | 1 | 3 | 7 | 10 | 11 | 11 |
| B. *Operated* | 1073 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 4.3 | 11 | <1 | 1 | 4 | 6 | 8 | 11 | 16 |
| B. *Operated* | 1148 | 5.0 | 24 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| **1. SINGLE DX** | 1096 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 1264 | 5.0 | 23 | 1 | 1 | 4 | 6 | 9 | 13 | 24 |
| **A. NOT OPERATED** | 139 | 4.3 | 10 | <1 | 1 | 4 | 6 | 8 | 11 | 15 |
| **B. OPERATED** | 2221 | 4.1 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| TOTAL 0-19 YRS | 85 | 2.5 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 68 |
| 20-34 | 341 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 10 | 15 |
| 35-49 | 504 | 3.7 | 20 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 50-64 | 672 | 4.1 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 65+ | 758 | 4.8 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| **GRAND TOTAL** | **2360** | **4.1** | **15** | **1** | **1** | **3** | **5** | **8** | **10** | **17** |

## 206: Complicated hernia of abdominal cavity, except inguinal (551-552)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.2 | | 1 | 1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 11 | 1.7 | 1 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 35-49 | 23 | 2.4 | 3 | <1 | <1 | 2 | 4 | 4 | 6 | 7 |
| 50-64 | 36 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 65+ | 68 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 9 | 15 |
| 20-34 | 459 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 843 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 50-64 | 831 | 4.3 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| 65+ | 947 | 5.6 | 15 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.6 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 8 |
| 20-34 | 15 | 1.7 | 1 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 35-49 | 63 | 3.9 | 6 | <1 | 1 | 4 | 5 | 7 | 9 | 11 |
| 50-64 | 124 | 4.9 | 32 | 1 | 1 | 4 | 5 | 9 | 12 | 29 |
| 65+ | 503 | 5.7 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 5.6 | 65 | 1 | 1 | 3 | 6 | 12 | 15 | 53 |
| 20-34 | 315 | 5.9 | 34 | 1 | 2 | 4 | 7 | 10 | 13 | 31 |
| 35-49 | 933 | 6.7 | 42 | 1 | 2 | 5 | 8 | 13 | 17 | 38 |
| 50-64 | 1765 | 8.3 | 53 | 2 | 3 | 7 | 10 | 15 | 21 | 39 |
| 65+ | 3853 | 10.3 | 72 | 2 | 3 | 8 | 13 | 19 | 25 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 148 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 12 |
| B. *Operated* | 3228 | 4.3 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 713 | 5.3 | 19 | 1 | 2 | 4 | 7 | 10 | 12 | 23 |
| B. *Operated* | 6937 | 9.0 | 64 | 2 | 3 | 7 | 11 | 17 | 23 | 45 |
| **1. SINGLE DX** | 3376 | 4.2 | 10 | 1 | 1 | 3 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 7650 | 8.7 | 61 | 2 | 2 | 7 | 11 | 17 | 22 | 43 |
| **A. NOT OPERATED** | 861 | 4.9 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| **B. OPERATED** | 10165 | 7.5 | 51 | 1 | 2 | 6 | 9 | 15 | 20 | 38 |
| TOTAL 0-19 YRS | 237 | 3.5 | 26 | <1 | 1 | 2 | 4 | 8 | 11 | 20 |
| 20-34 | 800 | 4.3 | 19 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 1862 | 5.2 | 26 | 1 | 1 | 4 | 6 | 9 | 13 | 24 |
| 50-64 | 2756 | 6.8 | 41 | 1 | 2 | 5 | 8 | 13 | 17 | 34 |
| 65+ | 5371 | 8.9 | 60 | 2 | 3 | 7 | 11 | 17 | 22 | 43 |
| **GRAND TOTAL** | **11026** | **7.3** | **49** | **1** | **2** | **6** | **9** | **14** | **19** | **37** |

## 207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 613 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 839 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 1369 | 4.2 | 7 | 1 | 1 | 4 | 5 | 8 | 10 | 13 |
| 50-64 | 1549 | 4.2 | 7 | 1 | 1 | 4 | 5 | 7 | 10 | 13 |
| 65+ | 1860 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 519 | 6.0 | 22 | 2 | 3 | 5 | 8 | 10 | 12 | 19 |
| 20-34 | 561 | 8.4 | 16 | 4 | 4 | 8 | 10 | 14 | 16 | 23 |
| 35-49 | 720 | 9.8 | 32 | 4 | 5 | 8 | 12 | 17 | 21 | 28 |
| 50-64 | 730 | 10.0 | 27 | 5 | 6 | 9 | 11 | 15 | 18 | 29 |
| 65+ | 764 | 11.1 | 35 | 5 | 6 | 10 | 13 | 17 | 21 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 606 | 4.3 | 30 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 20-34 | 1171 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 2248 | 5.3 | 17 | 1 | 2 | 4 | 7 | 10 | 12 | 22 |
| 50-64 | 4299 | 6.0 | 20 | 2 | 2 | 5 | 7 | 11 | 14 | 23 |
| 65+ | 12612 | 6.9 | 31 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 696 | 9.7 | 77 | 3 | 4 | 7 | 11 | 17 | 23 | 58 |
| 20-34 | 1071 | 11.9 | 87 | 4 | 5 | 9 | 13 | 21 | 29 | 50 |
| 35-49 | 1823 | 13.5 | 105 | 5 | 6 | 10 | 16 | 25 | 33 | 59 |
| 50-64 | 3146 | 15.1 | 124 | 5 | 6 | 12 | 18 | 27 | 37 | 68 |
| 65+ | 7658 | 16.5 | 121 | 6 | 7 | 14 | 20 | 29 | 38 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6230 | 4.1 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 3294 | 9.3 | 30 | 3 | 4 | 8 | 11 | 15 | 19 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20936 | 6.4 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| B. *Operated* | 14394 | 15.1 | 118 | 5 | 6 | 12 | 18 | 27 | 36 | 65 |
| **1. SINGLE DX** | 9524 | 5.9 | 22 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 35330 | 9.9 | 83 | 2 | 3 | 8 | 12 | 20 | 26 | 49 |
| **A. NOT OPERATED** | 27166 | 5.9 | 23 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 17688 | 14.1 | 107 | 4 | 6 | 11 | 17 | 25 | 33 | 61 |
| TOTAL 0-19 YRS | 2434 | 5.8 | 43 | 1 | 1 | 4 | 7 | 11 | 15 | 33 |
| 20-34 | 3642 | 7.2 | 45 | 1 | 2 | 6 | 9 | 14 | 18 | 33 |
| 35-49 | 6160 | 8.0 | 58 | 1 | 2 | 6 | 10 | 15 | 21 | 41 |
| 50-64 | 9724 | 8.9 | 72 | 2 | 2 | 7 | 11 | 17 | 24 | 46 |
| 65+ | 22894 | 10.1 | 81 | 2 | 3 | 8 | 13 | 20 | 26 | 49 |
| **GRAND TOTAL** | **44854** | **9.1** | **72** | **2** | **2** | **7** | **11** | **18** | **24** | **45** |

## 208: Noninfectious gastroenteritis and colitis (558)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12069 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 5662 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 2622 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | 1523 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 65+ | 1113 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 329 | 4.0 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 426 | 4.3 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| 35-49 | 241 | 5.0 | 11 | 1 | 2 | 4 | 7 | 10 | 11 | 16 |
| 50-64 | 151 | 5.1 | 12 | <1 | 1 | 5 | 6 | 9 | 11 | 21 |
| 65+ | 85 | 6.3 | 28 | <1 | 1 | 6 | 8 | 11 | 14 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26224 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 9351 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 6545 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 7582 | 4.4 | 13 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 65+ | 14770 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 544 | 9.0 | 150 | 2 | 2 | 5 | 9 | 20 | 36 | 82 |
| 20-34 | 846 | 6.4 | 37 | 2 | 2 | 5 | 7 | 11 | 15 | 32 |
| 35-49 | 946 | 7.8 | 39 | 2 | 3 | 6 | 10 | 15 | 19 | 30 |
| 50-64 | 1121 | 8.6 | 53 | 2 | 3 | 7 | 10 | 16 | 22 | 40 |
| 65+ | 1913 | 11.0 | 90 | 2 | 3 | 8 | 14 | 22 | 29 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22989 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| B. *Operated* | 1232 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64472 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 5370 | 9.0 | 74 | 2 | 3 | 7 | 11 | 18 | 25 | 48 |
| **1. SINGLE DX** | 24221 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 69842 | 4.3 | 18 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| **A. NOT OPERATED** | 87461 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **B. OPERATED** | 6602 | 8.2 | 65 | 2 | 2 | 6 | 10 | 16 | 22 | 45 |
| TOTAL 0-19 YRS | 39166 | 3.0 | 7 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 16285 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 35-49 | 10354 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 50-64 | 10377 | 4.7 | 18 | 1 | 1 | 4 | 6 | 9 | 11 | 22 |
| 65+ | 17881 | 5.8 | 30 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |
| **GRAND TOTAL** | **94063** | **3.9** | **14** | **1** | **1** | **3** | **5** | **7** | **9** | **18** |

## 209: Diverticula of intestine (562)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.9 | 7 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| 20-34 | 229 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 35-49 | 1411 | 4.7 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| 50-64 | 2385 | 4.8 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 65+ | 2342 | 4.9 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.2 | 10 | 6 | 6 | 9 | 11 | 14 | 14 | 14 |
| 20-34 | 112 | 7.6 | 9 | 4 | 4 | 7 | 9 | 11 | 13 | 19 |
| 35-49 | 409 | 8.8 | 16 | 4 | 5 | 8 | 11 | 14 | 17 | 23 |
| 50-64 | 675 | 9.4 | 15 | 3 | 5 | 9 | 11 | 14 | 17 | 21 |
| 65+ | 513 | 10.7 | 29 | 3 | 5 | 10 | 12 | 17 | 21 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 4.9 | 5 | 2 | 2 | 5 | 7 | 8 | 9 | 10 |
| 20-34 | 175 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 1588 | 5.3 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| 50-64 | 5437 | 5.5 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 65+ | 16705 | 6.4 | 23 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 8.7 | 26 | 2 | 3 | 7 | 10 | 16 | 19 | 22 |
| 20-34 | 241 | 9.8 | 30 | 4 | 5 | 9 | 11 | 17 | 20 | 30 |
| 35-49 | 1317 | 11.5 | 56 | 4 | 5 | 10 | 13 | 19 | 23 | 47 |
| 50-64 | 3582 | 12.5 | 70 | 4 | 5 | 11 | 15 | 21 | 27 | 47 |
| 65+ | 7094 | 14.1 | 104 | 4 | 5 | 12 | 17 | 25 | 33 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6374 | 4.8 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| B. *Operated* | 1714 | 9.5 | 20 | 3 | 5 | 9 | 11 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23942 | 6.1 | 20 | 2 | 2 | 5 | 8 | 11 | 13 | 22 |
| B. *Operated* | 12257 | 13.3 | 88 | 4 | 5 | 11 | 16 | 23 | 30 | 55 |
| **1. SINGLE DX** | 8088 | 5.8 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | 36199 | 8.5 | 54 | 2 | 3 | 7 | 10 | 16 | 21 | 40 |
| **A. NOT OPERATED** | 30316 | 5.8 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **B. OPERATED** | 13971 | 12.8 | 81 | 4 | 5 | 11 | 15 | 22 | 29 | 53 |
| TOTAL 0-19 YRS | 72 | 6.4 | 15 | 2 | 2 | 6 | 8 | 10 | 15 | 21 |
| 20-34 | 757 | 6.7 | 20 | 2 | 2 | 6 | 9 | 11 | 15 | 24 |
| 35-49 | 4725 | 7.2 | 31 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| 50-64 | 12079 | 7.7 | 39 | 2 | 2 | 6 | 10 | 14 | 18 | 32 |
| 65+ | 26654 | 8.4 | 56 | 2 | 3 | 6 | 10 | 16 | 21 | 40 |
| **GRAND TOTAL** | **44287** | **8.0** | **48** | **2** | **3** | **6** | **10** | **15** | **20** | **36** |

## 210: Anal fissure, fistula, and abscess (565-566)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 120 | 3.0 | 7 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 35-49 | 119 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | 43 | 3.1 | 5 | <1 | 1 | 2 | 4 | 7 | 9 | 9 |
| 65+ | 24 | 4.7 | 13 | 1 | 2 | 3 | 6 | 10 | 13 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 434 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 2995 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 2980 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | 1553 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 65+ | 494 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 3.9 | 19 | 1 | 1 | 3 | 5 | 7 | 9 | 24 |
| 20-34 | 207 | 3.6 | 7 | <1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 35-49 | 243 | 4.3 | 15 | <1 | 1 | 4 | 5 | 8 | 10 | 15 |
| 50-64 | 226 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 22 |
| 65+ | 246 | 6.0 | 32 | 1 | 2 | 5 | 7 | 11 | 15 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 295 | 4.2 | 20 | 1 | 1 | 3 | 5 | 9 | 11 | 25 |
| 20-34 | 2773 | 3.7 | 15 | 1 | 1 | 3 | 4 | 6 | 8 | 19 |
| 35-49 | 3945 | 3.8 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| 50-64 | 3122 | 4.5 | 25 | 1 | 1 | 3 | 5 | 8 | 12 | 27 |
| 65+ | 1910 | 5.7 | 40 | 1 | 2 | 4 | 6 | 11 | 17 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 376 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 8456 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1048 | 4.6 | 19 | 1 | 1 | 3 | 6 | 9 | 11 | 22 |
| B. *Operated* | 12045 | 4.3 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| **1. SINGLE DX** | 8832 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 13093 | 4.3 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| **A. NOT OPERATED** | 1424 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| **B. OPERATED** | 20501 | 3.7 | 15 | 1 | 1 | 3 | 4 | 6 | 9 | 19 |
| TOTAL 0-19 YRS | 925 | 3.3 | 12 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 20-34 | 6095 | 3.2 | 9 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 35-49 | 7287 | 3.4 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 4944 | 4.0 | 19 | 1 | 1 | 3 | 4 | 7 | 10 | 21 |
| 65+ | 2674 | 5.3 | 33 | 1 | 1 | 4 | 6 | 10 | 15 | 32 |
| **GRAND TOTAL** | **21925** | **3.7** | **15** | **1** | **1** | **3** | **4** | **7** | **9** | **19** |

## 211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1782 | 3.2 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 20-34 | 2613 | 4.3 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 1888 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 1212 | 4.2 | 12 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 65+ | 1099 | 3.9 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 747 | 5.9 | 48 | <1 | 1 | 4 | 8 | 11 | 16 | 32 |
| 20-34 | 1714 | 6.9 | 32 | 1 | 2 | 6 | 9 | 13 | 17 | 30 |
| 35-49 | 1210 | 7.0 | 42 | <1 | 1 | 6 | 9 | 14 | 18 | 32 |
| 50-64 | 1044 | 6.9 | 34 | <1 | 1 | 6 | 9 | 14 | 18 | 29 |
| 65+ | 920 | 7.2 | 52 | 1 | 1 | 5 | 9 | 14 | 20 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2252 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 20-34 | 4602 | 5.1 | 19 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| 35-49 | 4864 | 5.3 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| 50-64 | 5502 | 5.4 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 65+ | 13306 | 6.2 | 35 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1268 | 9.8 | 114 | 1 | 2 | 7 | 11 | 22 | 32 | 62 |
| 20-34 | 4277 | 9.8 | 80 | 2 | 3 | 7 | 12 | 20 | 27 | 48 |
| 35-49 | 4702 | 10.3 | 99 | 2 | 2 | 7 | 13 | 21 | 29 | 56 |
| 50-64 | 5363 | 11.5 | 126 | 2 | 3 | 8 | 14 | 24 | 34 | 66 |
| 65+ | 9464 | 12.9 | 138 | 2 | 3 | 10 | 16 | 27 | 37 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8594 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 5635 | 6.9 | 40 | <1 | 1 | 5 | 9 | 13 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30526 | 5.6 | 26 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |
| B. *Operated* | 25074 | 11.4 | 119 | 2 | 3 | 8 | 14 | 24 | 33 | 61 |
| **1. SINGLE DX** | 14229 | 5.1 | 25 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | 55600 | 8.2 | 76 | 1 | 2 | 6 | 10 | 17 | 24 | 48 |
| **A. NOT OPERATED** | 39120 | 5.3 | 24 | 1 | 1 | 4 | 7 | 10 | 13 | 24 |
| **B. OPERATED** | 30709 | 10.6 | 107 | 1 | 2 | 8 | 13 | 22 | 31 | 57 |
| TOTAL 0-19 YRS | 6049 | 5.3 | 45 | 1 | 1 | 3 | 6 | 11 | 16 | 37 |
| 20-34 | 13206 | 6.7 | 44 | 1 | 2 | 5 | 8 | 13 | 19 | 36 |
| 35-49 | 12664 | 7.2 | 56 | 1 | 2 | 5 | 9 | 14 | 20 | 40 |
| 50-64 | 13121 | 7.9 | 72 | 1 | 2 | 5 | 10 | 16 | 23 | 45 |
| 65+ | 24789 | 8.7 | 86 | 1 | 2 | 6 | 11 | 18 | 26 | 51 |
| **GRAND TOTAL** | **69829** | **7.6** | **67** | **1** | **2** | **5** | **9** | **16** | **22** | **44** |

## 212: Alcoholic liver disease (571.0-571.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 75 | 5.3 | 11 | 2 | 2 | 5 | 7 | 8 | 10 | 20 |
| 35-49 | 130 | 6.1 | 23 | 2 | 2 | 5 | 7 | 12 | 15 | 27 |
| 50-64 | 149 | 6.7 | 31 | 1 | 2 | 5 | 8 | 14 | 19 | 28 |
| 65+ | 37 | 7.2 | 66 | 1 | 1 | 5 | 8 | 14 | 16 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 32 | 6.0 | 87 | <1 | 1 | 3 | 6 | 12 | 16 | 52 |
| 35-49 | 89 | 4.8 | 42 | 1 | 1 | 3 | 6 | 10 | 12 | 38 |
| 50-64 | 86 | 4.6 | 21 | <1 | 1 | 3 | 7 | 11 | 14 | 21 |
| 65+ | 33 | 5.5 | 42 | 1 | 1 | 2 | 7 | 13 | 23 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 9.0 | 41 | 3 | 3 | 6 | 16 | 18 | 18 | 18 |
| 20-34 | 1027 | 7.4 | 34 | 2 | 3 | 6 | 8 | 14 | 18 | 31 |
| 35-49 | 2733 | 8.6 | 52 | 2 | 3 | 6 | 10 | 16 | 21 | 38 |
| 50-64 | 2556 | 9.8 | 65 | 2 | 3 | 7 | 12 | 19 | 26 | 43 |
| 65+ | 1392 | 10.3 | 64 | 3 | 3 | 8 | 13 | 20 | 26 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 193 | 13.2 | 179 | 2 | 3 | 9 | 16 | 29 | 41 | 65 |
| 35-49 | 778 | 12.7 | 133 | 2 | 3 | 9 | 17 | 26 | 36 | 60 |
| 50-64 | 992 | 12.5 | 152 | 1 | 2 | 9 | 16 | 27 | 35 | 68 |
| 65+ | 532 | 14.1 | 183 | 2 | 3 | 10 | 17 | 28 | 37 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 391 | 6.3 | 28 | 1 | 2 | 5 | 7 | 13 | 16 | 27 |
| B. *Operated* | 242 | 5.0 | 40 | 1 | 1 | 2 | 6 | 10 | 15 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7715 | 9.1 | 57 | 2 | 3 | 7 | 11 | 17 | 24 | 39 |
| B. *Operated* | 2497 | 12.9 | 155 | 1 | 2 | 9 | 16 | 27 | 36 | 66 |
| **1. SINGLE DX** | 633 | 5.8 | 33 | 1 | 1 | 4 | 7 | 12 | 15 | 29 |
| **2. MULTIPLE DX** | 10212 | 10.1 | 83 | 2 | 3 | 7 | 12 | 20 | 27 | 49 |
| **A. NOT OPERATED** | 8106 | 9.0 | 56 | 2 | 3 | 7 | 11 | 17 | 23 | 39 |
| **B. OPERATED** | 2739 | 12.2 | 150 | 1 | 2 | 9 | 15 | 26 | 35 | 64 |
| TOTAL 0-19 YRS | 11 | 6.5 | 37 | 1 | 1 | 4 | 8 | 18 | 18 | 18 |
| 20-34 | 1327 | 8.1 | 59 | 2 | 3 | 6 | 9 | 15 | 21 | 41 |
| 35-49 | 3730 | 9.3 | 71 | 2 | 3 | 6 | 11 | 18 | 25 | 45 |
| 50-64 | 3783 | 10.3 | 88 | 2 | 3 | 8 | 12 | 21 | 29 | 49 |
| 65+ | 1994 | 11.1 | 99 | 2 | 3 | 8 | 14 | 22 | 29 | 55 |
| **GRAND TOTAL** | **10845** | **9.8** | **81** | **2** | **3** | **7** | **12** | **20** | **27** | **49** |

### 213: Other cirrhosis and chronic liver disease (571.4-571.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.9 | 13 | 1 | 1 | 3 | 4 | 7 | 12 | 17 |
| 20-34 | 43 | 4.2 | 10 | 1 | 1 | 4 | 5 | 8 | 11 | 17 |
| 35-49 | 73 | 4.4 | 16 | 1 | 1 | 3 | 6 | 8 | 11 | 23 |
| 50-64 | 97 | 5.0 | 13 | 1 | 1 | 4 | 6 | 10 | 12 | 18 |
| 65+ | 50 | 5.9 | 36 | 1 | 1 | 5 | 7 | 10 | 13 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 20-34 | 256 | 2.6 | 10 | <1 | 1 | 1 | 2 | 6 | 10 | 16 |
| 35-49 | 312 | 2.4 | 11 | <1 | 1 | 1 | 2 | 5 | 7 | 18 |
| 50-64 | 350 | 2.8 | 12 | <1 | 1 | 1 | 2 | 7 | 10 | 21 |
| 65+ | 198 | 3.2 | 23 | <1 | 1 | 1 | 3 | 8 | 11 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 5.0 | 62 | 1 | 1 | 3 | 5 | 9 | 12 | 54 |
| 20-34 | 194 | 6.7 | 35 | 1 | 2 | 5 | 8 | 14 | 16 | 33 |
| 35-49 | 480 | 8.3 | 47 | 2 | 3 | 7 | 11 | 16 | 21 | 32 |
| 50-64 | 975 | 9.0 | 57 | 2 | 3 | 7 | 11 | 18 | 23 | 40 |
| 65+ | 1325 | 9.8 | 67 | 2 | 3 | 8 | 12 | 18 | 23 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 6.1 | 62 | 1 | 1 | 4 | 8 | 14 | 18 | 45 |
| 20-34 | 292 | 6.0 | 53 | 1 | 1 | 3 | 7 | 16 | 22 | 31 |
| 35-49 | 692 | 7.1 | 78 | 1 | 1 | 4 | 9 | 18 | 22 | 42 |
| 50-64 | 1144 | 8.3 | 85 | 1 | 1 | 6 | 11 | 20 | 27 | 47 |
| 65+ | 1246 | 10.3 | 107 | 1 | 1 | 8 | 14 | 23 | 29 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 284 | 4.8 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| B. *Operated* | 1175 | 2.7 | 13 | <1 | 1 | 1 | 2 | 6 | 9 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3058 | 9.0 | 59 | 2 | 3 | 7 | 11 | 17 | 22 | 41 |
| B. *Operated* | 3487 | 8.5 | 90 | 1 | 1 | 6 | 11 | 20 | 27 | 48 |
| **1. SINGLE DX** | 1459 | 3.1 | 15 | <1 | 1 | 2 | 3 | 7 | 10 | 19 |
| **2. MULTIPLE DX** | 6545 | 8.7 | 76 | 1 | 1 | 6 | 11 | 18 | 25 | 44 |
| **A. NOT OPERATED** | 3342 | 8.6 | 57 | 1 | 2 | 7 | 11 | 16 | 21 | 40 |
| **B. OPERATED** | 4662 | 7.0 | 77 | 1 | 1 | 4 | 9 | 18 | 24 | 43 |
| TOTAL 0-19 YRS | 277 | 4.8 | 47 | 1 | 1 | 3 | 5 | 10 | 15 | 39 |
| 20-34 | 785 | 5.0 | 35 | 1 | 1 | 3 | 6 | 12 | 17 | 30 |
| 35-49 | 1557 | 6.4 | 56 | 1 | 1 | 4 | 8 | 15 | 20 | 34 |
| 50-64 | 2566 | 7.7 | 66 | 1 | 1 | 5 | 10 | 18 | 24 | 42 |
| 65+ | 2819 | 9.5 | 85 | 1 | 1 | 7 | 12 | 19 | 27 | 49 |
| **GRAND TOTAL** | **8004** | **7.7** | **69** | **1** | **1** | **5** | **10** | **17** | **23** | **41** |

### 214: Miscellaneous diseases of liver (570; 572-573)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 127 | 4.2 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 20-34 | 417 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 35-49 | 249 | 5.2 | 18 | 1 | 2 | 4 | 7 | 9 | 11 | 25 |
| 50-64 | 177 | 5.3 | 14 | 1 | 2 | 5 | 7 | 9 | 12 | 18 |
| 65+ | 108 | 6.3 | 20 | 2 | 2 | 5 | 9 | 13 | 16 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 6.1 | 33 | 1 | 2 | 4 | 8 | 13 | 17 | 29 |
| 20-34 | 98 | 4.8 | 22 | 1 | 1 | 3 | 7 | 12 | 15 | 19 |
| 35-49 | 141 | 6.4 | 56 | 1 | 1 | 3 | 9 | 16 | 22 | 32 |
| 50-64 | 137 | 4.6 | 34 | 1 | 1 | 2 | 6 | 11 | 14 | 31 |
| 65+ | 75 | 7.3 | 126 | <1 | 1 | 3 | 8 | 18 | 30 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 210 | 6.0 | 38 | 1 | 2 | 5 | 7 | 10 | 15 | 36 |
| 20-34 | 650 | 5.9 | 19 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| 35-49 | 988 | 7.9 | 69 | 2 | 2 | 6 | 9 | 15 | 20 | 44 |
| 50-64 | 1858 | 8.1 | 46 | 2 | 3 | 6 | 10 | 15 | 20 | 38 |
| 65+ | 2283 | 8.8 | 51 | 2 | 3 | 7 | 11 | 17 | 22 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 8.9 | 117 | 1 | 1 | 4 | 13 | 24 | 29 | 51 |
| 20-34 | 230 | 9.9 | 97 | 1 | 1 | 8 | 13 | 20 | 30 | 53 |
| 35-49 | 478 | 11.9 | 159 | 1 | 2 | 8 | 15 | 30 | 41 | 78 |
| 50-64 | 778 | 12.7 | 159 | 1 | 2 | 9 | 17 | 27 | 35 | 68 |
| 65+ | 818 | 14.1 | 133 | 2 | 2 | 11 | 19 | 31 | 37 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1078 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| B. *Operated* | 486 | 5.7 | 53 | 1 | 1 | 3 | 7 | 14 | 18 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5989 | 8.0 | 49 | 2 | 3 | 6 | 10 | 15 | 20 | 36 |
| B. *Operated* | 2429 | 12.5 | 144 | 1 | 2 | 9 | 17 | 28 | 36 | 64 |
| **1. SINGLE DX** | 1564 | 5.2 | 26 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| **2. MULTIPLE DX** | 8418 | 9.3 | 81 | 2 | 2 | 7 | 12 | 19 | 26 | 48 |
| **A. NOT OPERATED** | 7067 | 7.6 | 45 | 2 | 2 | 6 | 9 | 15 | 19 | 34 |
| **B. OPERATED** | 2915 | 11.4 | 136 | 1 | 1 | 8 | 15 | 26 | 35 | 59 |
| TOTAL 0-19 YRS | 497 | 6.3 | 53 | 1 | 1 | 4 | 7 | 13 | 21 | 45 |
| 20-34 | 1395 | 6.1 | 33 | 1 | 2 | 4 | 8 | 12 | 16 | 30 |
| 35-49 | 1856 | 8.5 | 89 | 1 | 2 | 6 | 10 | 17 | 26 | 54 |
| 50-64 | 2950 | 8.9 | 79 | 1 | 2 | 6 | 11 | 18 | 25 | 46 |
| 65+ | 3284 | 10.0 | 78 | 2 | 3 | 8 | 13 | 21 | 28 | 46 |
| **GRAND TOTAL** | **9982** | **8.7** | **75** | **1** | **2** | **6** | **11** | **18** | **25** | **46** |

### 215: Gallbladder disease with calculus (574.0-574.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 130 | 2.7 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 1120 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 35-49 | 1072 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | 994 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 65+ | 755 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 949 | 5.5 | 5 | 3 | 3 | 5 | 6 | 8 | 10 | 13 |
| 20-34 | 11419 | 5.4 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 10674 | 5.7 | 5 | 3 | 4 | 5 | 7 | 8 | 10 | 13 |
| 50-64 | 8851 | 6.2 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 14 |
| 65+ | 4286 | 7.3 | 10 | 4 | 4 | 7 | 8 | 11 | 13 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 163 | 3.6 | 8 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 1245 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 1522 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 2941 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 6766 | 6.0 | 24 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 823 | 7.1 | 20 | 3 | 4 | 6 | 8 | 11 | 14 | 23 |
| 20-34 | 9873 | 6.8 | 14 | 3 | 4 | 6 | 8 | 10 | 13 | 20 |
| 35-49 | 13500 | 7.2 | 15 | 3 | 4 | 6 | 8 | 11 | 14 | 22 |
| 50-64 | 18370 | 8.2 | 23 | 4 | 4 | 7 | 10 | 13 | 16 | 26 |
| 65+ | 22732 | 10.9 | 50 | 5 | 5 | 9 | 13 | 18 | 23 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4071 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| B. *Operated* | 36179 | 5.9 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12637 | 5.1 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| B. *Operated* | 65298 | 8.7 | 32 | 4 | 4 | 7 | 10 | 14 | 18 | 30 |
| **1. SINGLE DX** | 40250 | 5.6 | 6 | 2 | 3 | 5 | 7 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | 77935 | 8.1 | 32 | 3 | 4 | 7 | 10 | 14 | 17 | 29 |
| **A. NOT OPERATED** | 16708 | 4.5 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 101477 | 7.7 | 24 | 3 | 4 | 6 | 9 | 13 | 16 | 26 |
| TOTAL 0-19 YRS | 2065 | 5.8 | 13 | 2 | 3 | 5 | 7 | 9 | 12 | 16 |
| 20-34 | 23657 | 5.7 | 10 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| 35-49 | 26768 | 6.2 | 11 | 2 | 3 | 6 | 7 | 10 | 12 | 18 |
| 50-64 | 31156 | 7.1 | 18 | 2 | 3 | 6 | 8 | 12 | 14 | 22 |
| 65+ | 34539 | 9.3 | 44 | 3 | 4 | 8 | 11 | 16 | 20 | 35 |
| **GRAND TOTAL** | **118185** | **7.3** | **24** | **2** | **3** | **6** | **9** | **12** | **15** | **26** |

### 216: Gallbladder disease without mention of calculus (575)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 6 | 11 |
| 20-34 | 672 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 35-49 | 616 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 442 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 65+ | 324 | 4.2 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 5.6 | 8 | 2 | 3 | 5 | 6 | 9 | 12 | 17 |
| 20-34 | 918 | 6.2 | 9 | 3 | 4 | 6 | 7 | 10 | 12 | 17 |
| 35-49 | 927 | 6.1 | 7 | 3 | 4 | 6 | 7 | 9 | 12 | 16 |
| 50-64 | 591 | 7.0 | 10 | 3 | 4 | 6 | 8 | 10 | 12 | 20 |
| 65+ | 321 | 8.5 | 18 | 4 | 4 | 8 | 10 | 14 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 3.9 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 19 |
| 20-34 | 798 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 915 | 4.3 | 12 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 1137 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 2209 | 6.7 | 27 | 2 | 2 | 6 | 8 | 12 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 7.6 | 21 | 3 | 4 | 6 | 10 | 13 | 14 | 27 |
| 20-34 | 1462 | 7.3 | 17 | 3 | 4 | 6 | 8 | 12 | 15 | 23 |
| 35-49 | 1995 | 8.0 | 23 | 3 | 4 | 7 | 10 | 13 | 17 | 27 |
| 50-64 | 1970 | 9.4 | 44 | 4 | 5 | 8 | 11 | 15 | 19 | 34 |
| 65+ | 2477 | 12.3 | 65 | 5 | 6 | 10 | 15 | 21 | 27 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2152 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 2830 | 6.6 | 10 | 3 | 4 | 6 | 8 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5166 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | 8014 | 9.6 | 44 | 4 | 4 | 8 | 11 | 16 | 21 | 36 |
| **1. SINGLE DX** | 4982 | 5.2 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 13180 | 7.9 | 39 | 2 | 3 | 6 | 10 | 14 | 18 | 32 |
| **A. NOT OPERATED** | 7318 | 4.8 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| **B. OPERATED** | 10844 | 8.8 | 37 | 3 | 4 | 7 | 10 | 15 | 19 | 33 |
| TOTAL 0-19 YRS | 388 | 5.1 | 14 | 1 | 2 | 4 | 6 | 10 | 12 | 19 |
| 20-34 | 3850 | 5.6 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 20 |
| 35-49 | 4453 | 6.2 | 18 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 4140 | 7.2 | 31 | 2 | 2 | 6 | 9 | 13 | 16 | 28 |
| 65+ | 5331 | 9.3 | 52 | 2 | 3 | 8 | 11 | 17 | 22 | 38 |
| **GRAND TOTAL** | **18162** | **7.2** | **32** | **2** | **2** | **6** | **9** | **13** | **17** | **29** |

### 217: Diseases of bile ducts with calculus (574.3-574.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 71 | 2.7 | 4 | <1 | 1 | 2 | 4 | 5 | 5 | 11 |
| 35-49 | 76 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 80 | 3.2 | 7 | 1 | 1 | 2 | 4 | 8 | 9 | 12 |
| 65+ | 113 | 4.2 | 12 | 1 | 1 | 3 | 6 | 8 | 10 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 7.0 | 15 | 2 | 3 | 6 | 9 | 12 | 15 | 19 |
| 20-34 | 349 | 6.7 | 13 | 1 | 3 | 6 | 8 | 11 | 13 | 19 |
| 35-49 | 331 | 6.7 | 13 | 1 | 2 | 7 | 9 | 11 | 12 | 16 |
| 50-64 | 353 | 7.1 | 25 | 1 | 1 | 7 | 9 | 13 | 15 | 19 |
| 65+ | 523 | 8.1 | 33 | 1 | 1 | 8 | 11 | 16 | 19 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.1 | 7 | 1 | 1 | 4 | 5 | 8 | 10 | 10 |
| 20-34 | 92 | 3.4 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |
| 35-49 | 138 | 4.5 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 251 | 5.0 | 13 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 65+ | 802 | 6.4 | 21 | 1 | 2 | 5 | 8 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 8.8 | 17 | 4 | 4 | 8 | 11 | 15 | 17 | 21 |
| 20-34 | 465 | 8.8 | 26 | 3 | 4 | 8 | 10 | 14 | 18 | 27 |
| 35-49 | 513 | 9.1 | 26 | 2 | 4 | 8 | 11 | 15 | 19 | 25 |
| 50-64 | 1074 | 11.1 | 53 | 3 | 5 | 10 | 13 | 19 | 24 | 39 |
| 65+ | 3279 | 13.5 | 75 | 3 | 5 | 12 | 17 | 23 | 29 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 343 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| B. *Operated* | 1598 | 7.2 | 22 | 1 | 2 | 7 | 10 | 13 | 16 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1292 | 5.7 | 18 | 1 | 2 | 5 | 7 | 10 | 14 | 21 |
| B. *Operated* | 5378 | 12.2 | 64 | 3 | 5 | 11 | 15 | 21 | 26 | 43 |
| **1. SINGLE DX** | 1941 | 6.6 | 22 | 1 | 1 | 6 | 9 | 12 | 15 | 20 |
| **2. MULTIPLE DX** | 6670 | 10.9 | 62 | 2 | 3 | 9 | 14 | 20 | 25 | 40 |
| **A. NOT OPERATED** | 1635 | 5.2 | 16 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| **B. OPERATED** | 6976 | 11.0 | 59 | 2 | 4 | 10 | 14 | 20 | 24 | 40 |
| TOTAL 0-19 YRS | 101 | 7.5 | 17 | 2 | 4 | 6 | 10 | 14 | 16 | 20 |
| 20-34 | 977 | 7.1 | 22 | 1 | 2 | 6 | 9 | 12 | 15 | 24 |
| 35-49 | 1058 | 7.4 | 22 | 1 | 2 | 7 | 10 | 13 | 15 | 22 |
| 50-64 | 1758 | 9.1 | 47 | 1 | 2 | 8 | 12 | 16 | 21 | 34 |
| 65+ | 4717 | 11.5 | 69 | 2 | 3 | 10 | 15 | 21 | 26 | 42 |
| **GRAND TOTAL** | **8611** | **9.9** | **56** | **2** | **2** | **8** | **13** | **18** | **23** | **38** |

### 218: Diseases of bile ducts without mention of calculus (576)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 6.4 | 18 | 1 | 2 | 5 | 11 | 13 | 14 | 14 |
| 20-34 | 66 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 35-49 | 90 | 4.4 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 50-64 | 93 | 4.4 | 8 | 1 | 1 | 4 | 6 | 9 | 10 | 12 |
| 65+ | 118 | 5.3 | 17 | 1 | 1 | 5 | 7 | 10 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 7.8 | 43 | 1 | 2 | 7 | 10 | 16 | 24 | 25 |
| 20-34 | 77 | 7.0 | 46 | <1 | 1 | 6 | 9 | 14 | 16 | 42 |
| 35-49 | 87 | 6.1 | 31 | 1 | 1 | 5 | 9 | 13 | 16 | 30 |
| 50-64 | 111 | 5.9 | 27 | 1 | 1 | 4 | 8 | 12 | 15 | 25 |
| 65+ | 111 | 7.1 | 38 | 1 | 1 | 5 | 11 | 16 | 20 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 8.9 | 57 | 1 | 2 | 7 | 11 | 20 | 24 | 38 |
| 20-34 | 148 | 5.7 | 24 | 1 | 1 | 5 | 7 | 11 | 13 | 25 |
| 35-49 | 248 | 6.0 | 22 | 1 | 2 | 5 | 7 | 12 | 15 | 23 |
| 50-64 | 446 | 6.2 | 18 | 1 | 2 | 5 | 8 | 12 | 14 | 21 |
| 65+ | 1143 | 7.4 | 34 | 2 | 2 | 6 | 9 | 13 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 13.9 | 134 | 2 | 3 | 11 | 17 | 31 | 43 | 49 |
| 20-34 | 199 | 10.4 | 86 | 1 | 2 | 9 | 13 | 19 | 26 | 64 |
| 35-49 | 364 | 11.0 | 86 | 2 | 2 | 9 | 14 | 22 | 27 | 51 |
| 50-64 | 592 | 12.1 | 101 | 2 | 3 | 10 | 15 | 23 | 31 | 58 |
| 65+ | 1354 | 14.2 | 113 | 2 | 3 | 12 | 18 | 28 | 35 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 386 | 4.7 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| B. *Operated* | 397 | 6.6 | 35 | 1 | 1 | 5 | 9 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2074 | 6.9 | 30 | 1 | 2 | 6 | 9 | 13 | 17 | 27 |
| B. *Operated* | 2562 | 13.0 | 107 | 2 | 3 | 11 | 17 | 25 | 34 | 56 |
| **1. SINGLE DX** | 783 | 5.6 | 24 | 1 | 1 | 4 | 8 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | 4636 | 10.3 | 81 | 2 | 2 | 8 | 13 | 21 | 27 | 47 |
| **A. NOT OPERATED** | 2460 | 6.6 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| **B. OPERATED** | 2959 | 12.1 | 102 | 1 | 2 | 10 | 16 | 24 | 32 | 55 |
| TOTAL 0-19 YRS | 172 | 10.1 | 81 | 1 | 2 | 8 | 13 | 22 | 27 | 46 |
| 20-34 | 490 | 7.5 | 57 | 1 | 1 | 6 | 10 | 15 | 20 | 46 |
| 35-49 | 789 | 8.1 | 59 | 1 | 2 | 6 | 10 | 17 | 22 | 38 |
| 50-64 | 1242 | 8.9 | 67 | 1 | 2 | 7 | 12 | 18 | 23 | 43 |
| 65+ | 2726 | 10.7 | 85 | 2 | 2 | 8 | 14 | 21 | 29 | 48 |
| **GRAND TOTAL** | **5419** | **9.6** | **76** | **1** | **2** | **7** | **12** | **20** | **26** | **46** |

## 219: Diseases of pancreas (577)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 315 | 4.5 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| 20-34 | 1655 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 1711 | 5.1 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| 50-64 | 905 | 5.7 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 641 | 5.6 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 11.0 | 81 | 1 | 1 | 9 | 14 | 26 | 32 | 35 |
| 20-34 | 167 | 9.1 | 57 | 1 | 2 | 8 | 12 | 19 | 21 | 44 |
| 35-49 | 253 | 10.7 | 98 | 1 | 2 | 8 | 14 | 22 | 32 | 45 |
| 50-64 | 183 | 8.8 | 44 | 1 | 1 | 8 | 12 | 18 | 20 | 33 |
| 65+ | 95 | 8.1 | 68 | 1 | 1 | 7 | 12 | 15 | 18 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 327 | 5.6 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 23 |
| 20-34 | 4250 | 6.3 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| 35-49 | 6423 | 6.8 | 23 | 2 | 3 | 6 | 8 | 12 | 16 | 25 |
| 50-64 | 4436 | 7.0 | 24 | 2 | 3 | 6 | 9 | 12 | 15 | 26 |
| 65+ | 5074 | 7.7 | 34 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 16.7 | 235 | 3 | 4 | 11 | 21 | 40 | 52 | 68 |
| 20-34 | 887 | 16.1 | 215 | 3 | 4 | 11 | 19 | 36 | 54 | 96 |
| 35-49 | 1668 | 16.5 | 229 | 3 | 4 | 12 | 20 | 36 | 51 | 86 |
| 50-64 | 1607 | 15.7 | 178 | 3 | 4 | 12 | 19 | 32 | 45 | 76 |
| 65+ | 1851 | 15.5 | 167 | 3 | 5 | 12 | 19 | 31 | 42 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5227 | 5.2 | 12 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| B. *Operated* | 735 | 9.5 | 71 | 1 | 1 | 8 | 12 | 20 | 25 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20510 | 6.9 | 26 | 2 | 3 | 6 | 8 | 12 | 16 | 26 |
| B. *Operated* | 6110 | 15.9 | 195 | 3 | 5 | 12 | 19 | 33 | 47 | 86 |
| **1. SINGLE DX** | 5962 | 5.8 | 21 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | 26620 | 9.0 | 79 | 2 | 3 | 7 | 10 | 17 | 24 | 52 |
| **A. NOT OPERATED** | 25737 | 6.6 | 23 | 2 | 3 | 5 | 8 | 12 | 15 | 25 |
| **B. OPERATED** | 6845 | 15.2 | 186 | 2 | 4 | 11 | 19 | 32 | 45 | 83 |
| TOTAL 0-19 YRS | 776 | 6.8 | 60 | 1 | 2 | 5 | 7 | 13 | 20 | 46 |
| 20-34 | 6959 | 7.3 | 56 | 2 | 2 | 5 | 8 | 13 | 19 | 43 |
| 35-49 | 10055 | 8.3 | 71 | 2 | 3 | 6 | 9 | 15 | 22 | 48 |
| 50-64 | 7131 | 8.8 | 72 | 2 | 3 | 7 | 10 | 17 | 23 | 49 |
| 65+ | 7661 | 9.4 | 77 | 2 | 3 | 7 | 11 | 18 | 24 | 50 |
| **GRAND TOTAL** | **32582** | **8.4** | **70** | **2** | **3** | **6** | **10** | **16** | **22** | **48** |

## 220: Gastrointestinal hemorrhage (578)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 276 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 383 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 381 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 457 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 770 | 4.1 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 5.7 | 21 | <1 | 1 | 5 | 6 | 10 | 16 | 22 |
| 20-34 | 46 | 5.3 | 13 | 1 | 2 | 4 | 7 | 9 | 14 | 16 |
| 35-49 | 47 | 6.0 | 43 | <1 | 1 | 4 | 7 | 13 | 18 | 36 |
| 50-64 | 70 | 5.6 | 14 | 1 | 2 | 5 | 8 | 10 | 15 | 17 |
| 65+ | 109 | 8.6 | 86 | 1 | 2 | 6 | 10 | 16 | 28 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 668 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 20-34 | 1647 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 2562 | 4.7 | 15 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| 50-64 | 4767 | 5.4 | 17 | 1 | 2 | 4 | 7 | 9 | 12 | 21 |
| 65+ | 16935 | 6.4 | 25 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 8.7 | 137 | 1 | 2 | 5 | 9 | 24 | 32 | 61 |
| 20-34 | 346 | 6.9 | 41 | 2 | 2 | 5 | 9 | 14 | 16 | 37 |
| 35-49 | 744 | 7.8 | 56 | 2 | 2 | 6 | 9 | 15 | 19 | 44 |
| 50-64 | 1756 | 8.7 | 65 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| 65+ | 5051 | 10.1 | 79 | 2 | 3 | 8 | 12 | 19 | 26 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2267 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| B. *Operated* | 292 | 6.7 | 48 | 1 | 2 | 5 | 8 | 13 | 17 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26579 | 5.8 | 22 | 1 | 2 | 5 | 7 | 10 | 14 | 23 |
| B. *Operated* | 7994 | 9.4 | 74 | 2 | 3 | 7 | 11 | 18 | 25 | 49 |
| **1. SINGLE DX** | 2559 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 34573 | 6.7 | 36 | 2 | 2 | 5 | 8 | 12 | 17 | 30 |
| **A. NOT OPERATED** | 28846 | 5.6 | 21 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| **B. OPERATED** | 8286 | 9.3 | 73 | 2 | 3 | 7 | 11 | 18 | 24 | 49 |
| TOTAL 0-19 YRS | 1061 | 3.8 | 21 | 1 | 1 | 3 | 4 | 7 | 9 | 22 |
| 20-34 | 2422 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 35-49 | 3734 | 5.2 | 25 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| 50-64 | 7050 | 6.1 | 30 | 1 | 2 | 5 | 7 | 11 | 15 | 27 |
| 65+ | 22865 | 7.1 | 39 | 2 | 2 | 6 | 9 | 13 | 18 | 33 |
| **GRAND TOTAL** | **37132** | **6.5** | **35** | **1** | **2** | **5** | **8** | **12** | **16** | **30** |

## 221: Intestinal malabsorption (579)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 196 | 4.1 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 20-34 | 11 | 5.0 | 6 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 23 | 4.5 | 13 | 1 | 1 | 3 | 8 | 9 | 11 | 13 |
| 50-64 | 19 | 6.7 | 18 | <1 | 1 | 7 | 10 | 12 | 14 | 16 |
| 65+ | 14 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 5.5 | 55 | <1 | <1 | 2 | 7 | 18 | 22 | 31 |
| 20-34 | 23 | 6.8 | 20 | 1 | 2 | 6 | 8 | 12 | 17 | 20 |
| 35-49 | 23 | 10.8 | 233 | <1 | <1 | 5 | 12 | 29 | 48 | 67 |
| 50-64 | 19 | 8.3 | 25 | 3 | 4 | 7 | 12 | 15 | 19 | 22 |
| 65+ | 9 | 12.9 | 367 | <1 | <1 | 7 | 12 | 45 | 61 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 375 | 5.4 | 60 | 1 | 1 | 3 | 6 | 10 | 14 | 60 |
| 20-34 | 68 | 5.9 | 26 | 1 | 2 | 4 | 8 | 12 | 18 | 23 |
| 35-49 | 115 | 7.6 | 41 | 1 | 2 | 6 | 10 | 14 | 21 | 33 |
| 50-64 | 143 | 7.9 | 37 | 2 | 2 | 6 | 10 | 15 | 18 | 27 |
| 65+ | 237 | 9.1 | 50 | 2 | 3 | 8 | 11 | 18 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 12.4 | 202 | 1 | 2 | 6 | 21 | 45 | 92 | 99+ |
| 20-34 | 61 | 10.9 | 80 | 2 | 3 | 8 | 14 | 21 | 27 | 51 |
| 35-49 | 143 | 13.3 | 125 | 2 | 4 | 10 | 17 | 29 | 41 | 99+ |
| 50-64 | 164 | 15.2 | 135 | 3 | 4 | 13 | 19 | 29 | 40 | 59 |
| 65+ | 202 | 15.9 | 131 | 3 | 5 | 13 | 21 | 30 | 38 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 263 | 4.3 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| B. *Operated* | 104 | 8.1 | 108 | <1 | <1 | 5 | 9 | 17 | 24 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 938 | 7.0 | 51 | 1 | 2 | 5 | 9 | 14 | 19 | 37 |
| B. *Operated* | 641 | 14.3 | 136 | 2 | 3 | 11 | 19 | 30 | 40 | 99+ |
| **1. SINGLE DX** | 367 | 5.4 | 43 | <1 | 1 | 3 | 7 | 11 | 15 | 30 |
| **2. MULTIPLE DX** | 1579 | 10.0 | 98 | 1 | 2 | 7 | 13 | 22 | 30 | 63 |
| **A. NOT OPERATED** | 1201 | 6.4 | 44 | 1 | 2 | 4 | 8 | 13 | 18 | 32 |
| **B. OPERATED** | 745 | 13.4 | 136 | 1 | 3 | 10 | 18 | 29 | 39 | 73 |
| TOTAL 0-19 YRS | 672 | 5.8 | 66 | 1 | 1 | 3 | 6 | 12 | 21 | 73 |
| 20-34 | 163 | 7.8 | 49 | 1 | 2 | 6 | 10 | 16 | 21 | 31 |
| 35-49 | 304 | 10.3 | 101 | 1 | 2 | 8 | 13 | 23 | 32 | 62 |
| 50-64 | 345 | 11.3 | 95 | 2 | 3 | 9 | 15 | 22 | 29 | 52 |
| 65+ | 462 | 12.0 | 103 | 2 | 3 | 9 | 15 | 24 | 31 | 61 |
| **GRAND TOTAL** | **1946** | **9.1** | **91** | **1** | **2** | **6** | **12** | **20** | **27** | **59** |

## 222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 310 | 4.9 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 17 |
| 20-34 | 46 | 4.1 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 22 |
| 35-49 | 21 | 3.4 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 9 |
| 50-64 | 19 | 4.6 | 8 | <1 | 1 | 4 | 6 | 9 | 11 | 11 |
| 65+ | 12 | 6.9 | 4 | 3 | 4 | 7 | 8 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 228 | 3.0 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 20-34 | 179 | 3.0 | 12 | 1 | 1 | 2 | 3 | 6 | 10 | 22 |
| 35-49 | 125 | 2.9 | 11 | 1 | 1 | 2 | 3 | 4 | 8 | 20 |
| 50-64 | 84 | 4.1 | 20 | 1 | 1 | 2 | 4 | 10 | 12 | 26 |
| 65+ | 50 | 4.0 | 24 | <1 | 1 | 2 | 4 | 10 | 15 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 488 | 5.5 | 30 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| 20-34 | 143 | 5.7 | 16 | 1 | 2 | 5 | 7 | 10 | 12 | 21 |
| 35-49 | 155 | 5.9 | 24 | 1 | 2 | 5 | 7 | 11 | 17 | 25 |
| 50-64 | 212 | 7.0 | 41 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| 65+ | 369 | 8.3 | 44 | 2 | 3 | 7 | 10 | 15 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 279 | 6.9 | 72 | 1 | 1 | 3 | 9 | 17 | 25 | 54 |
| 20-34 | 303 | 6.4 | 55 | 1 | 1 | 3 | 8 | 15 | 21 | 36 |
| 35-49 | 307 | 6.6 | 71 | 1 | 1 | 3 | 8 | 15 | 22 | 49 |
| 50-64 | 393 | 8.2 | 95 | 1 | 1 | 5 | 11 | 18 | 30 | 46 |
| 65+ | 392 | 10.1 | 99 | 1 | 2 | 7 | 13 | 23 | 29 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 408 | 4.8 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 17 |
| B. *Operated* | 666 | 3.2 | 13 | 1 | 1 | 2 | 3 | 7 | 10 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1367 | 6.6 | 35 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| B. *Operated* | 1674 | 7.8 | 82 | 1 | 1 | 4 | 10 | 18 | 26 | 49 |
| **1. SINGLE DX** | 1074 | 3.8 | 14 | 1 | 1 | 2 | 4 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | 3041 | 7.2 | 61 | 1 | 2 | 5 | 9 | 16 | 22 | 39 |
| **A. NOT OPERATED** | 1775 | 6.2 | 31 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| **B. OPERATED** | 2340 | 6.5 | 67 | 1 | 1 | 3 | 8 | 16 | 23 | 43 |
| TOTAL 0-19 YRS | 1305 | 5.2 | 34 | 1 | 1 | 3 | 6 | 11 | 16 | 34 |
| 20-34 | 671 | 5.2 | 34 | 1 | 1 | 3 | 7 | 11 | 17 | 30 |
| 35-49 | 608 | 5.5 | 47 | 1 | 1 | 3 | 7 | 12 | 19 | 32 |
| 50-64 | 708 | 7.3 | 70 | 1 | 2 | 5 | 10 | 16 | 21 | 42 |
| 65+ | 823 | 8.9 | 70 | 1 | 2 | 7 | 11 | 19 | 27 | 43 |
| **GRAND TOTAL** | **4115** | **6.3** | **51** | **1** | **1** | **4** | **8** | **14** | **19** | **36** |

## 223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 130 | 4.6 | 8 | 1 | 2 | 4 | 6 | 9 | 10 | 12 |
| 20-34 | 21 | 4.0 | 5 | 2 | 2 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 7 | 4.6 | 8 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 50-64 | 5 | 5.4 | 14 | 2 | 2 | 3 | 9 | 10 | 10 | 10 |
| 65+ | 4 | 4.3 | 6 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 4.1 | 9 | 1 | 1 | 3 | 5 | 9 | 10 | 11 |
| 20-34 | 9 | 5.0 | 12 | 1 | 1 | 3 | 8 | 9 | 9 | 9 |
| 35-49 | 12 | 3.8 | 12 | <1 | 1 | 2 | 5 | 9 | 12 | 13 |
| 50-64 | 3 | 7.7 | 97 | 1 | 1 | 3 | 15 | 19 | 19 | 19 |
| 65+ | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 204 | 5.3 | 11 | 2 | 2 | 4 | 7 | 9 | 11 | 18 |
| 20-34 | 51 | 4.3 | 10 | <1 | 1 | 3 | 6 | 8 | 10 | 18 |
| 35-49 | 45 | 5.6 | 22 | 2 | 3 | 4 | 6 | 12 | 15 | 26 |
| 50-64 | 47 | 7.8 | 25 | 2 | 2 | 6 | 9 | 15 | 17 | 23 |
| 65+ | 138 | 9.0 | 51 | 3 | 3 | 7 | 10 | 18 | 21 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 4.8 | 10 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| 20-34 | 44 | 7.7 | 42 | 1 | 2 | 7 | 10 | 13 | 23 | 32 |
| 35-49 | 48 | 10.2 | 110 | 1 | 2 | 7 | 13 | 19 | 29 | 56 |
| 50-64 | 74 | 11.3 | 72 | 2 | 2 | 10 | 16 | 22 | 25 | 41 |
| 65+ | 110 | 14.5 | 146 | 2 | 2 | 11 | 19 | 27 | 40 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 167 | 4.5 | 7 | 1 | 2 | 4 | 6 | 9 | 10 | 12 |
| B. *Operated* | 45 | 4.3 | 15 | <1 | 1 | 3 | 6 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 485 | 6.5 | 28 | 2 | 2 | 5 | 8 | 12 | 17 | 26 |
| B. *Operated* | 308 | 11.1 | 103 | 2 | 2 | 8 | 14 | 23 | 28 | 54 |
| **1. SINGLE DX** | 212 | 4.5 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 13 |
| **2. MULTIPLE DX** | 793 | 8.3 | 62 | 2 | 2 | 6 | 10 | 18 | 23 | 43 |
| **A. NOT OPERATED** | 652 | 6.0 | 23 | 2 | 2 | 5 | 7 | 10 | 15 | 25 |
| **B. OPERATED** | 353 | 10.2 | 96 | 1 | 2 | 8 | 14 | 21 | 28 | 52 |
| TOTAL 0-19 YRS | 385 | 5.0 | 10 | 1 | 2 | 4 | 7 | 9 | 10 | 16 |
| 20-34 | 125 | 5.5 | 23 | 1 | 1 | 4 | 8 | 10 | 12 | 29 |
| 35-49 | 112 | 7.3 | 64 | 1 | 2 | 5 | 8 | 15 | 21 | 50 |
| 50-64 | 129 | 9.7 | 55 | 2 | 2 | 8 | 14 | 19 | 23 | 36 |
| 65+ | 254 | 11.2 | 99 | 2 | 3 | 8 | 14 | 22 | 29 | 52 |
| **GRAND TOTAL** | **1005** | **7.5** | **53** | **1** | **2** | **5** | **9** | **15** | **21** | **40** |

## 224: Chronic renal failure (585)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 3.1 | 26 | <1 | <1 | 1 | 3 | 6 | 11 | 27 |
| 20-34 | 18 | 2.7 | 5 | <1 | <1 | 2 | 3 | 7 | 8 | 9 |
| 35-49 | 21 | 4.4 | 46 | <1 | <1 | 2 | 4 | 11 | 22 | 30 |
| 50-64 | 34 | 4.0 | 18 | <1 | 1 | 2 | 4 | 10 | 15 | 16 |
| 65+ | 30 | 4.9 | 18 | 1 | 2 | 3 | 6 | 12 | 14 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 6.5 | 39 | 1 | 2 | 4 | 8 | 14 | 20 | 32 |
| 20-34 | 126 | 6.8 | 71 | 1 | 1 | 3 | 9 | 17 | 22 | 45 |
| 35-49 | 138 | 5.6 | 33 | 1 | 1 | 3 | 9 | 14 | 17 | 26 |
| 50-64 | 195 | 5.5 | 34 | 1 | 1 | 3 | 7 | 15 | 18 | 27 |
| 65+ | 157 | 5.1 | 43 | 1 | 1 | 3 | 6 | 11 | 17 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 230 | 5.3 | 58 | <1 | 1 | 2 | 5 | 14 | 21 | 36 |
| 20-34 | 226 | 4.6 | 54 | <1 | 1 | 3 | 5 | 9 | 12 | 37 |
| 35-49 | 320 | 4.4 | 19 | 1 | 1 | 3 | 5 | 9 | 13 | 21 |
| 50-64 | 598 | 6.3 | 35 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| 65+ | 1464 | 9.1 | 73 | 2 | 2 | 7 | 11 | 18 | 24 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 351 | 14.5 | 197 | 2 | 2 | 10 | 20 | 32 | 42 | 70 |
| 20-34 | 1062 | 11.0 | 131 | 1 | 2 | 7 | 14 | 24 | 35 | 58 |
| 35-49 | 1363 | 10.2 | 105 | 1 | 2 | 7 | 14 | 23 | 30 | 55 |
| 50-64 | 1860 | 10.0 | 105 | 1 | 2 | 7 | 13 | 22 | 30 | 59 |
| 65+ | 2099 | 12.1 | 139 | 2 | 2 | 9 | 16 | 26 | 36 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 131 | 3.9 | 22 | <1 | <1 | 2 | 4 | 9 | 14 | 28 |
| B. *Operated* | 695 | 5.8 | 43 | 1 | 1 | 3 | 8 | 14 | 18 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2838 | 7.3 | 60 | 1 | 1 | 5 | 9 | 15 | 20 | 43 |
| B. *Operated* | 6735 | 11.1 | 126 | 1 | 2 | 8 | 15 | 24 | 34 | 60 |
| **1. SINGLE DX** | 826 | 5.5 | 40 | 1 | 1 | 3 | 7 | 13 | 18 | 31 |
| **2. MULTIPLE DX** | 9573 | 10.0 | 109 | 1 | 2 | 7 | 13 | 22 | 30 | 57 |
| **A. NOT OPERATED** | 2969 | 7.2 | 58 | 1 | 1 | 5 | 9 | 15 | 20 | 41 |
| **B. OPERATED** | 7430 | 10.6 | 120 | 1 | 2 | 7 | 14 | 24 | 33 | 59 |
| TOTAL 0-19 YRS | 688 | 10.0 | 146 | 1 | 1 | 5 | 14 | 25 | 33 | 61 |
| 20-34 | 1432 | 9.5 | 118 | 1 | 1 | 6 | 12 | 23 | 32 | 57 |
| 35-49 | 1842 | 8.8 | 90 | 1 | 1 | 5 | 12 | 20 | 27 | 51 |
| 50-64 | 2687 | 8.8 | 87 | 1 | 2 | 6 | 11 | 19 | 27 | 46 |
| 65+ | 3750 | 10.6 | 112 | 2 | 2 | 7 | 13 | 23 | 32 | 58 |
| **GRAND TOTAL** | **10399** | **9.6** | **105** | **1** | **2** | **6** | **12** | **22** | **30** | **56** |

### 225: Other renal failure (584; 586)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.9 | 20 | 1 | 1 | 3 | 4 | 9 | 15 | 19 |
| 20-34 | 16 | 3.9 | 5 | 1 | 2 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 8 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 15 | 7.5 | 147 | <1 | 2 | 4 | 6 | 13 | 41 | 50 |
| 65+ | 52 | 8.4 | 54 | 1 | 1 | 7 | 11 | 18 | 22 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 3 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 13 | 3.8 | 11 | <1 | <1 | 1 | 7 | 8 | 9 | 9 |
| 35-49 | 13 | 4.2 | 25 | <1 | <1 | 2 | 4 | 11 | 17 | 19 |
| 50-64 | 17 | 6.5 | 53 | <1 | <1 | 4 | 9 | 13 | 24 | 30 |
| 65+ | 29 | 9.7 | 141 | <1 | <1 | 5 | 12 | 25 | 34 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 6.0 | 33 | <1 | 1 | 5 | 8 | 14 | 17 | 28 |
| 20-34 | 114 | 5.9 | 18 | 1 | 1 | 5 | 8 | 11 | 15 | 20 |
| 35-49 | 179 | 7.2 | 33 | 1 | 2 | 6 | 10 | 13 | 16 | 25 |
| 50-64 | 599 | 8.7 | 49 | 1 | 3 | 7 | 11 | 17 | 21 | 35 |
| 65+ | 3178 | 10.3 | 58 | 3 | 4 | 8 | 13 | 19 | 25 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 13.6 | 213 | 1 | 1 | 10 | 16 | 31 | 54 | 95 |
| 20-34 | 173 | 11.3 | 92 | 2 | 3 | 9 | 14 | 23 | 27 | 54 |
| 35-49 | 275 | 12.7 | 121 | 1 | 3 | 10 | 17 | 26 | 30 | 70 |
| 50-64 | 645 | 15.4 | 189 | 2 | 3 | 12 | 20 | 29 | 42 | 93 |
| 65+ | 1603 | 17.8 | 170 | 4 | 5 | 15 | 24 | 35 | 44 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 6.4 | 53 | 1 | 1 | 4 | 7 | 15 | 19 | 42 |
| B. *Operated* | 75 | 6.7 | 77 | <1 | <1 | 4 | 9 | 16 | 25 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4143 | 9.7 | 55 | 2 | 3 | 8 | 12 | 18 | 23 | 39 |
| B. *Operated* | 2765 | 16.2 | 170 | 2 | 4 | 13 | 22 | 32 | 42 | 80 |
| **1. SINGLE DX** | 185 | 6.6 | 63 | <1 | 1 | 4 | 8 | 15 | 21 | 45 |
| **2. MULTIPLE DX** | 6908 | 12.3 | 111 | 2 | 3 | 9 | 16 | 25 | 32 | 58 |
| **A. NOT OPERATED** | 4253 | 9.6 | 55 | 2 | 3 | 8 | 12 | 18 | 23 | 39 |
| **B. OPERATED** | 2840 | 16.0 | 170 | 2 | 4 | 13 | 21 | 32 | 42 | 80 |
| TOTAL 0-19 YRS | 164 | 8.9 | 122 | 1 | 1 | 5 | 12 | 21 | 30 | 74 |
| 20-34 | 316 | 8.6 | 66 | 1 | 2 | 6 | 11 | 18 | 23 | 47 |
| 35-49 | 475 | 10.2 | 92 | 1 | 2 | 8 | 13 | 22 | 28 | 52 |
| 50-64 | 1276 | 12.0 | 132 | 2 | 3 | 9 | 15 | 25 | 32 | 62 |
| 65+ | 4862 | 12.7 | 108 | 3 | 4 | 10 | 16 | 25 | 33 | 58 |
| **GRAND TOTAL** | **7093** | **12.2** | **111** | **2** | **3** | **9** | **15** | **25** | **32** | **58** |

### 226: Acute pyelonephritis (590.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1104 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 9 |
| 20-34 | 1777 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 538 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 50-64 | 259 | 4.6 | 5 | 1 | 2 | 4 | 6 | 8 | 9 | 11 |
| 65+ | 208 | 4.7 | 6 | 2 | 2 | 4 | 6 | 8 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 4.2 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 15 |
| 20-34 | 79 | 5.5 | 5 | 3 | 3 | 5 | 7 | 7 | 10 | 14 |
| 35-49 | 31 | 5.9 | 10 | 2 | 2 | 5 | 7 | 9 | 10 | 17 |
| 50-64 | 8 | 7.3 | 7 | 3 | 4 | 8 | 9 | 10 | 10 | 10 |
| 65+ | 13 | 5.2 | 12 | 1 | 1 | 4 | 8 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2028 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 3990 | 4.6 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 1869 | 5.5 | 11 | 2 | 3 | 5 | 7 | 9 | 11 | 17 |
| 50-64 | 2050 | 6.3 | 15 | 2 | 3 | 5 | 8 | 10 | 13 | 19 |
| 65+ | 4488 | 7.3 | 26 | 3 | 3 | 6 | 9 | 12 | 15 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 6.4 | 17 | 2 | 3 | 5 | 7 | 11 | 14 | 27 |
| 20-34 | 458 | 8.0 | 46 | 2 | 3 | 7 | 9 | 14 | 17 | 40 |
| 35-49 | 319 | 9.5 | 46 | 3 | 4 | 8 | 11 | 17 | 24 | 38 |
| 50-64 | 450 | 10.6 | 56 | 4 | 4 | 9 | 13 | 20 | 25 | 41 |
| 65+ | 816 | 12.9 | 98 | 4 | 5 | 11 | 15 | 23 | 30 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3886 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| B. *Operated* | 188 | 5.2 | 7 | 2 | 2 | 5 | 6 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14425 | 5.7 | 15 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | 2234 | 10.4 | 69 | 3 | 4 | 8 | 13 | 19 | 25 | 42 |
| **1. SINGLE DX** | 4074 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 16659 | 6.4 | 25 | 2 | 3 | 5 | 8 | 11 | 14 | 26 |
| **A. NOT OPERATED** | 18311 | 5.4 | 13 | 2 | 2 | 5 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 2422 | 10.0 | 66 | 3 | 4 | 8 | 12 | 18 | 25 | 42 |
| TOTAL 0-19 YRS | 3380 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 6304 | 4.6 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 2757 | 5.7 | 16 | 2 | 2 | 5 | 7 | 10 | 12 | 21 |
| 50-64 | 2767 | 6.8 | 23 | 2 | 3 | 6 | 8 | 12 | 15 | 27 |
| 65+ | 5525 | 8.0 | 40 | 3 | 3 | 7 | 9 | 14 | 18 | 33 |
| **GRAND TOTAL** | **20733** | **5.9** | **22** | **2** | **2** | **5** | **7** | **10** | **13** | **24** |

## 227: Miscellaneous kidney infections (590.0; 590.2-590.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 884 | 3.7 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1281 | 3.8 | 7 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 387 | 4.1 | 14 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| 50-64 | 217 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 10 |
| 65+ | 147 | 5.4 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 5.5 | 16 | 1 | 2 | 4 | 6 | 11 | 15 | 21 |
| 20-34 | 101 | 6.5 | 21 | 1 | 2 | 6 | 8 | 11 | 15 | 25 |
| 35-49 | 66 | 5.3 | 9 | 1 | 1 | 5 | 7 | 9 | 10 | 15 |
| 50-64 | 59 | 8.2 | 51 | 1 | 2 | 6 | 10 | 17 | 21 | 42 |
| 65+ | 27 | 7.1 | 20 | 1 | 2 | 6 | 10 | 14 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1335 | 4.5 | 6 | 2 | 2 | 4 | 5 | 8 | 10 | 14 |
| 20-34 | 2432 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 1191 | 5.4 | 12 | 2 | 2 | 5 | 7 | 9 | 12 | 18 |
| 50-64 | 1239 | 6.2 | 16 | 2 | 3 | 5 | 7 | 10 | 13 | 22 |
| 65+ | 2157 | 7.2 | 22 | 2 | 3 | 6 | 9 | 12 | 15 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 241 | 7.4 | 42 | 1 | 3 | 6 | 9 | 13 | 17 | 31 |
| 20-34 | 419 | 8.4 | 37 | 3 | 3 | 7 | 10 | 15 | 20 | 33 |
| 35-49 | 402 | 10.2 | 59 | 2 | 4 | 8 | 13 | 19 | 26 | 36 |
| 50-64 | 507 | 11.3 | 76 | 3 | 4 | 9 | 14 | 21 | 27 | 51 |
| 65+ | 697 | 14.0 | 103 | 3 | 5 | 12 | 17 | 25 | 34 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2916 | 3.9 | 7 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| B. *Operated* | 315 | 6.4 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8354 | 5.6 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| B. *Operated* | 2266 | 11.0 | 76 | 3 | 4 | 8 | 14 | 21 | 27 | 46 |
| **1. SINGLE DX** | 3231 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 10620 | 6.8 | 32 | 2 | 3 | 5 | 8 | 13 | 16 | 29 |
| **A. NOT OPERATED** | 11270 | 5.2 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 2581 | 10.4 | 72 | 2 | 3 | 8 | 13 | 20 | 26 | 44 |
| TOTAL 0-19 YRS | 2522 | 4.5 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| 20-34 | 4233 | 4.8 | 12 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 2046 | 6.1 | 26 | 2 | 2 | 5 | 7 | 11 | 15 | 27 |
| 50-64 | 2022 | 7.3 | 36 | 2 | 3 | 6 | 9 | 13 | 18 | 29 |
| 65+ | 3028 | 8.7 | 48 | 2 | 3 | 7 | 10 | 16 | 21 | 38 |
| **GRAND TOTAL** | **13851** | **6.2** | **28** | **2** | **2** | **5** | **7** | **11** | **15** | **27** |

## 228: Calculus of kidney (592.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 204 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1603 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 35-49 | 2118 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 4 | 6 |
| 50-64 | 1204 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 416 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 83 | 5.1 | 11 | 1 | 2 | 5 | 6 | 9 | 12 | 18 |
| 20-34 | 874 | 5.6 | 12 | 1 | 2 | 5 | 7 | 9 | 12 | 17 |
| 35-49 | 1236 | 5.8 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| 50-64 | 1062 | 6.0 | 15 | 1 | 2 | 5 | 8 | 11 | 13 | 19 |
| 65+ | 493 | 6.2 | 14 | 1 | 2 | 6 | 8 | 11 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 185 | 2.7 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 20-34 | 1272 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 35-49 | 1694 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 1718 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 65+ | 1357 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 6.6 | 21 | 1 | 2 | 6 | 9 | 12 | 15 | 24 |
| 20-34 | 861 | 7.3 | 43 | 2 | 2 | 6 | 9 | 13 | 16 | 33 |
| 35-49 | 1430 | 7.8 | 37 | 2 | 2 | 6 | 10 | 14 | 19 | 29 |
| 50-64 | 1792 | 8.4 | 47 | 2 | 3 | 7 | 10 | 15 | 20 | 37 |
| 65+ | 1709 | 9.8 | 56 | 2 | 3 | 8 | 12 | 19 | 24 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5545 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 3748 | 5.9 | 13 | 1 | 2 | 5 | 8 | 10 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6226 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| B. *Operated* | 5893 | 8.5 | 47 | 2 | 2 | 7 | 10 | 16 | 20 | 36 |
| **1. SINGLE DX** | 9293 | 3.6 | 10 | 1 | 1 | 2 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 12119 | 5.8 | 34 | 1 | 1 | 4 | 8 | 12 | 16 | 29 |
| **A. NOT OPERATED** | 11771 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **B. OPERATED** | 9641 | 7.5 | 35 | 2 | 2 | 6 | 9 | 14 | 18 | 32 |
| TOTAL 0-19 YRS | 573 | 3.6 | 11 | 1 | 1 | 2 | 4 | 8 | 10 | 16 |
| 20-34 | 4610 | 3.9 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 6478 | 4.2 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| 50-64 | 5776 | 5.1 | 26 | 1 | 1 | 4 | 7 | 11 | 14 | 24 |
| 65+ | 3975 | 6.7 | 40 | 1 | 1 | 5 | 9 | 14 | 18 | 34 |
| **GRAND TOTAL** | **21412** | **4.8** | **25** | **1** | **1** | **3** | **6** | **10** | **13** | **24** |

## 229: Calculus of ureter (592.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 642 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 5730 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 7613 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 4068 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 1237 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 348 | 4.0 | 5 | 1 | 2 | 3 | 5 | 7 | 9 | 11 |
| 20-34 | 3554 | 4.1 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 4985 | 4.3 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 3384 | 4.7 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 65+ | 1214 | 5.1 | 12 | 1 | 2 | 4 | 7 | 10 | 12 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 246 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 20-34 | 2407 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 3813 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 3409 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 2152 | 3.1 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 203 | 5.7 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| 20-34 | 2025 | 5.5 | 15 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| 35-49 | 3243 | 5.8 | 17 | 1 | 2 | 5 | 8 | 11 | 13 | 20 |
| 50-64 | 3997 | 6.6 | 22 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| 65+ | 3274 | 7.9 | 36 | 2 | 2 | 6 | 10 | 15 | 19 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19290 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| B. *Operated* | 13485 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12027 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 12742 | 6.5 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 24 |
| **1. SINGLE DX** | 32775 | 2.9 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 24769 | 4.6 | 18 | 1 | 1 | 3 | 6 | 10 | 13 | 20 |
| **A. NOT OPERATED** | 31317 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 26227 | 5.4 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| TOTAL 0-19 YRS | 1439 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 20-34 | 13716 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 19654 | 3.2 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 50-64 | 14858 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 65+ | 7877 | 5.3 | 25 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| **GRAND TOTAL** | **57544** | **3.6** | **12** | **1** | **1** | **2** | **5** | **8** | **10** | **17** |

## 230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 130 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 117 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 135 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 50-64 | 104 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 65+ | 64 | 3.6 | 11 | 1 | 1 | 2 | 5 | 7 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1071 | 5.9 | 10 | <1 | 1 | 6 | 8 | 9 | 11 | 15 |
| 20-34 | 486 | 5.7 | 14 | 1 | 1 | 5 | 8 | 10 | 12 | 17 |
| 35-49 | 460 | 5.0 | 16 | 1 | 1 | 4 | 8 | 10 | 13 | 16 |
| 50-64 | 436 | 5.3 | 21 | 1 | 1 | 4 | 8 | 11 | 13 | 19 |
| 65+ | 329 | 4.7 | 17 | <1 | 1 | 3 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 353 | 3.7 | 17 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 20-34 | 344 | 3.8 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 35-49 | 330 | 4.4 | 18 | 1 | 1 | 3 | 6 | 8 | 10 | 20 |
| 50-64 | 539 | 5.7 | 40 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| 65+ | 1123 | 6.9 | 38 | 1 | 2 | 5 | 8 | 13 | 18 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1526 | 6.9 | 26 | <1 | 1 | 6 | 9 | 12 | 16 | 27 |
| 20-34 | 1082 | 7.3 | 31 | 1 | 2 | 7 | 9 | 13 | 17 | 28 |
| 35-49 | 1269 | 7.8 | 42 | 1 | 2 | 6 | 10 | 15 | 20 | 33 |
| 50-64 | 1963 | 8.4 | 56 | 1 | 2 | 7 | 11 | 17 | 22 | 39 |
| 65+ | 2518 | 9.7 | 82 | 1 | 2 | 8 | 13 | 20 | 25 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 550 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 2782 | 5.5 | 14 | 1 | 1 | 5 | 8 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2689 | 5.5 | 32 | 1 | 1 | 4 | 7 | 11 | 15 | 29 |
| B. *Operated* | 8358 | 8.3 | 54 | 1 | 2 | 7 | 11 | 16 | 21 | 38 |
| **1. SINGLE DX** | 3332 | 5.0 | 14 | 1 | 1 | 4 | 7 | 9 | 12 | 16 |
| **2. MULTIPLE DX** | 11047 | 7.6 | 50 | 1 | 2 | 6 | 10 | 15 | 20 | 36 |
| **A. NOT OPERATED** | 3239 | 5.0 | 28 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| **B. OPERATED** | 11140 | 7.6 | 46 | 1 | 1 | 6 | 10 | 15 | 19 | 35 |
| TOTAL 0-19 YRS | 3080 | 6.0 | 20 | <1 | 1 | 6 | 8 | 11 | 14 | 22 |
| 20-34 | 2029 | 6.1 | 24 | 1 | 1 | 5 | 8 | 11 | 15 | 24 |
| 35-49 | 2194 | 6.4 | 33 | 1 | 1 | 5 | 8 | 13 | 16 | 29 |
| 50-64 | 3042 | 7.3 | 49 | 1 | 1 | 5 | 10 | 15 | 19 | 35 |
| 65+ | 4034 | 8.4 | 67 | 1 | 2 | 6 | 11 | 17 | 23 | 44 |
| **GRAND TOTAL** | **14379** | **7.0** | **43** | **1** | **1** | **6** | **9** | **14** | **18** | **33** |

## 231: Urinary calculus, except kidney and ureter (592.9; 594)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 5 | 11 |
| 20-34 | 259 | 2.2 | 15 | <1 | 1 | 1 | 2 | 4 | 5 | 7 |
| 35-49 | 320 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 6 |
| 50-64 | 223 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 49 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.7 | 14 | <1 | <1 | 2 | 5 | 8 | 13 | 15 |
| 20-34 | 120 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 35-49 | 163 | 3.8 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 50-64 | 165 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 8 | 17 |
| 65+ | 206 | 3.9 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 170 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 214 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 216 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 65+ | 178 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 4.8 | 23 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| 20-34 | 184 | 5.6 | 25 | 1 | 1 | 4 | 7 | 12 | 14 | 24 |
| 35-49 | 241 | 5.5 | 20 | 1 | 1 | 5 | 8 | 11 | 14 | 21 |
| 50-64 | 559 | 5.7 | 26 | 1 | 1 | 4 | 7 | 11 | 16 | 30 |
| 65+ | 1326 | 6.6 | 33 | 1 | 2 | 5 | 9 | 13 | 17 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 892 | 2.0 | 6 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| B. *Operated* | 670 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 801 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| B. *Operated* | 2344 | 6.2 | 29 | 1 | 1 | 5 | 8 | 12 | 16 | 25 |
| **1. SINGLE DX** | 1562 | 2.8 | 9 | 1 | 1 | 2 | 3 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 3145 | 5.4 | 25 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| **A. NOT OPERATED** | 1693 | 2.5 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| **B. OPERATED** | 3014 | 5.7 | 26 | 1 | 1 | 4 | 7 | 12 | 15 | 24 |
| TOTAL 0-19 YRS | 114 | 3.3 | 12 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 20-34 | 733 | 3.4 | 16 | 1 | 1 | 2 | 4 | 7 | 10 | 15 |
| 35-49 | 938 | 3.4 | 11 | 1 | 1 | 2 | 4 | 8 | 10 | 17 |
| 50-64 | 1163 | 4.3 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 65+ | 1759 | 5.9 | 29 | 1 | 1 | 4 | 8 | 12 | 15 | 24 |
| **GRAND TOTAL** | **4707** | **4.5** | **21** | **1** | **1** | **3** | **6** | **10** | **13** | **22** |

## 232: Cystitis (595)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 20-34 | 156 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 12 |
| 35-49 | 85 | 3.2 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 50-64 | 45 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 58 | 3.0 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 149 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 268 | 2.8 | 7 | <1 | <1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 285 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 370 | 2.8 | 11 | <1 | <1 | 2 | 3 | 5 | 8 | 16 |
| 65+ | 427 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 320 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 482 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 371 | 4.5 | 14 | 1 | 2 | 4 | 6 | 7 | 9 | 14 |
| 50-64 | 450 | 5.3 | 17 | 1 | 2 | 4 | 7 | 9 | 12 | 17 |
| 65+ | 1444 | 6.3 | 27 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 290 | 3.5 | 17 | <1 | <1 | 2 | 4 | 7 | 9 | 18 |
| 20-34 | 727 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 11 | 22 |
| 35-49 | 899 | 4.9 | 24 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| 50-64 | 1465 | 4.9 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 65+ | 3443 | 6.4 | 39 | 1 | 2 | 5 | 8 | 13 | 17 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 492 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 1499 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3067 | 5.3 | 20 | 1 | 2 | 4 | 7 | 9 | 12 | 21 |
| B. *Operated* | 6824 | 5.5 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 29 |
| **1. SINGLE DX** | 1991 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 9891 | 5.5 | 28 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| **A. NOT OPERATED** | 3559 | 5.0 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| **B. OPERATED** | 8323 | 5.0 | 28 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| TOTAL 0-19 YRS | 907 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 20-34 | 1633 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 1640 | 4.3 | 18 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 50-64 | 2330 | 4.6 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 65+ | 5372 | 6.1 | 34 | 1 | 2 | 5 | 7 | 12 | 15 | 30 |
| **GRAND TOTAL** | **11882** | **5.0** | **25** | **1** | **1** | **4** | **6** | **10** | **13** | **25** |

## 233: Urethral stricture (598)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.1 | 4 | 1 | 1 | 1 | 3 | 5 | 6 | 6 |
| 20-34 | 9 | 1.8 | | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 35-49 | 8 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 8 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 21 | 2.5 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 774 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 12 |
| 20-34 | 634 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 480 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 8 |
| 50-64 | 431 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 65+ | 513 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| 20-34 | 30 | 2.6 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 10 |
| 35-49 | 31 | 3.0 | 8 | <1 | 1 | 2 | 4 | 7 | 9 | 13 |
| 50-64 | 43 | 3.7 | 15 | <1 | 1 | 3 | 5 | 7 | 8 | 24 |
| 65+ | 194 | 4.5 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 737 | 2.2 | 7 | <1 | <1 | 1 | 2 | 4 | 7 | 15 |
| 20-34 | 870 | 3.4 | 14 | <1 | <1 | 2 | 4 | 7 | 10 | 18 |
| 35-49 | 855 | 3.6 | 13 | <1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 50-64 | 1274 | 3.9 | 20 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 65+ | 2729 | 5.0 | 23 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 7 |
| B. *Operated* | 2832 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 332 | 3.8 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 6465 | 4.1 | 19 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **1. SINGLE DX** | 2886 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| **2. MULTIPLE DX** | 6797 | 4.0 | 18 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **A. NOT OPERATED** | 386 | 3.6 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 9297 | 3.6 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| TOTAL 0-19 YRS | 1553 | 2.0 | 6 | <1 | <1 | 1 | 2 | 4 | 5 | 14 |
| 20-34 | 1543 | 3.0 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 1374 | 3.1 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 1756 | 3.6 | 17 | <1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 65+ | 3457 | 4.7 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| **GRAND TOTAL** | **9683** | **3.6** | **15** | **<1** | **1** | **2** | **4** | **7** | **10** | **18** |

## 234: Miscellaneous urinary diseases (596-597; 599)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1434 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 727 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 396 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 50-64 | 339 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 65+ | 752 | 4.8 | 17 | 1 | 1 | 4 | 6 | 9 | 10 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 712 | 2.3 | 5 | <1 | <1 | 1 | 3 | 5 | 7 | 11 |
| 20-34 | 728 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| 35-49 | 698 | 3.1 | 10 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| 50-64 | 912 | 3.0 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 65+ | 1176 | 3.6 | 14 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4430 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 3396 | 4.4 | 12 | 1 | 1 | 4 | 5 | 8 | 11 | 17 |
| 35-49 | 2798 | 5.4 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 50-64 | 5014 | 6.2 | 22 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 65+ | 23520 | 7.8 | 41 | 2 | 3 | 6 | 9 | 14 | 18 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1388 | 4.5 | 23 | <1 | <1 | 3 | 6 | 9 | 12 | 26 |
| 20-34 | 1673 | 5.8 | 53 | <1 | 1 | 4 | 7 | 12 | 16 | 38 |
| 35-49 | 2168 | 6.0 | 47 | <1 | 1 | 4 | 8 | 12 | 16 | 37 |
| 50-64 | 4207 | 6.6 | 49 | 1 | 1 | 5 | 8 | 13 | 18 | 35 |
| 65+ | 12845 | 8.4 | 71 | 1 | 2 | 6 | 10 | 17 | 23 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3648 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 4226 | 3.1 | 9 | <1 | <1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39158 | 6.7 | 33 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |
| B. *Operated* | 22281 | 7.4 | 62 | 1 | 2 | 5 | 9 | 15 | 21 | 43 |
| **1. SINGLE DX** | 7874 | 3.2 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 61439 | 7.0 | 43 | 1 | 2 | 5 | 9 | 13 | 17 | 35 |
| **A. NOT OPERATED** | 42806 | 6.4 | 31 | 1 | 2 | 5 | 8 | 12 | 15 | 28 |
| **B. OPERATED** | 26507 | 6.7 | 56 | 1 | 1 | 5 | 8 | 14 | 19 | 39 |
| TOTAL 0-19 YRS | 7964 | 3.7 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 6524 | 4.4 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 35-49 | 6060 | 5.2 | 28 | 1 | 1 | 4 | 6 | 10 | 14 | 29 |
| 50-64 | 10472 | 6.0 | 32 | 1 | 1 | 5 | 7 | 11 | 15 | 28 |
| 65+ | 38293 | 7.8 | 50 | 2 | 2 | 6 | 10 | 14 | 19 | 38 |
| **GRAND TOTAL** | **69313** | **6.5** | **41** | **1** | **2** | **5** | **8** | **13** | **17** | **33** |

### 235: Hyperplasia of prostate (600)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 43 | 3.0 | 8 | <1 | <1 | 2 | 4 | 5 | 7 | 18 |
| 65+ | 81 | 4.7 | 57 | <1 | 1 | 3 | 5 | 9 | 12 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.5 | 7 | <1 | 1 | 4 | 6 | 9 | 10 | 10 |
| 20-34 | 18 | 3.5 | 6 | <1 | 1 | 3 | 4 | 6 | 10 | 12 |
| 35-49 | 286 | 3.5 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 50-64 | 5078 | 4.6 | 5 | 1 | 2 | 4 | 6 | 7 | 9 | 12 |
| 65+ | 8511 | 5.0 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.5 | 25 | 7 | 7 | 10 | 14 | 14 | 14 | 14 |
| 20-34 | 5 | 5.6 | 14 | 2 | 2 | 4 | 9 | 11 | 11 | 11 |
| 35-49 | 31 | 3.5 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 50-64 | 421 | 3.6 | 12 | <1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 65+ | 1572 | 4.8 | 26 | <1 | 1 | 3 | 6 | 10 | 13 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 5.5 | 9 | 1 | 2 | 5 | 7 | 11 | 12 | 13 |
| 20-34 | 48 | 4.1 | 8 | <1 | 1 | 3 | 6 | 8 | 11 | 12 |
| 35-49 | 536 | 5.3 | 35 | 1 | 1 | 4 | 6 | 9 | 14 | 24 |
| 50-64 | 12833 | 5.7 | 14 | 2 | 2 | 5 | 7 | 9 | 12 | 19 |
| 65+ | 39036 | 6.9 | 24 | 2 | 3 | 6 | 8 | 12 | 15 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 129 | 4.1 | 39 | <1 | 1 | 3 | 4 | 7 | 10 | 28 |
| B. *Operated* | 13908 | 4.8 | 7 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2031 | 4.5 | 23 | <1 | 1 | 3 | 6 | 9 | 12 | 27 |
| B. *Operated* | 52491 | 6.6 | 22 | 2 | 3 | 6 | 8 | 11 | 15 | 24 |
| **1. SINGLE DX** | 14037 | 4.8 | 7 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 54522 | 6.6 | 22 | 2 | 3 | 5 | 8 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 2160 | 4.5 | 24 | <1 | 1 | 3 | 5 | 9 | 12 | 27 |
| **B. OPERATED** | 66399 | 6.3 | 19 | 2 | 3 | 5 | 7 | 11 | 14 | 23 |
| TOTAL 0-19 YRS | 55 | 5.4 | 10 | 1 | 2 | 5 | 7 | 10 | 12 | 14 |
| 20-34 — | 71 | 4.0 | 8 | <1 | 1 | 3 | 5 | 8 | 11 | 12 |
| 35-49 | 858 | 4.6 | 25 | <1 | 1 | 4 | 5 | 8 | 11 | 18 |
| 50-64 | 18375 | 5.4 | 12 | 1 | 2 | 5 | 6 | 9 | 11 | 17 |
| 65+ | 49200 | 6.5 | 22 | 2 | 3 | 5 | 8 | 11 | 14 | 24 |
| **GRAND TOTAL** | **68559** | **6.2** | **19** | **2** | **3** | **5** | **7** | **11** | **14** | **23** |

### 236: Diseases of the prostate, except hypertrophy (601-602)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 2.9 | 4 | <1 | 1 | 2 | 5 | 5 | 6 | 7 |
| 20-34 | 139 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 191 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 166 | 4.1 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 65+ | 65 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 2.1 | 2 | <1 | <1 | 1 | 3 | 5 | 5 | 6 |
| 20-34 | 118 | 2.1 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 8 |
| 35-49 | 169 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | 155 | 3.1 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 11 |
| 65+ | 94 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 4.0 | 5 | 2 | 2 | 4 | 4 | 5 | 8 | 13 |
| 20-34 | 253 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 9 | 11 |
| 35-49 | 425 | 4.3 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 50-64 | 703 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 65+ | 700 | 5.3 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 4.3 | 14 | <1 | <1 | 3 | 6 | 8 | 11 | 18 |
| 20-34 | 252 | 3.9 | 13 | <1 | <1 | 3 | 5 | 8 | 10 | 21 |
| 35-49 | 491 | 4.3 | 13 | <1 | 1 | 3 | 6 | 8 | 10 | 18 |
| 50-64 | 805 | 5.0 | 17 | 1 | 1 | 4 | 7 | 9 | 12 | 20 |
| 65+ | 1010 | 6.1 | 26 | 1 | 2 | 5 | 8 | 12 | 14 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 579 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| B. *Operated* | 556 | 2.6 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2105 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 2584 | 5.2 | 20 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| **1. SINGLE DX** | 1135 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 4689 | 5.0 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| **A. NOT OPERATED** | 2684 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| **B. OPERATED** | 3140 | 4.7 | 18 | <1 | 1 | 4 | 6 | 9 | 12 | 20 |
| TOTAL 0-19 YRS | 88 | 3.4 | 7 | <1 | <1 | 3 | 4 | 6 | 8 | 16 |
| 20-34 | 762 | 3.5 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 1276 | 4.0 | 8 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 1829 | 4.7 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 65+ | 1869 | 5.6 | 19 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| **GRAND TOTAL** | **5824** | **4.6** | **13** | **1** | **1** | **4** | **6** | **9** | **11** | **18** |

## 237: Hydrocele (603)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 1.5 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 5 | 2.8 | 3 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 5.0 | 48 | 1 | 1 | 1 | 10 | 13 | 13 | 13 |
| 65+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 636 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 317 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 381 | 2.0 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 50-64 | 593 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 385 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 1.6 | 4 | <1 | <1 | 1 | 1 | 2 | 5 | 13 |
| 20-34 | 7 | 3.1 | 5 | <1 | <1 | 3 | 5 | 7 | 7 | 7 |
| 35-49 | 6 | 3.8 | 16 | <1 | <1 | 2 | 6 | 10 | 11 | 11 |
| 50-64 | 15 | 2.6 | 11 | <1 | <1 | 1 | 2 | 10 | 11 | 11 |
| 65+ | 23 | 3.9 | 15 | <1 | <1 | 3 | 6 | 7 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 605 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 217 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 322 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 746 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 65+ | 789 | 3.7 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| B. *Operated* | 2312 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 103 | 2.5 | 9 | <1 | <1 | 1 | 3 | 6 | 9 | 15 |
| B. *Operated* | 2679 | 3.0 | 7 | <1 | 1 | 2 | 4 | 5 | 7 | 13 |
| **1. SINGLE DX** | 2339 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | 2782 | 2.9 | 7 | <1 | 1 | 2 | 4 | 5 | 7 | 13 |
| **A. NOT OPERATED** | 130 | 2.4 | 8 | <1 | <1 | 1 | 3 | 6 | 8 | 14 |
| **B. OPERATED** | 4991 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| TOTAL 0-19 YRS | 1308 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 546 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 712 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 50-64 | 1357 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 65+ | 1198 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **GRAND TOTAL** | **5121** | **2.5** | **5** | **<1** | **1** | **2** | **3** | **5** | **6** | **11** |

## 238: Orchitis and epididymitis (604)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 331 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 20-34 | 709 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 427 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 262 | 5.0 | 7 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| 65+ | 172 | 5.4 | 7 | 2 | 3 | 5 | 7 | 9 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 158 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 203 | 3.1 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 35-49 | 192 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 50-64 | 135 | 3.7 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 65+ | 99 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 3.8 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 20-34 | 382 | 4.8 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 388 | 5.4 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 16 |
| 50-64 | 571 | 5.8 | 9 | 2 | 3 | 5 | 7 | 9 | 10 | 16 |
| 65+ | 774 | 6.4 | 13 | 2 | 3 | 6 | 8 | 10 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 20-34 | 210 | 4.9 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 233 | 5.0 | 17 | 1 | 1 | 4 | 7 | 10 | 12 | 22 |
| 50-64 | 332 | 6.9 | 44 | 1 | 2 | 5 | 9 | 13 | 16 | 38 |
| 65+ | 532 | 7.6 | 43 | 1 | 2 | 6 | 10 | 14 | 19 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1901 | 4.2 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| B. *Operated* | 787 | 3.2 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2268 | 5.6 | 10 | 2 | 2 | 5 | 7 | 10 | 11 | 17 |
| B. *Operated* | 1400 | 6.3 | 34 | 1 | 1 | 5 | 8 | 13 | 16 | 28 |
| **1. SINGLE DX** | 2688 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 3668 | 5.9 | 20 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 4169 | 5.0 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 15 |
| **B. OPERATED** | 2187 | 5.2 | 27 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| TOTAL 0-19 YRS | 735 | 3.4 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 1504 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 1240 | 4.6 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 1300 | 5.7 | 19 | 1 | 2 | 5 | 7 | 10 | 12 | 20 |
| 65+ | 1577 | 6.6 | 23 | 2 | 2 | 5 | 8 | 11 | 15 | 23 |
| **GRAND TOTAL** | **6356** | **5.1** | **15** | **1** | **1** | **4** | **6** | **9** | **11** | **19** |

## 239: Redundant prepuce and phimosis (605)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 6 |
| 20-34 | 10 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 8 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 7 | 1.9 | 1 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1752 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 20-34 | 341 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 203 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 50-64 | 151 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 91 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 12 | 3.0 | 7 | <1 | <1 | 1 | 5 | 7 | 8 | 8 |
| 35-49 | 15 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 8 |
| 50-64 | 11 | 1.9 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| 65+ | 44 | 4.1 | 17 | <1 | 1 | 3 | 4 | 9 | 13 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 473 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 20-34 | 218 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 4 | 8 |
| 35-49 | 329 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |
| 50-64 | 344 | 2.5 | 11 | <1 | <1 | 2 | 3 | 4 | 6 | 14 |
| 65+ | 346 | 3.3 | 14 | 1 | 1 | 2 | 4 | 7 | 9 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 2538 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 179 | 2.2 | 7 | <1 | <1 | 1 | 2 | 5 | 8 | 16 |
| B. *Operated* | 1710 | 2.3 | 7 | <1 | <1 | 2 | 2 | 4 | 6 | 13 |
| **1. SINGLE DX** | 2602 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | 1889 | 2.3 | 7 | <1 | <1 | 2 | 2 | 4 | 6 | 13 |
| **A. NOT OPERATED** | 243 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| **B. OPERATED** | 4248 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 2360 | 1.3 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 581 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 555 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | 513 | 2.2 | 8 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 65+ | 482 | 3.1 | 13 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| **GRAND TOTAL** | **4491** | **1.7** | **3** | **<1** | **<1** | **1** | **2** | **3** | **4** | **8** |

## 240: Miscellaneous diseases of male genital organs (606-608)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 157 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 20-34 | 108 | 2.5 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 35-49 | 78 | 2.8 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 13 |
| 50-64 | 65 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 65+ | 31 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2208 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 1217 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 35-49 | 852 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 1084 | 2.9 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 65+ | 476 | 2.9 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 2.8 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 162 | 3.7 | 12 | <1 | 1 | 3 | 4 | 8 | 11 | 18 |
| 35-49 | 135 | 4.0 | 10 | <1 | 1 | 3 | 6 | 8 | 11 | 14 |
| 50-64 | 175 | 3.6 | 11 | <1 | <1 | 2 | 5 | 8 | 9 | 14 |
| 65+ | 196 | 5.9 | 40 | 1 | 1 | 5 | 8 | 11 | 15 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 902 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 913 | 3.4 | 16 | 1 | 1 | 2 | 4 | 7 | 9 | 20 |
| 35-49 | 1248 | 3.9 | 19 | 1 | 1 | 3 | 5 | 7 | 10 | 25 |
| 50-64 | 2070 | 4.3 | 29 | 1 | 1 | 3 | 5 | 7 | 10 | 25 |
| 65+ | 1470 | 4.9 | 41 | 1 | 1 | 3 | 5 | 9 | 14 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 439 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 5837 | 2.1 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 824 | 4.1 | 18 | <1 | 1 | 3 | 5 | 9 | 11 | 18 |
| B. *Operated* | 6603 | 3.9 | 25 | 1 | 1 | 3 | 4 | 7 | 10 | 26 |
| **1. SINGLE DX** | 6276 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 7427 | 4.0 | 24 | 1 | 1 | 3 | 5 | 7 | 10 | 25 |
| **A. NOT OPERATED** | 1263 | 3.5 | 13 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| **B. OPERATED** | 12440 | 3.1 | 16 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| TOTAL 0-19 YRS | 3423 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 2400 | 2.7 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 2313 | 3.3 | 13 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 50-64 | 3394 | 3.8 | 21 | 1 | 1 | 3 | 4 | 6 | 8 | 20 |
| 65+ | 2173 | 4.6 | 33 | 1 | 1 | 3 | 5 | 8 | 12 | 32 |
| **GRAND TOTAL** | **13703** | **3.1** | **15** | **<1** | **1** | **2** | **4** | **6** | **8** | **18** |

## 241: Benign mammary dysplasia (610)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 2.5 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 8 |
| 35-49 | 25 | 2.1 | 4 | <1 | <1 | 1 | 3 | 4 | 6 | 10 |
| 50-64 | 20 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 6 |
| 65+ | 5 | 2.8 | 9 | 1 | 1 | 1 | 4 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 1128 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 35-49 | 3431 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 7 |
| 50-64 | 2201 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 852 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 18 | 3.1 | 5 | <1 | <1 | 3 | 5 | 7 | 8 | 8 |
| 35-49 | 54 | 3.3 | 21 | <1 | <1 | 2 | 3 | 6 | 8 | 30 |
| 50-64 | 48 | 2.5 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 11 |
| 65+ | 20 | 3.7 | 11 | <1 | <1 | 3 | 5 | 8 | 11 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 746 | 2.8 | 4 | <1 | <1 | 2 | 4 | 5 | 6 | 10 |
| 35-49 | 2774 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 50-64 | 2150 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 65+ | 1420 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 7 | 10 |
| B. *Operated* | 7730 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 142 | 3.1 | 12 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| B. *Operated* | 7134 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **1. SINGLE DX** | 7791 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 7276 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **A. NOT OPERATED** | 203 | 2.7 | 10 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| **B. OPERATED** | 14864 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| TOTAL 0-19 YRS | 164 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 7 |
| 20-34 | 1903 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 8 |
| 35-49 | 6284 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | 4419 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 65+ | 2297 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| **GRAND TOTAL** | **15067** | **2.4** | **4** | **<1** | **<1** | **2** | **3** | **4** | **6** | **9** |

## 242: Miscellaneous diseases of breast (611)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 3.6 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 10 |
| 20-34 | 157 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 65 | 3.5 | 5 | <1 | <1 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 35 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 9 | 10 |
| 65+ | 15 | 4.1 | 10 | <1 | <1 | 3 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1145 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 2065 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 1319 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 5 | 9 |
| 50-64 | 911 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 403 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 3.5 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 157 | 3.2 | 5 | <1 | <1 | 3 | 4 | 7 | 8 | 11 |
| 35-49 | 142 | 3.8 | 10 | <1 | <1 | 3 | 5 | 8 | 10 | 15 |
| 50-64 | 140 | 3.5 | 9 | <1 | <1 | 2 | 5 | 8 | 10 | 13 |
| 65+ | 134 | 4.4 | 53 | <1 | <1 | 2 | 5 | 9 | 14 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 358 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 1153 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 1547 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 1329 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 65+ | 776 | 3.7 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 341 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| B. *Operated* | 5843 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 624 | 3.7 | 18 | <1 | <1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | 5163 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **1. SINGLE DX** | 6184 | 2.7 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 5787 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **A. NOT OPERATED** | 965 | 3.6 | 13 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 11006 | 3.0 | 6 | <1 | 1 | 3 | 4 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 1623 | 2.7 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 3532 | 3.0 | 5 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 3073 | 3.1 | 8 | <1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 2415 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 65+ | 1328 | 3.4 | 15 | <1 | 1 | 2 | 4 | 6 | 9 | 19 |
| **GRAND TOTAL** | **11971** | **3.1** | **7** | **<1** | **1** | **3** | **4** | **5** | **7** | **12** |

## 243: Ovarian cyst (620.0-620.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1259 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 2157 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 513 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 29 | 2.6 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 65+ | 7 | 2.9 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1417 | 3.6 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 4495 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 1300 | 4.7 | 5 | 1 | 2 | 5 | 6 | 7 | 8 | 11 |
| 50-64 | 203 | 5.7 | 5 | 2 | 3 | 6 | 7 | 8 | 9 | 13 |
| 65+ | 103 | 6.4 | 7 | 2 | 3 | 6 | 8 | 10 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 833 | 2.7 | 13 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 1741 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 35-49 | 523 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 46 | 5.1 | 10 | 1 | 1 | 4 | 7 | 10 | 13 | 14 |
| 65+ | 34 | 6.3 | 29 | 1 | 2 | 5 | 10 | 13 | 24 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1464 | 4.4 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 9557 | 4.9 | 7 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 5095 | 5.9 | 11 | 2 | 3 | 6 | 7 | 9 | 11 | 17 |
| 50-64 | 731 | 6.7 | 10 | 3 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 489 | 8.4 | 24 | 4 | 5 | 7 | 9 | 14 | 17 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3965 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 7518 | 4.0 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3177 | 3.0 | 7 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| B. *Operated* | 17336 | 5.3 | 10 | 1 | 2 | 5 | 6 | 8 | 10 | 15 |
| **1. SINGLE DX** | 11483 | 3.4 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 20513 | 5.0 | 10 | 1 | 2 | 5 | 6 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 7142 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **B. OPERATED** | 24854 | 4.9 | 8 | 1 | 2 | 5 | 6 | 8 | 9 | 14 |
| TOTAL 0-19 YRS | 4973 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 17950 | 4.1 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 7431 | 5.3 | 10 | 1 | 2 | 5 | 7 | 8 | 10 | 15 |
| 50-64 | 1009 | 6.3 | 10 | 2 | 3 | 6 | 7 | 9 | 12 | 17 |
| 65+ | 633 | 7.9 | 22 | 2 | 4 | 7 | 9 | 13 | 16 | 26 |
| **GRAND TOTAL** | **31996** | **4.4** | **9** | **1** | **1** | **4** | **6** | **7** | **9** | **14** |

## 244: Pelvic inflammatory disease (614)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3051 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| 20-34 | 7350 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 961 | 4.5 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 50-64 | 56 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 9 |
| 65+ | 14 | 4.6 | 8 | 1 | 2 | 4 | 5 | 9 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 616 | 4.8 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 13 |
| 20-34 | 2982 | 4.5 | 8 | <1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 924 | 4.9 | 10 | <1 | 1 | 5 | 6 | 8 | 11 | 15 |
| 50-64 | 128 | 6.0 | 17 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| 65+ | 28 | 4.8 | 14 | 1 | 1 | 4 | 8 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2241 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | 6221 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 1317 | 5.4 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 151 | 6.5 | 19 | 2 | 3 | 5 | 8 | 13 | 15 | 22 |
| 65+ | 90 | 7.8 | 40 | 2 | 3 | 6 | 9 | 13 | 21 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1276 | 5.7 | 12 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| 20-34 | 12228 | 5.4 | 11 | 1 | 2 | 5 | 6 | 9 | 11 | 16 |
| 35-49 | 4916 | 6.5 | 17 | 1 | 2 | 6 | 8 | 11 | 14 | 22 |
| 50-64 | 561 | 8.6 | 45 | 2 | 3 | 7 | 10 | 16 | 20 | 38 |
| 65+ | 224 | 11.1 | 109 | 2 | 3 | 8 | 14 | 22 | 26 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11432 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| B. *Operated* | 4678 | 4.7 | 8 | <1 | 1 | 5 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10020 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 19205 | 5.9 | 16 | 1 | 2 | 5 | 7 | 10 | 12 | 20 |
| **1. SINGLE DX** | 16110 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 29225 | 5.5 | 13 | 1 | 2 | 5 | 7 | 9 | 12 | 18 |
| **A. NOT OPERATED** | 21452 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| **B. OPERATED** | 23883 | 5.6 | 14 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| TOTAL 0-19 YRS | 7184 | 4.5 | 7 | 1 | 2 | 4 | 6 | 7 | 9 | 13 |
| 20-34 | 28781 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 8118 | 5.9 | 15 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 896 | 7.6 | 36 | 2 | 3 | 6 | 9 | 14 | 19 | 30 |
| 65+ | 356 | 9.5 | 85 | 1 | 2 | 7 | 12 | 19 | 23 | 72 |
| **GRAND TOTAL** | **45335** | **5.0** | **11** | **1** | **2** | **5** | **6** | **8** | **11** | **16** |

## 245: Endometriosis (617)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 2.8 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 141 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 50 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 2439 | 4.0 | 5 | <1 | 1 | 4 | 6 | 6 | 7 | 10 |
| 35-49 | 1644 | 5.1 | 4 | 1 | 2 | 5 | 6 | 7 | 8 | 10 |
| 50-64 | 95 | 5.4 | 4 | 1 | 2 | 6 | 7 | 7 | 8 | 13 |
| 65+ | 9 | 5.7 | 5 | 2 | 2 | 6 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 2.8 | 2 | <1 | 1 | 3 | 3 | 5 | 6 | 6 |
| 20-34 | 328 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 136 | 3.1 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 10 |
| 50-64 | 6 | 3.2 | 3 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 6 | <1 | 1 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 11613 | 5.1 | 5 | 1 | 2 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 14074 | 5.9 | 5 | 3 | 4 | 6 | 7 | 8 | 9 | 14 |
| 50-64 | 1415 | 6.4 | 6 | 4 | 4 | 6 | 7 | 9 | 10 | 15 |
| 65+ | 161 | 7.8 | 21 | 4 | 5 | 7 | 8 | 11 | 14 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 215 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 4304 | 4.4 | 5 | <1 | 1 | 5 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 500 | 3.1 | 5 | <1 | <1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 27494 | 5.5 | 5 | 2 | 3 | 5 | 7 | 8 | 9 | 13 |
| **1. SINGLE DX** | 4519 | 4.4 | 5 | <1 | 1 | 5 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 27994 | 5.5 | 6 | 1 | 3 | 5 | 6 | 8 | 9 | 13 |
| **A. NOT OPERATED** | 715 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 31798 | 5.4 | 5 | 1 | 3 | 5 | 6 | 8 | 9 | 13 |
| TOTAL 0-19 YRS | 401 | 3.4 | 5 | <1 | <1 | 3 | 5 | 6 | 8 | 10 |
| 20-34 | 14521 | 4.8 | 5 | 1 | 1 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 15904 | 5.7 | 5 | 2 | 4 | 6 | 7 | 8 | 9 | 13 |
| 50-64 | 1516 | 6.3 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 15 |
| 65+ | 171 | 7.6 | 20 | 4 | 5 | 7 | 8 | 11 | 13 | 26 |
| **GRAND TOTAL** | **32513** | **5.3** | **6** | **1** | **2** | **5** | **6** | **8** | **9** | **13** |

## 246: Inflammatory disease of cervix uteri (616.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 15 | 3.1 | 4 | <1 | <1 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 3 | 4.0 | 3 | 3 | 3 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 167 | 2.6 | 5 | <1 | <1 | 2 | 4 | 6 | 6 | 13 |
| 35-49 | 132 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 9 |
| 50-64 | 67 | 2.1 | 5 | <1 | <1 | 2 | 2 | 3 | 6 | 14 |
| 65+ | 20 | 2.5 | 8 | <1 | <1 | 2 | 3 | 6 | 10 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 3.0 | 1 | <1 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 38 | 4.0 | 5 | <1 | 1 | 4 | 5 | 8 | 9 | 10 |
| 35-49 | 14 | 8.1 | 125 | 1 | 1 | 5 | 11 | 16 | 38 | 44 |
| 50-64 | 6 | 3.7 | 7 | <1 | <1 | 3 | 5 | 8 | 8 | 8 |
| 65+ | 8 | 7.4 | 29 | <1 | 1 | 6 | 11 | 15 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.2 | 63 | <1 | <1 | 2 | 5 | 6 | 15 | 41 |
| 20-34 | 1000 | 4.3 | 8 | <1 | 1 | 4 | 6 | 7 | 9 | 13 |
| 35-49 | 1175 | 4.6 | 8 | <1 | 1 | 5 | 6 | 8 | 8 | 13 |
| 50-64 | 360 | 3.8 | 12 | <1 | <1 | 2 | 6 | 7 | 9 | 18 |
| 65+ | 129 | 4.4 | 12 | <1 | 1 | 3 | 6 | 9 | 12 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 3.2 | 3 | <1 | <1 | 3 | 4 | 6 | 7 | 8 |
| B. *Operated* | 391 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 81 | 4.8 | 29 | <1 | 1 | 4 | 5 | 9 | 12 | 36 |
| B. *Operated* | 2689 | 4.4 | 9 | <1 | 1 | 4 | 6 | 7 | 9 | 14 |
| **1. SINGLE DX** | 411 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 2770 | 4.4 | 10 | <1 | 1 | 4 | 6 | 7 | 9 | 14 |
| **A. NOT OPERATED** | 101 | 4.5 | 25 | <1 | 1 | 3 | 5 | 8 | 11 | 30 |
| **B. OPERATED** | 3080 | 4.1 | 9 | <1 | <1 | 4 | 6 | 7 | 8 | 14 |
| TOTAL 0-19 YRS | 47 | 3.5 | 34 | <1 | <1 | 2 | 4 | 5 | 6 | 41 |
| 20-34 | 1220 | 4.1 | 8 | <1 | 1 | 4 | 6 | 7 | 8 | 13 |
| 35-49 | 1324 | 4.4 | 9 | <1 | <1 | 5 | 6 | 7 | 8 | 13 |
| 50-64 | 433 | 3.5 | 11 | <1 | <1 | 2 | 5 | 7 | 9 | 18 |
| 65+ | 157 | 4.4 | 13 | <1 | 1 | 3 | 6 | 10 | 12 | 15 |
| **GRAND TOTAL** | **3181** | **4.2** | **10** | **<1** | **<1** | **4** | **6** | **7** | **9** | **14** |

## 247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 143 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 401 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 77 | 3.8 | 4 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 50-64 | 16 | 3.8 | 5 | <1 | <1 | 4 | 4 | 8 | 8 | 8 |
| 65+ | 7 | 5.1 | 4 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 175 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 7 |
| 20-34 | 1191 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 610 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 173 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 13 |
| 65+ | 55 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 220 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 643 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 35-49 | 187 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 80 | 6.8 | 41 | 1 | 2 | 5 | 8 | 10 | 18 | 38 |
| 65+ | 127 | 8.2 | 36 | 2 | 3 | 7 | 10 | 17 | 21 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 130 | 3.8 | 10 | <1 | 1 | 3 | 5 | 8 | 9 | 17 |
| 20-34 | 948 | 4.0 | 9 | <1 | 1 | 3 | 6 | 7 | 9 | 16 |
| 35-49 | 645 | 4.1 | 13 | <1 | <1 | 3 | 6 | 8 | 10 | 17 |
| 50-64 | 256 | 5.6 | 43 | <1 | 1 | 3 | 7 | 14 | 20 | 34 |
| 65+ | 231 | 6.2 | 45 | 1 | 1 | 4 | 8 | 15 | 19 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 644 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| B. *Operated* | 2204 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1257 | 4.8 | 13 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| B. *Operated* | 2210 | 4.4 | 19 | <1 | 1 | 3 | 6 | 9 | 12 | 22 |
| **1. SINGLE DX** | 2848 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| **2. MULTIPLE DX** | 3467 | 4.6 | 17 | <1 | 1 | 4 | 6 | 8 | 11 | 22 |
| **A. NOT OPERATED** | 1901 | 4.3 | 10 | 1 | 2 | 4 | 5 | 8 | 9 | 16 |
| **B. OPERATED** | 4414 | 3.2 | 12 | <1 | <1 | 2 | 4 | 7 | 9 | 17 |
| TOTAL 0-19 YRS | 668 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 3183 | 3.2 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 35-49 | 1519 | 3.2 | 9 | <1 | <1 | 2 | 4 | 7 | 8 | 14 |
| 50-64 | 525 | 4.6 | 32 | <1 | 1 | 3 | 5 | 10 | 15 | 31 |
| 65+ | 420 | 6.3 | 39 | 1 | 1 | 5 | 8 | 14 | 18 | 34 |
| **GRAND TOTAL** | **6315** | **3.5** | **12** | **<1** | **1** | **3** | **5** | **7** | **9** | **17** |

## 248: Genital prolapse (618)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 9 | 2.9 | 4 | <1 | <1 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 13 | 3.6 | 6 | <1 | 1 | 4 | 5 | 7 | 9 | 9 |
| 50-64 | 16 | 3.8 | 7 | <1 | <1 | 3 | 6 | 8 | 8 | 8 |
| 65+ | 18 | 4.3 | 5 | 1 | 1 | 4 | 6 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.3 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 9 |
| 20-34 | 826 | 5.0 | 4 | 2 | 3 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 1740 | 5.6 | 4 | 2 | 3 | 5 | 7 | 8 | 9 | 12 |
| 50-64 | 2812 | 5.9 | 5 | 3 | 3 | 6 | 7 | 8 | 9 | 13 |
| 65+ | 2446 | 6.2 | 5 | 3 | 4 | 6 | 7 | 9 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 67 | 2.5 | 4 | <1 | <1 | 1 | 4 | 5 | 6 | 10 |
| 35-49 | 127 | 2.5 | 3 | <1 | <1 | 1 | 4 | 6 | 7 | 8 |
| 50-64 | 143 | 2.6 | 6 | <1 | <1 | 1 | 4 | 6 | 8 | 11 |
| 65+ | 246 | 4.1 | 17 | <1 | 1 | 3 | 5 | 9 | 13 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 6.0 | 9 | 2 | 3 | 6 | 8 | 12 | 22 | 99+ |
| 20-34 | 4264 | 5.6 | 5 | 3 | 4 | 5 | 7 | 8 | 9 | 13 |
| 35-49 | 9210 | 6.2 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 14 |
| 50-64 | 8253 | 6.7 | 7 | 3 | 4 | 6 | 8 | 10 | 11 | 15 |
| 65+ | 8604 | 7.2 | 11 | 4 | 4 | 7 | 8 | 10 | 13 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 3.7 | 6 | <1 | 1 | 4 | 5 | 8 | 8 | 9 |
| B. *Operated* | 7839 | 5.8 | 5 | 3 | 3 | 6 | 7 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 585 | 3.2 | 11 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| B. *Operated* | 30358 | 6.6 | 8 | 3 | 4 | 6 | 8 | 9 | 11 | 16 |
| **1. SINGLE DX** | 7897 | 5.8 | 5 | 3 | 3 | 6 | 7 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 30943 | 6.5 | 8 | 3 | 4 | 6 | 8 | 9 | 11 | 16 |
| **A. NOT OPERATED** | 643 | 3.2 | 10 | <1 | <1 | 2 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 38197 | 6.4 | 7 | 3 | 4 | 6 | 7 | 9 | 11 | 15 |
| TOTAL 0-19 YRS | 46 | 5.1 | 8 | 1 | 1 | 5 | 7 | 9 | 13 | 99+ |
| 20-34 | 5166 | 5.5 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 11090 | 6.1 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 14 |
| 50-64 | 11224 | 6.5 | 7 | 3 | 4 | 6 | 8 | 9 | 11 | 15 |
| 65+ | 11314 | 6.9 | 10 | 3 | 4 | 7 | 8 | 10 | 12 | 18 |
| **GRAND TOTAL** | **38840** | **6.4** | **7** | **3** | **4** | **6** | **7** | **9** | **11** | **15** |

### 249: Metrorrhagia (626.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 18 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 35-49 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 20-34 | 176 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 215 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.9 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 4 |
| 20-34 | 31 | 3.3 | 8 | <1 | <1 | 2 | 4 | 7 | 11 | 11 |
| 35-49 | 26 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.2 | 3 | <1 | 1 | 1 | 3 | 4 | 6 | 6 |
| 20-34 | 335 | 3.9 | 10 | <1 | <1 | 4 | 6 | 7 | 8 | 15 |
| 35-49 | 536 | 3.8 | 8 | <1 | <1 | 3 | 6 | 7 | 9 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 1.6 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 4 |
| B. *Operated* | 403 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| B. *Operated* | 885 | 3.8 | 9 | <1 | <1 | 3 | 6 | 7 | 8 | 13 |
| **1. SINGLE DX** | 427 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| **2. MULTIPLE DX** | 952 | 3.7 | 8 | <1 | <1 | 3 | 6 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 91 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **B. OPERATED** | 1288 | 3.2 | 7 | <1 | <1 | 2 | 5 | 7 | 8 | 12 |
| TOTAL 0-19 YRS | 39 | 1.9 | 2 | <1 | 1 | 1 | 2 | 4 | 4 | 6 |
| 20-34 | 560 | 3.1 | 8 | <1 | <1 | 2 | 5 | 6 | 7 | 12 |
| 35-49 | 780 | 3.2 | 7 | <1 | <1 | 2 | 5 | 7 | 8 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1379** | **3.1** | **7** | **<1** | **<1** | **2** | **5** | **7** | **8** | **11** |

### 250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 223 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 518 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 35-49 | 217 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 345 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 20-34 | 3784 | 2.1 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 7 |
| 35-49 | 4696 | 2.1 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 342 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 795 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 633 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 476 | 2.8 | 6 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 20-34 | 9151 | 4.1 | 8 | <1 | 1 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 16411 | 4.4 | 8 | <1 | 1 | 5 | 6 | 7 | 8 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 958 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| B. *Operated* | 8825 | 2.1 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1770 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 26038 | 4.3 | 8 | <1 | 1 | 4 | 6 | 7 | 8 | 12 |
| **1. SINGLE DX** | 9783 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 27808 | 4.2 | 8 | <1 | 1 | 4 | 6 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 2728 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 34863 | 3.7 | 7 | <1 | <1 | 3 | 6 | 7 | 8 | 11 |
| TOTAL 0-19 YRS | 1386 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 14248 | 3.4 | 7 | <1 | <1 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 21957 | 3.9 | 8 | <1 | <1 | 4 | 6 | 7 | 8 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **37591** | **3.6** | **7** | **<1** | **<1** | **3** | **5** | **7** | **8** | **11** |

## 251: Menopausal and postmenopausal disorders (627)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 10 | 4.8 | 92 | <1 | <1 | 2 | 3 | 18 | 32 | 32 |
| 50-64 | 18 | 1.9 | 5 | <1 | <1 | 1 | 2 | 4 | 8 | 10 |
| 65+ | 19 | 2.0 | 2 | <1 | <1 | 1 | 2 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 28 | 2.4 | 3 | <1 | <1 | 1 | 4 | 5 | 5 | 6 |
| 35-49 | 439 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 6 |
| 50-64 | 1566 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 65+ | 545 | 1.7 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 2.7 | 10 | 1 | 1 | 2 | 2 | 8 | 9 | 9 |
| 35-49 | 69 | 3.3 | 5 | <1 | <1 | 3 | 4 | 7 | 8 | 10 |
| 50-64 | 118 | 2.7 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 9 |
| 65+ | 146 | 3.7 | 10 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 83 | 4.5 | 4 | 1 | 1 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 786 | 3.4 | 6 | <1 | <1 | 2 | 5 | 7 | 8 | 11 |
| 50-64 | 2880 | 3.0 | 7 | <1 | <1 | 2 | 4 | 7 | 8 | 12 |
| 65+ | 1873 | 3.5 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 2.5 | 20 | <1 | <1 | 1 | 2 | 4 | 5 | 32 |
| B. *Operated* | 2580 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 339 | 3.2 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 13 |
| B. *Operated* | 5625 | 3.2 | 10 | <1 | <1 | 2 | 5 | 7 | 9 | 14 |
| **1. SINGLE DX** | 2631 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 4 | 7 |
| **2. MULTIPLE DX** | 5964 | 3.2 | 10 | <1 | <1 | 2 | 5 | 7 | 9 | 14 |
| **A. NOT OPERATED** | 390 | 3.1 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| **B. OPERATED** | 8205 | 2.7 | 8 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| TOTAL 0-19 YRS | 5 | 2.4 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 121 | 3.9 | 5 | <1 | <1 | 4 | 5 | 6 | 8 | 10 |
| 35-49 | 1304 | 2.8 | 6 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| 50-64 | 4582 | 2.5 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 11 |
| 65+ | 2583 | 3.1 | 12 | <1 | 1 | 2 | 3 | 7 | 9 | 16 |
| **GRAND TOTAL** | **8595** | **2.8** | **8** | **<1** | **<1** | **2** | **3** | **6** | **8** | **12** |

## 252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 2.3 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 266 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 100 | 2.8 | 5 | <1 | 1 | 2 | 3 | 7 | 8 | 9 |
| 50-64 | 24 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 10 | 15 |
| 65+ | 13 | 2.7 | 9 | <1 | <1 | 2 | 3 | 6 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 314 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 6 | 11 |
| 20-34 | 3344 | 2.8 | 4 | <1 | <1 | 2 | 4 | 6 | 6 | 9 |
| 35-49 | 2216 | 3.0 | 6 | <1 | <1 | 2 | 5 | 6 | 7 | 10 |
| 50-64 | 1104 | 3.0 | 7 | <1 | <1 | 2 | 5 | 6 | 8 | 11 |
| 65+ | 374 | 3.3 | 11 | <1 | <1 | 2 | 5 | 7 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 135 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 442 | 2.8 | 6 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| 35-49 | 227 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 13 |
| 50-64 | 141 | 4.0 | 13 | 1 | 1 | 3 | 5 | 9 | 10 | 21 |
| 65+ | 255 | 5.6 | 25 | 1 | 1 | 4 | 7 | 11 | 14 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 451 | 3.9 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 5830 | 4.2 | 8 | <1 | 1 | 4 | 6 | 7 | 8 | 12 |
| 35-49 | 8034 | 4.7 | 11 | <1 | 1 | 5 | 6 | 8 | 9 | 15 |
| 50-64 | 4373 | 5.0 | 20 | <1 | 1 | 5 | 7 | 9 | 11 | 19 |
| 65+ | 2248 | 6.6 | 53 | 1 | 1 | 5 | 8 | 14 | 19 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 521 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 7352 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1200 | 3.5 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| B. *Operated* | 20936 | 4.8 | 17 | <1 | 1 | 5 | 6 | 8 | 10 | 19 |
| **1. SINGLE DX** | 7873 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 22136 | 4.8 | 17 | <1 | 1 | 5 | 6 | 8 | 10 | 19 |
| **A. NOT OPERATED** | 1721 | 3.2 | 10 | <1 | 1 | 2 | 4 | 7 | 8 | 15 |
| **B. OPERATED** | 28288 | 4.3 | 15 | <1 | 1 | 4 | 6 | 8 | 9 | 18 |
| TOTAL 0-19 YRS | 1018 | 3.2 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 9882 | 3.6 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 10577 | 4.3 | 11 | <1 | <1 | 4 | 6 | 7 | 9 | 14 |
| 50-64 | 5642 | 4.6 | 18 | <1 | 1 | 4 | 6 | 8 | 10 | 18 |
| 65+ | 2890 | 6.1 | 46 | <1 | 1 | 4 | 8 | 13 | 18 | 34 |
| **GRAND TOTAL** | **30009** | **4.3** | **14** | **<1** | **1** | **4** | **6** | **8** | **9** | **17** |

### 253: Signs and symptoms referable to female genital organs (625; 628)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 589 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 792 | 2.1 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 148 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 24 | 3.3 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 65+ | 10 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 266 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 2573 | 3.1 | 5 | <1 | <1 | 2 | 5 | 6 | 7 | 9 |
| 35-49 | 2019 | 4.9 | 6 | <1 | 1 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | 1322 | 5.9 | 5 | 2 | 3 | 6 | 7 | 9 | 10 | 13 |
| 65+ | 608 | 6.3 | 6 | 3 | 3 | 6 | 8 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 460 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1222 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 390 | 3.0 | 11 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| 50-64 | 107 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| 65+ | 93 | 4.1 | 11 | <1 | 1 | 3 | 6 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 328 | 3.3 | 7 | <1 | 1 | 2 | 5 | 6 | 8 | 14 |
| 20-34 | 8833 | 4.4 | 6 | <1 | 1 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 6425 | 5.7 | 7 | 1 | 3 | 6 | 7 | 8 | 10 | 14 |
| 50-64 | 2423 | 6.9 | 12 | 3 | 4 | 6 | 8 | 10 | 12 | 19 |
| 65+ | 1528 | 7.4 | 12 | 3 | 4 | 7 | 9 | 11 | 14 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1563 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| B. *Operated* | 6788 | 4.4 | 7 | <1 | 1 | 4 | 6 | 8 | 9 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2272 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 19537 | 5.3 | 8 | 1 | 2 | 5 | 7 | 8 | 10 | 15 |
| **1. SINGLE DX** | 8351 | 4.0 | 7 | <1 | 1 | 4 | 6 | 8 | 9 | 11 |
| **2. MULTIPLE DX** | 21809 | 5.1 | 9 | 1 | 1 | 5 | 6 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 3835 | 2.3 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| **B. OPERATED** | 26325 | 5.1 | 8 | 1 | 1 | 5 | 7 | 8 | 10 | 14 |
| TOTAL 0-19 YRS | 1643 | 2.3 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 13420 | 3.8 | 6 | <1 | 1 | 4 | 5 | 7 | 8 | 10 |
| 35-49 | 8982 | 5.3 | 7 | 1 | 2 | 5 | 7 | 8 | 9 | 13 |
| 50-64 | 3876 | 6.4 | 10 | 2 | 3 | 6 | 8 | 10 | 11 | 17 |
| 65+ | 2239 | 6.9 | 11 | 2 | 3 | 7 | 8 | 11 | 13 | 18 |
| **GRAND TOTAL** | **30160** | **4.8** | **9** | **<1** | **1** | **5** | **6** | **8** | **9** | **14** |

### 254: Ectopic pregnancy (633)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 20-34 | 155 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 35-49 | 20 | 2.2 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 504 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 6 | 8 |
| 20-34 | 6741 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 826 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 20-34 | 106 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 35-49 | 5 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 454 | 4.7 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 7462 | 4.6 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 1248 | 5.0 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 202 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| B. *Operated* | 8071 | 4.3 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 130 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| B. *Operated* | 9164 | 4.7 | 3 | 3 | 3 | 4 | 5 | 7 | 8 | 11 |
| **1. SINGLE DX** | 8273 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 9294 | 4.7 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| **A. NOT OPERATED** | 332 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 17235 | 4.5 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 10 |
| TOTAL 0-19 YRS | 1004 | 4.3 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 14464 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 2099 | 4.7 | 4 | 2 | 3 | 4 | 6 | 7 | 8 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **17567** | **4.4** | **3** | **2** | **3** | **4** | **5** | **6** | **7** | **10** |

## 255: Legally induced abortion (635)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 4 | 11 |
| 20-34 | 189 | 1.5 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 42 | 2.0 | 21 | <1 | 1 | 1 | 2 | 2 | 3 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2535 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 7287 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 35-49 | 954 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 86 | 1.6 | 1 | <1 | <1 | <1 | 2 | 3 | 5 | 6 |
| 20-34 | 266 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| 35-49 | 76 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1011 | 1.4 | 2 | <1 | <1 | <1 | 1 | 2 | 3 | 7 |
| 20-34 | 3600 | 1.8 | 5 | <1 | <1 | <1 | 2 | 4 | 5 | 10 |
| 35-49 | 859 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 324 | 1.6 | 4 | <1 | 1 | 1 | 2 | 2 | 3 | 8 |
| B. *Operated* | 10776 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 428 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| B. *Operated* | 5470 | 1.8 | 5 | <1 | <1 | <1 | 2 | 3 | 5 | 10 |
| **1. SINGLE DX** | 11100 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | 5898 | 1.8 | 5 | <1 | <1 | <1 | 2 | 3 | 5 | 10 |
| **A. NOT OPERATED** | 752 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| **B. OPERATED** | 16246 | 1.4 | 2 | <1 | <1 | <1 | 1 | 2 | 3 | 7 |
| TOTAL 0-19 YRS | 3725 | 1.4 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 5 |
| 20-34 | 11342 | 1.4 | 2 | <1 | <1 | <1 | 1 | 2 | 3 | 7 |
| 35-49 | 1931 | 1.6 | 4 | <1 | <1 | <1 | 2 | 3 | 4 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **16998** | **1.4** | **2** | **<1** | **<1** | **<1** | **1** | **2** | **3** | **7** |

## 256: Other induced abortion (636)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 6 | 1.8 | 2 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 10 | 2.4 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| **1. SINGLE DX** | 12 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| **2. MULTIPLE DX** | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| **A. NOT OPERATED** | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| **B. OPERATED** | 13 | 2.5 | 3 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| TOTAL 0-19 YRS | 6 | 2.7 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 8 | 1.9 | 2 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **15** | **2.4** | **2** | **<1** | **1** | **2** | **4** | **5** | **5** | **5** |

## 257: Spontaneous and unspecified abortion (634; 637)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 670 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 2407 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 35-49 | 249 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4804 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 26831 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| 35-49 | 4181 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 181 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 670 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 80 | 2.2 | 4 | <1 | 1 | 1 | 2 | 5 | 6 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 854 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 5090 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 35-49 | 1160 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3326 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| B. *Operated* | 35816 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 931 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| B. *Operated* | 7104 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| **1. SINGLE DX** | 39142 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| **2. MULTIPLE DX** | 8035 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| **A. NOT OPERATED** | 4257 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **B. OPERATED** | 42920 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| TOTAL 0-19 YRS | 6509 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 20-34 | 34998 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 35-49 | 5670 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **47177** | **1.4** | **1** | **<1** | **<1** | **1** | **1** | **2** | **3** | **6** |

## 258: Other pregnancy with abortive outcome (630-632; 638-639)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 240 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 20-34 | 935 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 134 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 580 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 5188 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 35-49 | 817 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 387 | 3.0 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 35-49 | 53 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 247 | 2.8 | 8 | <1 | 1 | 2 | 3 | 6 | 7 | 17 |
| 20-34 | 1763 | 2.6 | 9 | <1 | 1 | 2 | 3 | 6 | 7 | 13 |
| 35-49 | 365 | 2.6 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1309 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 6585 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 556 | 3.0 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 2375 | 2.6 | 8 | <1 | 1 | 2 | 3 | 6 | 7 | 13 |
| **1. SINGLE DX** | 7894 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 2931 | 2.7 | 8 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| **A. NOT OPERATED** | 1865 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **B. OPERATED** | 8960 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| TOTAL 0-19 YRS | 1183 | 2.3 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 8273 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 35-49 | 1369 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **10825** | **1.9** | **3** | **<1** | **<1** | **1** | **2** | **4** | **5** | **9** |

## 259: Threatened abortion (640.00; 640.03)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 669 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 3888 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 4 | 7 |
| 35-49 | 312 | 2.0 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| 20-34 | 99 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 35-49 | 11 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 176 | 2.7 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 1103 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 97 | 2.9 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 57 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 3.0 | 4 | 1 | 1 | 3 | 5 | [illegible] | 6 | 8 |
| 20-34 | 112 | 3.4 | 28 | 1 | 1 | 2 | 4 | 7 | 9 | 33 |
| 35-49 | 10 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4869 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| B. *Operated* | 125 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1376 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 145 | 3.4 | 22 | 1 | 1 | 2 | 4 | 6 | 8 | 24 |
| **1. SINGLE DX** | 4994 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 1521 | 2.8 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| **A. NOT OPERATED** | 6245 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 270 | 2.6 | 13 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| TOTAL 0-19 YRS | 883 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 5202 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 430 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **6515** | **2.2** | **3** | **<1** | **1** | **2** | **3** | **4** | **5** | **8** |

## 260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 249 | 1.9 | 2 | <1 | <1 | 2 | 2 | 4 | 4 | 7 |
| 35-49 | 11 | 2.8 | 7 | <1 | <1 | 1 | 4 | 7 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 16 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 106 | 3.1 | 13 | 1 | 1 | 2 | 3 | 5 | 6 | 23 |
| 35-49 | 9 | 2.0 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 7 | 4.0 | 8 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 315 | 1.9 | 2 | <1 | 1 | 1 | 2 | 4 | 4 | 8 |
| B. *Operated* | 19 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 142 | 2.8 | 10 | 1 | 1 | 2 | 3 | 5 | 6 | 21 |
| B. *Operated* | 10 | 3.4 | 6 | 1 | 1 | 3 | 6 | 7 | 8 | 8 |
| **1. SINGLE DX** | 334 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | 152 | 2.8 | 10 | 1 | 1 | 2 | 3 | 5 | 6 | 21 |
| **A. NOT OPERATED** | 457 | 2.2 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **B. OPERATED** | 29 | 2.5 | 4 | <1 | <1 | 2 | 4 | 5 | 6 | 8 |
| TOTAL 0-19 YRS | 86 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 378 | 2.3 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 35-49 | 22 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **486** | **2.2** | **5** | **<1** | **1** | **2** | **3** | **4** | **5** | **9** |

## 261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 930 | 3.0 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 20-34 | 4613 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 411 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 20-34 | 446 | 3.3 | 6 | <1 | <1 | 3 | 4 | 6 | 9 | 12 |
| 35-49 | 54 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 288 | 3.4 | 10 | <1 | 1 | 3 | 4 | 6 | 9 | 21 |
| 20-34 | 1630 | 3.4 | 11 | <1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 35-49 | 231 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 3.3 | 7 | <1 | <1 | 2 | 4 | 7 | 10 | 13 |
| 20-34 | 455 | 3.0 | 11 | <1 | <1 | 2 | 4 | 7 | 9 | 19 |
| 35-49 | 59 | 4.3 | 18 | <1 | <1 | 3 | 6 | 12 | 15 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5954 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 596 | 3.2 | 6 | <1 | <1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2149 | 3.5 | 10 | <1 | 1 | 3 | 4 | 6 | 9 | 16 |
| B. *Operated* | 582 | 3.2 | 11 | <1 | <1 | 2 | 4 | 7 | 10 | 16 |
| **1. SINGLE DX** | 6550 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | 2731 | 3.4 | 11 | <1 | 1 | 3 | 4 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 8103 | 3.1 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| **B. OPERATED** | 1178 | 3.2 | 9 | <1 | <1 | 2 | 4 | 6 | 9 | 15 |
| TOTAL 0-19 YRS | 1382 | 3.1 | 7 | <1 | 1 | 2 | 4 | 5 | 8 | 14 |
| 20-34 | 7144 | 3.0 | 7 | <1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 35-49 | 755 | 3.6 | 7 | <1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **9281** | **3.1** | **7** | **<1** | **1** | **2** | **4** | **6** | **7** | **13** |

## 262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1235 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 20-34 | 7201 | 3.7 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 290 | 4.3 | 8 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 6.4 | 119 | <1 | <1 | 2 | 6 | 18 | 37 | 40 |
| 20-34 | 35 | 6.7 | 50 | <1 | <1 | 3 | 10 | 21 | 23 | 25 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 674 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 3459 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 178 | 4.4 | 9 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 4.0 | 4 | 1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 20-34 | 153 | 7.4 | 93 | 1 | 1 | 4 | 8 | 17 | 23 | 45 |
| 35-49 | 3 | 15.7 | 482 | 2 | 2 | 4 | 32 | 41 | 41 | 41 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8726 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 48 | 6.6 | 64 | <1 | <1 | 3 | 9 | 19 | 23 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4311 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 180 | 7.1 | 88 | 1 | 1 | 4 | 8 | 16 | 22 | 44 |
| **1. SINGLE DX** | 8774 | 3.6 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 4491 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **A. NOT OPERATED** | 13037 | 3.7 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 228 | 7.0 | 83 | <1 | 1 | 4 | 8 | 16 | 23 | 43 |
| TOTAL 0-19 YRS | 1945 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 10848 | 3.8 | 9 | 1 | 2 | 3 | 4 | 7 | 8 | 14 |
| 35-49 | 472 | 4.4 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **13265** | **3.7** | **8** | **1** | **1** | **3** | **4** | **6** | **8** | **14** |

### 263: False labor (644.10; 644.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3971 | 1.1 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 20-34 | 16831 | 1.1 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 35-49 | 955 | 1.1 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 517 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 20-34 | 2011 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 35-49 | 127 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 471 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 20-34 | 2026 | 1.5 | 3 | <1 | <1 | 1 | 1 | 3 | 4 | 8 |
| 35-49 | 134 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 3 | 10 |
| 20-34 | 387 | 1.9 | 9 | <1 | <1 | 1 | 2 | 4 | 5 | 14 |
| 35-49 | 23 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21757 | 1.1 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| B. *Operated* | 2655 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2631 | 1.6 | 3 | <1 | <1 | 1 | 1 | 3 | 4 | 8 |
| B. *Operated* | 487 | 1.9 | 8 | <1 | <1 | 1 | 2 | 3 | 5 | 12 |
| **1. SINGLE DX** | 24412 | 1.1 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| **2. MULTIPLE DX** | 3118 | 1.6 | 4 | <1 | <1 | 1 | 1 | 3 | 4 | 9 |
| **A. NOT OPERATED** | 24388 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| **B. OPERATED** | 3142 | 1.3 | 2 | <1 | <1 | <1 | 1 | 2 | 3 | 7 |
| TOTAL 0-19 YRS | 5036 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 20-34 | 21255 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 35-49 | 1239 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **27530** | **1.2** | **1** | **<1** | **<1** | **<1** | **1** | **1** | **2** | **5** |

### 264: Placenta previa without delivery (641.03-641.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 2.7 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 20-34 | 1773 | 3.0 | 12 | <1 | 1 | 2 | 4 | 5 | 8 | 17 |
| 35-49 | 200 | 3.6 | 20 | <1 | 1 | 2 | 4 | 6 | 13 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 3.1 | 18 | <1 | 1 | 2 | 3 | 4 | 14 | 18 |
| 20-34 | 166 | 4.4 | 35 | <1 | 1 | 3 | 5 | 10 | 13 | 36 |
| 35-49 | 18 | 5.4 | 31 | 1 | 1 | 3 | 8 | 14 | 19 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 4.1 | 33 | 1 | 1 | 3 | 5 | 7 | 8 | 40 |
| 20-34 | 628 | 4.7 | 54 | <1 | 1 | 3 | 5 | 9 | 14 | 39 |
| 35-49 | 74 | 4.6 | 23 | <1 | 1 | 3 | 6 | 11 | 15 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.7 | 53 | 1 | 1 | 4 | 4 | 18 | 22 | 22 |
| 20-34 | 95 | 4.1 | 13 | 1 | 1 | 3 | 6 | 8 | 11 | 21 |
| 35-49 | 18 | 7.6 | 83 | <1 | 1 | 4 | 7 | 20 | 29 | 35 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2132 | 3.1 | 13 | <1 | 1 | 2 | 4 | 5 | 8 | 17 |
| B. *Operated* | 199 | 4.4 | 34 | <1 | 1 | 3 | 5 | 10 | 14 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 762 | 4.6 | 49 | <1 | 1 | 3 | 5 | 9 | 14 | 37 |
| B. *Operated* | 120 | 4.7 | 27 | 1 | 1 | 3 | 5 | 9 | 14 | 29 |
| **1. SINGLE DX** | 2331 | 3.2 | 15 | <1 | 1 | 2 | 4 | 6 | 9 | 19 |
| **2. MULTIPLE DX** | 882 | 4.6 | 46 | <1 | 1 | 3 | 5 | 9 | 14 | 34 |
| **A. NOT OPERATED** | 2894 | 3.5 | 23 | <1 | 1 | 2 | 4 | 6 | 10 | 22 |
| **B. OPERATED** | 319 | 4.5 | 31 | <1 | 1 | 3 | 5 | 9 | 14 | 35 |
| TOTAL 0-19 YRS | 241 | 3.2 | 17 | <1 | 1 | 2 | 3 | 5 | 8 | 23 |
| 20-34 | 2662 | 3.6 | 24 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| 35-49 | 310 | 4.2 | 26 | <1 | 1 | 2 | 4 | 9 | 15 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3213** | **3.6** | **24** | **<1** | **1** | **2** | **4** | **7** | **11** | **23** |

### 265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 474 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 20-34 | 2218 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 35-49 | 210 | 2.3 | 13 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 208 | 2.0 | 7 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 35-49 | 25 | 1.6 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 185 | 2.6 | 11 | <1 | <1 | 1 | 3 | 5 | 8 | 20 |
| 20-34 | 869 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 84 | 3.0 | 18 | <1 | 1 | 2 | 3 | 6 | 9 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 2.7 | 3 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 20-34 | 140 | 3.7 | 26 | <1 | <1 | 2 | 4 | 7 | 12 | 30 |
| 35-49 | 11 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2902 | 2.0 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| B. *Operated* | 278 | 1.9 | 5 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1138 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| B. *Operated* | 167 | 3.5 | 23 | <1 | <1 | 2 | 4 | 7 | 10 | 29 |
| **1. SINGLE DX** | 3180 | 2.0 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| **2. MULTIPLE DX** | 1305 | 2.7 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 17 |
| **A. NOT OPERATED** | 4040 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| **B. OPERATED** | 445 | 2.5 | 12 | <1 | <1 | 1 | 3 | 5 | 7 | 22 |
| TOTAL 0-19 YRS | 720 | 1.9 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 12 |
| 20-34 | 3435 | 2.2 | 5 | <1 | <1 | 1 | 3 | 4 | 6 | 11 |
| 35-49 | 330 | 2.4 | 13 | <1 | <1 | 1 | 3 | 4 | 7 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **4485** | **2.2** | **6** | **<1** | **<1** | **1** | **2** | **4** | **6** | **12** |

### 266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1089 | 2.9 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 2506 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 67 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 2.7 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 8 |
| 20-34 | 145 | 3.1 | 7 | <1 | <1 | 2 | 4 | 6 | 7 | 12 |
| 35-49 | 9 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1550 | 3.4 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 3307 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 126 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 4.2 | 10 | 1 | 1 | 4 | 5 | 8 | 11 | 14 |
| 20-34 | 238 | 4.0 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 35-49 | 12 | 4.8 | 13 | 1 | 1 | 4 | 7 | 10 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3662 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 197 | 3.0 | 6 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4983 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 318 | 4.1 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 14 |
| **1. SINGLE DX** | 3859 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 5301 | 3.5 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **A. NOT OPERATED** | 8645 | 3.2 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **B. OPERATED** | 515 | 3.7 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| TOTAL 0-19 YRS | 2750 | 3.2 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 6196 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 214 | 3.4 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **9160** | **3.2** | **6** | **<1** | **1** | **3** | **4** | **6** | **7** | **10** |

### 267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 320 | 3.2 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 20-34 | 2193 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 35-49 | 368 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 4.7 | 23 | <1 | <1 | 3 | 5 | 11 | 17 | 20 |
| 20-34 | 145 | 3.4 | 8 | <1 | <1 | 3 | 5 | 6 | 9 | 15 |
| 35-49 | 22 | 4.6 | 11 | 1 | 1 | 3 | 6 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1402 | 3.3 | 15 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| 20-34 | 7468 | 3.6 | 14 | <1 | 1 | 3 | 4 | 7 | 9 | 20 |
| 35-49 | 793 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 170 | 4.0 | 45 | <1 | <1 | 3 | 5 | 8 | 9 | 13 |
| 20-34 | 924 | 4.9 | 30 | <1 | 1 | 4 | 6 | 10 | 16 | 27 |
| 35-49 | 93 | 5.4 | 15 | <1 | 1 | 5 | 7 | 11 | 13 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2881 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| B. *Operated* | 186 | 3.7 | 10 | <1 | <1 | 3 | 5 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9663 | 3.6 | 14 | <1 | 1 | 3 | 4 | 7 | 9 | 19 |
| B. *Operated* | 1187 | 4.8 | 31 | <1 | 1 | 3 | 6 | 10 | 14 | 25 |
| **1. SINGLE DX** | 3067 | 3.5 | 8 | <1 | 1 | 3 | 4 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 10850 | 3.7 | 16 | <1 | 1 | 3 | 5 | 7 | 10 | 20 |
| **A. NOT OPERATED** | 12544 | 3.6 | 13 | <1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **B. OPERATED** | 1373 | 4.7 | 28 | <1 | 1 | 3 | 6 | 9 | 13 | 22 |
| TOTAL 0-19 YRS | 1911 | 3.4 | 17 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| 20-34 | 10730 | 3.7 | 14 | <1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 35-49 | 1276 | 4.3 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **13917** | **3.7** | **14** | **<1** | **1** | **3** | **4** | **7** | **9** | **19** |

### 268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3588 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 5 | 13 |
| 20-34 | 15429 | 2.2 | 8 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| 35-49 | 1003 | 2.4 | 9 | <1 | <1 | 1 | 3 | 5 | 8 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 904 | 2.2 | 8 | <1 | <1 | 1 | 3 | 4 | 6 | 13 |
| 20-34 | 6000 | 2.3 | 8 | <1 | <1 | 1 | 3 | 4 | 6 | 13 |
| 35-49 | 513 | 2.2 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1838 | 2.8 | 13 | <1 | <1 | 2 | 3 | 5 | 8 | 16 |
| 20-34 | 8425 | 3.1 | 19 | <1 | <1 | 2 | 3 | 6 | 9 | 22 |
| 35-49 | 632 | 3.6 | 19 | <1 | <1 | 2 | 4 | 7 | 11 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 593 | 3.4 | 23 | <1 | <1 | 2 | 4 | 7 | 10 | 26 |
| 20-34 | 3530 | 3.1 | 18 | <1 | <1 | 2 | 4 | 6 | 9 | 21 |
| 35-49 | 337 | 3.2 | 17 | <1 | <1 | 2 | 3 | 6 | 11 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20020 | 2.2 | 8 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| B. *Operated* | 7417 | 2.3 | 8 | <1 | <1 | 1 | 3 | 4 | 6 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10895 | 3.1 | 18 | <1 | <1 | 2 | 3 | 6 | 9 | 22 |
| B. *Operated* | 4460 | 3.1 | 19 | <1 | <1 | 2 | 4 | 6 | 9 | 21 |
| **1. SINGLE DX** | 27437 | 2.2 | 8 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| **2. MULTIPLE DX** | 15355 | 3.1 | 18 | <1 | <1 | 2 | 4 | 6 | 9 | 22 |
| **A. NOT OPERATED** | 30915 | 2.5 | 12 | <1 | <1 | 1 | 3 | 5 | 7 | 16 |
| **B. OPERATED** | 11877 | 2.6 | 12 | <1 | <1 | 1 | 3 | 5 | 7 | 18 |
| TOTAL 0-19 YRS | 6923 | 2.4 | 10 | <1 | <1 | 1 | 3 | 5 | 7 | 15 |
| 20-34 | 33384 | 2.5 | 12 | <1 | <1 | 1 | 3 | 5 | 7 | 16 |
| 35-49 | 2485 | 2.8 | 12 | <1 | <1 | 2 | 3 | 6 | 8 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **42792** | **2.5** | **12** | **<1** | **<1** | **1** | **3** | **5** | **7** | **16** |

## 269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 357 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 7 |
| 20-34 | 2188 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 218 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 167 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 1364 | 3.7 | 6 | 1 | 2 | 3 | 4 | 6 | 6 | 12 |
| 35-49 | 124 | 3.5 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 597 | 2.9 | 4 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |
| 20-34 | 3345 | 2.9 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| 35-49 | 310 | 3.1 | 12 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 790 | 4.3 | 17 | 2 | 2 | 3 | 5 | 7 | 10 | 28 |
| 20-34 | 7604 | 4.6 | 22 | 2 | 2 | 4 | 5 | 7 | 9 | 25 |
| 35-49 | 995 | 5.0 | 23 | 2 | 2 | 4 | 5 | 8 | 11 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2763 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 7 |
| B. *Operated* | 1655 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4252 | 2.9 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| B. *Operated* | 9389 | 4.6 | 22 | 2 | 2 | 4 | 5 | 7 | 9 | 25 |
| **1. SINGLE DX** | 4418 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | 13641 | 4.1 | 17 | 1 | 2 | 3 | 4 | 6 | 8 | 21 |
| **A. NOT OPERATED** | 7015 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 11044 | 4.4 | 19 | 2 | 2 | 4 | 5 | 7 | 9 | 24 |
| TOTAL 0-19 YRS | 1911 | 3.5 | 9 | 1 | 2 | 3 | 4 | 5 | 7 | 19 |
| 20-34 | 14501 | 3.8 | 14 | 1 | 2 | 3 | 4 | 6 | 7 | 17 |
| 35-49 | 1647 | 4.3 | 18 | 1 | 2 | 3 | 5 | 7 | 9 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **18059** | **3.8** | **14** | **1** | **2** | **3** | **4** | **6** | **7** | **19** |

## 270: Normal delivery (650)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23374 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 145297 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 8657 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6016 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 37203 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 2188 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 908 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 4566 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 353 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 524 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 19629 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 2559 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 177328 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | 45407 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5827 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| B. *Operated* | 22712 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **1. SINGLE DX** | 222735 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 28539 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| **A. NOT OPERATED** | 183155 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **B. OPERATED** | 68119 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| TOTAL 0-19 YRS | 30822 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 206695 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 13757 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **251274** | **2.5** | **1** | **1** | **1** | **3** | **3** | **4** | **4** | **5** |

### 271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 2.6 | 3 | <1 | 1 | 2 | 3 | 6 | 7 | 7 |
| 20-34 | 100 | 2.8 | 4 | 1 | 1 | 3 | 3 | 4 | 5 | 14 |
| 35-49 | 7 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 6.7 | 105 | 3 | 3 | 4 | 5 | 8 | 22 | 61 |
| 20-34 | 604 | 7.6 | 79 | 3 | 3 | 5 | 6 | 13 | 26 | 50 |
| 35-49 | 70 | 6.3 | 18 | 3 | 4 | 5 | 6 | 8 | 15 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 110 | 4.7 | 72 | 1 | 1 | 3 | 4 | 7 | 13 | 52 |
| 35-49 | 10 | 4.8 | 16 | 1 | 1 | 4 | 6 | 11 | 15 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 7.7 | 123 | 1 | 2 | 4 | 7 | 11 | 40 | 59 |
| 20-34 | 1738 | 8.4 | 110 | 3 | 3 | 5 | 7 | 16 | 29 | 60 |
| 35-49 | 370 | 9.5 | 127 | 3 | 3 | 6 | 8 | 22 | 33 | 61 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 123 | 2.7 | 4 | 1 | 1 | 3 | 3 | 4 | 5 | 12 |
| B. *Operated* | 709 | 7.4 | 75 | 3 | 3 | 5 | 6 | 12 | 25 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 132 | 4.6 | 61 | 1 | 1 | 3 | 4 | 7 | 13 | 43 |
| B. *Operated* | 2198 | 8.6 | 113 | 3 | 3 | 5 | 7 | 17 | 30 | 60 |
| **1. SINGLE DX** | 832 | 6.7 | 67 | 2 | 2 | 5 | 6 | 10 | 23 | 47 |
| **2. MULTIPLE DX** | 2330 | 8.3 | 111 | 2 | 3 | 5 | 7 | 16 | 30 | 60 |
| **A. NOT OPERATED** | 255 | 3.7 | 34 | 1 | 1 | 3 | 3 | 6 | 8 | 32 |
| **B. OPERATED** | 2907 | 8.3 | 104 | 3 | 3 | 5 | 7 | 16 | 29 | 58 |
| TOTAL 0-19 YRS | 153 | 6.6 | 100 | 1 | 2 | 4 | 6 | 9 | 26 | 61 |
| 20-34 | 2552 | 7.8 | 98 | 2 | 3 | 5 | 7 | 15 | 27 | 56 |
| 35-49 | 457 | 8.8 | 108 | 3 | 3 | 5 | 8 | 19 | 30 | 59 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3162** | **7.9** | **100** | **2** | **3** | **5** | **7** | **15** | **27** | **57** |

### 272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 694 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 35-49 | 61 | 2.6 | 2 | <1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 3.6 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 8 |
| 20-34 | 781 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 54 | 3.7 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 137 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 |
| 20-34 | 684 | 2.9 | 4 | 1 | 1 | 3 | 3 | 4 | 6 | 13 |
| 35-49 | 78 | 3.0 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 399 | 4.4 | 11 | 1 | 2 | 4 | 5 | 7 | 8 | 20 |
| 20-34 | 3023 | 4.6 | 15 | 1 | 2 | 4 | 5 | 7 | 9 | 19 |
| 35-49 | 295 | 5.3 | 42 | 2 | 2 | 5 | 6 | 7 | 8 | 41 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 834 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| B. *Operated* | 948 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 899 | 2.9 | 4 | 1 | 1 | 3 | 3 | 4 | 6 | 13 |
| B. *Operated* | 3717 | 4.7 | 17 | 1 | 2 | 4 | 5 | 7 | 9 | 20 |
| **1. SINGLE DX** | 1782 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 4616 | 4.3 | 15 | 1 | 2 | 4 | 5 | 7 | 8 | 18 |
| **A. NOT OPERATED** | 1733 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **B. OPERATED** | 4665 | 4.5 | 14 | 1 | 2 | 4 | 5 | 7 | 8 | 18 |
| TOTAL 0-19 YRS | 728 | 3.7 | 8 | 1 | 1 | 3 | 5 | 6 | 7 | 13 |
| 20-34 | 5182 | 4.0 | 11 | 1 | 2 | 3 | 5 | 6 | 8 | 17 |
| 35-49 | 488 | 4.4 | 28 | 1 | 2 | 4 | 5 | 6 | 8 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **6398** | **4.0** | **12** | **1** | **2** | **3** | **5** | **6** | **8** | **17** |

### 273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 164 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 12 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 228 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 1826 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 132 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 72 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 9 | 2.6 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 163 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 1585 | 3.0 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 8 |
| 35-49 | 163 | 3.5 | 15 | 1 | 2 | 3 | 4 | 5 | 6 | 30 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 190 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| B. *Operated* | 2186 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| B. *Operated* | 1911 | 3.0 | 3 | 1 | 1 | 3 | 4 | 4 | 5 | 8 |
| **1. SINGLE DX** | 2376 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | 2005 | 3.0 | 3 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| **A. NOT OPERATED** | 284 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **B. OPERATED** | 4097 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| TOTAL 0-19 YRS | 418 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 3647 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 316 | 3.0 | 9 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **4381** | **2.7** | **2** | **1** | **1** | **3** | **3** | **4** | **5** | **6** |

### 274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 147 | 2.5 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 841 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 53 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 507 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 7 |
| 35-49 | 29 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 505 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 35 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 3.1 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 12 |
| 20-34 | 940 | 3.1 | 3 | 1 | 2 | 3 | 4 | 4 | 5 | 8 |
| 35-49 | 74 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1041 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| B. *Operated* | 615 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 646 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | 1159 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| **1. SINGLE DX** | 1656 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 1805 | 3.0 | 3 | 1 | 2 | 3 | 4 | 4 | 5 | 8 |
| **A. NOT OPERATED** | 1687 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 1774 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 477 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 2793 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 191 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3461** | **2.8** | **2** | **1** | **1** | **3** | **3** | **4** | **5** | **7** |

### 275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 342 | 3.3 | 5 | 1 | 2 | 3 | 4 | 4 | 5 | 11 |
| 35-49 | 28 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.8 | 2 | 1 | 2 | 4 | 5 | 5 | 6 | 7 |
| 20-34 | 323 | 4.4 | 18 | 2 | 2 | 4 | 5 | 6 | 7 | 15 |
| 35-49 | 19 | 4.2 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 4.0 | 7 | 1 | 2 | 3 | 4 | 7 | 11 | 13 |
| 20-34 | 471 | 3.7 | 8 | 1 | 2 | 3 | 4 | 5 | 7 | 16 |
| 35-49 | 31 | 3.2 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 197 | 5.3 | 23 | 2 | 2 | 4 | 6 | 8 | 9 | 29 |
| 20-34 | 2922 | 5.6 | 29 | 2 | 3 | 5 | 6 | 8 | 10 | 31 |
| 35-49 | 281 | 5.2 | 10 | 2 | 3 | 5 | 6 | 8 | 9 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 393 | 3.2 | 5 | 1 | 2 | 3 | 4 | 4 | 5 | 10 |
| B. *Operated* | 359 | 4.4 | 16 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 547 | 3.7 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| B. *Operated* | 3400 | 5.5 | 27 | 2 | 3 | 5 | 6 | 8 | 10 | 28 |
| **1. SINGLE DX** | 752 | 3.8 | 10 | 2 | 2 | 3 | 4 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | 3947 | 5.3 | 24 | 2 | 2 | 5 | 6 | 7 | 9 | 28 |
| **A. NOT OPERATED** | 940 | 3.5 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| **B. OPERATED** | 3759 | 5.4 | 26 | 2 | 3 | 5 | 6 | 7 | 9 | 28 |
| TOTAL 0-19 YRS | 282 | 4.8 | 18 | 2 | 2 | 4 | 5 | 8 | 9 | 23 |
| 20-34 | 4058 | 5.0 | 24 | 2 | 2 | 4 | 6 | 7 | 9 | 27 |
| 35-49 | 359 | 4.8 | 9 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **4699** | **5.0** | **22** | **2** | **2** | **4** | **6** | **7** | **9** | **27** |

### 276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 526 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 44 | 2.4 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 826 | 4.3 | 2 | 2 | 3 | 4 | 5 | 6 | 6 | 8 |
| 20-34 | 6465 | 4.4 | 2 | 2 | 3 | 4 | 5 | 6 | 6 | 7 |
| 35-49 | 409 | 4.5 | 2 | 2 | 3 | 5 | 5 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 313 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 31 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 976 | 4.9 | 5 | 2 | 3 | 5 | 6 | 7 | 8 | 13 |
| 20-34 | 8574 | 4.8 | 5 | 2 | 3 | 5 | 6 | 7 | 7 | 12 |
| 35-49 | 1038 | 5.1 | 6 | 2 | 3 | 5 | 6 | 7 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 623 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| B. *Operated* | 7700 | 4.4 | 2 | 2 | 3 | 4 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 393 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| B. *Operated* | 10588 | 4.9 | 5 | 2 | 3 | 5 | 6 | 7 | 8 | 12 |
| **1. SINGLE DX** | 8323 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | 10981 | 4.8 | 5 | 2 | 3 | 5 | 5 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 1016 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **B. OPERATED** | 18288 | 4.7 | 4 | 2 | 3 | 5 | 5 | 6 | 7 | 10 |
| TOTAL 0-19 YRS | 1904 | 4.5 | 4 | 2 | 3 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 15878 | 4.5 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 1522 | 4.8 | 5 | 2 | 3 | 5 | 6 | 7 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **19304** | **4.5** | **4** | **2** | **3** | **4** | **5** | **6** | **7** | **10** |

### 277: Other fetal dystocia, delivere[illegible] 0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-66[illegible] 9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | [illegible] (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 215 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 1928 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 134 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 460 | 3.4 | 5 | 1 | 2 | 3 | 4 | 6 | 6 | 9 |
| 20-34 | 3736 | 3.5 | 2 | 1 | 2 | 3 | 5 | 6 | 6 | 7 |
| 35-49 | 270 | 3.8 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 169 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 1269 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 102 | 2.9 | 4 | 1 | 1 | 3 | 3 | 4 | 5 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1815 | 4.1 | 7 | 1 | 2 | 4 | 5 | 6 | 8 | 13 |
| 20-34 | 15039 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 1559 | 4.8 | 9 | 2 | 2 | 5 | 6 | 7 | 8 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2277 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| B. *Operated* | 4466 | 3.5 | 2 | 1 | 2 | 3 | 5 | 6 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1540 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| B. *Operated* | 18413 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| **1. SINGLE DX** | 6743 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | 19953 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| **A. NOT OPERATED** | 3817 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 22879 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| TOTAL 0-19 YRS | 2659 | 3.8 | 7 | 1 | 2 | 3 | 5 | 6 | 7 | 12 |
| 20-34 | 21972 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 2065 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **26696** | **3.8** | **5** | **1** | **2** | **4** | **5** | **6** | **7** | **9** |

### 278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 135 | 3.1 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| 35-49 | 12 | 3.5 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1319 | 4.9 | 2 | 3 | 3 | 5 | 6 | 6 | 7 | 9 |
| 20-34 | 7176 | 4.9 | 2 | 3 | 3 | 5 | 6 | 6 | 7 | 8 |
| 35-49 | 373 | 5.0 | 2 | 3 | 4 | 5 | 6 | 6 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.5 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 133 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| 35-49 | 10 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3707 | 5.4 | 5 | 3 | 4 | 5 | 6 | 7 | 9 | 13 |
| 20-34 | 21706 | 5.1 | 3 | 3 | 4 | 5 | 6 | 7 | 7 | 11 |
| 35-49 | 1633 | 5.4 | 5 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 159 | 3.2 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| B. *Operated* | 8868 | 4.9 | 2 | 3 | 3 | 5 | 6 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 160 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| B. *Operated* | 27046 | 5.2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| **1. SINGLE DX** | 9027 | 4.8 | 2 | 3 | 3 | 5 | 6 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | 27206 | 5.2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| **A. NOT OPERATED** | 319 | 3.3 | 2 | 1 | 2 | 3 | 4 | 6 | 6 | 7 |
| **B. OPERATED** | 35914 | 5.1 | 3 | 3 | 4 | 5 | 6 | 7 | 7 | 11 |
| TOTAL 0-19 YRS | 5055 | 5.2 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| 20-34 | 29150 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 7 | 10 |
| 35-49 | 2028 | 5.3 | 5 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **36233** | **5.1** | **3** | **3** | **3** | **5** | **6** | **7** | **7** | **11** |

### 279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 418 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 2852 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 146 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 713 | 3.7 | 2 | 1 | 2 | 3 | 5 | 5 | 6 | 8 |
| 20-34 | 5239 | 3.7 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 7 |
| 35-49 | 334 | 3.7 | 2 | 1 | 2 | 3 | 5 | 6 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 378 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 2047 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 133 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2142 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 14373 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 1216 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 7 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3416 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| B. *Operated* | 6286 | 3.7 | 2 | 1 | 2 | 4 | 5 | 6 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2558 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| B. *Operated* | 17731 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| **1. SINGLE DX** | 9702 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | 20289 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| **A. NOT OPERATED** | 5974 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 24017 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| TOTAL 0-19 YRS | 3651 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 24511 | 3.8 | 3 | 1 | 2 | 3 | 5 | 6 | 6 | 9 |
| 35-49 | 1829 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **29991** | **3.8** | **4** | **1** | **2** | **3** | **5** | **6** | **7** | **9** |

### 280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 449 | 2.8 | 5 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 41 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 4.1 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 1451 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 8 |
| 35-49 | 142 | 4.0 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 371 | 3.1 | 7 | 1 | 1 | 3 | 3 | 4 | 5 | 17 |
| 35-49 | 46 | 3.2 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 425 | 4.9 | 5 | 2 | 2 | 5 | 6 | 8 | 8 | 11 |
| 20-34 | 4193 | 4.7 | 12 | 2 | 2 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 564 | 5.3 | 22 | 2 | 3 | 5 | 6 | 7 | 9 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 538 | 2.8 | 5 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | 1776 | 4.0 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 467 | 3.1 | 6 | 1 | 1 | 3 | 3 | 4 | 5 | 15 |
| B. *Operated* | 5182 | 4.8 | 13 | 2 | 2 | 5 | 6 | 7 | 8 | 13 |
| **1. SINGLE DX** | 2314 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | 5649 | 4.7 | 12 | 2 | 2 | 4 | 6 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 1005 | 2.9 | 5 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |
| **B. OPERATED** | 6958 | 4.6 | 10 | 2 | 2 | 4 | 5 | 7 | 7 | 11 |
| TOTAL 0-19 YRS | 706 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 6464 | 4.3 | 10 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 793 | 4.8 | 17 | 2 | 2 | 4 | 6 | 7 | 8 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **7963** | **4.4** | **10** | **2** | **2** | **4** | **5** | **6** | **7** | **11** |

## 281: Uterine scar from previous surgery (654.20-654.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 729 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 73 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 4.7 | 1 | 3 | 3 | 5 | 5 | 6 | 7 | 8 |
| 20-34 | 25345 | 4.8 | 2 | 3 | 3 | 5 | 6 | 6 | 7 | 8 |
| 35-49 | 1801 | 5.1 | 2 | 3 | 3 | 5 | 6 | 7 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.9 | 4 | <1 | 1 | 2 | 3 | 6 | 8 | 8 |
| 20-34 | 390 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 39 | 3.2 | 3 | 1 | 1 | 3 | 5 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1122 | 5.0 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 20-34 | 34596 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 7 | 10 |
| 35-49 | 4374 | 5.3 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 830 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | 28413 | 4.8 | 2 | 3 | 3 | 5 | 6 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 448 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 40092 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 7 | 10 |
| **1. SINGLE DX** | 29243 | 4.7 | 2 | 3 | 3 | 5 | 6 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | 40540 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 7 | 10 |
| **A. NOT OPERATED** | 1278 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **B. OPERATED** | 68505 | 4.9 | 3 | 3 | 3 | 5 | 6 | 6 | 7 | 9 |
| TOTAL 0-19 YRS | 2436 | 4.8 | 3 | 3 | 3 | 5 | 6 | 6 | 7 | 10 |
| 20-34 | 61060 | 4.8 | 3 | 3 | 3 | 5 | 6 | 6 | 7 | 9 |
| 35-49 | 6287 | 5.2 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **69783** | **4.9** | **3** | **3** | **3** | **5** | **6** | **6** | **7** | **9** |

## 282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 661 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 4600 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 340 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 513 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 3870 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 284 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 648 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 20-34 | 3761 | 3.4 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| 35-49 | 297 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1920 | 4.1 | 8 | 2 | 2 | 4 | 5 | 6 | 8 | 15 |
| 20-34 | 14154 | 4.2 | 9 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |
| 35-49 | 1507 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5601 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| B. *Operated* | 4667 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4706 | 3.4 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| B. *Operated* | 17581 | 4.2 | 9 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |
| **1. SINGLE DX** | 10268 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 22287 | 4.0 | 9 | 2 | 2 | 3 | 5 | 6 | 7 | 14 |
| **A. NOT OPERATED** | 10307 | 3.1 | 4 | 1 | 2 | 3 | 4 | 4 | 5 | 9 |
| **B. OPERATED** | 22248 | 3.9 | 8 | 2 | 2 | 3 | 5 | 6 | 7 | 13 |
| TOTAL 0-19 YRS | 3742 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 26385 | 3.7 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 2428 | 4.0 | 6 | 2 | 2 | 3 | 5 | 6 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **32555** | **3.7** | **7** | **1** | **2** | **3** | **4** | **6** | **7** | **12** |

### 283: Umbilical cord complication (663 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2229 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 18466 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 1180 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1221 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 9903 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 593 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 720 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 4941 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 378 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1427 | 2.9 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 13694 | 2.9 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 1382 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21875 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | 11717 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6039 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| B. *Operated* | 16503 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| **1. SINGLE DX** | 33592 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | 22542 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| **A. NOT OPERATED** | 27914 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **B. OPERATED** | 28220 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 5597 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 47004 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 3533 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **56134** | **2.6** | **2** | **1** | **1** | **3** | **3** | **4** | **4** | **6** |

### 284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 555 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 3206 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 35-49 | 253 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4392 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 34766 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 2908 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 295 | 2.7 | 4 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 1413 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 107 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2379 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 22808 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 2611 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4014 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| B. *Operated* | 42066 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1815 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| B. *Operated* | 27798 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| **1. SINGLE DX** | 46080 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 29613 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| **A. NOT OPERATED** | 5829 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **B. OPERATED** | 69864 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| TOTAL 0-19 YRS | 7621 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 62193 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 5879 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **75693** | **2.4** | **1** | **1** | **1** | **2** | **3** | **4** | **4** | **5** |

**285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 230 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 1086 | 2.6 | 9 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 43 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3618 | 2.6 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 16370 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 641 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 445 | 2.9 | 5 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 16 | 2.9 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2796 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 13083 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 780 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1359 | 2.6 | 7 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| B. *Operated* | 20629 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 615 | 2.9 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | 16659 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| **1. SINGLE DX** | 21988 | 2.6 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | 17274 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| **A. NOT OPERATED** | 1974 | 2.7 | 6 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 37288 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| TOTAL 0-19 YRS | 6798 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 30984 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 1480 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **39262** | **2.8** | **2** | **1** | **2** | **3** | **3** | **4** | **4** | **6** |

**286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 287 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 1273 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 60 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1487 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 6733 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 287 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 172 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 10 |
| 20-34 | 609 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 25 | 3.6 | 9 | 1 | 1 | 3 | 5 | 5 | 9 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1203 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 6666 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 415 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1620 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | 8507 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 806 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| B. *Operated* | 8284 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| **1. SINGLE DX** | 10127 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | 9090 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| **A. NOT OPERATED** | 2426 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **B. OPERATED** | 16791 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| TOTAL 0-19 YRS | 3149 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 15281 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 787 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **19217** | **2.6** | **1** | **1** | **1** | **3** | **3** | **4** | **4** | **6** |

### 287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4602 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 23812 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 1760 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8411 | 3.0 | 3 | 1 | 2 | 3 | 3 | 5 | 6 | 9 |
| 20-34 | 46339 | 3.0 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 2805 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3452 | 3.0 | 7 | 1 | 1 | 3 | 3 | 5 | 6 | 11 |
| 20-34 | 16411 | 2.8 | 5 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |
| 35-49 | 1436 | 3.0 | 4 | 1 | 1 | 3 | 3 | 5 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14064 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 8 | 15 |
| 20-34 | 86121 | 3.9 | 9 | 1 | 2 | 3 | 5 | 6 | 8 | 15 |
| 35-49 | 8729 | 4.5 | 15 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30174 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| B. *Operated* | 57555 | 3.0 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21299 | 2.9 | 5 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |
| B. *Operated* | 108914 | 4.0 | 10 | 1 | 2 | 3 | 5 | 6 | 8 | 15 |
| **1. SINGLE DX** | 87729 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 130213 | 3.8 | 9 | 1 | 2 | 3 | 5 | 6 | 8 | 15 |
| **A. NOT OPERATED** | 51473 | 2.7 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 166469 | 3.7 | 8 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| TOTAL 0-19 YRS | 30529 | 3.4 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 172683 | 3.4 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 14730 | 3.9 | 11 | 1 | 2 | 3 | 5 | 6 | 8 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **217942** | **3.4** | **7** | **1** | **2** | **3** | **4** | **6** | **7** | **12** |

### 288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 192 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 743 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 36 | 3.6 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.4 | 12 | <1 | 1 | 4 | 7 | 11 | 11 | 11 |
| 20-34 | 58 | 5.0 | 10 | <1 | 1 | 4 | 6 | 9 | 12 | 14 |
| 35-49 | 5 | 4.0 | 9 | 2 | 2 | 3 | 5 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 4.0 | 4 | 2 | 2 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 404 | 4.0 | 15 | 2 | 2 | 3 | 5 | 6 | 7 | 13 |
| 35-49 | 27 | 4.5 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 5.5 | 15 | 1 | 1 | 5 | 8 | 10 | 14 | 17 |
| 20-34 | 124 | 5.7 | 25 | 1 | 2 | 5 | 7 | 12 | 14 | 28 |
| 35-49 | 10 | 9.4 | 165 | 2 | 2 | 5 | 10 | 28 | 45 | 45 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 971 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 72 | 5.0 | 10 | <1 | 1 | 4 | 6 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 546 | 4.1 | 12 | 2 | 2 | 3 | 5 | 6 | 7 | 13 |
| B. *Operated* | 153 | 5.9 | 32 | 1 | 2 | 5 | 7 | 11 | 15 | 29 |
| **1. SINGLE DX** | 1043 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 699 | 4.5 | 17 | 2 | 2 | 4 | 5 | 7 | 10 | 18 |
| **A. NOT OPERATED** | 1517 | 3.6 | 6 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| **B. OPERATED** | 225 | 5.6 | 25 | 1 | 2 | 4 | 7 | 11 | 14 | 27 |
| TOTAL 0-19 YRS | 335 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1329 | 3.9 | 9 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 35-49 | 78 | 4.7 | 26 | 1 | 2 | 3 | 5 | 8 | 10 | 35 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1742** | **3.9** | **9** | **1** | **2** | **3** | **5** | **6** | **8** | **13** |

**289: Puerperal hemorrhage (after 24 hrs.) (666.24)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 1.6 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 255 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 35-49 | 18 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 868 | 1.5 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 35-49 | 71 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 158 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 4 | 7 |
| 35-49 | 29 | 2.5 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 20-34 | 633 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 54 | 3.5 | 13 | <1 | 1 | 2 | 4 | 8 | 10 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 306 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| B. *Operated* | 1067 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 210 | 2.1 | 3 | 1 | 1 | 2 | 2 | 4 | 5 | 10 |
| B. *Operated* | 778 | 2.5 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **1. SINGLE DX** | 1373 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | 988 | 2.5 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **A. NOT OPERATED** | 516 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **B. OPERATED** | 1845 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 275 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 1914 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 35-49 | 172 | 2.4 | 7 | <1 | <1 | 1 | 3 | 5 | 8 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2361** | **1.9** | **3** | **<1** | **<1** | **1** | **2** | **4** | **5** | **9** |

**290: Other puerperal complications (for ICD-9-CM codes, see Appendix)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 440 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 35-49 | 34 | 5.2 | 10 | 1 | 2 | 4 | 8 | 10 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 134 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 20-34 | 629 | 3.0 | 6 | 1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 35-49 | 52 | 3.4 | 11 | <1 | 1 | 3 | 4 | 6 | 8 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 3.8 | 6 | <1 | 1 | 4 | 5 | 7 | 8 | 14 |
| 20-34 | 345 | 4.6 | 19 | 1 | 2 | 3 | 5 | 9 | 11 | 19 |
| 35-49 | 34 | 5.8 | 22 | 1 | 1 | 5 | 8 | 12 | 15 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 3.7 | 11 | 1 | 2 | 3 | 4 | 6 | 10 | 20 |
| 20-34 | 570 | 4.4 | 27 | 1 | 1 | 3 | 5 | 9 | 13 | 28 |
| 35-49 | 76 | 6.1 | 53 | 1 | 1 | 3 | 8 | 11 | 20 | 36 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 543 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 815 | 3.0 | 6 | 1 | 1 | 2 | 3 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 433 | 4.6 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| B. *Operated* | 737 | 4.5 | 28 | 1 | 1 | 3 | 5 | 9 | 14 | 30 |
| **1. SINGLE DX** | 1358 | 3.3 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 1170 | 4.5 | 24 | 1 | 1 | 3 | 5 | 9 | 13 | 27 |
| **A. NOT OPERATED** | 976 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| **B. OPERATED** | 1552 | 3.7 | 17 | 1 | 1 | 3 | 4 | 8 | 11 | 21 |
| TOTAL 0-19 YRS | 348 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 1984 | 3.9 | 16 | 1 | 1 | 3 | 4 | 8 | 11 | 20 |
| 35-49 | 196 | 5.2 | 30 | 1 | 1 | 3 | 7 | 10 | 15 | 35 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2528** | **3.9** | **16** | **1** | **1** | **3** | **4** | **8** | **11** | **20** |

## 291: Cellulitis and abscess, except digit (682)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2569 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 2294 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 1670 | 4.5 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 1232 | 5.0 | 10 | 2 | 2 | 4 | 6 | 9 | 11 | 15 |
| 65+ | 934 | 5.9 | 12 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1064 | 4.4 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 20-34 | 1260 | 5.1 | 20 | 1 | 1 | 4 | 6 | 10 | 12 | 19 |
| 35-49 | 835 | 5.3 | 20 | 1 | 1 | 4 | 7 | 11 | 14 | 24 |
| 50-64 | 502 | 5.6 | 21 | 1 | 2 | 5 | 7 | 11 | 15 | 24 |
| 65+ | 319 | 7.2 | 50 | 1 | 2 | 6 | 9 | 13 | 20 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3322 | 4.3 | 9 | 2 | 2 | 4 | 5 | 7 | 10 | 16 |
| 20-34 | 4082 | 5.2 | 15 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 4701 | 6.2 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 5980 | 7.0 | 24 | 2 | 3 | 6 | 8 | 12 | 16 | 25 |
| 65+ | 11027 | 8.4 | 40 | 3 | 3 | 7 | 10 | 15 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1315 | 6.4 | 42 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| 20-34 | 2748 | 7.9 | 61 | 2 | 2 | 6 | 9 | 15 | 23 | 42 |
| 35-49 | 2833 | 10.0 | 89 | 2 | 3 | 7 | 12 | 20 | 28 | 53 |
| 50-64 | 3263 | 11.9 | 113 | 2 | 3 | 9 | 15 | 24 | 34 | 56 |
| 65+ | 4435 | 13.6 | 133 | 3 | 4 | 10 | 17 | 28 | 37 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8699 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| B. *Operated* | 3980 | 5.2 | 21 | 1 | 1 | 4 | 6 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29112 | 6.9 | 28 | 2 | 3 | 6 | 8 | 12 | 16 | 27 |
| B. *Operated* | 14594 | 10.8 | 104 | 2 | 3 | 8 | 13 | 22 | 31 | 57 |
| **1. SINGLE DX** | 12679 | 4.6 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 43706 | 8.2 | 57 | 2 | 3 | 6 | 10 | 15 | 21 | 41 |
| **A. NOT OPERATED** | 37811 | 6.3 | 25 | 2 | 2 | 5 | 8 | 11 | 15 | 24 |
| **B. OPERATED** | 18574 | 9.6 | 92 | 2 | 2 | 7 | 12 | 20 | 28 | 53 |
| TOTAL 0-19 YRS | 8270 | 4.5 | 14 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| 20-34 | 10384 | 5.6 | 28 | 2 | 2 | 4 | 7 | 10 | 14 | 28 |
| 35-49 | 10039 | 6.9 | 41 | 2 | 2 | 5 | 8 | 13 | 17 | 35 |
| 50-64 | 10977 | 8.2 | 55 | 2 | 3 | 6 | 10 | 15 | 21 | 40 |
| 65+ | 16715 | 9.6 | 69 | 3 | 3 | 7 | 11 | 18 | 24 | 49 |
| **GRAND TOTAL** | **56385** | **7.4** | **49** | **2** | **2** | **5** | **9** | **14** | **19** | **38** |

## 292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 854 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 477 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 231 | 4.5 | 22 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 129 | 4.9 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 94 | 5.6 | 19 | 2 | 2 | 5 | 7 | 9 | 14 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 522 | 3.8 | 10 | <1 | <1 | 3 | 5 | 8 | 10 | 15 |
| 20-34 | 421 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 35-49 | 305 | 4.4 | 21 | <1 | 1 | 3 | 5 | 10 | 12 | 21 |
| 50-64 | 170 | 4.5 | 18 | <1 | <1 | 3 | 6 | 10 | 11 | 16 |
| 65+ | 102 | 6.2 | 82 | <1 | 1 | 4 | 7 | 12 | 16 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1242 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 706 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 35-49 | 623 | 5.8 | 21 | 2 | 2 | 5 | 7 | 11 | 14 | 27 |
| 50-64 | 774 | 7.0 | 30 | 2 | 3 | 6 | 9 | 12 | 16 | 27 |
| 65+ | 1109 | 7.9 | 38 | 2 | 3 | 6 | 9 | 14 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 539 | 5.4 | 22 | 1 | 1 | 4 | 7 | 10 | 14 | 26 |
| 20-34 | 634 | 6.8 | 49 | 1 | 2 | 5 | 8 | 13 | 20 | 34 |
| 35-49 | 630 | 8.5 | 67 | 1 | 2 | 6 | 10 | 17 | 25 | 39 |
| 50-64 | 845 | 10.0 | 76 | 2 | 2 | 7 | 13 | 21 | 28 | 45 |
| 65+ | 891 | 10.4 | 80 | 2 | 3 | 8 | 13 | 21 | 28 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1785 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| B. *Operated* | 1520 | 4.2 | 18 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4454 | 5.9 | 24 | 2 | 2 | 5 | 7 | 11 | 14 | 26 |
| B. *Operated* | 3539 | 8.5 | 66 | 1 | 2 | 6 | 11 | 18 | 24 | 43 |
| **1. SINGLE DX** | 3305 | 4.1 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 7993 | 7.1 | 44 | 2 | 2 | 5 | 9 | 14 | 20 | 34 |
| **A. NOT OPERATED** | 6239 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| **B. OPERATED** | 5059 | 7.2 | 55 | 1 | 1 | 5 | 9 | 15 | 21 | 39 |
| TOTAL 0-19 YRS | 3157 | 4.3 | 10 | 1 | 1 | 4 | 5 | 8 | 10 | 16 |
| 20-34 | 2238 | 4.9 | 23 | 1 | 2 | 4 | 6 | 9 | 13 | 24 |
| 35-49 | 1789 | 6.3 | 40 | 1 | 2 | 5 | 8 | 12 | 17 | 34 |
| 50-64 | 1918 | 7.9 | 51 | 2 | 2 | 6 | 10 | 15 | 22 | 39 |
| 65+ | 2196 | 8.7 | 58 | 2 | 3 | 7 | 11 | 17 | 23 | 43 |
| **GRAND TOTAL** | **11298** | **6.2** | **37** | **1** | **2** | **4** | **7** | **12** | **17** | **32** |

### 293: Pilonidal cyst (685)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 3.4 | 5 | <1 | <1 | 3 | 5 | 7 | 19 | 99+ |
| 20-34 | 42 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 35-49 | 7 | 3.7 | 22 | <1 | <1 | 2 | 4 | 12 | 14 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2361 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 4260 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 685 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 50-64 | 128 | 3.1 | 29 | 1 | 1 | 2 | 3 | 5 | 5 | 23 |
| 65+ | 31 | 3.7 | 12 | <1 | <1 | 3 | 4 | 7 | 13 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 20-34 | 46 | 2.3 | 5 | <1 | <1 | 1 | 3 | 5 | 7 | 9 |
| 35-49 | 9 | 4.0 | 6 | 1 | 1 | 3 | 7 | 7 | 7 | 7 |
| 50-64 | 4 | 5.8 | 11 | 2 | 2 | 5 | 8 | 10 | 10 | 10 |
| 65+ | 7 | 5.6 | 6 | 2 | 2 | 7 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 345 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 751 | 3.8 | 16 | 1 | 1 | 3 | 4 | 7 | 8 | 17 |
| 35-49 | 261 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 127 | 4.5 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 65+ | 53 | 7.1 | 146 | 1 | 2 | 4 | 7 | 12 | 16 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 3.1 | 6 | <1 | 1 | 2 | 4 | 7 | 9 | 76 |
| B. *Operated* | 7465 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 2.8 | 6 | <1 | <1 | 1 | 5 | 7 | 8 | 10 |
| B. *Operated* | 1537 | 3.9 | 17 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **1. SINGLE DX** | 7542 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 1630 | 3.8 | 17 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 170 | 2.9 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 13 |
| **B. OPERATED** | 9002 | 2.9 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 2760 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 5099 | 2.9 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 962 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 259 | 3.8 | 23 | 1 | 1 | 3 | 4 | 7 | 11 | 22 |
| 65+ | 92 | 5.9 | 90 | 1 | 1 | 4 | 7 | 10 | 15 | 58 |
| **GRAND TOTAL** | **9172** | **2.9** | **6** | **1** | **1** | **3** | **4** | **5** | **6** | **10** |

### 294: Sebaceous cyst (706.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 7 | 1.7 | 2 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 35-49 | 5 | 2.8 | 2 | 2 | 2 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 4 | 3.3 | 4 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 65+ | 3 | 4.0 | 27 | <1 | <1 | 1 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 337 | 1.4 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 5 |
| 20-34 | 438 | 1.4 | 1 | <1 | <1 | <1 | 2 | 2 | 3 | 6 |
| 35-49 | 353 | 1.5 | 1 | <1 | <1 | <1 | 2 | 3 | 3 | 7 |
| 50-64 | 242 | 1.6 | 2 | <1 | <1 | <1 | 2 | 3 | 4 | 8 |
| 65+ | 115 | 1.4 | 1 | <1 | <1 | <1 | 1 | 2 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.8 | 8 | <1 | <1 | 2 | 4 | 5 | 10 | 12 |
| 20-34 | 9 | 2.4 | 4 | <1 | <1 | 2 | 3 | 6 | 6 | 6 |
| 35-49 | 12 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 6 |
| 50-64 | 11 | 3.3 | 10 | <1 | <1 | 1 | 6 | 8 | 9 | 9 |
| 65+ | 6 | 3.5 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 2.5 | 19 | <1 | <1 | 1 | 3 | 5 | 6 | 29 |
| 20-34 | 160 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| 35-49 | 189 | 2.9 | 7 | <1 | <1 | 2 | 3 | 6 | 9 | 13 |
| 50-64 | 209 | 3.1 | 10 | <1 | <1 | 2 | 3 | 7 | 9 | 18 |
| 65+ | 188 | 4.1 | 43 | <1 | <1 | 2 | 5 | 8 | 10 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 8 | 10 |
| B. *Operated* | 1485 | 1.5 | 1 | <1 | <1 | <1 | 2 | 2 | 3 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53 | 2.8 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| B. *Operated* | 827 | 3.1 | 17 | <1 | <1 | 2 | 3 | 7 | 9 | 16 |
| **1. SINGLE DX** | 1506 | 1.5 | 1 | <1 | <1 | <1 | 2 | 3 | 3 | 7 |
| **2. MULTIPLE DX** | 880 | 3.1 | 16 | <1 | <1 | 2 | 3 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 74 | 2.7 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| **B. OPERATED** | 2312 | 2.1 | 8 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 435 | 1.6 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 614 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 35-49 | 559 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 50-64 | 466 | 2.3 | 6 | <1 | <1 | 1 | 3 | 5 | 7 | 12 |
| 65+ | 312 | 3.1 | 28 | <1 | <1 | 2 | 3 | 7 | 9 | 17 |
| **GRAND TOTAL** | **2386** | **2.1** | **7** | **<1** | **<1** | **1** | **2** | **4** | **6** | **12** |

## 295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1058 | 3.8 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| 20-34 | 722 | 6.0 | 45 | 1 | 1 | 4 | 6 | 14 | 21 | 32 |
| 35-49 | 519 | 6.6 | 60 | 1 | 1 | 4 | 7 | 16 | 23 | 45 |
| 50-64 | 406 | 6.6 | 67 | 1 | 2 | 4 | 7 | 13 | 25 | 45 |
| 65+ | 332 | 7.6 | 48 | 1 | 2 | 6 | 10 | 16 | 20 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1234 | 2.6 | 15 | <1 | <1 | 2 | 3 | 5 | 8 | 21 |
| 20-34 | 1667 | 4.1 | 38 | <1 | <1 | 2 | 4 | 9 | 15 | 34 |
| 35-49 | 1297 | 4.0 | 29 | <1 | <1 | 2 | 4 | 8 | 14 | 27 |
| 50-64 | 1172 | 3.9 | 31 | <1 | <1 | 2 | 4 | 8 | 12 | 29 |
| 65+ | 864 | 6.8 | 86 | <1 | 1 | 3 | 9 | 16 | 25 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1679 | 4.7 | 35 | 1 | 1 | 3 | 5 | 9 | 13 | 30 |
| 20-34 | 1340 | 7.3 | 73 | 1 | 1 | 4 | 8 | 16 | 25 | 46 |
| 35-49 | 1585 | 7.9 | 71 | 1 | 2 | 6 | 10 | 17 | 23 | 46 |
| 50-64 | 2320 | 8.8 | 76 | 1 | 2 | 6 | 11 | 18 | 24 | 44 |
| 65+ | 5547 | 10.2 | 87 | 2 | 3 | 8 | 12 | 19 | 27 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1283 | 6.3 | 94 | <1 | 1 | 3 | 7 | 16 | 24 | 59 |
| 20-34 | 2592 | 12.7 | 252 | 1 | 1 | 6 | 17 | 36 | 50 | 98 |
| 35-49 | 3066 | 11.7 | 214 | 1 | 1 | 6 | 15 | 31 | 44 | 87 |
| 50-64 | 3759 | 11.5 | 198 | 1 | 1 | 6 | 16 | 29 | 42 | 86 |
| 65+ | 7103 | 16.6 | 243 | 2 | 3 | 12 | 22 | 39 | 55 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3037 | 5.6 | 44 | 1 | 1 | 3 | 6 | 12 | 19 | 33 |
| B. *Operated* | 6234 | 4.1 | 38 | <1 | <1 | 2 | 4 | 9 | 15 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12471 | 8.6 | 78 | 1 | 2 | 6 | 11 | 18 | 24 | 48 |
| B. *Operated* | 17803 | 13.4 | 228 | 1 | 1 | 8 | 18 | 34 | 48 | 98 |
| **1. SINGLE DX** | 9271 | 4.6 | 41 | <1 | <1 | 2 | 5 | 10 | 16 | 33 |
| **2. MULTIPLE DX** | 30274 | 11.4 | 172 | 1 | 2 | 7 | 15 | 27 | 40 | 85 |
| **A. NOT OPERATED** | 15508 | 8.0 | 73 | 1 | 2 | 6 | 10 | 17 | 23 | 45 |
| **B. OPERATED** | 24037 | 11.0 | 195 | <1 | 1 | 6 | 15 | 29 | 42 | 88 |
| TOTAL 0-19 YRS | 5254 | 4.4 | 43 | <1 | 1 | 2 | 5 | 9 | 15 | 37 |
| 20-34 | 6321 | 8.5 | 147 | <1 | 1 | 4 | 10 | 23 | 36 | 73 |
| 35-49 | 6467 | 8.8 | 139 | 1 | 1 | 4 | 10 | 22 | 33 | 67 |
| 50-64 | 7657 | 9.3 | 136 | 1 | 1 | 5 | 11 | 22 | 33 | 67 |
| 65+ | 13846 | 13.2 | 179 | 1 | 2 | 9 | 17 | 30 | 43 | 92 |
| **GRAND TOTAL** | **39545** | **9.8** | **149** | **1** | **1** | **6** | **12** | **24** | **36** | **76** |

## 296: Diffuse diseases of connective tissue (710)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 3.5 | 8 | <1 | <1 | 3 | 5 | 7 | 10 | 13 |
| 20-34 | 161 | 4.7 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 14 |
| 35-49 | 131 | 5.7 | 15 | 1 | 2 | 5 | 8 | 10 | 13 | 22 |
| 50-64 | 77 | 6.4 | 33 | 1 | 2 | 5 | 8 | 11 | 15 | 37 |
| 65+ | 35 | 5.3 | 14 | 1 | 2 | 4 | 7 | 9 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 4.9 | 20 | 1 | 1 | 3 | 7 | 11 | 14 | 20 |
| 20-34 | 99 | 5.0 | 36 | 1 | 1 | 3 | 7 | 10 | 14 | 37 |
| 35-49 | 68 | 5.3 | 22 | 1 | 1 | 3 | 7 | 12 | 17 | 18 |
| 50-64 | 42 | 7.1 | 95 | <1 | 1 | 4 | 10 | 15 | 27 | 47 |
| 65+ | 29 | 8.0 | 30 | 1 | 2 | 8 | 11 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 246 | 6.9 | 56 | 1 | 2 | 5 | 8 | 15 | 20 | 39 |
| 20-34 | 683 | 6.7 | 47 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| 35-49 | 658 | 7.9 | 51 | 2 | 2 | 6 | 9 | 14 | 23 | 39 |
| 50-64 | 645 | 7.6 | 43 | 2 | 3 | 6 | 10 | 14 | 18 | 31 |
| 65+ | 608 | 9.0 | 60 | 2 | 3 | 7 | 11 | 16 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 11.0 | 139 | 2 | 2 | 8 | 13 | 28 | 37 | 66 |
| 20-34 | 398 | 12.5 | 173 | 2 | 2 | 9 | 17 | 26 | 43 | 99+ |
| 35-49 | 384 | 11.4 | 129 | 2 | 2 | 8 | 14 | 26 | 40 | 99+ |
| 50-64 | 426 | 12.8 | 140 | 2 | 3 | 9 | 15 | 29 | 41 | 60 |
| 65+ | 376 | 15.3 | 162 | 3 | 5 | 12 | 19 | 30 | 44 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 532 | 4.9 | 15 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| B. *Operated* | 308 | 5.6 | 38 | 1 | 1 | 3 | 8 | 13 | 16 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2840 | 7.7 | 51 | 2 | 2 | 6 | 9 | 14 | 20 | 35 |
| B. *Operated* | 1697 | 12.9 | 152 | 2 | 2 | 9 | 16 | 28 | 40 | 75 |
| **1. SINGLE DX** | 840 | 5.2 | 23 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 4537 | 9.6 | 95 | 2 | 2 | 7 | 12 | 20 | 29 | 60 |
| **A. NOT OPERATED** | 3372 | 7.2 | 47 | 1 | 2 | 5 | 9 | 14 | 19 | 34 |
| **B. OPERATED** | 2005 | 11.8 | 141 | 1 | 2 | 9 | 15 | 26 | 38 | 71 |
| TOTAL 0-19 YRS | 557 | 6.7 | 63 | 1 | 1 | 4 | 8 | 14 | 21 | 38 |
| 20-34 | 1341 | 8.1 | 88 | 1 | 2 | 5 | 9 | 17 | 25 | 67 |
| 35-49 | 1241 | 8.6 | 74 | 1 | 2 | 6 | 10 | 17 | 27 | 53 |
| 50-64 | 1190 | 9.4 | 86 | 2 | 2 | 7 | 11 | 18 | 27 | 48 |
| 65+ | 1048 | 11.1 | 105 | 2 | 3 | 8 | 13 | 21 | 30 | 58 |
| **GRAND TOTAL** | **5377** | **8.9** | **87** | **1** | **2** | **6** | **11** | **18** | **26** | **56** |

### 297: Rheumatoid arthritis, except spine (714)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 325 | 4.9 | 17 | 1 | 1 | 4 | 6 | 10 | 13 | 18 |
| 20-34 | 156 | 5.6 | 14 | 1 | 2 | 5 | 8 | 10 | 12 | 17 |
| 35-49 | 254 | 5.4 | 16 | 2 | 2 | 4 | 7 | 10 | 13 | 21 |
| 50-64 | 353 | 5.9 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| 65+ | 265 | 6.1 | 24 | 1 | 2 | 5 | 8 | 9 | 12 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 5.1 | 24 | <1 | <1 | 3 | 8 | 13 | 15 | 20 |
| 20-34 | 189 | 6.6 | 28 | 1 | 1 | 5 | 9 | 13 | 19 | 31 |
| 35-49 | 513 | 6.1 | 21 | 1 | 2 | 4 | 9 | 12 | 14 | 20 |
| 50-64 | 1071 | 7.2 | 34 | 1 | 2 | 6 | 10 | 14 | 16 | 26 |
| 65+ | 689 | 8.3 | 38 | 2 | 2 | 7 | 12 | 16 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 288 | 7.1 | 41 | 2 | 2 | 5 | 9 | 14 | 19 | 35 |
| 20-34 | 228 | 6.0 | 20 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| 35-49 | 538 | 6.8 | 32 | 1 | 2 | 6 | 8 | 12 | 17 | 30 |
| 50-64 | 1283 | 7.5 | 40 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| 65+ | 2131 | 8.2 | 44 | 2 | 3 | 7 | 10 | 15 | 20 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 9.4 | 111 | 1 | 2 | 5 | 12 | 21 | 33 | 53 |
| 20-34 | 236 | 8.6 | 80 | 1 | 2 | 6 | 11 | 17 | 22 | 51 |
| 35-49 | 726 | 7.4 | 47 | 1 | 2 | 5 | 10 | 15 | 21 | 40 |
| 50-64 | 1943 | 8.9 | 58 | 2 | 2 | 7 | 12 | 17 | 22 | 43 |
| 65+ | 2054 | 11.2 | 87 | 2 | 3 | 10 | 14 | 20 | 28 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1353 | 5.6 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| B. *Operated* | 2518 | 7.2 | 32 | 1 | 2 | 6 | 10 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4468 | 7.7 | 40 | 2 | 3 | 6 | 9 | 14 | 18 | 33 |
| B. *Operated* | 5026 | 9.6 | 72 | 2 | 2 | 8 | 13 | 18 | 24 | 48 |
| **1. SINGLE DX** | 3871 | 6.6 | 28 | 1 | 2 | 5 | 9 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | 9494 | 8.7 | 58 | 2 | 2 | 7 | 11 | 17 | 22 | 43 |
| **A. NOT OPERATED** | 5821 | 7.2 | 36 | 2 | 2 | 6 | 9 | 13 | 17 | 30 |
| **B. OPERATED** | 7544 | 8.8 | 60 | 1 | 2 | 7 | 12 | 17 | 22 | 41 |
| TOTAL 0-19 YRS | 736 | 6.2 | 37 | 1 | 2 | 4 | 8 | 12 | 17 | 35 |
| 20-34 | 809 | 6.8 | 39 | 1 | 2 | 5 | 9 | 13 | 17 | 32 |
| 35-49 | 2031 | 6.7 | 33 | 1 | 2 | 5 | 9 | 13 | 17 | 29 |
| 50-64 | 4650 | 7.9 | 45 | 2 | 2 | 6 | 10 | 15 | 19 | 34 |
| 65+ | 5139 | 9.3 | 62 | 2 | 3 | 8 | 12 | 17 | 22 | 45 |
| **GRAND TOTAL** | **13365** | **8.1** | **50** | **2** | **2** | **6** | **11** | **16** | **20** | **37** |

### 298: Osteoarthrosis (osteoarthritis), except spine (715)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.3 | 49 | 1 | 1 | 3 | 5 | 17 | 22 | 22 |
| 20-34 | 15 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 35-49 | 54 | 3.6 | 6 | <1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 50-64 | 138 | 4.3 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| 65+ | 262 | 5.3 | 17 | 1 | 1 | 4 | 7 | 10 | 13 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 4.8 | 25 | <1 | 1 | 3 | 8 | 12 | 16 | 22 |
| 20-34 | 586 | 3.8 | 16 | <1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 35-49 | 1432 | 5.2 | 18 | <1 | 1 | 4 | 8 | 11 | 13 | 18 |
| 50-64 | 5211 | 8.3 | 24 | 1 | 2 | 8 | 11 | 14 | 16 | 22 |
| 65+ | 7763 | 11.0 | 21 | 3 | 6 | 11 | 14 | 16 | 18 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 6.6 | 22 | 2 | 2 | 7 | 8 | 13 | 18 | 19 |
| 20-34 | 49 | 3.8 | 9 | <1 | <1 | 3 | 6 | 8 | 9 | 14 |
| 35-49 | 235 | 5.4 | 18 | <1 | 1 | 4 | 7 | 11 | 14 | 20 |
| 50-64 | 922 | 5.1 | 19 | <1 | 1 | 4 | 7 | 10 | 13 | 19 |
| 65+ | 3534 | 6.7 | 44 | 1 | 1 | 5 | 8 | 13 | 17 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 6.9 | 59 | <1 | 1 | 4 | 12 | 15 | 27 | 95 |
| 20-34 | 590 | 4.7 | 23 | 1 | 1 | 3 | 6 | 11 | 14 | 26 |
| 35-49 | 1717 | 6.3 | 31 | 1 | 1 | 5 | 9 | 13 | 16 | 26 |
| 50-64 | 7502 | 9.8 | 48 | 1 | 2 | 10 | 13 | 17 | 20 | 32 |
| 65+ | 18087 | 13.0 | 50 | 3 | 6 | 12 | 16 | 20 | 24 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 477 | 4.8 | 15 | 1 | 1 | 4 | 7 | 9 | 12 | 17 |
| B. *Operated* | 15038 | 9.2 | 26 | 1 | 2 | 9 | 12 | 15 | 17 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4753 | 6.3 | 38 | 1 | 1 | 5 | 8 | 12 | 16 | 29 |
| B. *Operated* | 27953 | 11.5 | 53 | 2 | 3 | 11 | 15 | 19 | 23 | 37 |
| **1. SINGLE DX** | 15515 | 9.1 | 27 | 1 | 2 | 9 | 12 | 15 | 17 | 23 |
| **2. MULTIPLE DX** | 32706 | 10.8 | 54 | 1 | 2 | 10 | 14 | 18 | 22 | 37 |
| **A. NOT OPERATED** | 5230 | 6.1 | 36 | 1 | 1 | 5 | 8 | 12 | 16 | 28 |
| **B. OPERATED** | 42991 | 10.7 | 45 | 1 | 2 | 10 | 14 | 17 | 21 | 33 |
| TOTAL 0-19 YRS | 124 | 6.0 | 42 | <1 | 1 | 3 | 9 | 14 | 19 | 57 |
| 20-34 | 1240 | 4.2 | 19 | <1 | 1 | 3 | 5 | 10 | 12 | 20 |
| 35-49 | 3438 | 5.7 | 24 | 1 | 1 | 4 | 8 | 12 | 15 | 22 |
| 50-64 | 13773 | 8.9 | 38 | 1 | 2 | 9 | 12 | 16 | 18 | 28 |
| 65+ | 29646 | 11.7 | 46 | 2 | 4 | 11 | 15 | 18 | 22 | 36 |
| **GRAND TOTAL** | **48221** | **10.2** | **46** | **1** | **2** | **10** | **13** | **17** | **20** | **33** |

## 299: Other arthropathies (711-713; 716)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 394 | 7.0 | 39 | 1 | 2 | 5 | 9 | 14 | 21 | 29 |
| 20-34 | 251 | 5.2 | 14 | 2 | 2 | 4 | 7 | 10 | 12 | 20 |
| 35-49 | 199 | 5.3 | 19 | 1 | 2 | 4 | 6 | 10 | 15 | 24 |
| 50-64 | 145 | 5.1 | 16 | 1 | 2 | 4 | 6 | 11 | 13 | 21 |
| 65+ | 136 | 5.3 | 17 | 1 | 2 | 4 | 6 | 9 | 13 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 292 | 10.1 | 60 | 1 | 2 | 8 | 15 | 21 | 24 | 37 |
| 20-34 | 647 | 4.7 | 22 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| 35-49 | 676 | 4.9 | 24 | 1 | 1 | 3 | 6 | 10 | 14 | 23 |
| 50-64 | 681 | 5.7 | 28 | 1 | 1 | 4 | 8 | 12 | 16 | 28 |
| 65+ | 356 | 9.2 | 45 | 1 | 2 | 9 | 12 | 16 | 20 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 434 | 7.9 | 55 | 1 | 2 | 6 | 10 | 16 | 21 | 32 |
| 20-34 | 407 | 6.3 | 27 | 2 | 2 | 5 | 8 | 14 | 17 | 25 |
| 35-49 | 418 | 6.4 | 43 | 1 | 2 | 5 | 8 | 13 | 16 | 34 |
| 50-64 | 591 | 7.4 | 46 | 1 | 2 | 5 | 9 | 14 | 21 | 36 |
| 65+ | 1241 | 8.4 | 72 | 2 | 2 | 6 | 10 | 17 | 22 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 414 | 14.4 | 111 | 2 | 3 | 13 | 20 | 27 | 33 | 50 |
| 20-34 | 770 | 8.6 | 93 | 1 | 1 | 5 | 11 | 19 | 29 | 51 |
| 35-49 | 864 | 8.3 | 93 | 1 | 2 | 5 | 10 | 18 | 28 | 44 |
| 50-64 | 1095 | 10.6 | 121 | 1 | 2 | 8 | 13 | 24 | 35 | 56 |
| 65+ | 1301 | 15.1 | 156 | 2 | 3 | 12 | 19 | 31 | 42 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1125 | 5.9 | 25 | 1 | 2 | 4 | 7 | 12 | 16 | 26 |
| B. *Operated* | 2652 | 6.2 | 35 | 1 | 1 | 4 | 9 | 14 | 17 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3091 | 7.6 | 55 | 1 | 2 | 5 | 9 | 15 | 20 | 38 |
| B. *Operated* | 4444 | 11.5 | 128 | 1 | 2 | 8 | 15 | 25 | 35 | 57 |
| **1. SINGLE DX** | 3777 | 6.1 | 32 | 1 | 1 | 4 | 8 | 13 | 17 | 27 |
| **2. MULTIPLE DX** | 7535 | 9.9 | 102 | 1 | 2 | 7 | 13 | 21 | 30 | 54 |
| **A. NOT OPERATED** | 4216 | 7.1 | 48 | 1 | 2 | 5 | 9 | 14 | 19 | 34 |
| **B. OPERATED** | 7096 | 9.5 | 100 | 1 | 2 | 6 | 12 | 21 | 29 | 51 |
| TOTAL 0-19 YRS | 1534 | 9.9 | 76 | 1 | 2 | 8 | 14 | 21 | 25 | 42 |
| 20-34 | 2075 | 6.5 | 51 | 1 | 1 | 4 | 8 | 14 | 19 | 38 |
| 35-49 | 2157 | 6.6 | 57 | 1 | 1 | 4 | 8 | 14 | 20 | 39 |
| 50-64 | 2512 | 8.2 | 77 | 1 | 2 | 5 | 10 | 17 | 25 | 46 |
| 65+ | 3034 | 11.2 | 114 | 2 | 2 | 8 | 14 | 23 | 32 | 60 |
| **GRAND TOTAL** | **11312** | **8.6** | **82** | **1** | **2** | **6** | **11** | **18** | **26** | **46** |

## 300: Internal derangement of knee joint (717)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 7 | 8 |
| 20-34 | 42 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 35-49 | 28 | 3.5 | 8 | 1 | 1 | 2 | 5 | 8 | 9 | 9 |
| 50-64 | 21 | 2.4 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 9 |
| 65+ | 3 | 2.7 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1441 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 3532 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 1842 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 850 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 259 | 2.6 | 10 | <1 | <1 | 2 | 3 | 5 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 8 |
| 20-34 | 110 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| 35-49 | 83 | 3.4 | 30 | <1 | <1 | 1 | 4 | 7 | 11 | 32 |
| 50-64 | 84 | 3.5 | 15 | <1 | <1 | 2 | 4 | 8 | 11 | 22 |
| 65+ | 70 | 4.4 | 24 | <1 | <1 | 3 | 5 | 9 | 10 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1391 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 3956 | 2.7 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 2857 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 2421 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 65+ | 1178 | 3.3 | 17 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 119 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 8 | 9 |
| B. *Operated* | 7924 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 389 | 3.0 | 16 | <1 | <1 | 1 | 3 | 7 | 9 | 24 |
| B. *Operated* | 11803 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **1. SINGLE DX** | 8043 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 12192 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **A. NOT OPERATED** | 508 | 2.9 | 13 | <1 | <1 | 1 | 3 | 6 | 9 | 19 |
| **B. OPERATED** | 19727 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 2899 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 7640 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 4810 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | 3376 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 65+ | 1510 | 3.2 | 16 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| **GRAND TOTAL** | **20235** | **2.5** | **5** | **<1** | **<1** | **2** | **3** | **5** | **6** | **11** |

### 301: Other disorders of joint (718-719)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 411 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 20-34 | 247 | 3.6 | 12 | <1 | 1 | 3 | 4 | 8 | 9 | 17 |
| 35-49 | 173 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 50-64 | 142 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 65+ | 169 | 4.2 | 24 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3158 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 5431 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 1749 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 50-64 | 688 | 3.7 | 14 | <1 | 1 | 3 | 4 | 7 | 10 | 16 |
| 65+ | 325 | 5.4 | 57 | 1 | 1 | 3 | 7 | 11 | 15 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 481 | 4.5 | 38 | <1 | 1 | 3 | 5 | 9 | 12 | 33 |
| 20-34 | 502 | 4.7 | 38 | <1 | <1 | 3 | 6 | 10 | 15 | 32 |
| 35-49 | 516 | 4.6 | 27 | 1 | 1 | 3 | 6 | 9 | 14 | 23 |
| 50-64 | 619 | 5.6 | 40 | 1 | 1 | 4 | 7 | 11 | 15 | 31 |
| 65+ | 1515 | 8.4 | 83 | 1 | 2 | 6 | 10 | 18 | 26 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2068 | 3.9 | 18 | 1 | 1 | 3 | 5 | 7 | 11 | 24 |
| 20-34 | 3209 | 3.8 | 19 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 35-49 | 1817 | 4.0 | 19 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 50-64 | 1311 | 5.4 | 37 | 1 | 1 | 3 | 6 | 12 | 16 | 29 |
| 65+ | 1121 | 8.7 | 75 | 1 | 2 | 6 | 12 | 19 | 26 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1142 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| B. *Operated* | 11351 | 3.0 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3633 | 6.3 | 58 | 1 | 1 | 4 | 7 | 14 | 20 | 42 |
| B. *Operated* | 9526 | 4.7 | 30 | 1 | 1 | 3 | 5 | 10 | 15 | 29 |
| **1. SINGLE DX** | 12493 | 3.0 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | 13159 | 5.1 | 39 | 1 | 1 | 3 | 6 | 11 | 16 | 33 |
| **A. NOT OPERATED** | 4775 | 5.7 | 49 | 1 | 1 | 4 | 7 | 12 | 18 | 38 |
| **B. OPERATED** | 20877 | 3.7 | 18 | 1 | 1 | 3 | 4 | 7 | 10 | 22 |
| TOTAL 0-19 YRS | 6118 | 3.3 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 19 |
| 20-34 | 9389 | 3.3 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 35-49 | 4255 | 3.6 | 14 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 50-64 | 2760 | 4.9 | 31 | 1 | 1 | 3 | 6 | 10 | 15 | 27 |
| 65+ | 3130 | 8.0 | 76 | 1 | 2 | 5 | 10 | 17 | 24 | 46 |
| **GRAND TOTAL** | **25652** | **4.1** | **24** | **1** | **1** | **3** | **5** | **8** | **12** | **25** |

### 302: Ankylosing spondylitis (720.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.4 | 13 | 2 | 2 | 5 | 10 | 11 | 11 | 11 |
| 20-34 | 28 | 4.7 | 6 | 1 | 2 | 5 | 6 | 7 | 9 | 13 |
| 35-49 | 20 | 5.4 | 12 | 1 | 2 | 5 | 6 | 9 | 14 | 17 |
| 50-64 | 7 | 7.9 | 17 | 3 | 3 | 6 | 12 | 14 | 14 | 14 |
| 65+ | 6 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 12.0 | 51 | 2 | 2 | 13 | 17 | 20 | 20 | 20 |
| 35-49 | 16 | 7.7 | 72 | 1 | 1 | 5 | 10 | 17 | 29 | 34 |
| 50-64 | 5 | 5.6 | 13 | 2 | 2 | 6 | 8 | 10 | 10 | 10 |
| 65+ | 6 | 8.2 | 65 | <1 | <1 | 5 | 11 | 22 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 17 | 5.5 | 13 | 1 | 1 | 4 | 9 | 11 | 12 | 12 |
| 35-49 | 55 | 6.2 | 15 | 2 | 2 | 6 | 7 | 11 | 14 | 18 |
| 50-64 | 57 | 6.7 | 23 | 2 | 2 | 5 | 8 | 13 | 16 | 23 |
| 65+ | 71 | 9.7 | 70 | 2 | 3 | 8 | 11 | 17 | 25 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 22 | 9.9 | 42 | 1 | 2 | 9 | 13 | 20 | 24 | 24 |
| 35-49 | 39 | 11.1 | 58 | 2 | 3 | 9 | 14 | 22 | 27 | 34 |
| 50-64 | 40 | 10.7 | 36 | 3 | 4 | 10 | 14 | 20 | 22 | 23 |
| 65+ | 27 | 15.6 | 174 | 3 | 3 | 11 | 20 | 44 | 53 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 68 | 5.2 | 10 | 1 | 2 | 5 | 6 | 10 | 13 | 16 |
| B. *Operated* | 33 | 8.2 | 57 | 1 | 1 | 7 | 11 | 18 | 23 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 207 | 7.4 | 38 | 2 | 2 | 6 | 9 | 14 | 17 | 39 |
| B. *Operated* | 129 | 11.7 | 75 | 2 | 3 | 10 | 15 | 23 | 30 | 58 |
| **1. SINGLE DX** | 101 | 6.2 | 27 | 1 | 2 | 5 | 8 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | 336 | 9.0 | 57 | 2 | 2 | 7 | 11 | 18 | 23 | 45 |
| **A. NOT OPERATED** | 275 | 6.8 | 32 | 2 | 2 | 5 | 8 | 12 | 16 | 35 |
| **B. OPERATED** | 162 | 11.0 | 73 | 2 | 2 | 9 | 15 | 22 | 28 | 48 |
| TOTAL 0-19 YRS | 15 | 5.0 | 10 | 1 | 2 | 4 | 7 | 11 | 11 | 11 |
| 20-34 | 73 | 7.1 | 28 | 1 | 2 | 5 | 9 | 15 | 19 | 24 |
| 35-49 | 130 | 7.7 | 39 | 1 | 2 | 6 | 10 | 16 | 19 | 34 |
| 50-64 | 109 | 8.2 | 30 | 2 | 2 | 7 | 11 | 16 | 20 | 23 |
| 65+ | 110 | 10.7 | 100 | 2 | 3 | 8 | 12 | 23 | 41 | 68 |
| **GRAND TOTAL** | **437** | **8.4** | **51** | **2** | **2** | **6** | **11** | **17** | **23** | **43** |

## 303: Spondylosis and allied disorders (721)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.0 | 20 | <1 | 1 | 4 | 6 | 12 | 17 | 17 |
| 20-34 | 102 | 4.6 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 325 | 5.1 | 20 | 1 | 1 | 4 | 6 | 10 | 12 | 23 |
| 50-64 | 435 | 5.2 | 13 | 1 | 1 | 5 | 7 | 10 | 12 | 17 |
| 65+ | 403 | 5.8 | 15 | 1 | 2 | 5 | 8 | 11 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 5.3 | 23 | 1 | 1 | 5 | 7 | 9 | 15 | 23 |
| 20-34 | 273 | 5.2 | 25 | 1 | 1 | 4 | 8 | 11 | 13 | 23 |
| 35-49 | 1376 | 4.8 | 14 | 1 | 1 | 4 | 7 | 10 | 12 | 17 |
| 50-64 | 1703 | 5.1 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| 65+ | 774 | 6.1 | 27 | 1 | 1 | 5 | 9 | 13 | 15 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 5.4 | 29 | <1 | <1 | 4 | 7 | 11 | 19 | 23 |
| 20-34 | 176 | 5.5 | 17 | 1 | 1 | 5 | 7 | 10 | 11 | 22 |
| 35-49 | 875 | 6.2 | 20 | 1 | 2 | 5 | 8 | 12 | 14 | 20 |
| 50-64 | 2213 | 6.5 | 20 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| 65+ | 4709 | 7.2 | 30 | 2 | 3 | 6 | 9 | 13 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 6.8 | 27 | 1 | 2 | 6 | 9 | 12 | 18 | 24 |
| 20-34 | 356 | 6.0 | 29 | 1 | 1 | 5 | 8 | 12 | 16 | 25 |
| 35-49 | 1641 | 6.9 | 36 | 1 | 1 | 5 | 9 | 14 | 18 | 32 |
| 50-64 | 3053 | 7.1 | 39 | 1 | 1 | 6 | 9 | 14 | 19 | 29 |
| 65+ | 2886 | 10.1 | 80 | 1 | 2 | 8 | 13 | 20 | 28 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1276 | 5.3 | 15 | 1 | 1 | 5 | 7 | 10 | 12 | 17 |
| B. *Operated* | 4148 | 5.2 | 19 | 1 | 1 | 4 | 7 | 11 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8001 | 6.9 | 26 | 2 | 2 | 6 | 9 | 12 | 16 | 27 |
| B. *Operated* | 7957 | 8.1 | 55 | 1 | 2 | 6 | 10 | 16 | 22 | 37 |
| **1. SINGLE DX** | 5424 | 5.2 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 15958 | 7.5 | 41 | 1 | 2 | 6 | 9 | 14 | 19 | 33 |
| **A. NOT OPERATED** | 9277 | 6.7 | 25 | 2 | 2 | 6 | 8 | 12 | 15 | 26 |
| **B. OPERATED** | 12105 | 7.1 | 45 | 1 | 1 | 5 | 9 | 14 | 19 | 33 |
| TOTAL 0-19 YRS | 82 | 5.7 | 25 | <1 | 1 | 4 | 7 | 11 | 18 | 24 |
| 20-34 | 907 | 5.5 | 23 | 1 | 1 | 4 | 8 | 11 | 14 | 23 |
| 35-49 | 4217 | 5.9 | 25 | 1 | 1 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 7404 | 6.3 | 28 | 1 | 1 | 5 | 8 | 12 | 16 | 26 |
| 65+ | 8772 | 8.0 | 48 | 1 | 2 | 6 | 10 | 15 | 20 | 37 |
| **GRAND TOTAL** | **21382** | **6.9** | **36** | **1** | **2** | **6** | **9** | **13** | **17** | **30** |

## 304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 6.1 | 16 | 1 | 2 | 5 | 8 | 11 | 13 | 18 |
| 20-34 | 3237 | 6.1 | 17 | 1 | 1 | 5 | 8 | 11 | 14 | 19 |
| 35-49 | 4823 | 6.4 | 17 | 1 | 2 | 6 | 8 | 12 | 14 | 19 |
| 50-64 | 2353 | 6.7 | 17 | 1 | 2 | 6 | 9 | 12 | 14 | 20 |
| 65+ | 698 | 7.2 | 21 | 1 | 2 | 7 | 9 | 13 | 15 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 642 | 5.0 | 15 | 1 | 1 | 4 | 6 | 9 | 13 | 19 |
| 20-34 | 15097 | 5.7 | 20 | 1 | 1 | 5 | 8 | 11 | 14 | 21 |
| 35-49 | 21272 | 6.0 | 21 | 1 | 1 | 5 | 8 | 12 | 14 | 22 |
| 50-64 | 8673 | 6.4 | 24 | 1 | 1 | 5 | 9 | 12 | 15 | 23 |
| 65+ | 1835 | 7.1 | 28 | 1 | 1 | 6 | 10 | 14 | 17 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 7.1 | 27 | 1 | 1 | 6 | 10 | 15 | 18 | 23 |
| 20-34 | 1924 | 6.9 | 23 | 1 | 2 | 6 | 9 | 13 | 16 | 23 |
| 35-49 | 4109 | 7.5 | 28 | 1 | 2 | 7 | 10 | 14 | 17 | 26 |
| 50-64 | 4061 | 7.7 | 25 | 2 | 3 | 7 | 10 | 14 | 16 | 25 |
| 65+ | 3869 | 8.2 | 36 | 2 | 3 | 7 | 10 | 14 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 155 | 7.7 | 36 | 1 | 1 | 6 | 10 | 15 | 19 | 32 |
| 20-34 | 5199 | 7.9 | 40 | 1 | 2 | 7 | 10 | 15 | 19 | 31 |
| 35-49 | 10198 | 8.3 | 41 | 1 | 2 | 7 | 11 | 16 | 20 | 32 |
| 50-64 | 8022 | 9.2 | 50 | 1 | 2 | 8 | 12 | 18 | 22 | 34 |
| 65+ | 4584 | 10.9 | 70 | 2 | 2 | 9 | 14 | 21 | 26 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11265 | 6.4 | 17 | 1 | 2 | 6 | 8 | 12 | 14 | 20 |
| B. *Operated* | 47519 | 6.0 | 21 | 1 | 1 | 5 | 8 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14031 | 7.7 | 29 | 2 | 2 | 7 | 10 | 14 | 17 | 26 |
| B. *Operated* | 28158 | 8.9 | 49 | 1 | 2 | 8 | 12 | 17 | 22 | 34 |
| **1. SINGLE DX** | 58784 | 6.1 | 21 | 1 | 1 | 5 | 8 | 12 | 14 | 22 |
| **2. MULTIPLE DX** | 42189 | 8.5 | 43 | 1 | 2 | 7 | 11 | 16 | 20 | 32 |
| **A. NOT OPERATED** | 25296 | 7.1 | 24 | 1 | 2 | 6 | 9 | 13 | 16 | 24 |
| **B. OPERATED** | 75677 | 7.1 | 34 | 1 | 1 | 6 | 9 | 14 | 18 | 28 |
| TOTAL 0-19 YRS | 1019 | 5.7 | 20 | 1 | 1 | 5 | 7 | 11 | 14 | 23 |
| 20-34 | 25457 | 6.3 | 25 | 1 | 1 | 5 | 8 | 12 | 15 | 24 |
| 35-49 | 40402 | 6.8 | 27 | 1 | 1 | 6 | 9 | 13 | 16 | 25 |
| 50-64 | 23109 | 7.6 | 34 | 1 | 2 | 7 | 10 | 14 | 18 | 28 |
| 65+ | 10986 | 9.1 | 51 | 1 | 2 | 8 | 11 | 17 | 22 | 35 |
| **GRAND TOTAL** | **100973** | **7.1** | **31** | **1** | **1** | **6** | **9** | **14** | **17** | **27** |

### 305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 5.0 | 16 | <1 | 1 | 4 | 8 | 11 | 12 | 17 |
| 20-34 | 376 | 5.6 | 15 | 1 | 1 | 5 | 7 | 10 | 13 | 20 |
| 35-49 | 745 | 5.7 | 19 | 1 | 1 | 5 | 8 | 11 | 13 | 21 |
| 50-64 | 380 | 5.7 | 16 | 1 | 1 | 5 | 8 | 10 | 13 | 20 |
| 65+ | 100 | 6.1 | 15 | 2 | 2 | 5 | 8 | 10 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 4.6 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| 20-34 | 1339 | 5.1 | 19 | 1 | 1 | 4 | 7 | 10 | 14 | 21 |
| 35-49 | 3753 | 5.4 | 18 | 1 | 1 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 1735 | 5.3 | 16 | 1 | 1 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 193 | 5.8 | 23 | 1 | 1 | 5 | 8 | 12 | 17 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 7.2 | 25 | 1 | 2 | 6 | 10 | 15 | 18 | 19 |
| 20-34 | 289 | 6.6 | 25 | 1 | 1 | 5 | 8 | 12 | 16 | 25 |
| 35-49 | 834 | 6.6 | 24 | 1 | 2 | 5 | 9 | 12 | 15 | 25 |
| 50-64 | 895 | 6.9 | 31 | 1 | 2 | 6 | 9 | 12 | 15 | 25 |
| 65+ | 717 | 7.0 | 32 | 2 | 3 | 6 | 8 | 12 | 15 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 6.1 | 23 | 1 | 1 | 6 | 8 | 11 | 16 | 20 |
| 20-34 | 672 | 6.5 | 29 | 1 | 1 | 5 | 8 | 14 | 17 | 27 |
| 35-49 | 2470 | 6.7 | 33 | 1 | 1 | 5 | 8 | 13 | 17 | 28 |
| 50-64 | 2034 | 7.4 | 49 | 1 | 1 | 6 | 9 | 14 | 18 | 31 |
| 65+ | 583 | 9.4 | 72 | 1 | 2 | 7 | 13 | 20 | 25 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1632 | 5.7 | 17 | 1 | 1 | 5 | 8 | 10 | 13 | 21 |
| B. *Operated* | 7055 | 5.3 | 18 | 1 | 1 | 5 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2753 | 6.8 | 28 | 1 | 2 | 6 | 9 | 12 | 15 | 25 |
| B. *Operated* | 5778 | 7.2 | 43 | 1 | 1 | 6 | 9 | 14 | 18 | 31 |
| **1. SINGLE DX** | 8687 | 5.4 | 18 | 1 | 1 | 5 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 8531 | 7.0 | 38 | 1 | 2 | 6 | 9 | 13 | 17 | 29 |
| **A. NOT OPERATED** | 4385 | 6.4 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| **B. OPERATED** | 12833 | 6.2 | 30 | 1 | 1 | 5 | 8 | 12 | 16 | 25 |
| TOTAL 0-19 YRS | 103 | 5.5 | 18 | 1 | 1 | 5 | 8 | 11 | 14 | 19 |
| 20-34 | 2676 | 5.7 | 22 | 1 | 1 | 5 | 8 | 11 | 15 | 23 |
| 35-49 | 7802 | 5.9 | 24 | 1 | 1 | 5 | 8 | 11 | 14 | 23 |
| 50-64 | 5044 | 6.5 | 33 | 1 | 1 | 5 | 9 | 12 | 16 | 25 |
| 65+ | 1593 | 7.7 | 46 | 1 | 2 | 6 | 9 | 15 | 20 | 39 |
| **GRAND TOTAL** | **17218** | **6.2** | **29** | **1** | **1** | **5** | **8** | **12** | **15** | **24** |

### 306: Sacroiliac joint disorder (720.2; 724.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 5.3 | 21 | 1 | 2 | 4 | 5 | 14 | 17 | 18 |
| 20-34 | 258 | 5.3 | 17 | 1 | 1 | 4 | 8 | 11 | 13 | 18 |
| 35-49 | 320 | 5.9 | 18 | 1 | 1 | 5 | 7 | 11 | 14 | 20 |
| 50-64 | 144 | 6.2 | 15 | 1 | 1 | 5 | 9 | 11 | 13 | 17 |
| 65+ | 33 | 5.4 | 16 | 1 | 1 | 4 | 8 | 10 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.0 | 9 | 1 | 1 | 2 | 3 | 8 | 10 | 10 |
| 20-34 | 320 | 4.2 | 16 | 1 | 1 | 2 | 6 | 10 | 13 | 17 |
| 35-49 | 355 | 5.0 | 24 | 1 | 1 | 3 | 8 | 11 | 13 | 20 |
| 50-64 | 114 | 5.3 | 25 | 1 | 1 | 3 | 8 | 12 | 15 | 22 |
| 65+ | 15 | 6.1 | 20 | <1 | 1 | 6 | 9 | 12 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 8.4 | 30 | 2 | 4 | 8 | 11 | 14 | 21 | 24 |
| 20-34 | 318 | 6.8 | 18 | 2 | 2 | 6 | 9 | 11 | 14 | 21 |
| 35-49 | 543 | 7.1 | 19 | 2 | 3 | 6 | 9 | 12 | 14 | 24 |
| 50-64 | 369 | 7.7 | 25 | 2 | 3 | 6 | 10 | 14 | 18 | 27 |
| 65+ | 213 | 7.1 | 22 | 2 | 3 | 6 | 9 | 13 | 16 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.9 | 14 | 1 | 1 | 4 | 7 | 10 | 13 | 14 |
| 20-34 | 299 | 6.9 | 33 | 1 | 1 | 6 | 9 | 13 | 18 | 30 |
| 35-49 | 398 | 7.6 | 33 | 1 | 1 | 7 | 11 | 15 | 18 | 28 |
| 50-64 | 170 | 8.5 | 53 | 1 | 2 | 7 | 11 | 17 | 24 | 40 |
| 65+ | 52 | 9.8 | 56 | 1 | 2 | 10 | 13 | 21 | 25 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 777 | 5.7 | 17 | 1 | 1 | 5 | 8 | 11 | 14 | 18 |
| B. *Operated* | 813 | 4.7 | 21 | 1 | 1 | 3 | 7 | 11 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1459 | 7.2 | 21 | 2 | 3 | 6 | 9 | 13 | 16 | 24 |
| B. *Operated* | 932 | 7.6 | 38 | 1 | 1 | 7 | 10 | 15 | 19 | 29 |
| **1. SINGLE DX** | 1590 | 5.2 | 19 | 1 | 1 | 4 | 7 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | 2391 | 7.4 | 28 | 1 | 2 | 6 | 10 | 13 | 17 | 27 |
| **A. NOT OPERATED** | 2236 | 6.7 | 20 | 1 | 2 | 6 | 9 | 12 | 15 | 23 |
| **B. OPERATED** | 1745 | 6.3 | 32 | 1 | 1 | 4 | 9 | 13 | 17 | 27 |
| TOTAL 0-19 YRS | 60 | 5.7 | 23 | 1 | 1 | 4 | 8 | 13 | 15 | 23 |
| 20-34 | 1195 | 5.8 | 22 | 1 | 1 | 5 | 8 | 11 | 15 | 22 |
| 35-49 | 1616 | 6.5 | 24 | 1 | 1 | 6 | 9 | 12 | 15 | 24 |
| 50-64 | 797 | 7.2 | 30 | 1 | 2 | 6 | 10 | 14 | 17 | 27 |
| 65+ | 313 | 7.3 | 28 | 1 | 2 | 6 | 10 | 14 | 17 | 28 |
| **GRAND TOTAL** | **3981** | **6.5** | **25** | **1** | **1** | **5** | **9** | **12** | **16** | **25** |

## 307: Sciatica (724.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.8 | 8 | 1 | 2 | 4 | 6 | 10 | 11 | 11 |
| 20-34 | 296 | 5.7 | 13 | 1 | 2 | 5 | 7 | 10 | 13 | 18 |
| 35-49 | 431 | 6.0 | 17 | 1 | 1 | 5 | 8 | 11 | 13 | 19 |
| 50-64 | 292 | 6.0 | 17 | 1 | 2 | 5 | 8 | 11 | 13 | 23 |
| 65+ | 136 | 6.5 | 19 | 1 | 2 | 6 | 9 | 12 | 13 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.0 | 26 | 1 | 1 | 2 | 9 | 13 | 14 | 14 |
| 20-34 | 253 | 3.7 | 14 | 1 | 1 | 2 | 5 | 10 | 12 | 18 |
| 35-49 | 374 | 3.9 | 18 | 1 | 1 | 2 | 5 | 10 | 13 | 22 |
| 50-64 | 190 | 4.0 | 20 | 1 | 1 | 2 | 5 | 10 | 13 | 23 |
| 65+ | 47 | 3.7 | 15 | 1 | 1 | 2 | 5 | 10 | 13 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 5.4 | 8 | 1 | 2 | 5 | 8 | 9 | 10 | 11 |
| 20-34 | 340 | 7.2 | 22 | 1 | 2 | 7 | 9 | 12 | 15 | 29 |
| 35-49 | 595 | 7.1 | 19 | 2 | 2 | 6 | 9 | 12 | 15 | 25 |
| 50-64 | 670 | 7.5 | 21 | 2 | 3 | 7 | 10 | 13 | 15 | 21 |
| 65+ | 945 | 7.9 | 25 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 7.6 | 41 | 1 | 2 | 5 | 10 | 18 | 21 | 22 |
| 20-34 | 166 | 5.5 | 24 | 1 | 1 | 4 | 8 | 12 | 16 | 21 |
| 35-49 | 281 | 7.1 | 43 | 1 | 1 | 6 | 10 | 14 | 19 | 33 |
| 50-64 | 221 | 8.5 | 45 | 1 | 2 | 7 | 11 | 17 | 22 | 31 |
| 65+ | 193 | 10.4 | 63 | 1 | 2 | 9 | 14 | 19 | 26 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1167 | 6.0 | 16 | 1 | 2 | 5 | 8 | 11 | 13 | 20 |
| B. *Operated* | 871 | 3.9 | 17 | 1 | 1 | 2 | 5 | 10 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2573 | 7.5 | 22 | 2 | 3 | 7 | 9 | 13 | 16 | 24 |
| B. *Operated* | 873 | 7.9 | 47 | 1 | 1 | 6 | 11 | 17 | 21 | 34 |
| **1. SINGLE DX** | 2038 | 5.1 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 3446 | 7.6 | 28 | 1 | 2 | 7 | 10 | 14 | 17 | 28 |
| **A. NOT OPERATED** | 3740 | 7.0 | 21 | 1 | 2 | 6 | 9 | 12 | 15 | 23 |
| **B. OPERATED** | 1744 | 5.9 | 36 | 1 | 1 | 4 | 8 | 13 | 18 | 30 |
| TOTAL 0-19 YRS | 54 | 5.7 | 18 | 1 | 1 | 5 | 8 | 11 | 14 | 22 |
| 20-34 | 1055 | 5.7 | 19 | 1 | 1 | 5 | 8 | 11 | 14 | 20 |
| 35-49 | 1681 | 6.1 | 24 | 1 | 1 | 5 | 8 | 12 | 14 | 25 |
| 50-64 | 1373 | 6.9 | 26 | 1 | 1 | 6 | 9 | 13 | 16 | 25 |
| 65+ | 1321 | 8.0 | 31 | 2 | 2 | 7 | 10 | 15 | 18 | 29 |
| **GRAND TOTAL** | **5484** | **6.7** | **26** | **1** | **1** | **6** | **9** | **13** | **16** | **25** |

## 308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 364 | 3.9 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 3216 | 5.2 | 16 | 1 | 1 | 4 | 7 | 10 | 12 | 18 |
| 35-49 | 4101 | 5.4 | 17 | 1 | 1 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 2125 | 5.5 | 20 | 1 | 1 | 5 | 8 | 11 | 13 | 19 |
| 65+ | 799 | 5.7 | 20 | 1 | 1 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 261 | 3.2 | 33 | 1 | 1 | 2 | 3 | 6 | 8 | 17 |
| 20-34 | 3677 | 3.7 | 15 | 1 | 1 | 2 | 5 | 8 | 11 | 18 |
| 35-49 | 5167 | 4.1 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 50-64 | 3280 | 4.8 | 20 | 1 | 1 | 3 | 7 | 10 | 13 | 20 |
| 65+ | 1598 | 6.4 | 30 | 1 | 1 | 6 | 9 | 13 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 412 | 4.2 | 15 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 20-34 | 3777 | 6.4 | 29 | 1 | 1 | 5 | 8 | 13 | 17 | 26 |
| 35-49 | 6274 | 6.8 | 27 | 1 | 2 | 6 | 9 | 13 | 17 | 26 |
| 50-64 | 5197 | 6.9 | 26 | 1 | 2 | 6 | 9 | 13 | 16 | 26 |
| 65+ | 5687 | 7.1 | 30 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 189 | 5.5 | 47 | 1 | 1 | 3 | 7 | 11 | 15 | 43 |
| 20-34 | 3105 | 5.7 | 34 | 1 | 1 | 4 | 8 | 12 | 16 | 27 |
| 35-49 | 5499 | 6.4 | 37 | 1 | 1 | 5 | 9 | 14 | 18 | 30 |
| 50-64 | 5344 | 7.6 | 48 | 1 | 1 | 6 | 10 | 15 | 20 | 34 |
| 65+ | 5196 | 10.3 | 75 | 1 | 2 | 9 | 13 | 20 | 27 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10605 | 5.3 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 19 |
| B. *Operated* | 13983 | 4.4 | 19 | 1 | 1 | 3 | 6 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21347 | 6.8 | 28 | 1 | 2 | 6 | 9 | 13 | 16 | 26 |
| B. *Operated* | 19333 | 7.7 | 53 | 1 | 1 | 6 | 10 | 16 | 21 | 36 |
| **1. SINGLE DX** | 24588 | 4.8 | 19 | 1 | 1 | 4 | 7 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | 40680 | 7.2 | 40 | 1 | 1 | 6 | 9 | 14 | 18 | 32 |
| **A. NOT OPERATED** | 31952 | 6.3 | 25 | 1 | 1 | 5 | 8 | 12 | 15 | 24 |
| **B. OPERATED** | 33316 | 6.3 | 41 | 1 | 1 | 4 | 9 | 14 | 18 | 31 |
| TOTAL 0-19 YRS | 1226 | 4.1 | 24 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 20-34 | 13775 | 5.2 | 24 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| 35-49 | 21041 | 5.7 | 26 | 1 | 1 | 4 | 8 | 12 | 15 | 24 |
| 50-64 | 15946 | 6.5 | 32 | 1 | 1 | 5 | 9 | 13 | 16 | 27 |
| 65+ | 13280 | 8.2 | 50 | 1 | 2 | 7 | 11 | 16 | 21 | 36 |
| **GRAND TOTAL** | **65268** | **6.3** | **33** | **1** | **1** | **5** | **8** | **13** | **17** | **28** |

## 309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 580 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 303 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 338 | 4.1 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 50-64 | 261 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 65+ | 141 | 4.0 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 707 | 2.3 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 2204 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 3261 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 2582 | 2.7 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 65+ | 652 | 2.9 | 9 | <1 | <1 | 2 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 340 | 4.3 | 30 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 418 | 4.6 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 627 | 4.9 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 50-64 | 839 | 5.3 | 20 | 1 | 1 | 4 | 7 | 10 | 13 | 19 |
| 65+ | 1093 | 5.8 | 16 | 1 | 2 | 5 | 7 | 11 | 13 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 367 | 3.6 | 24 | <1 | 1 | 2 | 4 | 7 | 9 | 24 |
| 20-34 | 1566 | 3.5 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 21 |
| 35-49 | 2825 | 3.6 | 17 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| 50-64 | 2934 | 3.9 | 16 | 1 | 1 | 3 | 4 | 8 | 10 | 20 |
| 65+ | 1497 | 5.4 | 38 | 1 | 1 | 4 | 6 | 11 | 16 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1623 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 9406 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3317 | 5.2 | 18 | 1 | 2 | 4 | 7 | 10 | 12 | 19 |
| B. *Operated* | 9189 | 4.0 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **1. SINGLE DX** | 11029 | 2.7 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 12506 | 4.3 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 22 |
| **A. NOT OPERATED** | 4940 | 4.7 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 18595 | 3.2 | 13 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| TOTAL 0-19 YRS | 1994 | 3.1 | 13 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 4491 | 3.1 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 7051 | 3.2 | 11 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 50-64 | 6616 | 3.6 | 13 | <1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 65+ | 3383 | 5.0 | 25 | 1 | 1 | 4 | 6 | 10 | 13 | 26 |
| **GRAND TOTAL** | **23535** | **3.6** | **14** | **<1** | **1** | **3** | **4** | **7** | **9** | **17** |

## 310: Bunion and deformities of toe (727.1; 735)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 11 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 35-49 | 9 | 2.2 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 18 | 2.8 | 4 | <1 | <1 | 2 | 4 | 5 | 7 | 8 |
| 65+ | 9 | 3.2 | 3 | <1 | <1 | 3 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 769 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1574 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 1887 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 1996 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 872 | 2.9 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 1.1 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| 20-34 | 40 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| 35-49 | 48 | 1.7 | 6 | <1 | <1 | 1 | 1 | 3 | 4 | 16 |
| 50-64 | 100 | 2.1 | 4 | <1 | <1 | 1 | 2 | 5 | 7 | 10 |
| 65+ | 62 | 2.8 | 16 | <1 | <1 | 1 | 2 | 6 | 12 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 936 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 2550 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 3875 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | 6355 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 65+ | 4527 | 3.7 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 2.7 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 7098 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 269 | 2.1 | 7 | <1 | <1 | 1 | 2 | 4 | 6 | 15 |
| B. *Operated* | 18243 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **1. SINGLE DX** | 7149 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | 18512 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **A. NOT OPERATED** | 320 | 2.2 | 6 | <1 | <1 | 1 | 2 | 5 | 6 | 13 |
| **B. OPERATED** | 25341 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| TOTAL 0-19 YRS | 1728 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 4175 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 5819 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 8469 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 65+ | 5470 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **GRAND TOTAL** | **25661** | **3.1** | **4** | **1** | **1** | **3** | **4** | **5** | **6** | **10** |

### 311: Ganglion and cyst (727.4-727.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 15 | 2.0 | 4 | <1 | <1 | 1 | 2 | 7 | 7 | 7 |
| 35-49 | 10 | 1.6 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 13 | 3.0 | 5 | <1 | <1 | 3 | 5 | 6 | 7 | 7 |
| 65+ | 10 | 3.3 | 4 | <1 | <1 | 3 | 5 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 701 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 1210 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 35-49 | 930 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 533 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 211 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 3 | 3 |
| 20-34 | 28 | 2.7 | 10 | <1 | <1 | 1 | 4 | 6 | 11 | 14 |
| 35-49 | 22 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 50-64 | 44 | 3.2 | 7 | <1 | <1 | 3 | 4 | 6 | 9 | 12 |
| 65+ | 58 | 4.7 | 12 | 1 | 1 | 4 | 7 | 9 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 1.9 | 2 | <1 | <1 | 1 | 3 | 3 | 5 | 8 |
| 20-34 | 346 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 410 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 7 | 15 |
| 50-64 | 521 | 3.2 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 65+ | 362 | 4.1 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| B. *Operated* | 3585 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 161 | 3.4 | 10 | <1 | <1 | 2 | 4 | 8 | 10 | 14 |
| B. *Operated* | 1746 | 3.1 | 8 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| **1. SINGLE DX** | 3638 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 1907 | 3.1 | 8 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| **A. NOT OPERATED** | 214 | 3.2 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 13 |
| **B. OPERATED** | 5331 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 822 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 1599 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 1372 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 50-64 | 1111 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 65+ | 641 | 3.6 | 11 | <1 | <1 | 3 | 4 | 7 | 9 | 18 |
| **GRAND TOTAL** | **5545** | **2.2** | **4** | **<1** | **<1** | **2** | **3** | **4** | **6** | **10** |

### 312: Osteomyelitis (730)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 308 | 11.4 | 69 | 1 | 2 | 9 | 15 | 23 | 28 | 41 |
| 20-34 | 124 | 9.0 | 55 | 1 | 2 | 7 | 11 | 21 | 26 | 53 |
| 35-49 | 89 | 9.3 | 100 | 1 | 2 | 7 | 10 | 19 | 28 | 58 |
| 50-64 | 82 | 10.1 | 81 | 2 | 3 | 7 | 13 | 20 | 27 | 51 |
| 65+ | 84 | 10.8 | 76 | 2 | 3 | 9 | 13 | 20 | 30 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 313 | 13.7 | 143 | 1 | 2 | 10 | 21 | 29 | 36 | 53 |
| 20-34 | 337 | 11.2 | 147 | 1 | 2 | 7 | 13 | 27 | 39 | 62 |
| 35-49 | 290 | 10.9 | 96 | 1 | 2 | 8 | 13 | 24 | 35 | 45 |
| 50-64 | 263 | 11.3 | 108 | 1 | 2 | 8 | 15 | 25 | 34 | 47 |
| 65+ | 205 | 11.0 | 83 | 2 | 2 | 9 | 14 | 23 | 28 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 330 | 14.2 | 92 | 3 | 4 | 12 | 21 | 28 | 32 | 44 |
| 20-34 | 252 | 12.0 | 114 | 1 | 2 | 9 | 15 | 28 | 35 | 46 |
| 35-49 | 287 | 12.1 | 131 | 2 | 3 | 9 | 15 | 27 | 37 | 48 |
| 50-64 | 493 | 13.5 | 152 | 2 | 3 | 10 | 17 | 28 | 41 | 61 |
| 65+ | 765 | 14.8 | 139 | 3 | 4 | 11 | 18 | 31 | 40 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 551 | 17.2 | 188 | 2 | 4 | 14 | 24 | 39 | 44 | 69 |
| 20-34 | 821 | 16.8 | 247 | 2 | 3 | 11 | 22 | 41 | 49 | 87 |
| 35-49 | 1055 | 17.7 | 204 | 2 | 4 | 14 | 24 | 40 | 48 | 69 |
| 50-64 | 1612 | 18.2 | 206 | 3 | 5 | 14 | 24 | 39 | 47 | 83 |
| 65+ | 1938 | 18.9 | 250 | 3 | 5 | 14 | 24 | 42 | 53 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 687 | 10.5 | 73 | 1 | 2 | 8 | 14 | 22 | 28 | 43 |
| B. *Operated* | 1408 | 11.7 | 120 | 1 | 2 | 8 | 15 | 26 | 35 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2127 | 13.7 | 132 | 2 | 3 | 10 | 18 | 29 | 37 | 56 |
| B. *Operated* | 5977 | 18.1 | 224 | 3 | 4 | 14 | 24 | 40 | 49 | 82 |
| **1. SINGLE DX** | 2095 | 11.3 | 105 | 1 | 2 | 8 | 15 | 25 | 32 | 46 |
| **2. MULTIPLE DX** | 8104 | 16.9 | 204 | 3 | 4 | 13 | 22 | 37 | 47 | 78 |
| **A. NOT OPERATED** | 2814 | 12.9 | 119 | 2 | 3 | 10 | 16 | 28 | 35 | 53 |
| **B. OPERATED** | 7385 | 16.8 | 211 | 2 | 3 | 13 | 22 | 38 | 47 | 79 |
| TOTAL 0-19 YRS | 1502 | 14.6 | 138 | 2 | 3 | 11 | 21 | 30 | 39 | 56 |
| 20-34 | 1534 | 14.1 | 196 | 2 | 3 | 10 | 18 | 33 | 44 | 77 |
| 35-49 | 1721 | 15.2 | 179 | 2 | 3 | 11 | 21 | 35 | 44 | 65 |
| 50-64 | 2450 | 16.3 | 188 | 2 | 4 | 12 | 22 | 35 | 45 | 73 |
| 65+ | 2992 | 17.1 | 213 | 3 | 4 | 13 | 22 | 37 | 48 | 82 |
| **GRAND TOTAL** | **10199** | **15.8** | **189** | **2** | **3** | **12** | **21** | **35** | **45** | **73** |

## 313: Localized disorders of bone and cartilage (731-733)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 469 | 5.1 | 36 | <1 | 1 | 3 | 7 | 12 | 16 | 29 |
| 20-34 | 318 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 35-49 | 465 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 50-64 | 359 | 4.7 | 34 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| 65+ | 609 | 6.5 | 19 | 1 | 2 | 6 | 9 | 12 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3000 | 4.0 | 16 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 20-34 | 3025 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 35-49 | 1884 | 4.8 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 21 |
| 50-64 | 1284 | 5.6 | 23 | 1 | 1 | 4 | 8 | 12 | 14 | 26 |
| 65+ | 781 | 8.2 | 40 | 1 | 2 | 7 | 11 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 386 | 6.1 | 61 | <1 | 1 | 4 | 7 | 14 | 21 | 63 |
| 20-34 | 740 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 35-49 | 1504 | 4.3 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 50-64 | 2491 | 6.1 | 28 | 1 | 2 | 5 | 8 | 13 | 17 | 27 |
| 65+ | 11234 | 8.5 | 45 | 2 | 3 | 7 | 11 | 15 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1389 | 5.4 | 38 | 1 | 1 | 3 | 7 | 12 | 17 | 31 |
| 20-34 | 2336 | 5.9 | 54 | 1 | 1 | 4 | 7 | 12 | 16 | 43 |
| 35-49 | 2263 | 7.5 | 66 | 1 | 1 | 5 | 9 | 15 | 22 | 44 |
| 50-64 | 2869 | 9.9 | 86 | 1 | 2 | 8 | 13 | 20 | 27 | 48 |
| 65+ | 5111 | 13.8 | 110 | 3 | 4 | 12 | 17 | 25 | 34 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2220 | 4.7 | 23 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| B. *Operated* | 9974 | 4.6 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16355 | 7.5 | 41 | 1 | 2 | 6 | 10 | 14 | 19 | 34 |
| B. *Operated* | 13968 | 9.8 | 93 | 1 | 2 | 7 | 13 | 20 | 27 | 52 |
| **1. SINGLE DX** | 12194 | 4.6 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 30323 | 8.6 | 66 | 1 | 2 | 7 | 11 | 17 | 23 | 43 |
| **A. NOT OPERATED** | 18575 | 7.2 | 40 | 1 | 2 | 6 | 9 | 14 | 18 | 32 |
| **B. OPERATED** | 23942 | 7.7 | 69 | 1 | 1 | 5 | 10 | 17 | 22 | 43 |
| TOTAL 0-19 YRS | 5244 | 4.6 | 28 | <1 | 1 | 3 | 6 | 10 | 14 | 27 |
| 20-34 | 6419 | 4.5 | 28 | 1 | 1 | 3 | 5 | 9 | 12 | 26 |
| 35-49 | 6116 | 5.5 | 38 | 1 | 1 | 4 | 7 | 11 | 16 | 31 |
| 50-64 | 7003 | 7.5 | 55 | 1 | 2 | 5 | 10 | 16 | 21 | 36 |
| 65+ | 17735 | 10.0 | 69 | 2 | 3 | 8 | 13 | 19 | 24 | 45 |
| **GRAND TOTAL** | **42517** | **7.5** | **56** | **1** | **1** | **5** | **10** | **15** | **20** | **38** |

## 314: Acquired deformities of limbs, except toe (734; 736)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.0 | 5 | <1 | <1 | 1 | 2 | 5 | 8 | 8 |
| 20-34 | 8 | 5.0 | 19 | 1 | 1 | 3 | 7 | 12 | 14 | 14 |
| 35-49 | 6 | 7.0 | 88 | 1 | 1 | 4 | 5 | 24 | 26 | 26 |
| 50-64 | 5 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 764 | 3.7 | 15 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 20-34 | 339 | 3.4 | 9 | <1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 35-49 | 224 | 3.2 | 7 | <1 | <1 | 2 | 4 | 7 | 8 | 14 |
| 50-64 | 155 | 3.7 | 10 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 65+ | 75 | 5.4 | 24 | <1 | 1 | 4 | 6 | 11 | 13 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 4.9 | 121 | <1 | <1 | 1 | 5 | 12 | 17 | 72 |
| 20-34 | 33 | 6.1 | 114 | <1 | <1 | 2 | 6 | 13 | 33 | 52 |
| 35-49 | 26 | 10.2 | 151 | <1 | <1 | 5 | 14 | 32 | 35 | 48 |
| 50-64 | 44 | 15.2 | 221 | 1 | 1 | 11 | 22 | 34 | 57 | 58 |
| 65+ | 145 | 16.4 | 177 | 1 | 3 | 14 | 21 | 36 | 43 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1367 | 4.8 | 41 | 1 | 1 | 3 | 5 | 8 | 11 | 34 |
| 20-34 | 660 | 4.6 | 29 | 1 | 1 | 3 | 6 | 8 | 11 | 29 |
| 35-49 | 503 | 4.5 | 18 | 1 | 1 | 4 | 6 | 8 | 10 | 20 |
| 50-64 | 530 | 5.1 | 33 | 1 | 1 | 4 | 6 | 9 | 12 | 37 |
| 65+ | 393 | 8.0 | 71 | 1 | 2 | 5 | 9 | 16 | 24 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 4.1 | 26 | <1 | <1 | 3 | 4 | 9 | 15 | 26 |
| B. *Operated* | 1557 | 3.6 | 13 | <1 | 1 | 3 | 5 | 7 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 322 | 12.0 | 185 | <1 | 1 | 8 | 17 | 30 | 38 | 61 |
| B. *Operated* | 3453 | 5.1 | 39 | 1 | 1 | 4 | 6 | 9 | 13 | 35 |
| **1. SINGLE DX** | 1586 | 3.7 | 13 | <1 | 1 | 3 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 3775 | 5.7 | 55 | 1 | 1 | 4 | 6 | 11 | 17 | 41 |
| **A. NOT OPERATED** | 351 | 11.4 | 177 | <1 | 1 | 6 | 16 | 28 | 37 | 58 |
| **B. OPERATED** | 5010 | 4.7 | 31 | 1 | 1 | 3 | 5 | 8 | 11 | 30 |
| TOTAL 0-19 YRS | 2215 | 4.4 | 35 | 1 | 1 | 3 | 5 | 8 | 10 | 30 |
| 20-34 | 1040 | 4.3 | 26 | 1 | 1 | 3 | 5 | 8 | 11 | 26 |
| 35-49 | 759 | 4.4 | 21 | <1 | 1 | 3 | 5 | 8 | 11 | 28 |
| 50-64 | 734 | 5.4 | 45 | 1 | 1 | 4 | 6 | 10 | 14 | 39 |
| 65+ | 613 | 9.7 | 105 | 1 | 2 | 6 | 12 | 21 | 31 | 55 |
| **GRAND TOTAL** | **5361** | **5.1** | **43** | **1** | **1** | **3** | **6** | **9** | **14** | **37** |

### 315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.1 | 14 | 2 | 2 | 3 | 4 | 9 | 14 | 15 |
| 20-34 | 67 | 5.8 | 16 | 1 | 2 | 5 | 8 | 12 | 13 | 19 |
| 35-49 | 96 | 5.1 | 13 | 1 | 1 | 5 | 7 | 9 | 11 | 18 |
| 50-64 | 54 | 5.9 | 23 | 1 | 1 | 5 | 7 | 11 | 17 | 23 |
| 65+ | 20 | 6.9 | 29 | 1 | 2 | 5 | 9 | 14 | 19 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 62 | 4.0 | 18 | 1 | 1 | 3 | 5 | 8 | 14 | 24 |
| 35-49 | 126 | 3.6 | 12 | 1 | 1 | 2 | 4 | 8 | 10 | 18 |
| 50-64 | 46 | 4.1 | 26 | 1 | 1 | 2 | 4 | 10 | 14 | 27 |
| 65+ | 17 | 4.1 | 10 | 1 | 1 | 3 | 7 | 9 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.0 | 26 | 1 | 1 | 2 | 3 | 12 | 18 | 18 |
| 20-34 | 69 | 6.7 | 42 | 1 | 1 | 5 | 10 | 13 | 13 | 43 |
| 35-49 | 138 | 6.0 | 24 | 1 | 2 | 5 | 8 | 11 | 15 | 24 |
| 50-64 | 206 | 6.5 | 33 | 2 | 2 | 5 | 8 | 11 | 13 | 37 |
| 65+ | 240 | 6.6 | 21 | 1 | 2 | 5 | 9 | 12 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.5 | 18 | 1 | 1 | 5 | 8 | 11 | 11 | 11 |
| 20-34 | 50 | 5.6 | 16 | 1 | 1 | 4 | 9 | 11 | 14 | 16 |
| 35-49 | 96 | 6.0 | 20 | 1 | 1 | 5 | 8 | 13 | 15 | 21 |
| 50-64 | 75 | 8.0 | 82 | 1 | 1 | 6 | 10 | 15 | 19 | 59 |
| 65+ | 71 | 8.0 | 65 | 1 | 1 | 6 | 9 | 16 | 29 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 249 | 5.5 | 17 | 1 | 1 | 5 | 7 | 11 | 15 | 20 |
| B. *Operated* | 255 | 3.8 | 16 | 1 | 1 | 2 | 5 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 663 | 6.4 | 27 | 1 | 2 | 5 | 8 | 11 | 14 | 29 |
| B. *Operated* | 296 | 6.9 | 46 | 1 | 1 | 5 | 9 | 14 | 17 | 36 |
| **1. SINGLE DX** | 504 | 4.6 | 17 | 1 | 1 | 3 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 959 | 6.6 | 33 | 1 | 2 | 5 | 8 | 12 | 15 | 31 |
| **A. NOT OPERATED** | 912 | 6.2 | 25 | 1 | 2 | 5 | 8 | 11 | 15 | 23 |
| **B. OPERATED** | 551 | 5.5 | 35 | 1 | 1 | 4 | 8 | 11 | 15 | 29 |
| TOTAL 0-19 YRS | 30 | 3.9 | 16 | 1 | 1 | 3 | 4 | 9 | 15 | 18 |
| 20-34 | 248 | 5.5 | 25 | 1 | 1 | 4 | 8 | 12 | 14 | 20 |
| 35-49 | 456 | 5.1 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| 50-64 | 381 | 6.4 | 41 | 1 | 1 | 5 | 8 | 12 | 16 | 33 |
| 65+ | 348 | 6.8 | 30 | 1 | 2 | 5 | 9 | 13 | 17 | 31 |
| **GRAND TOTAL** | **1463** | **5.9** | **29** | **1** | **1** | **5** | **8** | **11** | **15** | **25** |

### 316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 495 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 772 | 4.1 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 878 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 50-64 | 580 | 4.5 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 65+ | 268 | 4.6 | 16 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1949 | 5.2 | 20 | <1 | 1 | 3 | 8 | 11 | 13 | 20 |
| 20-34 | 2209 | 3.7 | 15 | <1 | 1 | 2 | 4 | 9 | 11 | 20 |
| 35-49 | 1779 | 3.7 | 15 | <1 | 1 | 2 | 4 | 9 | 11 | 20 |
| 50-64 | 1774 | 2.9 | 9 | <1 | 1 | 2 | 3 | 6 | 9 | 16 |
| 65+ | 917 | 2.9 | 13 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 610 | 4.0 | 39 | <1 | 1 | 2 | 5 | 7 | 11 | 27 |
| 20-34 | 1606 | 4.8 | 20 | 1 | 1 | 4 | 6 | 9 | 12 | 26 |
| 35-49 | 2184 | 5.2 | 25 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| 50-64 | 2162 | 5.3 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 65+ | 2575 | 6.3 | 29 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2445 | 5.9 | 59 | 1 | 1 | 3 | 8 | 14 | 19 | 38 |
| 20-34 | 3191 | 4.6 | 44 | 1 | 1 | 2 | 5 | 10 | 15 | 33 |
| 35-49 | 3015 | 5.1 | 38 | 1 | 1 | 3 | 6 | 11 | 15 | 30 |
| 50-64 | 2833 | 5.6 | 49 | 1 | 1 | 3 | 7 | 12 | 17 | 38 |
| 65+ | 2310 | 7.1 | 77 | 1 | 1 | 4 | 9 | 15 | 21 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2993 | 3.9 | 13 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| B. *Operated* | 8628 | 3.8 | 16 | <1 | 1 | 2 | 5 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9137 | 5.4 | 25 | 1 | 1 | 4 | 7 | 10 | 14 | 25 |
| B. *Operated* | 13794 | 5.5 | 52 | 1 | 1 | 3 | 7 | 12 | 17 | 37 |
| **1. SINGLE DX** | 11621 | 3.8 | 15 | <1 | 1 | 2 | 5 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 22931 | 5.5 | 42 | 1 | 1 | 4 | 7 | 11 | 16 | 32 |
| **A. NOT OPERATED** | 12130 | 5.0 | 23 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| **B. OPERATED** | 22422 | 4.9 | 39 | 1 | 1 | 3 | 6 | 11 | 15 | 30 |
| TOTAL 0-19 YRS | 5499 | 5.1 | 39 | <1 | 1 | 3 | 7 | 11 | 15 | 29 |
| 20-34 | 7778 | 4.3 | 28 | <1 | 1 | 3 | 5 | 9 | 12 | 27 |
| 35-49 | 7856 | 4.7 | 27 | 1 | 1 | 3 | 6 | 10 | 13 | 25 |
| 50-64 | 7349 | 4.8 | 30 | 1 | 1 | 3 | 6 | 10 | 13 | 26 |
| 65+ | 6070 | 6.0 | 46 | 1 | 1 | 4 | 7 | 12 | 17 | 34 |
| **GRAND TOTAL** | **34552** | **4.9** | **33** | **1** | **1** | **3** | **6** | **10** | **14** | **28** |

## 317: Somatic dysfunction (739)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 23 | 4.7 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 11 |
| 35-49 | 24 | 4.9 | 6 | 1 | 2 | 4 | 6 | 9 | 10 | 11 |
| 50-64 | 14 | 3.9 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 9 |
| 65+ | 3 | 8.0 | 28 | 4 | 4 | 6 | 12 | 14 | 14 | 14 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 3 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 18 | 2.6 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 35-49 | 18 | 5.9 | 40 | 1 | 1 | 3 | 9 | 16 | 21 | 23 |
| 50-64 | 8 | 4.6 | 45 | 1 | 1 | 2 | 4 | 16 | 21 | 21 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 13 | 3.8 | 4 | 2 | 2 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 145 | 5.4 | 19 | 2 | 2 | 4 | 7 | 10 | 13 | 26 |
| 35-49 | 196 | 5.2 | 11 | 2 | 2 | 4 | 7 | 10 | 11 | 21 |
| 50-64 | 108 | 5.9 | 18 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| 65+ | 52 | 5.2 | 9 | 2 | 2 | 5 | 6 | 9 | 12 | 14 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 | 33 | 8.3 | 86 | 1 | 1 | 5 | 10 | 23 | 33 | 37 |
| 35-49 | 61 | 5.3 | 19 | 1 | 1 | 4 | 7 | 14 | 16 | 18 |
| 50-64 | 21 | 8.3 | 153 | 1 | 2 | 5 | 8 | 15 | 38 | 59 |
| 65+ | 8 | 10.9 | 174 | 1 | 1 | 9 | 10 | 33 | 42 | 42 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 66 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 47 | 4.2 | 26 | 1 | 1 | 2 | 4 | 11 | 18 | 23 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 514 | 5.4 | 14 | 2 | 2 | 4 | 7 | 10 | 12 | 22 |
| B. *Operated* | 123 | 7.0 | 70 | 1 | 1 | 4 | 8 | 15 | 20 | 47 |
| **1. SINGLE DX** | 113 | 4.5 | 15 | 1 | 1 | 4 | 5 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | 637 | 5.7 | 26 | 1 | 2 | 4 | 7 | 10 | 13 | 26 |
| **A. NOT OPERATED** | 580 | 5.3 | 14 | 2 | 2 | 4 | 7 | 10 | 12 | 21 |
| **B. OPERATED** | 170 | 6.2 | 59 | 1 | 1 | 4 | 7 | 14 | 20 | 41 |
| TOTAL 0-19 YRS | 18 | 3.2 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 20-34 | 219 | 5.6 | 28 | 1 | 2 | 4 | 7 | 11 | 13 | 33 |
| 35-49 | 299 | 5.2 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| 50-64 | 151 | 6.0 | 37 | 1 | 2 | 4 | 7 | 10 | 17 | 24 |
| 65+ | 63 | 6.0 | 31 | 2 | 2 | 5 | 7 | 11 | 14 | 38 |
| **GRAND TOTAL** | **750** | **5.5** | **24** | **1** | **2** | **4** | **7** | **10** | **13** | **24** |

## 318: Congenital anomaly of nervous system (740-742)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 157 | 2.5 | 15 | <1 | <1 | 1 | 2 | 4 | 7 | 29 |
| 20-34 | 18 | 2.4 | 2 | 1 | 1 | 2 | 4 | 4 | 5 | 5 |
| 35-49 | 8 | 3.4 | 7 | <1 | <1 | 3 | 4 | 8 | 9 | 9 |
| 50-64 | 7 | 4.1 | 11 | 1 | 1 | 3 | 7 | 9 | 9 | 9 |
| 65+ | 6 | 3.5 | 6 | <1 | <1 | 3 | 6 | 7 | 7 | 7 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 360 | 5.8 | 22 | 1 | 2 | 5 | 7 | 11 | 15 | 24 |
| 20-34 | 45 | 7.8 | 48 | 1 | 2 | 5 | 12 | 17 | 21 | 34 |
| 35-49 | 22 | 9.7 | 190 | 1 | 1 | 7 | 12 | 14 | 36 | 68 |
| 50-64 | 19 | 8.7 | 35 | 2 | 2 | 7 | 12 | 18 | 21 | 23 |
| 65+ | 5 | 4.2 | 5 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 503 | 5.3 | 88 | <1 | 1 | 3 | 5 | 11 | 22 | 92 |
| 20-34 | 46 | 6.2 | 46 | <1 | 1 | 4 | 8 | 14 | 24 | 32 |
| 35-49 | 22 | 6.8 | 41 | <1 | 1 | 5 | 9 | 13 | 23 | 28 |
| 50-64 | 13 | 9.6 | 70 | 3 | 3 | 6 | 12 | 25 | 28 | 29 |
| 65+ | 32 | 4.4 | 13 | 1 | 1 | 4 | 6 | 9 | 13 | 16 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 846 | 9.6 | 94 | 2 | 2 | 7 | 11 | 22 | 32 | 54 |
| 20-34 | 85 | 12.2 | 202 | 1 | 2 | 9 | 14 | 24 | 49 | 92 |
| 35-49 | 61 | 10.2 | 70 | 1 | 2 | 9 | 13 | 19 | 29 | 46 |
| 50-64 | 49 | 14.1 | 241 | 1 | 3 | 9 | 14 | 40 | 46 | 73 |
| 65+ | 42 | 12.1 | 99 | 2 | 4 | 9 | 16 | 23 | 31 | 54 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 196 | 2.6 | 13 | <1 | <1 | 2 | 3 | 4 | 7 | 24 |
| B. *Operated* | 451 | 6.3 | 34 | 1 | 2 | 5 | 8 | 12 | 16 | 33 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 616 | 5.5 | 79 | <1 | 1 | 3 | 6 | 11 | 22 | 82 |
| B. *Operated* | 1083 | 10.2 | 109 | 2 | 2 | 7 | 12 | 22 | 34 | 60 |
| **1. SINGLE DX** | 647 | 5.2 | 31 | <1 | 1 | 4 | 6 | 10 | 15 | 30 |
| **2. MULTIPLE DX** | 1699 | 8.5 | 103 | 1 | 1 | 5 | 10 | 19 | 30 | 62 |
| **A. NOT OPERATED** | 812 | 4.8 | 65 | <1 | 1 | 2 | 5 | 10 | 16 | 76 |
| **B. OPERATED** | 1534 | 9.0 | 90 | 1 | 2 | 6 | 11 | 19 | 28 | 54 |
| TOTAL 0-19 YRS | 1866 | 7.1 | 78 | 1 | 1 | 5 | 8 | 16 | 24 | 54 |
| 20-34 | 194 | 8.9 | 121 | 1 | 1 | 5 | 11 | 18 | 31 | 76 |
| 35-49 | 113 | 9.0 | 85 | 1 | 1 | 7 | 11 | 16 | 27 | 55 |
| 50-64 | 88 | 11.5 | 161 | 2 | 2 | 8 | 12 | 24 | 43 | 69 |
| 65+ | 85 | 8.1 | 70 | 1 | 1 | 6 | 10 | 17 | 23 | 46 |
| **GRAND TOTAL** | **2346** | **7.6** | **85** | **1** | **1** | **5** | **9** | **16** | **25** | **55** |

## 319: Congenital anomaly of eye, ear, face, and neck (743-744)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 236 | 1.4 | 2 | <1 | <1 | <1 | 1 | 2 | 4 | 7 |
| 20-34 | 13 | 3.5 | 14 | <1 | <1 | 2 | 5 | 10 | 12 | 13 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1557 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 347 | 2.1 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 199 | 1.9 | 2 | <1 | <1 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 131 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 65+ | 92 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 2.1 | 16 | <1 | <1 | 1 | 2 | 4 | 6 | 28 |
| 20-34 | 10 | 2.2 | 4 | <1 | <1 | 1 | 2 | 6 | 6 | 6 |
| 35-49 | 11 | 3.7 | 13 | 1 | 1 | 2 | 5 | 9 | 13 | 13 |
| 50-64 | 6 | 4.0 | 8 | <1 | <1 | 3 | 5 | 9 | 9 | 9 |
| 65+ | 6 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 706 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 162 | 2.7 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 91 | 2.2 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 50-64 | 140 | 2.3 | 3 | <1 | 1 | 2 | 2 | 4 | 6 | 9 |
| 65+ | 184 | 2.5 | 6 | <1 | 1 | 2 | 2 | 4 | 7 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 251 | 1.5 | 3 | <1 | <1 | <1 | 1 | 3 | 5 | 9 |
| B. *Operated* | 2326 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 161 | 2.3 | 15 | <1 | <1 | 1 | 2 | 5 | 7 | 25 |
| B. *Operated* | 1283 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 7 | 12 |
| **1. SINGLE DX** | 2577 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | 1444 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 7 | 13 |
| **A. NOT OPERATED** | 412 | 1.8 | 7 | <1 | <1 | <1 | 1 | 4 | 6 | 13 |
| **B. OPERATED** | 3609 | 2.1 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| TOTAL 0-19 YRS | 2627 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 20-34 | 532 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 302 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 278 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 65+ | 282 | 2.2 | 4 | <1 | <1 | 2 | 2 | 3 | 5 | 10 |
| **GRAND TOTAL** | **4021** | **2.1** | **4** | **<1** | **<1** | **2** | **2** | **4** | **5** | **10** |

## 320: Congenital anomaly of heart and circulatory system (745-747)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 157 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 37 | 3.5 | 11 | 1 | 1 | 2 | 4 | 10 | 12 | 13 |
| 35-49 | 22 | 3.4 | 9 | <1 | 1 | 3 | 4 | 6 | 10 | 15 |
| 50-64 | 13 | 2.8 | 3 | <1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 65+ | 7 | 3.3 | 7 | <1 | <1 | 2 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2487 | 4.3 | 13 | 1 | 1 | 2 | 7 | 9 | 11 | 17 |
| 20-34 | 336 | 4.5 | 16 | 1 | 1 | 3 | 7 | 9 | 11 | 19 |
| 35-49 | 237 | 5.4 | 42 | 1 | 1 | 3 | 8 | 11 | 15 | 24 |
| 50-64 | 121 | 4.6 | 18 | 1 | 1 | 2 | 7 | 11 | 13 | 17 |
| 65+ | 38 | 6.3 | 46 | 1 | 1 | 2 | 9 | 12 | 25 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 881 | 4.1 | 27 | <1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 20-34 | 146 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 9 | 15 |
| 35-49 | 99 | 4.6 | 22 | 1 | 1 | 3 | 5 | 9 | 14 | 26 |
| 50-64 | 99 | 5.2 | 15 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| 65+ | 190 | 6.2 | 24 | 1 | 2 | 5 | 8 | 11 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5402 | 7.0 | 71 | 1 | 1 | 5 | 9 | 15 | 21 | 50 |
| 20-34 | 524 | 7.0 | 52 | 1 | 1 | 5 | 9 | 15 | 21 | 38 |
| 35-49 | 429 | 7.4 | 77 | 1 | 1 | 5 | 9 | 15 | 24 | 68 |
| 50-64 | 351 | 8.4 | 91 | 1 | 2 | 6 | 11 | 18 | 21 | 65 |
| 65+ | 333 | 10.0 | 116 | 1 | 2 | 8 | 12 | 22 | 32 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 236 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| B. *Operated* | 3219 | 4.4 | 16 | 1 | 1 | 2 | 7 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1415 | 4.5 | 24 | <1 | 1 | 3 | 6 | 9 | 12 | 23 |
| B. *Operated* | 7039 | 7.2 | 73 | 1 | 1 | 5 | 9 | 15 | 22 | 50 |
| **1. SINGLE DX** | 3455 | 4.3 | 16 | 1 | 1 | 2 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 8454 | 6.8 | 66 | 1 | 1 | 4 | 9 | 14 | 20 | 45 |
| **A. NOT OPERATED** | 1651 | 4.2 | 22 | <1 | 1 | 3 | 5 | 9 | 12 | 23 |
| **B. OPERATED** | 10258 | 6.3 | 57 | 1 | 1 | 4 | 9 | 13 | 19 | 41 |
| TOTAL 0-19 YRS | 8927 | 5.9 | 51 | 1 | 1 | 3 | 8 | 12 | 17 | 39 |
| 20-34 | 1043 | 5.6 | 35 | 1 | 1 | 3 | 8 | 12 | 16 | 31 |
| 35-49 | 787 | 6.4 | 59 | 1 | 1 | 4 | 9 | 13 | 20 | 42 |
| 50-64 | 584 | 6.9 | 64 | 1 | 1 | 4 | 10 | 15 | 19 | 45 |
| 65+ | 568 | 8.4 | 83 | 1 | 2 | 6 | 10 | 18 | 24 | 50 |
| **GRAND TOTAL** | **11909** | **6.0** | **53** | **1** | **1** | **4** | **8** | **13** | **18** | **39** |

## 321: Cleft palate and lip (749)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 26 | 2.5 | 9 | <1 | <1 | 1 | 3 | 5 | 8 | 16 |
| 20-34 | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1786 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| 20-34 | 45 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 35-49 | 16 | 2.9 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 50-64 | 4 | 2.5 | 6 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 65+ | 4 | 4.5 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 144 | 2.0 | 5 | <1 | <1 | 1 | 2 | 5 | 7 | 11 |
| 20-34 | 4 | 1.0 |  | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 | 1 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1612 | 3.7 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 62 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 35-49 | 18 | 3.9 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 50-64 | 10 | 2.6 | 4 | 1 | 1 | 2 | 2 | 5 | 8 | 8 |
| 65+ | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 27 | 2.5 | 9 | <1 | <1 | 1 | 3 | 5 | 7 | 16 |
| B. *Operated* | 1855 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 149 | 2.0 | 5 | <1 | <1 | 1 | 2 | 5 | 6 | 11 |
| B. *Operated* | 1703 | 3.7 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| **1. SINGLE DX** | 1882 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | 1852 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **A. NOT OPERATED** | 176 | 2.1 | 6 | <1 | <1 | 1 | 2 | 5 | 6 | 14 |
| **B. OPERATED** | 3558 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| TOTAL 0-19 YRS | 3568 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 112 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 35-49 | 34 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 50-64 | 15 | 2.5 | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 8 |
| 65+ | 5 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| **GRAND TOTAL** | **3734** | **3.5** | **5** | **1** | **1** | **3** | **4** | **6** | **7** | **10** |

## 322: Congenital hypertrophic pyloric stenosis (750.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 72 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1857 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 77 | 3.6 | 12 | 1 | 1 | 3 | 4 | 6 | 10 | 21 |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 591 | 4.5 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 72 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 1857 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 77 | 3.6 | 12 | 1 | 1 | 3 | 4 | 6 | 10 | 21 |
| B. *Operated* | 591 | 4.5 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| **1. SINGLE DX** | 1929 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 668 | 4.4 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 149 | 2.9 | 8 | 1 | 1 | 2 | 4 | 5 | 7 | 16 |
| **B. OPERATED** | 2448 | 3.6 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| TOTAL 0-19 YRS | 2597 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** | **2597** | **3.6** | **4** | **1** | **2** | **3** | **4** | **6** | **7** | **10** |

## 323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 287 | 2.7 | 13 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 12 | 4.0 | 6 | 1 | 1 | 3 | 6 | 7 | 8 | 8 |
| 35-49 | 11 | 3.5 | 9 | 1 | 1 | 2 | 5 | 8 | 11 | 11 |
| 50-64 | 15 | 4.4 | 14 | <1 | 1 | 3 | 6 | 7 | 14 | 16 |
| 65+ | 9 | 2.1 | 2 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1094 | 5.1 | 31 | <1 | 1 | 3 | 7 | 11 | 15 | 27 |
| 20-34 | 171 | 4.1 | 15 | <1 | 1 | 3 | 5 | 9 | 12 | 20 |
| 35-49 | 69 | 4.8 | 13 | 1 | 1 | 4 | 7 | 9 | 11 | 19 |
| 50-64 | 60 | 4.5 | 19 | <1 | <1 | 3 | 7 | 10 | 13 | 21 |
| 65+ | 35 | 5.2 | 19 | 1 | 1 | 3 | 9 | 13 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 480 | 5.9 | 61 | <1 | 1 | 3 | 7 | 12 | 21 | 48 |
| 20-34 | 47 | 4.3 | 9 | 1 | 1 | 3 | 6 | 8 | 11 | 14 |
| 35-49 | 45 | 3.9 | 11 | 1 | 1 | 3 | 4 | 8 | 11 | 17 |
| 50-64 | 49 | 4.3 | 9 | <1 | 1 | 4 | 6 | 9 | 12 | 13 |
| 65+ | 116 | 5.2 | 15 | 1 | 1 | 4 | 7 | 10 | 14 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1529 | 8.8 | 128 | 1 | 2 | 6 | 10 | 19 | 33 | 98 |
| 20-34 | 262 | 6.8 | 45 | 1 | 1 | 5 | 8 | 12 | 17 | 51 |
| 35-49 | 190 | 7.5 | 39 | 1 | 1 | 6 | 10 | 16 | 20 | 31 |
| 50-64 | 189 | 8.1 | 37 | 1 | 2 | 7 | 10 | 16 | 20 | 31 |
| 65+ | 212 | 11.0 | 114 | 1 | 2 | 8 | 14 | 22 | 39 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 334 | 2.9 | 12 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| B. *Operated* | 1429 | 4.9 | 28 | <1 | 1 | 3 | 7 | 10 | 13 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 737 | 5.5 | 44 | <1 | 1 | 3 | 7 | 11 | 16 | 42 |
| B. *Operated* | 2382 | 8.6 | 104 | 1 | 2 | 6 | 10 | 18 | 28 | 83 |
| **1. SINGLE DX** | 1763 | 4.5 | 25 | <1 | 1 | 3 | 6 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 3119 | 7.9 | 92 | 1 | 1 | 5 | 9 | 16 | 25 | 65 |
| **A. NOT OPERATED** | 1071 | 4.7 | 36 | <1 | 1 | 3 | 6 | 10 | 14 | 36 |
| **B. OPERATED** | 3811 | 7.2 | 79 | 1 | 1 | 5 | 9 | 15 | 22 | 55 |
| TOTAL 0-19 YRS | 3390 | 6.7 | 82 | <1 | 1 | 4 | 8 | 14 | 22 | 59 |
| 20-34 | 492 | 5.5 | 32 | 1 | 1 | 4 | 7 | 11 | 14 | 31 |
| 35-49 | 315 | 6.3 | 30 | 1 | 1 | 5 | 8 | 13 | 18 | 28 |
| 50-64 | 313 | 6.6 | 31 | 1 | 1 | 5 | 9 | 13 | 18 | 28 |
| 65+ | 372 | 8.4 | 80 | 1 | 1 | 6 | 11 | 17 | 24 | 51 |
| **GRAND TOTAL** | **4882** | **6.7** | **70** | **<1** | **1** | **4** | **8** | **14** | **20** | **50** |

## 324: Undescended testicle (752.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1892 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 154 | 2.1 | 2 | <1 | 1 | 2 | 3 | 3 | 5 | 7 |
| 35-49 | 46 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 10 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 65+ | 6 | 2.7 | 3 | <1 | <1 | 2 | 3 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1810 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 178 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 62 | 2.6 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 18 |
| 50-64 | 30 | 4.0 | 15 | 1 | 1 | 3 | 5 | 7 | 8 | 21 |
| 65+ | 10 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 6 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| B. *Operated* | 2108 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 114 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| B. *Operated* | 2090 | 2.0 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| **1. SINGLE DX** | 2127 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 2204 | 2.0 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| **A. NOT OPERATED** | 133 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| **B. OPERATED** | 4198 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| TOTAL 0-19 YRS | 3830 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 335 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 109 | 2.3 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 50-64 | 40 | 3.4 | 12 | <1 | 1 | 2 | 4 | 7 | 8 | 21 |
| 65+ | 17 | 2.6 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 6 |
| **GRAND TOTAL** | **4331** | **1.9** | **2** | **<1** | **<1** | **2** | **2** | **3** | **4** | **7** |

## 325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 2.4 | 5 | <1 | <1 | 2 | 3 | 4 | 7 | 12 |
| 20-34 | 29 | 2.4 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 35-49 | 18 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 8 | 11 |
| 50-64 | 10 | 3.2 | 10 | 1 | 1 | 2 | 2 | 9 | 10 | 10 |
| 65+ | 11 | 2.7 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2543 | 4.3 | 13 | <1 | 1 | 3 | 6 | 9 | 11 | 15 |
| 20-34 | 493 | 4.0 | 9 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 35-49 | 170 | 4.3 | 10 | <1 | 1 | 4 | 6 | 8 | 11 | 15 |
| 50-64 | 76 | 5.0 | 29 | <1 | <1 | 3 | 7 | 11 | 14 | 29 |
| 65+ | 30 | 6.5 | 28 | 1 | 1 | 6 | 8 | 15 | 16 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 214 | 3.2 | 35 | <1 | <1 | 2 | 4 | 6 | 8 | 25 |
| 20-34 | 93 | 4.0 | 15 | 1 | 1 | 3 | 5 | 9 | 11 | 23 |
| 35-49 | 97 | 4.5 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 14 |
| 50-64 | 66 | 4.6 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 14 |
| 65+ | 69 | 5.6 | 43 | 1 | 1 | 4 | 7 | 10 | 13 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1755 | 5.6 | 27 | <1 | 1 | 4 | 8 | 12 | 15 | 24 |
| 20-34 | 779 | 4.9 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 437 | 5.9 | 26 | 1 | 2 | 5 | 7 | 10 | 13 | 27 |
| 50-64 | 270 | 6.7 | 25 | 1 | 1 | 6 | 9 | 13 | 16 | 23 |
| 65+ | 165 | 7.8 | 44 | 1 | 2 | 6 | 10 | 15 | 21 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 139 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 3312 | 4.3 | 13 | <1 | 1 | 3 | 6 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 539 | 4.1 | 25 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| B. *Operated* | 3406 | 5.7 | 25 | 1 | 1 | 5 | 7 | 11 | 14 | 24 |
| **1. SINGLE DX** | 3451 | 4.2 | 13 | <1 | 1 | 3 | 6 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 3945 | 5.5 | 25 | <1 | 1 | 4 | 7 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 678 | 3.7 | 22 | <1 | 1 | 2 | 5 | 8 | 10 | 19 |
| **B. OPERATED** | 6718 | 5.0 | 19 | <1 | 1 | 4 | 7 | 10 | 13 | 21 |
| TOTAL 0-19 YRS | 4583 | 4.7 | 20 | <1 | 1 | 3 | 7 | 10 | 13 | 19 |
| 20-34 | 1394 | 4.5 | 12 | <1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 722 | 5.2 | 20 | 1 | 1 | 5 | 7 | 9 | 12 | 22 |
| 50-64 | 422 | 6.0 | 23 | 1 | 1 | 5 | 8 | 12 | 14 | 24 |
| 65+ | 275 | 6.9 | 42 | 1 | 2 | 5 | 8 | 15 | 18 | 34 |
| **GRAND TOTAL** | **7396** | **4.9** | **20** | **<1** | **1** | **4** | **7** | **10** | **13** | **21** |

## 326: Clubfoot (754.5-754.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 1.4 | 1 | <1 | <1 | <1 | 1 | 3 | 4 | 4 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1462 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 20-34 | 61 | 3.9 | 5 | <1 | 1 | 3 | 6 | 7 | 8 | 10 |
| 35-49 | 24 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 50-64 | 29 | 3.3 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 16 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 30 |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 992 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 20-34 | 236 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 163 | 3.5 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 50-64 | 176 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 9 |
| 65+ | 105 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 1.4 | 1 | <1 | <1 | <1 | 2 | 3 | 4 | 4 |
| B. *Operated* | 1592 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 132 | 1.4 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 27 |
| B. *Operated* | 1672 | 3.7 | 8 | 1 | 1 | 3 | 5 | 6 | 8 | 14 |
| **1. SINGLE DX** | 1635 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 1804 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **A. NOT OPERATED** | 175 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 10 |
| **B. OPERATED** | 3264 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| TOTAL 0-19 YRS | 2624 | 3.3 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 300 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 188 | 3.5 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 50-64 | 205 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 9 |
| 65+ | 122 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| **GRAND TOTAL** | **3439** | **3.4** | **6** | **1** | **1** | **3** | **4** | **6** | **8** | **12** |

### 327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 515 | 3.1 | 28 | <1 | <1 | 1 | 3 | 7 | 11 | 22 |
| 20-34 | 101 | 4.4 | 16 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| 35-49 | 76 | 6.4 | 134 | 1 | 1 | 4 | 8 | 10 | 11 | 80 |
| 50-64 | 43 | 5.1 | 17 | 1 | 1 | 4 | 5 | 10 | 14 | 21 |
| 65+ | 26 | 4.2 | 15 | <1 | 1 | 3 | 5 | 10 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4813 | 4.0 | 16 | <1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 20-34 | 1228 | 3.5 | 11 | <1 | 1 | 2 | 4 | 9 | 10 | 16 |
| 35-49 | 654 | 3.9 | 14 | <1 | 1 | 2 | 5 | 9 | 11 | 17 |
| 50-64 | 338 | 4.5 | 20 | 1 | 1 | 3 | 6 | 10 | 12 | 20 |
| 65+ | 87 | 5.7 | 50 | 1 | 1 | 3 | 7 | 11 | 15 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 993 | 4.6 | 53 | <1 | <1 | 2 | 5 | 10 | 17 | 53 |
| 20-34 | 238 | 5.8 | 39 | <1 | 1 | 4 | 8 | 11 | 14 | 48 |
| 35-49 | 202 | 6.1 | 33 | 1 | 1 | 5 | 8 | 11 | 16 | 35 |
| 50-64 | 205 | 5.8 | 18 | 1 | 1 | 5 | 8 | 11 | 13 | 21 |
| 65+ | 182 | 7.5 | 31 | 1 | 2 | 6 | 10 | 14 | 19 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2962 | 6.1 | 60 | 1 | 1 | 4 | 7 | 12 | 18 | 51 |
| 20-34 | 885 | 6.0 | 43 | 1 | 1 | 4 | 8 | 13 | 17 | 34 |
| 35-49 | 787 | 6.2 | 36 | 1 | 1 | 4 | 9 | 12 | 16 | 33 |
| 50-64 | 604 | 7.4 | 58 | 1 | 1 | 5 | 10 | 16 | 21 | 38 |
| 65+ | 287 | 8.6 | 62 | 1 | 2 | 7 | 12 | 17 | 22 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 761 | 3.8 | 36 | <1 | <1 | 2 | 4 | 8 | 12 | 21 |
| B. *Operated* | 7120 | 3.9 | 16 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1820 | 5.3 | 44 | <1 | 1 | 4 | 7 | 11 | 16 | 38 |
| B. *Operated* | 5525 | 6.3 | 54 | 1 | 1 | 4 | 8 | 13 | 19 | 40 |
| **1. SINGLE DX** | 7881 | 3.9 | 18 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | 7345 | 6.1 | 52 | 1 | 1 | 4 | 8 | 13 | 18 | 40 |
| **A. NOT OPERATED** | 2581 | 4.9 | 42 | <1 | <1 | 3 | 6 | 10 | 15 | 36 |
| **B. OPERATED** | 12645 | 5.0 | 34 | 1 | 1 | 3 | 6 | 10 | 14 | 30 |
| TOTAL 0-19 YRS | 9283 | 4.7 | 36 | <1 | 1 | 3 | 6 | 9 | 14 | 31 |
| 20-34 | 2452 | 4.6 | 27 | <1 | 1 | 3 | 6 | 10 | 13 | 25 |
| 35-49 | 1719 | 5.3 | 33 | 1 | 1 | 4 | 8 | 11 | 14 | 27 |
| 50-64 | 1190 | 6.2 | 41 | 1 | 1 | 4 | 8 | 13 | 17 | 32 |
| 65+ | 582 | 7.6 | 50 | 1 | 2 | 6 | 10 | 16 | 20 | 34 |
| **GRAND TOTAL** | **15226** | **5.0** | **35** | **<1** | **1** | **3** | **6** | **10** | **14** | **30** |

### 328: Perinatal conditions causing morbidity and mortality (760-779)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8758 | 3.0 | 11 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 222 | 5.6 | 45 | 1 | 1 | 3 | 7 | 14 | 18 | 33 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6312 | 8.1 | 118 | 1 | 2 | 4 | 9 | 20 | 30 | 62 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 932 | 18.7 | 419 | 2 | 3 | 11 | 25 | 64 | 87 | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8758 | 3.0 | 11 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| B. *Operated* | 222 | 5.6 | 45 | 1 | 1 | 3 | 7 | 14 | 18 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6312 | 8.1 | 118 | 1 | 2 | 4 | 9 | 20 | 30 | 62 |
| B. *Operated* | 932 | 18.7 | 419 | 2 | 3 | 11 | 25 | 64 | 87 | 99+ |
| **1. SINGLE DX** | 8980 | 3.0 | 12 | 1 | 1 | 2 | 3 | 5 | 8 | 19 |
| **2. MULTIPLE DX** | 7244 | 9.5 | 170 | 1 | 2 | 5 | 11 | 24 | 38 | 88 |
| **A. NOT OPERATED** | 15070 | 5.1 | 62 | 1 | 1 | 3 | 5 | 11 | 19 | 43 |
| **B. OPERATED** | 1154 | 16.2 | 374 | 1 | 2 | 10 | 21 | 52 | 81 | 99+ |
| TOTAL 0-19 YRS | 16224 | 5.9 | 92 | 1 | 1 | 3 | 5 | 14 | 24 | 62 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **16224** | **5.9** | **92** | **1** | **1** | **3** | **5** | **14** | **24** | **62** |

### 329: Convulsions (780.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5823 | 2.5 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 2144 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 1189 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 50-64 | 673 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 65+ | 570 | 3.4 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 4.2 | 23 | 1 | 1 | 3 | 4 | 10 | 13 | 26 |
| 20-34 | 53 | 4.1 | 19 | 1 | 1 | 3 | 4 | 9 | 16 | 21 |
| 35-49 | 36 | 3.7 | 5 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 50-64 | 29 | 4.1 | 11 | 1 | 1 | 3 | 6 | 7 | 11 | 16 |
| 65+ | 23 | 4.3 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10153 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 20-34 | 3348 | 4.2 | 19 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 35-49 | 3428 | 4.7 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| 50-64 | 3936 | 5.3 | 26 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| 65+ | 6585 | 6.3 | 37 | 1 | 2 | 5 | 8 | 12 | 16 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 241 | 7.9 | 124 | 1 | 1 | 4 | 8 | 16 | 37 | 67 |
| 20-34 | 258 | 8.0 | 72 | 1 | 2 | 5 | 9 | 20 | 27 | 44 |
| 35-49 | 293 | 8.7 | 75 | 1 | 2 | 6 | 11 | 16 | 24 | 46 |
| 50-64 | 415 | 9.6 | 98 | 2 | 2 | 7 | 12 | 19 | 26 | 47 |
| 65+ | 585 | 11.8 | 141 | 2 | 3 | 8 | 15 | 23 | 40 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10399 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 179 | 4.1 | 14 | 1 | 1 | 3 | 5 | 7 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27450 | 4.5 | 22 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| B. *Operated* | 1792 | 9.7 | 111 | 1 | 2 | 7 | 12 | 20 | 28 | 67 |
| **1. SINGLE DX** | 10578 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 29242 | 4.8 | 29 | 1 | 1 | 3 | 6 | 9 | 13 | 26 |
| **A. NOT OPERATED** | 37849 | 4.0 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **B. OPERATED** | 1971 | 9.2 | 104 | 1 | 2 | 6 | 11 | 20 | 27 | 64 |
| TOTAL 0-19 YRS | 16255 | 2.9 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 5803 | 3.9 | 17 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| 35-49 | 4946 | 4.5 | 22 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 50-64 | 5053 | 5.4 | 31 | 1 | 2 | 4 | 7 | 10 | 14 | 27 |
| 65+ | 7763 | 6.5 | 45 | 1 | 2 | 5 | 8 | 12 | 17 | 38 |
| **GRAND TOTAL** | **39820** | **4.2** | **23** | **1** | **1** | **3** | **5** | **8** | **11** | **23** |

### 330: Pyrexia of unknown origin (780.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1905 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| 20-34 | 290 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 206 | 4.4 | 19 | 1 | 1 | 3 | 5 | 8 | 9 | 27 |
| 50-64 | 166 | 4.5 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 65+ | 198 | 5.0 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 4.9 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 20-34 | 36 | 8.1 | 32 | 2 | 3 | 7 | 10 | 15 | 16 | 31 |
| 35-49 | 23 | 7.9 | 24 | 1 | 2 | 7 | 10 | 16 | 18 | 19 |
| 50-64 | 27 | 7.4 | 29 | 2 | 2 | 6 | 10 | 16 | 18 | 23 |
| 65+ | 14 | 11.9 | 52 | 4 | 6 | 8 | 19 | 24 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4427 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 1189 | 4.5 | 12 | 1 | 2 | 4 | 6 | 9 | 10 | 15 |
| 35-49 | 1036 | 5.2 | 16 | 2 | 2 | 4 | 6 | 9 | 12 | 23 |
| 50-64 | 1720 | 5.7 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 65+ | 3606 | 6.6 | 33 | 2 | 2 | 5 | 8 | 12 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 177 | 8.2 | 126 | 1 | 2 | 5 | 9 | 15 | 23 | 70 |
| 20-34 | 233 | 9.5 | 56 | 2 | 2 | 8 | 12 | 19 | 26 | 40 |
| 35-49 | 230 | 10.4 | 78 | 2 | 3 | 8 | 12 | 19 | 27 | 54 |
| 50-64 | 427 | 11.9 | 77 | 3 | 4 | 10 | 14 | 24 | 28 | 48 |
| 65+ | 648 | 13.0 | 101 | 3 | 4 | 10 | 16 | 25 | 34 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2765 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 129 | 7.6 | 31 | 2 | 2 | 6 | 10 | 16 | 19 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11978 | 4.9 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| B. *Operated* | 1715 | 11.4 | 91 | 2 | 3 | 9 | 14 | 23 | 29 | 54 |
| **1. SINGLE DX** | 2894 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 13693 | 5.8 | 33 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |
| **A. NOT OPERATED** | 14743 | 4.6 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| **B. OPERATED** | 1844 | 11.2 | 87 | 2 | 3 | 9 | 14 | 22 | 28 | 53 |
| TOTAL 0-19 YRS | 6538 | 3.3 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 20-34 | 1748 | 5.2 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 26 |
| 35-49 | 1495 | 5.9 | 30 | 1 | 2 | 4 | 7 | 11 | 15 | 31 |
| 50-64 | 2340 | 6.8 | 33 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| 65+ | 4466 | 7.5 | 47 | 2 | 2 | 6 | 9 | 14 | 19 | 37 |
| **GRAND TOTAL** | **16587** | **5.4** | **29** | **1** | **2** | **4** | **6** | **10** | **14** | **27** |

## 331: Headache (784.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 512 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1167 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 753 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 280 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 65+ | 80 | 3.3 | 4 | 1 | 1 | 3 | 4 | 7 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 138 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 14 |
| 35-49 | 110 | 3.4 | 9 | 1 | 1 | 2 | 4 | 8 | 11 | 14 |
| 50-64 | 71 | 3.2 | 6 | 1 | 1 | 2 | 4 | 7 | 9 | 10 |
| 65+ | 30 | 3.7 | 21 | <1 | <1 | 2 | 4 | 8 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 806 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 20-34 | 2142 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| 35-49 | 1890 | 4.4 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 50-64 | 1188 | 4.3 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 982 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 13 |
| 20-34 | 263 | 5.6 | 28 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| 35-49 | 294 | 6.3 | 28 | 1 | 2 | 5 | 8 | 13 | 18 | 25 |
| 50-64 | 238 | 6.2 | 35 | 1 | 2 | 5 | 8 | 13 | 15 | 38 |
| 65+ | 193 | 6.5 | 20 | 1 | 2 | 5 | 8 | 12 | 16 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2792 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| B. *Operated* | 373 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7008 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 1024 | 6.0 | 28 | 1 | 1 | 5 | 8 | 12 | 16 | 26 |
| **1. SINGLE DX** | 3165 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 8032 | 4.4 | 13 | 1 | 1 | 3 | 6 | 8 | 11 | 19 |
| **A. NOT OPERATED** | 9800 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **B. OPERATED** | 1397 | 5.3 | 24 | 1 | 1 | 4 | 7 | 11 | 14 | 24 |
| TOTAL 0-19 YRS | 1378 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 3710 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 3047 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 50-64 | 1777 | 4.3 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 65+ | 1285 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **GRAND TOTAL** | **11197** | **4.0** | **11** | **1** | **1** | **3** | **5** | **8** | **10** | **17** |

## 332: Epistaxis (784.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 167 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 35-49 | 200 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 301 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 341 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 2.4 | 4 | <1 | <1 | 1 | 3 | 6 | 7 | 8 |
| 20-34 | 145 | 3.8 | 4 | 1 | 1 | 4 | 5 | 7 | 8 | 9 |
| 35-49 | 225 | 4.1 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 50-64 | 391 | 4.2 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 10 |
| 65+ | 345 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 149 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 18 |
| 20-34 | 165 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 400 | 3.8 | 8 | 1 | 1 | 3 | 5 | 6 | 9 | 12 |
| 50-64 | 897 | 4.1 | 22 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 65+ | 1640 | 3.9 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 3.6 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 12 |
| 20-34 | 144 | 4.6 | 7 | 1 | 1 | 4 | 6 | 7 | 10 | 14 |
| 35-49 | 316 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 789 | 5.4 | 19 | 1 | 2 | 5 | 6 | 9 | 12 | 21 |
| 65+ | 1390 | 5.5 | 24 | 1 | 2 | 4 | 7 | 10 | 14 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1083 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 1201 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3251 | 3.9 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 2702 | 5.3 | 20 | 1 | 2 | 4 | 6 | 10 | 12 | 22 |
| **1. SINGLE DX** | 2284 | 3.5 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 5953 | 4.5 | 17 | 1 | 1 | 4 | 6 | 8 | 11 | 19 |
| **A. NOT OPERATED** | 4334 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **B. OPERATED** | 3903 | 4.9 | 16 | 1 | 1 | 4 | 6 | 8 | 11 | 19 |
| TOTAL 0-19 YRS | 381 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 621 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 11 |
| 35-49 | 1141 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| 50-64 | 2378 | 4.5 | 16 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 65+ | 3716 | 4.4 | 16 | 1 | 1 | 4 | 5 | 8 | 11 | 19 |
| **GRAND TOTAL** | **8237** | **4.2** | **14** | **1** | **1** | **4** | **5** | **8** | **10** | **17** |

## 333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 84 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 35-49 | 57 | 2.6 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 10 |
| 50-64 | 66 | 2.7 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 20 |
| 65+ | 59 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 381 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 20-34 | 459 | 2.2 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 35-49 | 309 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 205 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 13 |
| 65+ | 101 | 3.2 | 47 | <1 | <1 | 2 | 3 | 6 | 10 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 238 | 3.5 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 20-34 | 275 | 3.7 | 13 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 35-49 | 345 | 3.9 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 50-64 | 550 | 5.3 | 30 | 1 | 1 | 4 | 6 | 12 | 15 | 27 |
| 65+ | 1303 | 7.3 | 49 | 1 | 2 | 5 | 9 | 15 | 20 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 181 | 5.4 | 79 | <1 | 1 | 2 | 5 | 12 | 21 | 51 |
| 20-34 | 331 | 5.0 | 31 | <1 | 1 | 3 | 6 | 10 | 14 | 23 |
| 35-49 | 330 | 6.2 | 65 | 1 | 1 | 3 | 7 | 13 | 21 | 44 |
| 50-64 | 399 | 7.7 | 118 | <1 | 1 | 4 | 9 | 18 | 29 | 78 |
| 65+ | 528 | 10.1 | 118 | 1 | 2 | 7 | 14 | 22 | 33 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 385 | 2.7 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 10 |
| B. *Operated* | 1455 | 2.2 | 7 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2711 | 5.7 | 36 | 1 | 1 | 4 | 7 | 12 | 17 | 27 |
| B. *Operated* | 1769 | 7.4 | 91 | 1 | 1 | 4 | 9 | 17 | 25 | 57 |
| **1. SINGLE DX** | 1840 | 2.3 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | 4480 | 6.4 | 59 | 1 | 1 | 4 | 8 | 14 | 20 | 40 |
| **A. NOT OPERATED** | 3096 | 5.4 | 33 | 1 | 1 | 4 | 7 | 11 | 16 | 26 |
| **B. OPERATED** | 3224 | 5.0 | 60 | <1 | <1 | 2 | 5 | 12 | 18 | 44 |
| TOTAL 0-19 YRS | 919 | 3.1 | 22 | <1 | <1 | 2 | 3 | 6 | 9 | 22 |
| 20-34 | 1149 | 3.4 | 15 | <1 | <1 | 2 | 4 | 7 | 10 | 18 |
| 35-49 | 1041 | 4.0 | 29 | <1 | 1 | 2 | 4 | 8 | 12 | 29 |
| 50-64 | 1220 | 5.4 | 57 | <1 | 1 | 3 | 6 | 12 | 19 | 37 |
| 65+ | 1991 | 7.7 | 69 | 1 | 1 | 5 | 10 | 17 | 22 | 50 |
| **GRAND TOTAL** | **6320** | **5.2** | **47** | **<1** | **1** | **3** | **6** | **12** | **17** | **35** |

## 334: Gangrene (785.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.0 | 28 | <1 | <1 | 2 | 10 | 13 | 13 | 13 |
| 20-34 | 6 | 7.7 | 32 | 1 | 1 | 7 | 8 | 17 | 18 | 18 |
| 35-49 | 4 | 5.8 | 17 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| 50-64 | 9 | 7.3 | 31 | 1 | 1 | 6 | 13 | 15 | 16 | 16 |
| 65+ | 16 | 7.3 | 27 | <1 | 1 | 7 | 11 | 15 | 17 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 4.7 | 14 | <1 | <1 | 4 | 7 | 9 | 14 | 14 |
| 20-34 | 82 | 5.3 | 34 | <1 | 1 | 3 | 7 | 13 | 18 | 29 |
| 35-49 | 75 | 7.5 | 71 | <1 | 1 | 4 | 9 | 20 | 24 | 41 |
| 50-64 | 125 | 9.0 | 71 | <1 | 1 | 7 | 12 | 20 | 27 | 43 |
| 65+ | 236 | 11.5 | 77 | 2 | 3 | 10 | 15 | 21 | 28 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 7.3 | 69 | 1 | 1 | 6 | 8 | 19 | 29 | 29 |
| 20-34 | 26 | 6.8 | 26 | 2 | 3 | 5 | 7 | 15 | 18 | 25 |
| 35-49 | 56 | 8.0 | 74 | 1 | 1 | 7 | 10 | 15 | 16 | 55 |
| 50-64 | 138 | 8.4 | 42 | 2 | 3 | 7 | 10 | 17 | 21 | 34 |
| 65+ | 664 | 9.2 | 58 | 2 | 3 | 7 | 11 | 16 | 24 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 10.5 | 89 | <1 | 1 | 7 | 20 | 25 | 27 | 33 |
| 20-34 | 238 | 11.2 | 127 | 1 | 2 | 9 | 14 | 23 | 32 | 59 |
| 35-49 | 458 | 15.8 | 204 | 2 | 3 | 12 | 21 | 33 | 43 | 85 |
| 50-64 | 1452 | 18.0 | 217 | 3 | 5 | 14 | 23 | 37 | 51 | 84 |
| 65+ | 4589 | 17.0 | 171 | 4 | 5 | 14 | 21 | 34 | 44 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 6.9 | 26 | <1 | 1 | 6 | 10 | 14 | 17 | 18 |
| B. *Operated* | 560 | 9.0 | 70 | 1 | 1 | 7 | 12 | 19 | 24 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 894 | 8.9 | 56 | 2 | 2 | 7 | 11 | 16 | 23 | 42 |
| B. *Operated* | 6794 | 16.9 | 182 | 3 | 5 | 13 | 21 | 34 | 45 | 78 |
| **1. SINGLE DX** | 601 | 8.8 | 67 | 1 | 1 | 7 | 12 | 18 | 24 | 42 |
| **2. MULTIPLE DX** | 7688 | 15.9 | 174 | 3 | 4 | 12 | 20 | 33 | 43 | 75 |
| **A. NOT OPERATED** | 935 | 8.8 | 55 | 1 | 2 | 7 | 11 | 16 | 22 | 41 |
| **B. OPERATED** | 7354 | 16.3 | 178 | 2 | 4 | 13 | 21 | 33 | 43 | 76 |
| TOTAL 0-19 YRS | 115 | 7.8 | 63 | <1 | 1 | 5 | 11 | 22 | 26 | 31 |
| 20-34 | 352 | 9.4 | 102 | 1 | 1 | 7 | 13 | 20 | 26 | 58 |
| 35-49 | 593 | 14.0 | 185 | 1 | 2 | 10 | 19 | 31 | 40 | 74 |
| 50-64 | 1724 | 16.5 | 203 | 2 | 4 | 13 | 21 | 34 | 45 | 81 |
| 65+ | 5505 | 15.8 | 160 | 3 | 5 | 13 | 20 | 32 | 42 | 72 |
| **GRAND TOTAL** | **8289** | **15.4** | **170** | **2** | **4** | **12** | **20** | **32** | **42** | **74** |

## 335: Chest pain (786.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 247 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 2230 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 6955 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 5239 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 65+ | 1835 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.2 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 20-34 | 266 | 2.6 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 1806 | 2.3 | 3 | 1 | 1 | 2 | 2 | 4 | 6 | 10 |
| 50-64 | 2052 | 2.3 | 3 | 1 | 1 | 2 | 2 | 4 | 6 | 10 |
| 65+ | 541 | 2.3 | 3 | 1 | 1 | 2 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 466 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 4441 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 17163 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 21902 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 65+ | 18128 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 545 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 3951 | 3.7 | 12 | 1 | 1 | 2 | 5 | 7 | 9 | 16 |
| 50-64 | 6303 | 3.7 | 12 | 1 | 1 | 2 | 5 | 8 | 10 | 16 |
| 65+ | 3116 | 4.7 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16506 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 4670 | 2.3 | 3 | 1 | 1 | 2 | 2 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62100 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 13941 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **1. SINGLE DX** | 21176 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 76041 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| **A. NOT OPERATED** | 78606 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **B. OPERATED** | 18611 | 3.6 | 12 | 1 | 1 | 2 | 4 | 7 | 10 | 17 |
| TOTAL 0-19 YRS | 744 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 7482 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 29875 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 50-64 | 35496 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 65+ | 23620 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **GRAND TOTAL** | **97217** | **3.3** | **7** | **1** | **1** | **3** | **4** | **6** | **8** | **13** |

## 336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1744 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 129 | 2.4 | 18 | <1 | 1 | 2 | 3 | 4 | 4 | 16 |
| 35-49 | 157 | 2.7 | 7 | <1 | 1 | 2 | 3 | 6 | 7 | 14 |
| 50-64 | 173 | 3.1 | 12 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 65+ | 162 | 4.0 | 20 | 1 | 1 | 3 | 5 | 7 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 3.4 | 17 | <1 | <1 | 2 | 4 | 7 | 11 | 22 |
| 20-34 | 87 | 3.7 | 13 | <1 | 1 | 3 | 4 | 7 | 11 | 20 |
| 35-49 | 191 | 3.7 | 20 | <1 | 1 | 2 | 5 | 8 | 10 | 15 |
| 50-64 | 303 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 65+ | 165 | 3.7 | 16 | <1 | <1 | 2 | 4 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2848 | 4.0 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 20-34 | 549 | 4.1 | 27 | 1 | 1 | 3 | 5 | 8 | 10 | 29 |
| 35-49 | 886 | 4.3 | 27 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| 50-64 | 2449 | 5.6 | 23 | 1 | 1 | 4 | 7 | 11 | 14 | 22 |
| 65+ | 4780 | 6.2 | 27 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 304 | 6.2 | 79 | <1 | 1 | 3 | 7 | 14 | 23 | 75 |
| 20-34 | 218 | 5.7 | 41 | 1 | 1 | 4 | 7 | 12 | 16 | 40 |
| 35-49 | 547 | 5.3 | 27 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| 50-64 | 1264 | 5.9 | 41 | 1 | 1 | 4 | 7 | 12 | 17 | 33 |
| 65+ | 1559 | 7.1 | 46 | 1 | 2 | 5 | 9 | 15 | 21 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2365 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 847 | 3.4 | 14 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11512 | 5.3 | 25 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| B. *Operated* | 3892 | 6.3 | 45 | 1 | 1 | 4 | 8 | 13 | 18 | 33 |
| **1. SINGLE DX** | 3212 | 3.0 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 15404 | 5.5 | 30 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| **A. NOT OPERATED** | 13877 | 4.8 | 22 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| **B. OPERATED** | 4739 | 5.8 | 40 | 1 | 1 | 4 | 7 | 12 | 17 | 32 |
| TOTAL 0-19 YRS | 4997 | 3.7 | 17 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 20-34 | 983 | 4.2 | 29 | 1 | 1 | 3 | 5 | 8 | 11 | 28 |
| 35-49 | 1781 | 4.4 | 25 | 1 | 1 | 3 | 6 | 8 | 12 | 23 |
| 50-64 | 4189 | 5.4 | 28 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| 65+ | 6666 | 6.3 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| **GRAND TOTAL** | **18616** | **5.1** | **27** | **1** | **1** | **4** | **6** | **10** | **14** | **26** |

### 337: Signs and symptoms referable to urinary system (788)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 216 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 978 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 1143 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 675 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 325 | 2.8 | 9 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 2.1 | 7 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| 20-34 | 189 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 216 | 4.2 | 8 | 1 | 1 | 4 | 6 | 8 | 8 | 13 |
| 50-64 | 156 | 4.9 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 65+ | 161 | 5.2 | 16 | 1 | 1 | 4 | 7 | 11 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 260 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 943 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 1177 | 2.8 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 50-64 | 1285 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 65+ | 2479 | 5.1 | 25 | 1 | 1 | 4 | 6 | 10 | 13 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 280 | 4.1 | 22 | <1 | <1 | 2 | 5 | 9 | 13 | 26 |
| 20-34 | 339 | 5.1 | 16 | 1 | 1 | 4 | 6 | 11 | 14 | 19 |
| 35-49 | 562 | 5.4 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 19 |
| 50-64 | 865 | 6.3 | 24 | 1 | 2 | 5 | 8 | 12 | 14 | 21 |
| 65+ | 2459 | 8.2 | 52 | 2 | 2 | 6 | 10 | 16 | 20 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3337 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 4 | 7 |
| B. *Operated* | 876 | 4.0 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6144 | 3.9 | 16 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| B. *Operated* | 4505 | 7.0 | 40 | 1 | 2 | 6 | 9 | 14 | 17 | 29 |
| **1. SINGLE DX** | 4213 | 2.4 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 10649 | 5.2 | 28 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| **A. NOT OPERATED** | 9481 | 3.2 | 12 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| **B. OPERATED** | 5381 | 6.5 | 36 | 1 | 1 | 5 | 8 | 13 | 16 | 28 |
| TOTAL 0-19 YRS | 910 | 2.9 | 11 | <1 | <1 | 2 | 3 | 6 | 8 | 19 |
| 20-34 | 2449 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 3098 | 3.0 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 2981 | 4.0 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 65+ | 5424 | 6.4 | 39 | 1 | 2 | 5 | 8 | 13 | 16 | 29 |
| **GRAND TOTAL** | **14862** | **4.4** | **23** | **1** | **1** | **3** | **6** | **9** | **12** | **22** |

### 338: Abdominal pain (789.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5912 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 20-34 | 6358 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 3237 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | 1703 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 65+ | 1054 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 730 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 1110 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 438 | 4.1 | 11 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 50-64 | 227 | 4.2 | 11 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 65+ | 92 | 4.5 | 10 | 1 | 1 | 4 | 6 | 10 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5030 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 7531 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 35-49 | 5598 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 5355 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 65+ | 7729 | 4.7 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 668 | 4.3 | 9 | 1 | 2 | 4 | 5 | 8 | 9 | 15 |
| 20-34 | 1782 | 5.4 | 20 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 35-49 | 1306 | 6.4 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| 50-64 | 1097 | 7.2 | 31 | 1 | 2 | 6 | 9 | 14 | 17 | 30 |
| 65+ | 1311 | 8.2 | 55 | 2 | 2 | 6 | 10 | 16 | 20 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18264 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 2597 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31243 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 6164 | 6.4 | 31 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| **1. SINGLE DX** | 20861 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 37407 | 4.2 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **A. NOT OPERATED** | 49507 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 8761 | 5.7 | 26 | 1 | 2 | 4 | 7 | 11 | 15 | 25 |
| TOTAL 0-19 YRS | 12340 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 16781 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 10579 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 8382 | 4.3 | 13 | 1 | 1 | 3 | 6 | 8 | 11 | 18 |
| 65+ | 10186 | 5.0 | 21 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| **GRAND TOTAL** | **58268** | **3.6** | **11** | **1** | **1** | **3** | **4** | **7** | **9** | **16** |

### 339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 617 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 286 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 217 | 3.0 | 15 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 195 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 17 |
| 65+ | 179 | 3.7 | 13 | <1 | 1 | 3 | 5 | 7 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 3.8 | 37 | <1 | <1 | 2 | 5 | 7 | 9 | 42 |
| 20-34 | 106 | 3.8 | 6 | <1 | 1 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 108 | 4.1 | 12 | <1 | 1 | 3 | 6 | 7 | 9 | 19 |
| 50-64 | 112 | 3.6 | 10 | <1 | 1 | 2 | 5 | 7 | 9 | 17 |
| 65+ | 87 | 4.8 | 15 | <1 | 1 | 4 | 7 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2095 | 2.9 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 1252 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 35-49 | 1422 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 13 | 20 |
| 50-64 | 2167 | 5.2 | 23 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| 65+ | 4541 | 5.6 | 22 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 305 | 4.1 | 27 | 1 | 1 | 2 | 6 | 10 | 13 | 23 |
| 20-34 | 619 | 5.0 | 35 | 1 | 1 | 4 | 7 | 10 | 15 | 27 |
| 35-49 | 624 | 6.1 | 55 | 1 | 1 | 5 | 7 | 13 | 18 | 36 |
| 50-64 | 810 | 7.9 | 65 | 1 | 1 | 6 | 10 | 17 | 24 | 39 |
| 65+ | 1365 | 8.9 | 82 | 1 | 1 | 7 | 11 | 19 | 26 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1494 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| B. *Operated* | 484 | 4.0 | 15 | <1 | 1 | 3 | 6 | 8 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11477 | 4.7 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| B. *Operated* | 3723 | 7.2 | 64 | 1 | 1 | 5 | 9 | 16 | 22 | 39 |
| **1. SINGLE DX** | 1978 | 3.0 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 15200 | 5.3 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| **A. NOT OPERATED** | 12971 | 4.5 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| **B. OPERATED** | 4207 | 6.8 | 60 | 1 | 1 | 5 | 9 | 15 | 21 | 37 |
| TOTAL 0-19 YRS | 3088 | 3.0 | 10 | 1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 20-34 | 2263 | 3.8 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 2371 | 4.8 | 27 | 1 | 1 | 3 | 6 | 10 | 13 | 25 |
| 50-64 | 3284 | 5.7 | 34 | 1 | 1 | 4 | 7 | 12 | 16 | 29 |
| 65+ | 6172 | 6.3 | 37 | 1 | 1 | 5 | 8 | 12 | 17 | 31 |
| **GRAND TOTAL** | **17178** | **5.0** | **29** | **1** | **1** | **3** | **6** | **10** | **14** | **27** |

### 340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4373 | 3.6 | 24 | 1 | 1 | 2 | 4 | 7 | 9 | 27 |
| 20-34 | 2847 | 4.3 | 34 | <1 | 1 | 3 | 5 | 8 | 13 | 31 |
| 35-49 | 2537 | 4.4 | 30 | 1 | 1 | 3 | 5 | 9 | 14 | 30 |
| 50-64 | 2817 | 4.9 | 35 | 1 | 1 | 3 | 6 | 10 | 14 | 30 |
| 65+ | 3895 | 6.2 | 49 | 1 | 1 | 4 | 7 | 13 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 421 | 4.0 | 59 | <1 | <1 | 2 | 4 | 7 | 16 | 52 |
| 20-34 | 728 | 3.5 | 27 | <1 | 1 | 2 | 4 | 7 | 11 | 26 |
| 35-49 | 779 | 4.4 | 55 | <1 | 1 | 2 | 4 | 9 | 13 | 44 |
| 50-64 | 906 | 5.2 | 64 | <1 | 1 | 2 | 6 | 12 | 19 | 39 |
| 65+ | 825 | 8.4 | 102 | 1 | 1 | 5 | 11 | 19 | 28 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7286 | 4.7 | 29 | 1 | 1 | 3 | 5 | 9 | 13 | 28 |
| 20-34 | 4774 | 3.8 | 17 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 35-49 | 6949 | 4.4 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 50-64 | 15502 | 5.6 | 28 | 1 | 1 | 4 | 7 | 11 | 15 | 25 |
| 65+ | 40297 | 6.3 | 34 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 703 | 9.9 | 215 | 1 | 1 | 5 | 12 | 25 | 47 | 99 |
| 20-34 | 1034 | 5.3 | 48 | 1 | 1 | 3 | 6 | 12 | 19 | 40 |
| 35-49 | 1666 | 6.5 | 91 | 1 | 1 | 4 | 8 | 13 | 21 | 62 |
| 50-64 | 3374 | 9.1 | 128 | 1 | 1 | 5 | 11 | 22 | 33 | 72 |
| 65+ | 6377 | 11.0 | 144 | 1 | 2 | 8 | 14 | 25 | 36 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16469 | 4.7 | 35 | 1 | 1 | 3 | 5 | 10 | 14 | 32 |
| B. *Operated* | 3659 | 5.3 | 66 | <1 | 1 | 2 | 6 | 12 | 19 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74808 | 5.7 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| B. *Operated* | 13154 | 9.5 | 133 | 1 | 1 | 6 | 12 | 22 | 33 | 75 |
| **1. SINGLE DX** | 20128 | 4.8 | 41 | 1 | 1 | 3 | 5 | 10 | 15 | 33 |
| **2. MULTIPLE DX** | 87962 | 6.2 | 48 | 1 | 1 | 4 | 7 | 13 | 17 | 36 |
| **A. NOT OPERATED** | 91277 | 5.5 | 32 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| **B. OPERATED** | 16813 | 8.5 | 121 | 1 | 1 | 5 | 10 | 20 | 31 | 69 |
| TOTAL 0-19 YRS | 12783 | 4.6 | 41 | 1 | 1 | 3 | 5 | 9 | 13 | 34 |
| 20-34 | 9383 | 4.1 | 27 | 1 | 1 | 3 | 5 | 8 | 11 | 30 |
| 35-49 | 11931 | 4.7 | 35 | 1 | 1 | 3 | 5 | 9 | 13 | 30 |
| 50-64 | 22599 | 6.0 | 47 | 1 | 1 | 4 | 7 | 12 | 18 | 36 |
| 65+ | 51394 | 6.9 | 52 | 1 | 2 | 5 | 8 | 14 | 19 | 38 |
| **GRAND TOTAL** | **108090** | **6.0** | **47** | **1** | **1** | **4** | **7** | **12** | **17** | **35** |

## 341: Fracture of vault of skull (800; 803)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1387 | 1.9 | 3 | 1 | 1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 125 | 3.6 | 10 | <1 | 1 | 3 | 5 | 8 | 9 | 16 |
| 35-49 | 39 | 3.6 | 12 | <1 | <1 | 2 | 4 | 9 | 11 | 17 |
| 50-64 | 18 | 5.9 | 41 | 1 | 1 | 3 | 7 | 17 | 21 | 23 |
| 65+ | 23 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 302 | 4.7 | 13 | 1 | 2 | 4 | 6 | 8 | 10 | 21 |
| 20-34 | 119 | 5.9 | 13 | 1 | 2 | 5 | 8 | 11 | 14 | 42 |
| 35-49 | 36 | 7.8 | 33 | 1 | 3 | 6 | 11 | 14 | 18 | 30 |
| 50-64 | 12 | 9.2 | 70 | 1 | 2 | 7 | 9 | 25 | 28 | 28 |
| 65+ | 6 | 10.2 | 109 | 1 | 1 | 8 | 16 | 26 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1141 | 3.6 | 30 | 1 | 1 | 2 | 4 | 7 | 11 | 25 |
| 20-34 | 306 | 5.9 | 49 | 1 | 1 | 4 | 7 | 13 | 17 | 58 |
| 35-49 | 168 | 5.6 | 28 | 1 | 1 | 4 | 7 | 12 | 18 | 27 |
| 50-64 | 119 | 7.3 | 59 | 1 | 2 | 5 | 8 | 17 | 19 | 42 |
| 65+ | 132 | 8.8 | 70 | 1 | 2 | 7 | 12 | 18 | 23 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 510 | 12.1 | 241 | 1 | 1 | 6 | 13 | 37 | 52 | 99+ |
| 20-34 | 530 | 13.3 | 264 | 1 | 2 | 8 | 16 | 37 | 62 | 99+ |
| 35-49 | 212 | 13.8 | 240 | 1 | 2 | 9 | 17 | 39 | 58 | 99+ |
| 50-64 | 106 | 17.7 | 355 | 1 | 3 | 12 | 26 | 52 | 81 | 99+ |
| 65+ | 110 | 19.1 | 375 | 2 | 2 | 14 | 22 | 47 | 62 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1592 | 2.1 | 4 | <1 | 1 | 1 | 2 | 4 | 6 | 11 |
| B. *Operated* | 475 | 5.4 | 18 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1866 | 4.8 | 40 | 1 | 1 | 3 | 5 | 11 | 16 | 34 |
| B. *Operated* | 1468 | 13.7 | 271 | 1 | 2 | 8 | 17 | 39 | 60 | 99+ |
| **1. SINGLE DX** | 2067 | 2.9 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | 3334 | 8.7 | 161 | 1 | 1 | 4 | 10 | 21 | 39 | 96 |
| **A. NOT OPERATED** | 3458 | 3.6 | 25 | 1 | 1 | 2 | 4 | 7 | 12 | 24 |
| **B. OPERATED** | 1943 | 11.7 | 222 | 1 | 2 | 7 | 13 | 32 | 52 | 99+ |
| TOTAL 0-19 YRS | 3340 | 4.3 | 61 | 1 | 1 | 2 | 4 | 9 | 14 | 49 |
| 20-34 | 1080 | 9.3 | 162 | 1 | 1 | 5 | 11 | 21 | 40 | 99+ |
| 35-49 | 455 | 9.4 | 143 | 1 | 1 | 6 | 11 | 23 | 39 | 99+ |
| 50-64 | 255 | 11.6 | 207 | 1 | 2 | 7 | 15 | 28 | 43 | 99+ |
| 65+ | 271 | 12.5 | 221 | 1 | 2 | 7 | 16 | 26 | 44 | 75 |
| **GRAND TOTAL** | **5401** | **6.5** | **111** | **1** | **1** | **3** | **7** | **15** | **26** | **77** |

## 342: Fracture of base of skull (801)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 729 | 2.6 | 8 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 20-34 | 214 | 4.2 | 26 | 1 | 1 | 3 | 5 | 8 | 13 | 28 |
| 35-49 | 74 | 4.2 | 12 | <1 | 1 | 3 | 6 | 10 | 12 | 15 |
| 50-64 | 35 | 5.1 | 19 | 1 | 1 | 4 | 7 | 11 | 15 | 19 |
| 65+ | 35 | 6.9 | 110 | 1 | 1 | 4 | 6 | 12 | 35 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 5.8 | 35 | 1 | 1 | 4 | 7 | 11 | 15 | 37 |
| 20-34 | 67 | 5.4 | 13 | 1 | 2 | 4 | 8 | 10 | 12 | 17 |
| 35-49 | 18 | 6.7 | 28 | <1 | 1 | 5 | 10 | 16 | 17 | 17 |
| 50-64 | 14 | 6.7 | 13 | 2 | 2 | 6 | 9 | 13 | 14 | 14 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 875 | 4.4 | 21 | 1 | 1 | 3 | 5 | 10 | 13 | 24 |
| 20-34 | 647 | 5.2 | 35 | 1 | 1 | 3 | 6 | 11 | 14 | 33 |
| 35-49 | 237 | 5.7 | 35 | 1 | 1 | 4 | 7 | 12 | 13 | 28 |
| 50-64 | 192 | 7.5 | 49 | 1 | 2 | 5 | 10 | 14 | 20 | 29 |
| 65+ | 205 | 8.6 | 111 | 1 | 2 | 6 | 11 | 16 | 21 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 394 | 14.0 | 316 | 1 | 2 | 8 | 17 | 40 | 71 | 99+ |
| 20-34 | 576 | 14.4 | 284 | 1 | 2 | 9 | 19 | 45 | 63 | 99+ |
| 35-49 | 268 | 14.3 | 301 | 1 | 2 | 9 | 16 | 38 | 63 | 98 |
| 50-64 | 140 | 17.4 | 317 | 2 | 3 | 11 | 24 | 47 | 66 | 99+ |
| 65+ | 101 | 19.4 | 276 | 3 | 4 | 15 | 30 | 52 | 83 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1087 | 3.3 | 16 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| B. *Operated* | 200 | 5.8 | 25 | 1 | 1 | 5 | 8 | 11 | 14 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2156 | 5.5 | 40 | 1 | 1 | 4 | 7 | 12 | 15 | 29 |
| B. *Operated* | 1479 | 14.9 | 300 | 1 | 2 | 9 | 19 | 44 | 67 | 99+ |
| **1. SINGLE DX** | 1287 | 3.7 | 18 | 1 | 1 | 2 | 4 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | 3635 | 9.3 | 167 | 1 | 1 | 5 | 11 | 22 | 38 | 96 |
| **A. NOT OPERATED** | 3243 | 4.7 | 33 | 1 | 1 | 3 | 6 | 10 | 13 | 26 |
| **B. OPERATED** | 1679 | 13.8 | 276 | 1 | 2 | 8 | 17 | 39 | 62 | 99+ |
| TOTAL 0-19 YRS | 2098 | 5.7 | 90 | 1 | 1 | 3 | 6 | 12 | 20 | 71 |
| 20-34 | 1504 | 8.6 | 149 | 1 | 1 | 5 | 9 | 21 | 38 | 97 |
| 35-49 | 597 | 9.4 | 171 | 1 | 1 | 5 | 11 | 19 | 38 | 81 |
| 50-64 | 381 | 10.9 | 168 | 1 | 2 | 7 | 13 | 25 | 35 | 81 |
| 65+ | 342 | 11.6 | 184 | 1 | 2 | 7 | 14 | 29 | 47 | 99+ |
| **GRAND TOTAL** | **4922** | **7.8** | **134** | **1** | **1** | **4** | **9** | **18** | **31** | **86** |

### 343: Fracture of face bones (802)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 135 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 179 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 74 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 7 |
| 50-64 | 27 | 2.2 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 9 |
| 65+ | 20 | 2.2 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2062 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 2989 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 862 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 274 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 65+ | 89 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 372 | 2.4 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 667 | 2.7 | 11 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 302 | 3.3 | 29 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 50-64 | 182 | 4.2 | 16 | <1 | 1 | 3 | 5 | 10 | 12 | 21 |
| 65+ | 404 | 4.9 | 21 | 1 | 1 | 4 | 6 | 11 | 14 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2597 | 3.3 | 14 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 20-34 | 4880 | 4.2 | 21 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 35-49 | 1847 | 4.9 | 37 | 1 | 1 | 3 | 6 | 10 | 13 | 27 |
| 50-64 | 786 | 5.8 | 42 | 1 | 1 | 4 | 7 | 12 | 17 | 37 |
| 65+ | 643 | 6.9 | 57 | 1 | 1 | 5 | 9 | 15 | 20 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 435 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| B. *Operated* | 6276 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1927 | 3.4 | 17 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| B. *Operated* | 10753 | 4.4 | 27 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| **1. SINGLE DX** | 6711 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 12680 | 4.2 | 25 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| **A. NOT OPERATED** | 2362 | 3.1 | 14 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| **B. OPERATED** | 17029 | 3.6 | 19 | <1 | 1 | 2 | 4 | 7 | 10 | 21 |
| TOTAL 0-19 YRS | 5166 | 2.6 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 8715 | 3.4 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 35-49 | 3085 | 4.0 | 27 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 50-64 | 1269 | 4.8 | 32 | 1 | 1 | 3 | 6 | 10 | 15 | 30 |
| 65+ | 1156 | 5.8 | 41 | 1 | 1 | 4 | 7 | 13 | 17 | 34 |
| **GRAND TOTAL** | **19391** | **3.5** | **19** | **<1** | **1** | **2** | **4** | **7** | **10** | **20** |

### 344: Fracture of vertebral column without mention of spinal cord injury (805)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 726 | 3.9 | 15 | 1 | 1 | 3 | 5 | 8 | 9 | 16 |
| 20-34 | 1426 | 4.5 | 15 | 1 | 1 | 4 | 6 | 8 | 10 | 19 |
| 35-49 | 894 | 4.9 | 22 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 50-64 | 767 | 5.9 | 18 | 1 | 2 | 5 | 7 | 11 | 13 | 19 |
| 65+ | 1000 | 6.9 | 18 | 2 | 2 | 6 | 9 | 12 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 9.1 | 37 | 2 | 3 | 7 | 12 | 17 | 22 | 29 |
| 20-34 | 299 | 9.2 | 40 | 2 | 2 | 8 | 12 | 18 | 21 | 34 |
| 35-49 | 129 | 9.8 | 61 | 2 | 2 | 8 | 13 | 20 | 24 | 39 |
| 50-64 | 59 | 10.3 | 78 | 1 | 2 | 7 | 14 | 23 | 28 | 42 |
| 65+ | 47 | 11.9 | 135 | 2 | 3 | 9 | 15 | 21 | 26 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 698 | 5.1 | 32 | 1 | 1 | 4 | 6 | 10 | 13 | 32 |
| 20-34 | 1777 | 5.7 | 30 | 1 | 1 | 4 | 7 | 11 | 13 | 26 |
| 35-49 | 1227 | 6.4 | 34 | 1 | 2 | 5 | 8 | 11 | 15 | 31 |
| 50-64 | 1793 | 7.9 | 39 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| 65+ | 8590 | 9.1 | 49 | 3 | 3 | 8 | 11 | 16 | 21 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 315 | 11.6 | 101 | 2 | 3 | 9 | 15 | 25 | 32 | 64 |
| 20-34 | 948 | 11.8 | 130 | 2 | 3 | 9 | 15 | 24 | 33 | 72 |
| 35-49 | 466 | 12.3 | 114 | 2 | 3 | 10 | 16 | 23 | 30 | 57 |
| 50-64 | 426 | 13.7 | 128 | 2 | 4 | 11 | 18 | 26 | 36 | 58 |
| 65+ | 942 | 16.7 | 190 | 4 | 5 | 13 | 21 | 33 | 44 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4813 | 5.2 | 18 | 1 | 1 | 4 | 7 | 10 | 12 | 19 |
| B. *Operated* | 641 | 9.6 | 54 | 2 | 2 | 8 | 13 | 19 | 23 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14085 | 8.1 | 45 | 2 | 2 | 7 | 10 | 15 | 19 | 35 |
| B. *Operated* | 3097 | 13.6 | 147 | 2 | 3 | 10 | 17 | 27 | 37 | 73 |
| **1. SINGLE DX** | 5454 | 5.7 | 25 | 1 | 1 | 5 | 7 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | 17182 | 9.1 | 68 | 2 | 3 | 7 | 11 | 17 | 23 | 46 |
| **A. NOT OPERATED** | 18898 | 7.4 | 40 | 1 | 2 | 6 | 9 | 14 | 18 | 32 |
| **B. OPERATED** | 3738 | 12.9 | 133 | 2 | 3 | 10 | 16 | 26 | 34 | 70 |
| TOTAL 0-19 YRS | 1846 | 6.0 | 45 | 1 | 1 | 4 | 7 | 12 | 18 | 37 |
| 20-34 | 4450 | 6.9 | 55 | 1 | 2 | 5 | 8 | 14 | 19 | 41 |
| 35-49 | 2716 | 7.1 | 51 | 1 | 2 | 5 | 9 | 14 | 19 | 34 |
| 50-64 | 3045 | 8.3 | 52 | 2 | 2 | 6 | 10 | 16 | 21 | 38 |
| 65+ | 10579 | 9.6 | 64 | 2 | 3 | 8 | 12 | 17 | 23 | 45 |
| **GRAND TOTAL** | **22636** | **8.3** | **60** | **1** | **2** | **6** | **10** | **16** | **21** | **41** |

### 345: Fracture of vertebral column with cord injury (806)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 5.8 | 26 | 1 | 1 | 4 | 8 | 13 | 17 | 19 |
| 20-34 | 37 | 7.6 | 101 | 1 | 1 | 5 | 7 | 15 | 35 | 48 |
| 35-49 | 27 | 5.7 | 38 | 1 | 1 | 3 | 8 | 11 | 16 | 31 |
| 50-64 | 15 | 8.9 | 28 | 1 | 2 | 9 | 13 | 15 | 18 | 19 |
| 65+ | 12 | 11.0 | 121 | 2 | 3 | 9 | 12 | 27 | 40 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 17.4 | 129 | 5 | 7 | 15 | 25 | 32 | 58 | 99+ |
| 20-34 | 73 | 15.5 | 89 | 4 | 5 | 13 | 22 | 29 | 34 | 45 |
| 35-49 | 25 | 16.7 | 161 | 3 | 4 | 15 | 20 | 31 | 40 | 65 |
| 50-64 | 8 | 13.3 | 18 | 9 | 9 | 12 | 16 | 20 | 20 | 20 |
| 65+ | 6 | 15.3 | 16 | 8 | 9 | 16 | 17 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 16.3 | 637 | 1 | 1 | 7 | 12 | 49 | 85 | 95 |
| 20-34 | 82 | 13.7 | 334 | 1 | 1 | 8 | 17 | 36 | 76 | 99+ |
| 35-49 | 38 | 11.1 | 89 | 1 | 2 | 8 | 17 | 28 | 34 | 99+ |
| 50-64 | 45 | 12.5 | 335 | 1 | 2 | 6 | 12 | 33 | 72 | 99+ |
| 65+ | 116 | 11.6 | 74 | 3 | 4 | 9 | 15 | 21 | 32 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 25.5 | 299 | 7 | 10 | 23 | 36 | 81 | 99+ | 99+ |
| 20-34 | 301 | 26.3 | 345 | 5 | 8 | 23 | 37 | 64 | 99 | 99+ |
| 35-49 | 137 | 26.2 | 325 | 5 | 9 | 22 | 39 | 56 | 77 | 99+ |
| 50-64 | 62 | 25.9 | 330 | 6 | 9 | 20 | 36 | 60 | 77 | 99+ |
| 65+ | 75 | 24.6 | 362 | 5 | 8 | 16 | 36 | 54 | 63 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 111 | 7.4 | 65 | 1 | 1 | 6 | 9 | 15 | 20 | 44 |
| B. *Operated* | 142 | 16.0 | 102 | 4 | 5 | 15 | 20 | 29 | 34 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 304 | 12.6 | 225 | 1 | 2 | 8 | 15 | 32 | 42 | 99+ |
| B. *Operated* | 690 | 25.9 | 333 | 5 | 8 | 22 | 37 | 62 | 98 | 99+ |
| **1. SINGLE DX** | 253 | 12.2 | 104 | 1 | 2 | 10 | 16 | 25 | 32 | 59 |
| **2. MULTIPLE DX** | 994 | 21.9 | 337 | 2 | 4 | 17 | 33 | 54 | 81 | 99+ |
| **A. NOT OPERATED** | 415 | 11.2 | 187 | 1 | 2 | 8 | 13 | 27 | 39 | 97 |
| **B. OPERATED** | 832 | 24.2 | 307 | 5 | 8 | 20 | 34 | 58 | 83 | 99+ |
| TOTAL 0-19 YRS | 188 | 21.0 | 322 | 1 | 3 | 17 | 31 | 65 | 99+ | 99+ |
| 20-34 | 493 | 21.2 | 330 | 2 | 4 | 17 | 31 | 51 | 80 | 99+ |
| 35-49 | 227 | 20.2 | 294 | 2 | 3 | 16 | 30 | 49 | 66 | 99+ |
| 50-64 | 130 | 18.5 | 326 | 2 | 4 | 13 | 25 | 46 | 67 | 99+ |
| 65+ | 209 | 16.4 | 215 | 3 | 4 | 11 | 20 | 37 | 50 | 71 |
| **GRAND TOTAL** | **1247** | **19.9** | **305** | **2** | **4** | **15** | **29** | **50** | **72** | **99+** |

### 346: Fracture of ribs, sternum, larynx and trachea (807)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 2.1 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 20-34 | 252 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 306 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | 302 | 3.4 | 15 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 296 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.7 | 23 | 3 | 3 | 5 | 7 | 15 | 16 | 16 |
| 20-34 | 25 | 3.8 | 6 | 1 | 1 | 3 | 5 | 8 | 8 | 9 |
| 35-49 | 14 | 5.8 | 23 | 1 | 1 | 4 | 9 | 13 | 15 | 15 |
| 50-64 | 9 | 8.4 | 56 | 2 | 3 | 5 | 10 | 21 | 26 | 26 |
| 65+ | 11 | 9.2 | 55 | 1 | 2 | 7 | 18 | 45 | 92 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 302 | 3.4 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 20-34 | 1232 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 1505 | 4.5 | 14 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 50-64 | 2100 | 5.4 | 24 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 65+ | 4613 | 7.0 | 38 | 2 | 2 | 6 | 9 | 13 | 17 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 6.6 | 19 | 2 | 2 | 6 | 9 | 12 | 15 | 23 |
| 20-34 | 488 | 7.0 | 40 | 1 | 2 | 5 | 8 | 14 | 19 | 31 |
| 35-49 | 478 | 9.5 | 108 | 1 | 2 | 7 | 11 | 20 | 27 | 69 |
| 50-64 | 484 | 10.6 | 100 | 2 | 3 | 8 | 13 | 22 | 31 | 50 |
| 65+ | 719 | 13.8 | 181 | 2 | 3 | 9 | 17 | 30 | 47 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1251 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 65 | 6.0 | 29 | 1 | 1 | 5 | 8 | 15 | 21 | 88 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9752 | 5.7 | 28 | 1 | 2 | 4 | 7 | 11 | 14 | 26 |
| B. *Operated* | 2281 | 10.4 | 117 | 2 | 2 | 7 | 13 | 22 | 32 | 70 |
| **1. SINGLE DX** | 1316 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 12033 | 6.6 | 49 | 1 | 2 | 5 | 8 | 13 | 18 | 37 |
| **A. NOT OPERATED** | 11003 | 5.4 | 27 | 1 | 1 | 4 | 7 | 10 | 13 | 25 |
| **B. OPERATED** | 2346 | 10.3 | 115 | 1 | 2 | 7 | 13 | 22 | 31 | 70 |
| TOTAL 0-19 YRS | 515 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 20-34 | 1997 | 4.3 | 18 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| 35-49 | 2303 | 5.3 | 37 | 1 | 1 | 4 | 6 | 10 | 14 | 30 |
| 50-64 | 2895 | 6.1 | 40 | 1 | 2 | 4 | 7 | 12 | 17 | 32 |
| 65+ | 5639 | 7.7 | 61 | 2 | 2 | 6 | 9 | 15 | 21 | 45 |
| **GRAND TOTAL** | **13349** | **6.3** | **46** | **1** | **1** | **5** | **8** | **12** | **17** | **35** |

### 347: Fracture of pelvis (808)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 351 | 4.7 | 21 | 1 | 1 | 3 | 6 | 9 | 11 | 28 |
| 20-34 | 356 | 6.4 | 43 | 1 | 2 | 5 | 8 | 12 | 16 | 43 |
| 35-49 | 186 | 7.3 | 40 | 1 | 2 | 6 | 9 | 14 | 20 | 32 |
| 50-64 | 275 | 8.3 | 64 | 2 | 2 | 6 | 9 | 14 | 23 | 49 |
| 65+ | 1018 | 8.3 | 46 | 2 | 3 | 7 | 11 | 14 | 18 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 9.0 | 61 | 1 | 2 | 5 | 13 | 19 | 26 | 32 |
| 20-34 | 57 | 16.5 | 158 | 4 | 5 | 13 | 19 | 33 | 46 | 62 |
| 35-49 | 22 | 21.4 | 309 | 5 | 6 | 14 | 26 | 48 | 60 | 71 |
| 50-64 | 19 | 18.3 | 114 | 8 | 8 | 13 | 25 | 37 | 41 | 42 |
| 65+ | 12 | 11.8 | 33 | 2 | 5 | 10 | 16 | 19 | 22 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 570 | 7.7 | 60 | 1 | 2 | 6 | 9 | 14 | 22 | 46 |
| 20-34 | 885 | 9.7 | 99 | 2 | 2 | 7 | 11 | 18 | 29 | 49 |
| 35-49 | 483 | 10.5 | 86 | 2 | 3 | 8 | 13 | 20 | 27 | 50 |
| 50-64 | 715 | 11.2 | 88 | 3 | 3 | 8 | 14 | 22 | 30 | 49 |
| 65+ | 5757 | 11.6 | 84 | 3 | 4 | 9 | 14 | 21 | 28 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 306 | 16.5 | 255 | 2 | 3 | 11 | 22 | 37 | 48 | 91 |
| 20-34 | 694 | 20.7 | 318 | 3 | 5 | 15 | 27 | 47 | 57 | 88 |
| 35-49 | 318 | 22.5 | 301 | 4 | 6 | 16 | 31 | 50 | 59 | 99+ |
| 50-64 | 267 | 24.7 | 341 | 3 | 5 | 20 | 34 | 52 | 62 | 92 |
| 65+ | 742 | 21.3 | 285 | 5 | 6 | 16 | 27 | 48 | 59 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2186 | 7.3 | 45 | 1 | 2 | 6 | 9 | 14 | 18 | 38 |
| B. *Operated* | 134 | 15.8 | 160 | 2 | 4 | 12 | 19 | 32 | 44 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8410 | 11.0 | 85 | 3 | 3 | 9 | 13 | 20 | 28 | 51 |
| B. *Operated* | 2327 | 21.0 | 303 | 3 | 5 | 16 | 28 | 48 | 58 | 90 |
| **1. SINGLE DX** | 2320 | 7.8 | 56 | 1 | 2 | 6 | 10 | 14 | 20 | 43 |
| **2. MULTIPLE DX** | 10737 | 13.2 | 150 | 3 | 4 | 10 | 16 | 27 | 39 | 71 |
| **A. NOT OPERATED** | 10596 | 10.3 | 79 | 2 | 3 | 8 | 13 | 19 | 26 | 49 |
| **B. OPERATED** | 2461 | 20.7 | 297 | 3 | 5 | 15 | 28 | 47 | 57 | 89 |
| TOTAL 0-19 YRS | 1251 | 9.0 | 116 | 1 | 2 | 6 | 10 | 21 | 31 | 56 |
| 20-34 | 1992 | 13.1 | 200 | 2 | 3 | 8 | 16 | 31 | 46 | 74 |
| 35-49 | 1009 | 13.9 | 188 | 2 | 3 | 9 | 16 | 32 | 48 | 72 |
| 50-64 | 1276 | 13.5 | 171 | 2 | 3 | 9 | 16 | 31 | 43 | 65 |
| 65+ | 7529 | 12.1 | 109 | 3 | 4 | 9 | 14 | 23 | 32 | 65 |
| **GRAND TOTAL** | **13057** | **12.2** | **137** | **2** | **3** | **9** | **15** | **25** | **37** | **65** |

### 348: Fracture of humerus (812)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 544 | 2.6 | 18 | <1 | 1 | 1 | 2 | 5 | 12 | 23 |
| 20-34 | 120 | 2.8 | 15 | 1 | 1 | 2 | 3 | 5 | 6 | 24 |
| 35-49 | 91 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 50-64 | 184 | 2.9 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 20 |
| 65+ | 632 | 4.0 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4344 | 3.2 | 17 | 1 | 1 | 2 | 3 | 6 | 13 | 22 |
| 20-34 | 526 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 21 |
| 35-49 | 394 | 3.7 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 20 |
| 50-64 | 597 | 4.2 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 65+ | 812 | 5.0 | 19 | 1 | 1 | 4 | 7 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 242 | 3.3 | 15 | 1 | 1 | 2 | 4 | 7 | 13 | 21 |
| 20-34 | 188 | 4.2 | 22 | <1 | 1 | 3 | 5 | 9 | 15 | 26 |
| 35-49 | 168 | 4.7 | 21 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| 50-64 | 489 | 5.9 | 44 | 1 | 1 | 4 | 7 | 12 | 17 | 33 |
| 65+ | 2909 | 7.2 | 64 | 1 | 2 | 5 | 9 | 14 | 20 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1217 | 5.7 | 54 | 1 | 1 | 3 | 6 | 14 | 20 | 33 |
| 20-34 | 748 | 7.5 | 77 | 1 | 1 | 5 | 8 | 17 | 25 | 46 |
| 35-49 | 522 | 7.9 | 94 | 1 | 1 | 5 | 9 | 17 | 26 | 59 |
| 50-64 | 905 | 8.3 | 79 | 1 | 2 | 5 | 10 | 18 | 28 | 47 |
| 65+ | 2633 | 9.6 | 96 | 2 | 2 | 7 | 11 | 20 | 28 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1571 | 3.2 | 16 | 1 | 1 | 2 | 4 | 6 | 10 | 22 |
| B. *Operated* | 6673 | 3.5 | 16 | 1 | 1 | 2 | 4 | 7 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3996 | 6.5 | 56 | 1 | 1 | 5 | 8 | 13 | 18 | 37 |
| B. *Operated* | 6025 | 8.2 | 85 | 1 | 2 | 5 | 10 | 18 | 26 | 50 |
| **1. SINGLE DX** | 8244 | 3.5 | 16 | 1 | 1 | 2 | 4 | 7 | 12 | 21 |
| **2. MULTIPLE DX** | 10021 | 7.5 | 74 | 1 | 2 | 5 | 9 | 16 | 23 | 48 |
| **A. NOT OPERATED** | 5567 | 5.6 | 47 | 1 | 1 | 4 | 7 | 12 | 17 | 34 |
| **B. OPERATED** | 12698 | 5.7 | 54 | 1 | 1 | 3 | 7 | 13 | 19 | 38 |
| TOTAL 0-19 YRS | 6347 | 3.6 | 25 | 1 | 1 | 2 | 3 | 8 | 15 | 24 |
| 20-34 | 1582 | 5.5 | 48 | 1 | 1 | 3 | 6 | 11 | 18 | 39 |
| 35-49 | 1175 | 5.6 | 54 | 1 | 1 | 3 | 6 | 12 | 18 | 40 |
| 50-64 | 2175 | 6.1 | 51 | 1 | 1 | 4 | 7 | 13 | 19 | 38 |
| 65+ | 6986 | 7.5 | 70 | 1 | 2 | 5 | 9 | 15 | 22 | 49 |
| **GRAND TOTAL** | **18265** | **5.7** | **52** | **1** | **1** | **3** | **7** | **13** | **18** | **37** |

### 349: Fracture of radius and ulna (813)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 316 | 1.8 | 14 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 102 | 1.9 | 1 | <1 | <1 | 1 | 3 | 4 | 4 | 5 |
| 35-49 | 57 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 59 | 2.8 | 8 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| 65+ | 104 | 2.7 | 9 | 1 | 1 | 2 | 3 | 5 | 6 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7183 | 1.6 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 2210 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 1546 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 50-64 | 1818 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 1755 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 256 | 2.5 | 14 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 266 | 3.1 | 20 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 160 | 3.4 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 21 |
| 50-64 | 202 | 4.8 | 24 | 1 | 1 | 4 | 6 | 10 | 12 | 24 |
| 65+ | 587 | 6.3 | 58 | 1 | 1 | 4 | 7 | 13 | 18 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1737 | 3.4 | 23 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |
| 20-34 | 1867 | 5.5 | 38 | 1 | 1 | 4 | 6 | 11 | 16 | 33 |
| 35-49 | 1285 | 5.7 | 52 | 1 | 1 | 4 | 6 | 12 | 17 | 39 |
| 50-64 | 1541 | 5.2 | 46 | 1 | 1 | 3 | 6 | 10 | 15 | 40 |
| 65+ | 3006 | 6.1 | 52 | 1 | 1 | 4 | 7 | 12 | 18 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 638 | 2.1 | 10 | <1 | 1 | 1 | 2 | 4 | 5 | 10 |
| B. *Operated* | 14512 | 2.1 | 3 | <1 | 1 | 1 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1471 | 4.5 | 36 | 1 | 1 | 3 | 5 | 9 | 13 | 31 |
| B. *Operated* | 9436 | 5.3 | 44 | 1 | 1 | 3 | 6 | 11 | 16 | 36 |
| **1. SINGLE DX** | 15150 | 2.1 | 3 | <1 | 1 | 1 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 10907 | 5.2 | 43 | 1 | 1 | 3 | 6 | 11 | 16 | 35 |
| **A. NOT OPERATED** | 2109 | 3.8 | 30 | <1 | 1 | 2 | 4 | 8 | 11 | 27 |
| **B. OPERATED** | 23948 | 3.3 | 21 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |
| TOTAL 0-19 YRS | 9492 | 2.0 | 7 | <1 | 1 | 1 | 2 | 4 | 5 | 11 |
| 20-34 | 4445 | 3.9 | 21 | 1 | 1 | 3 | 4 | 8 | 11 | 24 |
| 35-49 | 3048 | 3.9 | 27 | 1 | 1 | 2 | 4 | 7 | 11 | 28 |
| 50-64 | 3620 | 3.7 | 25 | 1 | 1 | 2 | 4 | 7 | 10 | 25 |
| 65+ | 5452 | 4.9 | 39 | 1 | 1 | 3 | 6 | 10 | 15 | 32 |
| **GRAND TOTAL** | **26057** | **3.4** | **22** | **1** | **1** | **2** | **4** | **7** | **10** | **23** |

### 350: Miscellaneous fractures of upper extremity (814-818)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 101 | 2.6 | 4 | <1 | <1 | 2 | 4 | 5 | 7 | 9 |
| 35-49 | 35 | 2.9 | 10 | <1 | 1 | 2 | 4 | 5 | 12 | 15 |
| 50-64 | 29 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 6 | 15 |
| 65+ | 17 | 4.1 | 35 | <1 | 1 | 3 | 4 | 6 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1484 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 2032 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 855 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | 415 | 2.0 | 6 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 65+ | 174 | 2.4 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 2.9 | 13 | <1 | 1 | 2 | 3 | 5 | 8 | 23 |
| 20-34 | 192 | 2.7 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 35-49 | 91 | 3.4 | 9 | <1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 50-64 | 91 | 5.0 | 63 | 1 | 1 | 3 | 6 | 10 | 12 | 50 |
| 65+ | 162 | 6.2 | 58 | 1 | 1 | 5 | 7 | 12 | 16 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 807 | 3.1 | 19 | <1 | 1 | 2 | 3 | 6 | 8 | 24 |
| 20-34 | 1745 | 3.2 | 18 | 1 | 1 | 2 | 4 | 6 | 8 | 18 |
| 35-49 | 898 | 3.2 | 15 | 1 | 1 | 2 | 4 | 6 | 9 | 20 |
| 50-64 | 588 | 3.2 | 12 | 1 | 1 | 2 | 4 | 7 | 8 | 19 |
| 65+ | 447 | 4.3 | 29 | 1 | 1 | 3 | 5 | 9 | 14 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 241 | 2.7 | 7 | <1 | <1 | 2 | 4 | 5 | 7 | 15 |
| B. *Operated* | 4960 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 655 | 4.0 | 30 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| B. *Operated* | 4485 | 3.3 | 18 | 1 | 1 | 2 | 4 | 6 | 9 | 20 |
| **1. SINGLE DX** | 5201 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | 5140 | 3.4 | 20 | 1 | 1 | 2 | 4 | 7 | 9 | 20 |
| **A. NOT OPERATED** | 896 | 3.7 | 24 | <1 | 1 | 2 | 4 | 7 | 11 | 18 |
| **B. OPERATED** | 9445 | 2.5 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| TOTAL 0-19 YRS | 2469 | 2.2 | 9 | <1 | <1 | 1 | 2 | 4 | 5 | 13 |
| 20-34 | 4070 | 2.5 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 1879 | 2.6 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 1123 | 2.9 | 15 | 1 | 1 | 2 | 3 | 6 | 8 | 17 |
| 65+ | 800 | 4.2 | 31 | 1 | 1 | 3 | 5 | 9 | 13 | 21 |
| **GRAND TOTAL** | **10341** | **2.6** | **12** | **<1** | **1** | **2** | **3** | **5** | **7** | **16** |

## 351: Fracture of neck of femur (820)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 166 | 11.9 | 147 | 1 | 1 | 6 | 20 | 28 | 36 | 48 |
| 20-34 | 32 | 9.1 | 162 | 1 | 1 | 4 | 9 | 26 | 43 | 52 |
| 35-49 | 35 | 7.3 | 109 | 1 | 1 | 5 | 7 | 25 | 47 | 99+ |
| 50-64 | 90 | 6.5 | 60 | 1 | 1 | 5 | 8 | 13 | 19 | 47 |
| 65+ | 523 | 7.0 | 39 | 1 | 1 | 6 | 9 | 14 | 18 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 416 | 9.5 | 73 | 2 | 3 | 7 | 11 | 22 | 28 | 36 |
| 20-34 | 222 | 9.3 | 51 | 3 | 3 | 8 | 11 | 16 | 23 | 48 |
| 35-49 | 382 | 8.7 | 27 | 3 | 4 | 8 | 10 | 14 | 18 | 31 |
| 50-64 | 1462 | 10.1 | 23 | 4 | 5 | 9 | 12 | 15 | 18 | 28 |
| 65+ | 8171 | 12.7 | 41 | 6 | 7 | 12 | 15 | 19 | 23 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 18.0 | 348 | 1 | 2 | 11 | 28 | 40 | 51 | 92 |
| 20-34 | 44 | 7.3 | 59 | <1 | 1 | 4 | 11 | 21 | 29 | 99+ |
| 35-49 | 77 | 11.3 | 239 | 1 | 2 | 5 | 13 | 27 | 67 | 99+ |
| 50-64 | 274 | 10.5 | 111 | 1 | 2 | 7 | 13 | 21 | 35 | 57 |
| 65+ | 2863 | 11.3 | 118 | 2 | 3 | 8 | 14 | 22 | 33 | 73 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 347 | 14.8 | 146 | 4 | 5 | 11 | 19 | 30 | 43 | 61 |
| 20-34 | 589 | 15.7 | 172 | 5 | 6 | 12 | 18 | 34 | 47 | 87 |
| 35-49 | 749 | 15.6 | 158 | 5 | 6 | 12 | 18 | 29 | 40 | 78 |
| 50-64 | 3411 | 15.0 | 109 | 6 | 7 | 12 | 17 | 25 | 35 | 75 |
| 65+ | 39439 | 16.2 | 108 | 7 | 8 | 14 | 18 | 27 | 36 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 846 | 8.0 | 73 | 1 | 1 | 5 | 10 | 18 | 25 | 48 |
| B. *Operated* | 10653 | 12.0 | 41 | 5 | 6 | 11 | 14 | 18 | 22 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3366 | 11.4 | 128 | 2 | 3 | 8 | 14 | 23 | 35 | 79 |
| B. *Operated* | 44535 | 16.0 | 111 | 6 | 8 | 14 | 18 | 27 | 37 | 79 |
| **1. SINGLE DX** | 11499 | 11.7 | 45 | 4 | 5 | 11 | 14 | 18 | 22 | 36 |
| **2. MULTIPLE DX** | 47901 | 15.7 | 113 | 6 | 7 | 13 | 18 | 27 | 36 | 79 |
| **A. NOT OPERATED** | 4212 | 10.7 | 119 | 1 | 2 | 8 | 13 | 22 | 33 | 72 |
| **B. OPERATED** | 55188 | 15.3 | 100 | 6 | 7 | 13 | 18 | 25 | 34 | 71 |
| TOTAL 0-19 YRS | 1037 | 12.6 | 146 | 2 | 2 | 8 | 17 | 28 | 36 | 57 |
| 20-34 | 887 | 13.4 | 146 | 3 | 4 | 10 | 16 | 27 | 43 | 84 |
| 35-49 | 1243 | 13.0 | 131 | 3 | 4 | 10 | 15 | 25 | 35 | 75 |
| 50-64 | 5237 | 13.2 | 91 | 4 | 6 | 11 | 15 | 22 | 30 | 67 |
| 65+ | 50996 | 15.2 | 101 | 6 | 7 | 13 | 18 | 25 | 34 | 72 |
| **GRAND TOTAL** | **59400** | **14.9** | **102** | **5** | **7** | **13** | **17** | **25** | **34** | **72** |

## 352: Other femoral fracture (821)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1421 | 16.3 | 149 | 1 | 1 | 17 | 24 | 32 | 37 | 51 |
| 20-34 | 76 | 17.2 | 377 | 1 | 1 | 7 | 31 | 46 | 50 | 81 |
| 35-49 | 39 | 8.7 | 153 | <1 | 1 | 4 | 8 | 25 | 42 | 54 |
| 50-64 | 62 | 14.6 | 270 | 1 | 2 | 8 | 19 | 39 | 52 | 74 |
| 65+ | 185 | 12.3 | 219 | 1 | 2 | 7 | 12 | 37 | 53 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1802 | 12.2 | 148 | 1 | 1 | 8 | 19 | 28 | 36 | 51 |
| 20-34 | 605 | 11.3 | 120 | 1 | 3 | 9 | 13 | 20 | 28 | 67 |
| 35-49 | 208 | 11.0 | 91 | 1 | 2 | 9 | 14 | 21 | 28 | 48 |
| 50-64 | 181 | 12.8 | 117 | 2 | 4 | 11 | 15 | 22 | 34 | 63 |
| 65+ | 411 | 14.5 | 111 | 4 | 6 | 12 | 17 | 26 | 33 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 719 | 17.7 | 212 | 1 | 2 | 17 | 25 | 37 | 47 | 63 |
| 20-34 | 131 | 16.8 | 372 | 1 | 2 | 8 | 25 | 52 | 60 | 99+ |
| 35-49 | 81 | 18.1 | 416 | 1 | 2 | 8 | 28 | 54 | 63 | 77 |
| 50-64 | 182 | 18.8 | 377 | 2 | 3 | 10 | 30 | 55 | 71 | 99+ |
| 65+ | 1043 | 16.6 | 329 | 2 | 3 | 10 | 21 | 46 | 62 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1808 | 17.9 | 205 | 2 | 3 | 15 | 24 | 37 | 47 | 73 |
| 20-34 | 1686 | 18.8 | 248 | 3 | 5 | 14 | 23 | 40 | 55 | 88 |
| 35-49 | 611 | 18.9 | 260 | 2 | 4 | 15 | 24 | 44 | 57 | 94 |
| 50-64 | 654 | 21.3 | 302 | 4 | 6 | 16 | 27 | 47 | 70 | 99+ |
| 65+ | 2364 | 19.4 | 211 | 5 | 7 | 15 | 23 | 41 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1783 | 15.7 | 172 | 1 | 1 | 14 | 23 | 33 | 40 | 59 |
| B. *Operated* | 3207 | 12.3 | 133 | 1 | 2 | 9 | 16 | 26 | 34 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2156 | 17.2 | 300 | 1 | 2 | 11 | 24 | 45 | 58 | 91 |
| B. *Operated* | 7123 | 19.0 | 231 | 3 | 5 | 15 | 24 | 41 | 55 | 97 |
| **1. SINGLE DX** | 4990 | 13.5 | 150 | 1 | 2 | 10 | 19 | 29 | 37 | 56 |
| **2. MULTIPLE DX** | 9279 | 18.6 | 248 | 2 | 4 | 14 | 24 | 41 | 56 | 96 |
| **A. NOT OPERATED** | 3939 | 16.5 | 243 | 1 | 2 | 12 | 23 | 38 | 50 | 80 |
| **B. OPERATED** | 10330 | 16.9 | 211 | 2 | 3 | 13 | 22 | 35 | 49 | 86 |
| TOTAL 0-19 YRS | 5750 | 15.7 | 180 | 1 | 2 | 13 | 23 | 33 | 41 | 62 |
| 20-34 | 2498 | 16.8 | 237 | 2 | 4 | 12 | 20 | 38 | 52 | 85 |
| 35-49 | 939 | 16.7 | 244 | 1 | 2 | 12 | 21 | 42 | 54 | 86 |
| 50-64 | 1079 | 19.1 | 292 | 3 | 4 | 14 | 25 | 46 | 67 | 99+ |
| 65+ | 4003 | 17.8 | 236 | 3 | 5 | 14 | 22 | 40 | 56 | 99+ |
| **GRAND TOTAL** | **14269** | **16.8** | **219** | **2** | **3** | **13** | **22** | **37** | **49** | **84** |

### 353: Fracture of tibia and fibula (823)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1006 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 514 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 343 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 50-64 | 283 | 5.2 | 51 | 1 | 1 | 3 | 6 | 9 | 15 | 41 |
| 65+ | 347 | 6.4 | 36 | 1 | 2 | 5 | 8 | 12 | 16 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3008 | 3.5 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 20-34 | 2237 | 5.3 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| 35-49 | 1552 | 5.9 | 28 | 1 | 2 | 5 | 7 | 11 | 13 | 28 |
| 50-64 | 931 | 6.6 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| 65+ | 548 | 7.6 | 35 | 2 | 2 | 6 | 10 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 367 | 3.9 | 33 | 1 | 1 | 2 | 4 | 7 | 11 | 28 |
| 20-34 | 410 | 4.0 | 14 | 1 | 1 | 3 | 5 | 7 | 11 | 18 |
| 35-49 | 346 | 5.5 | 36 | 1 | 1 | 4 | 7 | 11 | 14 | 37 |
| 50-64 | 463 | 6.7 | 36 | 1 | 2 | 5 | 8 | 13 | 19 | 33 |
| 65+ | 1150 | 9.1 | 86 | 2 | 3 | 7 | 11 | 18 | 27 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1635 | 8.1 | 100 | 1 | 2 | 5 | 9 | 17 | 27 | 58 |
| 20-34 | 2431 | 10.8 | 133 | 2 | 2 | 7 | 13 | 23 | 35 | 65 |
| 35-49 | 1562 | 11.2 | 146 | 2 | 3 | 8 | 13 | 23 | 34 | 77 |
| 50-64 | 1314 | 12.2 | 142 | 2 | 3 | 9 | 14 | 25 | 35 | 79 |
| 65+ | 1491 | 13.9 | 162 | 3 | 4 | 10 | 17 | 29 | 40 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2493 | 3.5 | 17 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| B. *Operated* | 8276 | 5.0 | 21 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2736 | 6.8 | 58 | 1 | 1 | 5 | 8 | 14 | 20 | 43 |
| B. *Operated* | 8433 | 11.1 | 139 | 2 | 2 | 8 | 13 | 24 | 35 | 71 |
| **1. SINGLE DX** | 10769 | 4.7 | 21 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | 11169 | 10.1 | 123 | 1 | 2 | 7 | 12 | 21 | 31 | 66 |
| **A. NOT OPERATED** | 5229 | 5.2 | 41 | 1 | 1 | 3 | 6 | 11 | 15 | 36 |
| **B. OPERATED** | 16709 | 8.1 | 90 | 1 | 2 | 5 | 10 | 17 | 25 | 56 |
| TOTAL 0-19 YRS | 6016 | 4.6 | 40 | 1 | 1 | 3 | 5 | 9 | 13 | 34 |
| 20-34 | 5592 | 7.4 | 76 | 1 | 1 | 5 | 8 | 15 | 22 | 50 |
| 35-49 | 3803 | 7.8 | 84 | 1 | 2 | 5 | 9 | 15 | 23 | 63 |
| 50-64 | 2991 | 8.9 | 91 | 1 | 2 | 6 | 11 | 18 | 26 | 55 |
| 65+ | 3536 | 10.6 | 114 | 2 | 3 | 8 | 13 | 21 | 31 | 65 |
| **GRAND TOTAL** | **21938** | **7.4** | **80** | **1** | **1** | **5** | **9** | **15** | **23** | **52** |

### 354: Miscellaneous fractures of lower extremity (822; 824-827)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 471 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 538 | 2.8 | 7 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 432 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 50-64 | 363 | 3.6 | 8 | <1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 65+ | 358 | 4.6 | 26 | 1 | 1 | 4 | 6 | 8 | 11 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3728 | 2.9 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 5625 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 4368 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 3520 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 1942 | 6.0 | 20 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 308 | 3.4 | 17 | <1 | 1 | 2 | 4 | 6 | 8 | 19 |
| 20-34 | 584 | 3.8 | 15 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 473 | 5.0 | 37 | 1 | 1 | 4 | 6 | 9 | 13 | 27 |
| 50-64 | 659 | 5.3 | 20 | 1 | 1 | 4 | 7 | 11 | 14 | 22 |
| 65+ | 1476 | 6.8 | 49 | 2 | 2 | 5 | 8 | 13 | 17 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1908 | 5.3 | 40 | 1 | 1 | 4 | 6 | 10 | 15 | 34 |
| 20-34 | 4346 | 6.0 | 39 | 1 | 2 | 4 | 7 | 11 | 16 | 35 |
| 35-49 | 3132 | 6.5 | 48 | 1 | 2 | 5 | 7 | 12 | 16 | 38 |
| 50-64 | 3340 | 7.4 | 48 | 2 | 3 | 6 | 9 | 14 | 18 | 38 |
| 65+ | 3718 | 9.3 | 64 | 2 | 3 | 7 | 11 | 17 | 23 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2162 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| B. *Operated* | 19183 | 4.2 | 10 | 1 | 1 | 4 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3500 | 5.5 | 35 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| B. *Operated* | 16444 | 7.1 | 50 | 1 | 2 | 5 | 8 | 13 | 18 | 38 |
| **1. SINGLE DX** | 21345 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 19944 | 6.8 | 48 | 1 | 2 | 5 | 8 | 13 | 18 | 36 |
| **A. NOT OPERATED** | 5662 | 4.6 | 27 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| **B. OPERATED** | 35627 | 5.5 | 31 | 1 | 2 | 4 | 6 | 10 | 14 | 28 |
| TOTAL 0-19 YRS | 6415 | 3.6 | 17 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| 20-34 | 11093 | 4.6 | 22 | 1 | 1 | 4 | 5 | 8 | 11 | 24 |
| 35-49 | 8405 | 5.1 | 26 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| 50-64 | 7882 | 5.9 | 28 | 1 | 2 | 5 | 7 | 11 | 14 | 26 |
| 65+ | 7494 | 7.8 | 51 | 2 | 2 | 6 | 9 | 14 | 19 | 37 |
| **GRAND TOTAL** | **41289** | **5.4** | **30** | **1** | **1** | **4** | **6** | **10** | **14** | **27** |

### 355: Fracture of other bones (810-811; 829)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 91 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 4 | 13 |
| 35-49 | 40 | 2.9 | 14 | <1 | 1 | 2 | 3 | 6 | 9 | 22 |
| 50-64 | 17 | 2.8 | 6 | 1 | 1 | 2 | 3 | 7 | 9 | 10 |
| 65+ | 27 | 3.3 | 8 | <1 | 1 | 2 | 5 | 6 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 201 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 5 | 9 |
| 20-34 | 167 | 2.4 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 69 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 50-64 | 20 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 65+ | 7 | 3.1 | 3 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 363 | 2.6 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 20-34 | 550 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 313 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 240 | 4.6 | 14 | 1 | 1 | 3 | 6 | 9 | 13 | 16 |
| 65+ | 472 | 6.6 | 35 | 1 | 2 | 5 | 8 | 13 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 160 | 4.9 | 62 | 1 | 1 | 3 | 5 | 9 | 14 | 49 |
| 20-34 | 306 | 5.4 | 41 | 1 | 1 | 4 | 6 | 10 | 15 | 40 |
| 35-49 | 157 | 6.4 | 81 | 1 | 1 | 4 | 7 | 14 | 18 | 48 |
| 50-64 | 109 | 6.9 | 52 | 2 | 2 | 5 | 9 | 13 | 16 | 45 |
| 65+ | 131 | 10.8 | 134 | 1 | 2 | 7 | 14 | 23 | 38 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 251 | 2.3 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 464 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1938 | 4.2 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| B. *Operated* | 863 | 6.5 | 71 | 1 | 1 | 4 | 7 | 14 | 22 | 48 |
| **1. SINGLE DX** | 715 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | 2801 | 4.9 | 35 | 1 | 1 | 3 | 6 | 10 | 14 | 30 |
| **A. NOT OPERATED** | 2189 | 3.9 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **B. OPERATED** | 1327 | 5.1 | 51 | 1 | 1 | 3 | 5 | 10 | 16 | 40 |
| TOTAL 0-19 YRS | 800 | 2.8 | 17 | 1 | 1 | 2 | 3 | 5 | 8 | 20 |
| 20-34 | 1114 | 3.6 | 17 | 1 | 1 | 2 | 4 | 7 | 9 | 22 |
| 35-49 | 579 | 4.3 | 30 | 1 | 1 | 3 | 5 | 8 | 12 | 27 |
| 50-64 | 386 | 5.1 | 25 | 1 | 1 | 4 | 6 | 10 | 13 | 20 |
| 65+ | 637 | 7.3 | 57 | 1 | 2 | 5 | 9 | 15 | 20 | 39 |
| **GRAND TOTAL** | **3516** | **4.4** | **30** | **1** | **1** | **3** | **5** | **9** | **13** | **26** |

### 356: Fracture of multiple bones (804; 809; 819; 828)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 2.8 | 7 | 1 | 1 | 2 | 3 | 7 | 10 | 10 |
| 20-34 | 6 | 5.8 | 57 | 1 | 1 | 3 | 5 | 19 | 21 | 21 |
| 35-49 | 9 | 5.2 | 42 | 1 | 1 | 2 | 6 | 16 | 21 | 21 |
| 50-64 | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 65+ | 6 | 5.7 | 6 | 3 | 3 | 5 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 7.3 | 62 | <1 | 1 | 5 | 7 | 20 | 26 | 32 |
| 20-34 | 14 | 7.9 | 48 | 1 | 2 | 5 | 10 | 19 | 21 | 22 |
| 35-49 | 8 | 12.1 | 177 | 2 | 2 | 10 | 13 | 34 | 43 | 43 |
| 50-64 | 5 | 13.2 | 30 | 7 | 7 | 12 | 17 | 21 | 21 | 21 |
| 65+ | 7 | 10.3 | 41 | 2 | 3 | 8 | 16 | 18 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 4.4 | 16 | <1 | 1 | 4 | 6 | 14 | 76 | 99+ |
| 20-34 | 28 | 6.4 | 33 | 1 | 1 | 5 | 10 | 21 | 99+ | 99+ |
| 35-49 | 11 | 7.5 | 24 | <1 | 1 | 7 | 11 | 15 | 16 | 16 |
| 50-64 | 13 | 8.8 | 76 | 1 | 2 | 8 | 10 | 17 | 32 | 35 |
| 65+ | 27 | 9.3 | 50 | 3 | 3 | 8 | 10 | 20 | 25 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 15.5 | 205 | 1 | 1 | 10 | 26 | 48 | 93 | 99+ |
| 20-34 | 63 | 23.3 | 443 | 2 | 3 | 15 | 43 | 59 | 82 | 99+ |
| 35-49 | 34 | 19.3 | 316 | 3 | 3 | 16 | 28 | 45 | 79 | 99+ |
| 50-64 | 20 | 24.3 | 620 | 2 | 3 | 17 | 39 | 81 | 92 | 99+ |
| 65+ | 23 | 30.8 | 506 | 6 | 9 | 25 | 39 | 73 | 84 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 49 | 4.1 | 20 | 1 | 1 | 2 | 5 | 9 | 11 | 21 |
| B. *Operated* | 54 | 9.1 | 69 | 1 | 2 | 7 | 12 | 20 | 22 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 6.9 | 39 | 1 | 1 | 5 | 10 | 15 | 32 | 99+ |
| B. *Operated* | 190 | 21.5 | 398 | 2 | 3 | 16 | 31 | 58 | 84 | 99+ |
| **1. SINGLE DX** | 103 | 6.7 | 51 | 1 | 1 | 4 | 9 | 18 | 21 | 37 |
| **2. MULTIPLE DX** | 303 | 16.1 | 314 | 1 | 2 | 10 | 23 | 47 | 81 | 99+ |
| **A. NOT OPERATED** | 162 | 6.0 | 34 | 1 | 1 | 4 | 9 | 14 | 22 | 99+ |
| **B. OPERATED** | 244 | 18.8 | 351 | 1 | 3 | 12 | 28 | 50 | 80 | 99+ |
| TOTAL 0-19 YRS | 130 | 8.8 | 123 | 1 | 1 | 5 | 10 | 30 | 50 | 99+ |
| 20-34 | 111 | 16.2 | 334 | 1 | 2 | 10 | 23 | 51 | 77 | 99+ |
| 35-49 | 62 | 14.3 | 236 | 1 | 2 | 11 | 20 | 32 | 53 | 98 |
| 50-64 | 40 | 16.9 | 387 | 2 | 2 | 10 | 21 | 50 | 81 | 99+ |
| 65+ | 63 | 16.9 | 319 | 3 | 3 | 10 | 22 | 35 | 54 | 90 |
| **GRAND TOTAL** | **406** | **13.7** | **264** | **1** | **2** | **8** | **19** | **43** | **63** | **99+** |

### 357: Dislocation of shoulder (831)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 1.8 | 5 | <1 | <1 | 1 | 2 | 3 | 8 | 11 |
| 20-34 | 42 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 35-49 | 10 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 8 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 65+ | 12 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 381 | 2.4 | 10 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1551 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 524 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 195 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 139 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 2.9 | 5 | <1 | <1 | 2 | 5 | 7 | 8 | 8 |
| 20-34 | 95 | 2.9 | 6 | <1 | <1 | 2 | 4 | 5 | 7 | 12 |
| 35-49 | 68 | 3.6 | 19 | <1 | <1 | 2 | 4 | 9 | 12 | 23 |
| 50-64 | 47 | 4.0 | 19 | <1 | 1 | 2 | 5 | 10 | 14 | 20 |
| 65+ | 100 | 5.5 | 46 | <1 | 1 | 4 | 6 | 10 | 14 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |
| 20-34 | 398 | 3.5 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 35-49 | 205 | 3.9 | 17 | 1 | 1 | 3 | 5 | 8 | 9 | 16 |
| 50-64 | 156 | 4.1 | 23 | 1 | 1 | 3 | 4 | 9 | 15 | 25 |
| 65+ | 372 | 5.5 | 51 | 1 | 1 | 3 | 7 | 13 | 18 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 91 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| B. *Operated* | 2790 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 343 | 3.9 | 23 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| B. *Operated* | 1224 | 4.2 | 27 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| **1. SINGLE DX** | 2881 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 1567 | 4.2 | 26 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| **A. NOT OPERATED** | 434 | 3.5 | 19 | <1 | <1 | 2 | 4 | 7 | 11 | 20 |
| **B. OPERATED** | 4014 | 2.9 | 11 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| TOTAL 0-19 YRS | 526 | 2.6 | 10 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 2086 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 807 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 406 | 3.1 | 13 | <1 | 1 | 2 | 3 | 6 | 9 | 20 |
| 65+ | 623 | 4.7 | 41 | <1 | 1 | 3 | 5 | 10 | 14 | 40 |
| **GRAND TOTAL** | **4448** | **2.9** | **12** | **1** | **1** | **2** | **3** | **5** | **8** | **16** |

### 358: Dislocation of knee (836)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 49 | 2.6 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 7 |
| 35-49 | 24 | 3.0 | 9 | <1 | 1 | 2 | 3 | 9 | 10 | 11 |
| 50-64 | 19 | 4.2 | 15 | <1 | <1 | 3 | 6 | 10 | 13 | 15 |
| 65+ | 12 | 3.3 | 5 | <1 | <1 | 3 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1738 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 3493 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 1900 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 849 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 247 | 2.7 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 2.5 | 10 | <1 | <1 | 1 | 3 | 6 | 11 | 16 |
| 20-34 | 78 | 2.8 | 9 | <1 | <1 | 1 | 4 | 7 | 10 | 13 |
| 35-49 | 59 | 2.7 | 12 | <1 | <1 | 1 | 4 | 5 | 8 | 23 |
| 50-64 | 61 | 3.7 | 13 | <1 | <1 | 2 | 5 | 8 | 12 | 16 |
| 65+ | 67 | 4.6 | 15 | <1 | 1 | 3 | 6 | 11 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1407 | 2.8 | 8 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 3265 | 2.8 | 15 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 2240 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 1855 | 2.8 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| 65+ | 941 | 3.5 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 147 | 2.7 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 11 |
| B. *Operated* | 8227 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 304 | 3.3 | 12 | <1 | <1 | 2 | 4 | 8 | 11 | 16 |
| B. *Operated* | 9708 | 2.8 | 11 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| **1. SINGLE DX** | 8374 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 10012 | 2.9 | 11 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| **A. NOT OPERATED** | 451 | 3.1 | 10 | <1 | <1 | 2 | 4 | 7 | 10 | 15 |
| **B. OPERATED** | 17935 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 3227 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 6885 | 2.5 | 9 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 4223 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 2784 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 65+ | 1267 | 3.4 | 13 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| **GRAND TOTAL** | **18386** | **2.5** | **7** | **<1** | **<1** | **2** | **3** | **5** | **6** | **12** |

## 359: Other dislocation (830; 832-835; 837-839)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 127 | 3.6 | 26 | <1 | 1 | 2 | 4 | 7 | 10 | 29 |
| 20-34 | 160 | 4.6 | 16 | 1 | 1 | 4 | 6 | 10 | 13 | 17 |
| 35-49 | 94 | 5.5 | 17 | 1 | 1 | 5 | 7 | 11 | 15 | 19 |
| 50-64 | 35 | 4.4 | 10 | <1 | 1 | 5 | 6 | 9 | 12 | 99+ |
| 65+ | 24 | 4.7 | 11 | <1 | 1 | 4 | 7 | 10 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 680 | 2.8 | 12 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| 20-34 | 856 | 3.2 | 13 | <1 | 1 | 2 | 4 | 7 | 11 | 19 |
| 35-49 | 430 | 3.5 | 12 | <1 | 1 | 2 | 5 | 8 | 10 | 17 |
| 50-64 | 243 | 4.0 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 65+ | 142 | 4.6 | 24 | 1 | 1 | 3 | 6 | 12 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 5.0 | 29 | <1 | 1 | 4 | 7 | 10 | 14 | 26 |
| 20-34 | 500 | 6.5 | 15 | 1 | 2 | 6 | 8 | 11 | 13 | 17 |
| 35-49 | 391 | 7.2 | 18 | 1 | 2 | 7 | 9 | 12 | 15 | 20 |
| 50-64 | 205 | 7.1 | 24 | 1 | 2 | 6 | 10 | 13 | 15 | 25 |
| 65+ | 189 | 7.3 | 52 | 1 | 2 | 6 | 9 | 14 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 501 | 6.3 | 62 | 1 | 1 | 4 | 8 | 15 | 19 | 40 |
| 20-34 | 878 | 7.4 | 77 | 1 | 1 | 4 | 9 | 17 | 24 | 46 |
| 35-49 | 524 | 6.9 | 54 | 1 | 1 | 4 | 9 | 16 | 21 | 38 |
| 50-64 | 432 | 7.5 | 80 | 1 | 1 | 4 | 10 | 17 | 28 | 52 |
| 65+ | 388 | 9.2 | 117 | 1 | 1 | 5 | 11 | 21 | 31 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 440 | 4.5 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| B. *Operated* | 2351 | 3.3 | 14 | <1 | 1 | 2 | 4 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1425 | 6.7 | 24 | 1 | 2 | 6 | 9 | 12 | 14 | 24 |
| B. *Operated* | 2723 | 7.4 | 77 | 1 | 1 | 4 | 9 | 17 | 24 | 47 |
| **1. SINGLE DX** | 2791 | 3.5 | 15 | <1 | 1 | 2 | 4 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | 4148 | 7.2 | 59 | 1 | 1 | 5 | 9 | 15 | 20 | 42 |
| **A. NOT OPERATED** | 1865 | 6.2 | 24 | 1 | 1 | 5 | 8 | 12 | 14 | 24 |
| **B. OPERATED** | 5074 | 5.5 | 51 | 1 | 1 | 3 | 6 | 13 | 18 | 39 |
| TOTAL 0-19 YRS | 1448 | 4.3 | 35 | <1 | 1 | 2 | 5 | 10 | 15 | 24 |
| 20-34 | 2394 | 5.6 | 40 | 1 | 1 | 4 | 7 | 12 | 16 | 34 |
| 35-49 | 1439 | 5.9 | 32 | 1 | 1 | 4 | 8 | 12 | 16 | 27 |
| 50-64 | 915 | 6.4 | 50 | 1 | 1 | 4 | 8 | 14 | 19 | 43 |
| 65+ | 743 | 7.7 | 82 | 1 | 1 | 5 | 10 | 16 | 23 | 48 |
| **GRAND TOTAL** | **6939** | **5.7** | **44** | **1** | **1** | **4** | **7** | **12** | **17** | **36** |

## 360: Sprains and strains of knee and leg (844)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 114 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 84 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 61 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 65+ | 52 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1246 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 1961 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 6 | 9 |
| 35-49 | 608 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 153 | 4.3 | 19 | 1 | 1 | 3 | 5 | 7 | 10 | 27 |
| 65+ | 76 | 5.4 | 10 | 1 | 2 | 5 | 7 | 10 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 3.0 | 19 | <1 | <1 | 2 | 3 | 5 | 7 | 25 |
| 20-34 | 165 | 3.2 | 8 | <1 | <1 | 2 | 4 | 7 | 8 | 14 |
| 35-49 | 140 | 4.2 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 50-64 | 148 | 4.4 | 12 | 1 | 1 | 3 | 6 | 8 | 11 | 18 |
| 65+ | 424 | 6.0 | 40 | 1 | 2 | 5 | 7 | 11 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1539 | 3.5 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 2888 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 1060 | 4.2 | 15 | <1 | 1 | 4 | 5 | 7 | 9 | 17 |
| 50-64 | 347 | 5.4 | 21 | 1 | 1 | 4 | 6 | 11 | 14 | 26 |
| 65+ | 248 | 8.2 | 50 | 2 | 2 | 7 | 10 | 15 | 20 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 405 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 4044 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 979 | 4.7 | 26 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| B. *Operated* | 6082 | 4.1 | 12 | 1 | 1 | 4 | 5 | 7 | 9 | 16 |
| **1. SINGLE DX** | 4449 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 7061 | 4.2 | 14 | 1 | 1 | 4 | 5 | 7 | 10 | 17 |
| **A. NOT OPERATED** | 1384 | 4.1 | 20 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **B. OPERATED** | 10126 | 3.7 | 9 | <1 | 1 | 3 | 5 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 2981 | 3.1 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 5128 | 3.5 | 6 | <1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 35-49 | 1892 | 3.8 | 11 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 709 | 4.8 | 18 | 1 | 1 | 4 | 6 | 9 | 13 | 24 |
| 65+ | 800 | 6.5 | 40 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| **GRAND TOTAL** | **11510** | **3.8** | **10** | **<1** | **1** | **3** | **5** | **7** | **8** | **15** |

### 361: Sprains and strains of sacroiliac region (846)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 226 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 20-34 | 2876 | 5.2 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 35-49 | 2799 | 5.5 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| 50-64 | 1092 | 5.9 | 13 | 2 | 2 | 5 | 8 | 10 | 12 | 16 |
| 65+ | 283 | 5.3 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 7.1 | 50 | 1 | 1 | 5 | 10 | 19 | 23 | 25 |
| 20-34 | 540 | 5.4 | 26 | 1 | 1 | 3 | 8 | 12 | 15 | 21 |
| 35-49 | 410 | 5.3 | 20 | 1 | 1 | 4 | 8 | 11 | 14 | 19 |
| 50-64 | 99 | 5.1 | 18 | 1 | 1 | 3 | 7 | 12 | 14 | 18 |
| 65+ | 11 | 8.4 | 55 | 1 | 1 | 5 | 14 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 287 | 5.0 | 11 | 1 | 1 | 4 | 7 | 9 | 12 | 18 |
| 20-34 | 2951 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 14 | 19 |
| 35-49 | 3989 | 6.8 | 20 | 2 | 3 | 6 | 8 | 12 | 15 | 22 |
| 50-64 | 2783 | 6.8 | 21 | 2 | 3 | 6 | 8 | 12 | 15 | 24 |
| 65+ | 2456 | 6.9 | 27 | 2 | 3 | 6 | 8 | 12 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 11.7 | 183 | 1 | 2 | 8 | 15 | 23 | 45 | 59 |
| 20-34 | 523 | 8.3 | 42 | 1 | 2 | 7 | 11 | 15 | 19 | 31 |
| 35-49 | 663 | 8.7 | 36 | 1 | 2 | 8 | 12 | 16 | 19 | 32 |
| 50-64 | 331 | 9.5 | 63 | 2 | 2 | 8 | 12 | 17 | 22 | 38 |
| 65+ | 168 | 12.4 | 111 | 4 | 4 | 10 | 16 | 25 | 34 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7276 | 5.4 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| B. *Operated* | 1088 | 5.4 | 24 | 1 | 1 | 4 | 8 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12466 | 6.6 | 20 | 2 | 2 | 6 | 8 | 11 | 15 | 22 |
| B. *Operated* | 1703 | 9.1 | 53 | 1 | 2 | 8 | 12 | 17 | 21 | 35 |
| **1. SINGLE DX** | 8364 | 5.4 | 12 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | 14169 | 6.9 | 25 | 2 | 2 | 6 | 9 | 12 | 16 | 25 |
| **A. NOT OPERATED** | 19742 | 6.2 | 17 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| **B. OPERATED** | 2791 | 7.7 | 45 | 1 | 1 | 7 | 11 | 15 | 19 | 32 |
| TOTAL 0-19 YRS | 559 | 4.9 | 19 | 1 | 1 | 4 | 6 | 9 | 13 | 19 |
| 20-34 | 6890 | 5.8 | 17 | 1 | 2 | 5 | 8 | 11 | 13 | 19 |
| 35-49 | 7861 | 6.4 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| 50-64 | 4305 | 6.7 | 23 | 2 | 2 | 6 | 8 | 12 | 15 | 24 |
| 65+ | 2918 | 7.1 | 32 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| **GRAND TOTAL** | **22533** | **6.3** | **21** | **2** | **2** | **5** | **8** | **11** | **14** | **22** |

### 362: Strains and sprains of other and unspecified parts of back (847)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 564 | 2.7 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 2246 | 4.6 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 35-49 | 1815 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 598 | 4.7 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 14 |
| 65+ | 202 | 4.4 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 3.4 | 8 | 1 | 1 | 2 | 5 | 6 | 9 | 14 |
| 20-34 | 658 | 4.1 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 35-49 | 560 | 4.7 | 18 | 1 | 1 | 3 | 7 | 10 | 13 | 19 |
| 50-64 | 93 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 65+ | 7 | 3.0 | 8 | 1 | 1 | 2 | 5 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 916 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 5278 | 5.5 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| 35-49 | 4612 | 6.2 | 17 | 1 | 2 | 5 | 8 | 11 | 13 | 20 |
| 50-64 | 2626 | 6.2 | 16 | 1 | 2 | 5 | 8 | 11 | 13 | 20 |
| 65+ | 1927 | 6.1 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 14 |
| 20-34 | 858 | 6.0 | 26 | 1 | 1 | 5 | 8 | 12 | 16 | 24 |
| 35-49 | 876 | 7.4 | 50 | 1 | 1 | 6 | 10 | 16 | 20 | 32 |
| 50-64 | 331 | 7.6 | 55 | 1 | 2 | 6 | 10 | 15 | 17 | 39 |
| 65+ | 146 | 10.6 | 78 | 2 | 3 | 8 | 14 | 21 | 29 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5425 | 4.5 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| B. *Operated* | 1363 | 4.3 | 16 | 1 | 1 | 3 | 6 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15359 | 5.8 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| B. *Operated* | 2281 | 7.0 | 44 | 1 | 1 | 5 | 9 | 14 | 19 | 31 |
| **1. SINGLE DX** | 6788 | 4.5 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 17640 | 5.9 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| **A. NOT OPERATED** | 20784 | 5.5 | 15 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| **B. OPERATED** | 3644 | 6.0 | 35 | 1 | 1 | 4 | 8 | 13 | 17 | 26 |
| TOTAL 0-19 YRS | 1595 | 3.4 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 20-34 | 9040 | 5.2 | 14 | 1 | 1 | 4 | 7 | 10 | 12 | 19 |
| 35-49 | 7863 | 5.9 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| 50-64 | 3648 | 6.0 | 19 | 1 | 2 | 5 | 8 | 11 | 13 | 20 |
| 65+ | 2282 | 6.3 | 25 | 1 | 2 | 5 | 8 | 12 | 14 | 25 |
| **GRAND TOTAL** | **24428** | **5.5** | **18** | **1** | **1** | **5** | **7** | **10** | **13** | **20** |

## 363: Other sprains and strains (840-843; 845; 848)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 207 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 323 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 209 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 132 | 3.2 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 11 |
| 65+ | 108 | 3.5 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 463 | 2.0 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 1658 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 1736 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 1749 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 65+ | 638 | 4.0 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 429 | 3.4 | 8 | <1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 435 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 465 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 65+ | 879 | 5.8 | 25 | 1 | 2 | 5 | 7 | 11 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 243 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 570 | 3.0 | 8 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 802 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 1395 | 4.4 | 13 | 1 | 2 | 4 | 5 | 8 | 10 | 20 |
| 65+ | 908 | 5.9 | 29 | 2 | 2 | 5 | 7 | 10 | 14 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 979 | 2.8 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| B. *Operated* | 6244 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2425 | 4.4 | 16 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | 3918 | 4.3 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| **1. SINGLE DX** | 7223 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 6343 | 4.4 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| **A. NOT OPERATED** | 3404 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 10162 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 1130 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 2980 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 3182 | 3.1 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 3741 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 65+ | 2533 | 5.3 | 22 | 1 | 2 | 4 | 6 | 9 | 13 | 26 |
| **GRAND TOTAL** | **13566** | **3.6** | **10** | **1** | **1** | **3** | **4** | **7** | **9** | **16** |

## 364: Concussion (850)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6659 | 1.4 | 1 | <1 | 1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 1876 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 7 |
| 35-49 | 586 | 2.1 | 3 | <1 | 1 | 2 | 2 | 4 | 6 | 8 |
| 50-64 | 264 | 2.1 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 65+ | 183 | 2.3 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.2 | 7 | <1 | <1 | 1 | 2 | 5 | 9 | 12 |
| 20-34 | 20 | 3.7 | 19 | <1 | 1 | 2 | 4 | 10 | 15 | 18 |
| 35-49 | 11 | 6.4 | 186 | 1 | 1 | 1 | 4 | 24 | 45 | 47 |
| 50-64 | 4 | 3.8 | 9 | <1 | <1 | 3 | 6 | 8 | 8 | 8 |
| 65+ | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8433 | 1.9 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 6789 | 2.9 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 3085 | 3.6 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 1869 | 3.8 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 2643 | 5.1 | 28 | 1 | 1 | 4 | 6 | 10 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1942 | 2.9 | 18 | <1 | 1 | 2 | 3 | 6 | 9 | 20 |
| 20-34 | 2347 | 3.8 | 35 | <1 | 1 | 2 | 4 | 8 | 11 | 30 |
| 35-49 | 966 | 4.3 | 38 | 1 | 1 | 3 | 5 | 9 | 13 | 34 |
| 50-64 | 563 | 5.2 | 61 | 1 | 1 | 3 | 6 | 10 | 16 | 41 |
| 65+ | 866 | 6.4 | 78 | 1 | 1 | 4 | 7 | 15 | 21 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9568 | 1.5 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 56 | 3.6 | 46 | <1 | 1 | 1 | 3 | 8 | 12 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22819 | 3.0 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| B. *Operated* | 6684 | 4.1 | 40 | 1 | 1 | 2 | 4 | 8 | 13 | 33 |
| **1. SINGLE DX** | 9624 | 1.5 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 29503 | 3.2 | 17 | 1 | 1 | 2 | 4 | 7 | 9 | 19 |
| **A. NOT OPERATED** | 32387 | 2.5 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **B. OPERATED** | 6740 | 4.1 | 40 | 1 | 1 | 2 | 4 | 8 | 13 | 33 |
| TOTAL 0-19 YRS | 17053 | 1.8 | 4 | <1 | 1 | 1 | 2 | 3 | 5 | 9 |
| 20-34 | 11032 | 2.9 | 13 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 35-49 | 4648 | 3.6 | 17 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 50-64 | 2700 | 3.9 | 23 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 65+ | 3694 | 5.2 | 39 | 1 | 1 | 3 | 6 | 11 | 16 | 35 |
| **GRAND TOTAL** | **39127** | **2.8** | **14** | **<1** | **1** | **2** | **3** | **6** | **8** | **16** |

## 365: Intracranial injury, except concussion (851-854)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2876 | 1.7 | 6 | <1 | 1 | 1 | 2 | 3 | 4 | 10 |
| 20-34 | 764 | 2.9 | 22 | <1 | 1 | 2 | 3 | 6 | 8 | 22 |
| 35-49 | 258 | 2.7 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 50-64 | 124 | 4.0 | 84 | <1 | 1 | 2 | 4 | 7 | 10 | 42 |
| 65+ | 140 | 5.1 | 80 | <1 | 1 | 2 | 5 | 9 | 21 | 46 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 146 | 7.1 | 49 | 1 | 2 | 6 | 7 | 14 | 22 | 38 |
| 20-34 | 107 | 9.1 | 99 | 1 | 2 | 7 | 11 | 25 | 47 | 99+ |
| 35-49 | 72 | 10.8 | 163 | 1 | 2 | 8 | 15 | 26 | 46 | 99+ |
| 50-64 | 77 | 8.2 | 56 | 2 | 2 | 7 | 9 | 14 | 23 | 44 |
| 65+ | 136 | 12.4 | 153 | 3 | 4 | 9 | 14 | 24 | 32 | 66 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4128 | 3.0 | 35 | <1 | 1 | 1 | 3 | 6 | 10 | 30 |
| 20-34 | 2616 | 4.4 | 48 | <1 | 1 | 2 | 5 | 9 | 15 | 48 |
| 35-49 | 1273 | 5.0 | 62 | <1 | 1 | 3 | 5 | 10 | 16 | 36 |
| 50-64 | 887 | 5.9 | 58 | 1 | 1 | 3 | 7 | 13 | 18 | 44 |
| 65+ | 1943 | 7.6 | 74 | 1 | 1 | 5 | 9 | 17 | 24 | 60 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1240 | 11.9 | 295 | 1 | 1 | 5 | 15 | 37 | 60 | 99+ |
| 20-34 | 1576 | 13.6 | 321 | <1 | 1 | 6 | 20 | 46 | 72 | 99+ |
| 35-49 | 613 | 15.4 | 353 | 1 | 1 | 9 | 22 | 47 | 72 | 99+ |
| 50-64 | 515 | 14.9 | 299 | 1 | 1 | 9 | 20 | 45 | 68 | 99+ |
| 65+ | 1254 | 15.7 | 249 | 1 | 2 | 11 | 21 | 37 | 57 | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 4162 | 2.2 | 14 | <1 | 1 | 1 | 2 | 4 | 6 | 16 |
| B. *Operated* | 538 | 9.5 | 105 | 1 | 2 | 7 | 11 | 19 | 32 | 99+ |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 10847 | 4.6 | 53 | 1 | 1 | 2 | 5 | 10 | 16 | 44 |
| B. *Operated* | 5198 | 14.0 | 301 | 1 | 1 | 8 | 20 | 41 | 64 | 99+ |
| **1. SINGLE DX** | 4700 | 3.0 | 30 | <1 | 1 | 1 | 3 | 7 | 10 | 29 |
| **2. MULTIPLE DX** | 16045 | 7.7 | 153 | 1 | 1 | 3 | 8 | 21 | 36 | 94 |
| **A. NOT OPERATED** | 15009 | 4.0 | 43 | <1 | 1 | 2 | 4 | 9 | 14 | 35 |
| **B. OPERATED** | 5736 | 13.6 | 285 | 1 | 1 | 8 | 18 | 40 | 62 | 99+ |
| TOTAL 0-19 YRS | 8390 | 4.0 | 75 | <1 | 1 | 1 | 3 | 8 | 16 | 60 |
| 20-34 | 5063 | 7.1 | 150 | <1 | 1 | 3 | 7 | 20 | 37 | 99+ |
| 35-49 | 2216 | 7.8 | 163 | <1 | 1 | 3 | 8 | 20 | 37 | 96 |
| 50-64 | 1603 | 8.7 | 156 | 1 | 1 | 4 | 10 | 23 | 40 | 84 |
| 65+ | 3473 | 10.6 | 156 | 1 | 2 | 7 | 13 | 25 | 37 | 88 |
| **GRAND TOTAL** | **20745** | **6.6** | **129** | **<1** | **1** | **2** | **7** | **17** | **30** | **85** |

## 366: Internal injury to thoracic region (860-862)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 114 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 209 | 2.8 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 35-49 | 78 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 33 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 31 | 3.5 | 4 | <1 | 1 | 3 | 4 | 7 | 7 | 9 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 155 | 4.9 | 8 | 2 | 2 | 4 | 6 | 8 | 11 | 14 |
| 20-34 | 416 | 5.1 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 134 | 4.9 | 8 | 2 | 2 | 4 | 7 | 9 | 10 | 14 |
| 50-64 | 43 | 4.9 | 6 | 2 | 2 | 5 | 6 | 8 | 10 | 13 |
| 65+ | 24 | 6.2 | 23 | 2 | 2 | 5 | 8 | 16 | 17 | 19 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 338 | 3.9 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 25 |
| 20-34 | 656 | 4.2 | 27 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 399 | 4.3 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 50-64 | 387 | 5.6 | 24 | 1 | 2 | 4 | 7 | 11 | 15 | 24 |
| 65+ | 532 | 7.3 | 32 | 1 | 2 | 6 | 9 | 13 | 18 | 28 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 518 | 8.8 | 62 | 2 | 3 | 7 | 10 | 16 | 25 | 49 |
| 20-34 | 1477 | 8.5 | 70 | 2 | 3 | 6 | 10 | 16 | 22 | 49 |
| 35-49 | 713 | 10.0 | 106 | 2 | 3 | 7 | 12 | 20 | 28 | 53 |
| 50-64 | 466 | 9.8 | 87 | 2 | 3 | 7 | 12 | 20 | 28 | 46 |
| 65+ | 545 | 12.6 | 141 | 3 | 3 | 9 | 15 | 27 | 35 | 71 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 465 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 772 | 5.0 | 10 | 2 | 2 | 4 | 6 | 9 | 10 | 16 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2312 | 5.1 | 25 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| B. *Operated* | 3719 | 9.6 | 90 | 2 | 3 | 7 | 11 | 19 | 27 | 56 |
| **1. SINGLE DX** | 1237 | 4.2 | 9 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | 6031 | 7.9 | 70 | 1 | 2 | 6 | 9 | 16 | 22 | 47 |
| **A. NOT OPERATED** | 2777 | 4.7 | 22 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| **B. OPERATED** | 4491 | 8.8 | 79 | 2 | 3 | 6 | 10 | 17 | 24 | 52 |
| TOTAL 0-19 YRS | 1125 | 6.1 | 41 | 1 | 1 | 4 | 8 | 12 | 17 | 32 |
| 20-34 | 2758 | 6.5 | 51 | 1 | 2 | 5 | 8 | 12 | 17 | 40 |
| 35-49 | 1324 | 7.4 | 69 | 1 | 2 | 5 | 8 | 15 | 21 | 46 |
| 50-64 | 929 | 7.6 | 59 | 1 | 2 | 5 | 9 | 15 | 22 | 37 |
| 65+ | 1132 | 9.7 | 92 | 2 | 3 | 7 | 12 | 19 | 28 | 59 |
| **GRAND TOTAL** | **7268** | **7.3** | **62** | **1** | **2** | **5** | **9** | **14** | **20** | **43** |

## 367: Internal injury, except chest (863-869)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 848 | 3.5 | 10 | 1 | 1 | 2 | 5 | 8 | 10 | 16 |
| 20-34 | 456 | 2.9 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 35-49 | 118 | 2.7 | 5 | 1 | 1 | 2 | 3 | 6 | 8 | 10 |
| 50-64 | 43 | 3.1 | 10 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| 65+ | 27 | 3.1 | 7 | 1 | 1 | 3 | 3 | 6 | 8 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 402 | 6.5 | 13 | 2 | 3 | 6 | 8 | 10 | 12 | 19 |
| 20-34 | 510 | 6.2 | 10 | 2 | 3 | 6 | 7 | 9 | 12 | 18 |
| 35-49 | 154 | 6.6 | 10 | 1 | 2 | 6 | 8 | 11 | 12 | 17 |
| 50-64 | 50 | 6.5 | 16 | 1 | 2 | 6 | 8 | 12 | 14 | 19 |
| 65+ | 24 | 7.0 | 12 | 2 | 3 | 7 | 9 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1255 | 3.7 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 20-34 | 1100 | 3.8 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 422 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 251 | 5.1 | 27 | 1 | 1 | 4 | 7 | 11 | 13 | 18 |
| 65+ | 325 | 5.8 | 18 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1513 | 11.1 | 115 | 3 | 4 | 8 | 12 | 22 | 33 | 62 |
| 20-34 | 2752 | 11.7 | 118 | 3 | 4 | 8 | 13 | 24 | 35 | 67 |
| 35-49 | 1063 | 12.7 | 142 | 3 | 5 | 9 | 14 | 25 | 37 | 73 |
| 50-64 | 526 | 14.7 | 180 | 4 | 5 | 10 | 18 | 31 | 44 | 76 |
| 65+ | 440 | 15.2 | 187 | 2 | 4 | 12 | 19 | 32 | 44 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1492 | 3.2 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| B. *Operated* | 1140 | 6.4 | 11 | 2 | 3 | 6 | 8 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3353 | 4.1 | 14 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| B. *Operated* | 6294 | 12.2 | 133 | 3 | 4 | 9 | 14 | 25 | 36 | 68 |
| **1. SINGLE DX** | 2632 | 4.6 | 12 | 1 | 1 | 4 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 9647 | 9.4 | 106 | 1 | 2 | 7 | 11 | 19 | 30 | 61 |
| **A. NOT OPERATED** | 4845 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **B. OPERATED** | 7434 | 11.3 | 119 | 3 | 4 | 8 | 12 | 22 | 34 | 66 |
| TOTAL 0-19 YRS | 4018 | 6.7 | 63 | 1 | 1 | 5 | 8 | 13 | 19 | 45 |
| 20-34 | 4818 | 8.5 | 86 | 1 | 2 | 6 | 10 | 17 | 26 | 56 |
| 35-49 | 1757 | 9.4 | 107 | 1 | 2 | 7 | 11 | 18 | 29 | 60 |
| 50-64 | 870 | 10.9 | 140 | 1 | 2 | 7 | 12 | 23 | 35 | 68 |
| 65+ | 816 | 10.8 | 131 | 1 | 2 | 8 | 13 | 22 | 33 | 68 |
| **GRAND TOTAL** | **12279** | **8.4** | **90** | **1** | **1** | **6** | **10** | **17** | **26** | **55** |

## 368: Laceration or enucleation of eye (870-871)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 40 | 2.6 | 2 | <1 | <1 | 2 | 4 | 4 | 6 | 6 |
| 35-49 | 13 | 3.1 | 2 | <1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 65+ | 6 | 5.7 | 39 | <1 | <1 | 4 | 5 | 17 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 712 | 2.3 | 4 | <1 | 1 | 1 | 3 | 5 | 6 | 8 |
| 20-34 | 435 | 2.7 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 35-49 | 188 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 9 |
| 50-64 | 81 | 2.6 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 65+ | 56 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 3.6 | 6 | <1 | 1 | 4 | 5 | 8 | 8 | 10 |
| 20-34 | 78 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 31 | 3.9 | 14 | <1 | 1 | 3 | 5 | 9 | 10 | 18 |
| 50-64 | 17 | 3.8 | 8 | 1 | 1 | 3 | 5 | 10 | 64 | 99+ |
| 65+ | 24 | 3.5 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 760 | 3.3 | 8 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 20-34 | 827 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 419 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 50-64 | 219 | 3.9 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 24 |
| 65+ | 255 | 4.6 | 27 | 1 | 1 | 3 | 5 | 10 | 15 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 109 | 2.6 | 4 | <1 | <1 | 2 | 4 | 4 | 6 | 11 |
| B. *Operated* | 1472 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 224 | 3.4 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 12 |
| B. *Operated* | 2480 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **1. SINGLE DX** | 1581 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 2704 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **A. NOT OPERATED** | 333 | 3.1 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **B. OPERATED** | 3952 | 3.3 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 1593 | 2.8 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 20-34 | 1380 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 651 | 3.5 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| 50-64 | 320 | 3.5 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 24 |
| 65+ | 341 | 4.2 | 22 | 1 | 1 | 3 | 5 | 8 | 13 | 27 |
| **GRAND TOTAL** | **4285** | **3.3** | **9** | **1** | **1** | **3** | **4** | **6** | **8** | **15** |

## 369: Other laceration of head and neck (872-874)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 314 | 2.2 | 9 | <1 | 1 | 1 | 3 | 4 | 5 | 7 |
| 20-34 | 229 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 5 | 9 |
| 35-49 | 71 | 2.2 | 3 | <1 | <1 | 2 | 2 | 5 | 5 | 9 |
| 50-64 | 30 | 2.0 | 2 | <1 | 1 | 1 | 3 | 4 | 6 | 6 |
| 65+ | 27 | 2.6 | 18 | <1 | 1 | 2 | 2 | 5 | 8 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1103 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 20-34 | 638 | 2.2 | 7 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 35-49 | 246 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 50-64 | 84 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 67 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 639 | 2.4 | 11 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 937 | 2.8 | 13 | <1 | 1 | 2 | 3 | 6 | 7 | 16 |
| 35-49 | 412 | 3.1 | 14 | <1 | 1 | 2 | 4 | 6 | 7 | 18 |
| 50-64 | 281 | 3.8 | 22 | 1 | 1 | 2 | 5 | 8 | 10 | 26 |
| 65+ | 534 | 4.7 | 34 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2250 | 2.6 | 12 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 2794 | 3.5 | 23 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| 35-49 | 1178 | 4.0 | 40 | 1 | 1 | 2 | 4 | 8 | 12 | 32 |
| 50-64 | 685 | 4.3 | 32 | 1 | 1 | 3 | 5 | 9 | 13 | 28 |
| 65+ | 1088 | 5.0 | 38 | 1 | 1 | 3 | 6 | 10 | 14 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 671 | 2.1 | 6 | <1 | <1 | 1 | 3 | 4 | 5 | 9 |
| B. *Operated* | 2138 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2803 | 3.2 | 18 | <1 | 1 | 2 | 4 | 6 | 9 | 18 |
| B. *Operated* | 7995 | 3.6 | 26 | <1 | 1 | 2 | 4 | 7 | 11 | 24 |
| **1. SINGLE DX** | 2809 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 10798 | 3.5 | 24 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| **A. NOT OPERATED** | 3474 | 3.0 | 16 | <1 | 1 | 2 | 4 | 6 | 8 | 17 |
| **B. OPERATED** | 10133 | 3.3 | 22 | <1 | 1 | 2 | 4 | 7 | 10 | 21 |
| TOTAL 0-19 YRS | 4306 | 2.3 | 9 | <1 | 1 | 1 | 3 | 4 | 6 | 12 |
| 20-34 | 4598 | 3.1 | 18 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| 35-49 | 1907 | 3.5 | 29 | <1 | 1 | 2 | 4 | 7 | 10 | 24 |
| 50-64 | 1080 | 4.0 | 27 | 1 | 1 | 2 | 5 | 8 | 11 | 27 |
| 65+ | 1716 | 4.8 | 36 | 1 | 1 | 3 | 6 | 9 | 14 | 29 |
| **GRAND TOTAL** | **13607** | **3.2** | **20** | **<1** | **1** | **2** | **4** | **6** | **9** | **20** |

## 370: Other laceration of trunk and multiple and unspecified sites (875-879)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 423 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 881 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 35-49 | 225 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 50-64 | 52 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 18 | 2.4 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 560 | 2.3 | 4 | <1 | 1 | 1 | 3 | 5 | 6 | 8 |
| 20-34 | 733 | 3.3 | 8 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 230 | 3.6 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 67 | 3.8 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| 65+ | 19 | 2.8 | 5 | <1 | 1 | 2 | 4 | 7 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 279 | 2.8 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 19 |
| 20-34 | 739 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 295 | 3.2 | 11 | <1 | 1 | 2 | 4 | 6 | 9 | 15 |
| 50-64 | 126 | 3.7 | 24 | <1 | 1 | 2 | 4 | 7 | 13 | 29 |
| 65+ | 70 | 5.0 | 31 | <1 | 1 | 3 | 6 | 12 | 15 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 662 | 5.0 | 33 | <1 | 1 | 4 | 6 | 10 | 14 | 24 |
| 20-34 | 1568 | 6.0 | 47 | 1 | 1 | 5 | 7 | 11 | 15 | 39 |
| 35-49 | 526 | 7.3 | 93 | 1 | 1 | 5 | 8 | 14 | 24 | 58 |
| 50-64 | 186 | 9.2 | 159 | 1 | 1 | 6 | 9 | 17 | 39 | 68 |
| 65+ | 108 | 8.4 | 99 | 1 | 1 | 5 | 9 | 20 | 27 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1599 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | 1609 | 3.0 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1509 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| B. *Operated* | 3050 | 6.3 | 62 | 1 | 1 | 4 | 7 | 12 | 17 | 48 |
| **1. SINGLE DX** | 3208 | 2.4 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | 4559 | 5.2 | 47 | <1 | 1 | 3 | 6 | 10 | 14 | 38 |
| **A. NOT OPERATED** | 3108 | 2.4 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| **B. OPERATED** | 4659 | 5.1 | 45 | <1 | 1 | 3 | 6 | 10 | 14 | 37 |
| TOTAL 0-19 YRS | 1924 | 3.2 | 16 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 20-34 | 3921 | 3.9 | 25 | <1 | 1 | 2 | 5 | 8 | 11 | 20 |
| 35-49 | 1276 | 4.7 | 48 | <1 | 1 | 3 | 6 | 9 | 13 | 39 |
| 50-64 | 431 | 5.9 | 86 | 1 | 1 | 3 | 7 | 11 | 17 | 52 |
| 65+ | 215 | 6.3 | 65 | 1 | 1 | 4 | 7 | 13 | 22 | 48 |
| **GRAND TOTAL** | **7767** | **4.0** | **32** | **<1** | **1** | **2** | **5** | **8** | **11** | **25** |

## 371: Open wound of upper limb (880-887)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 418 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 701 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 244 | 2.9 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 50-64 | 82 | 3.3 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 65+ | 45 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2563 | 2.0 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 10 |
| 20-34 | 4123 | 2.2 | 4 | <1 | <1 | 1 | 3 | 5 | 6 | 10 |
| 35-49 | 1767 | 2.3 | 10 | <1 | 1 | 1 | 2 | 4 | 6 | 12 |
| 50-64 | 868 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 65+ | 331 | 2.1 | 4 | <1 | 1 | 1 | 2 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 432 | 3.8 | 22 | <1 | 1 | 3 | 4 | 7 | 9 | 23 |
| 20-34 | 821 | 3.3 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 35-49 | 332 | 3.7 | 8 | <1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 50-64 | 193 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| 65+ | 189 | 5.4 | 20 | 1 | 2 | 4 | 7 | 11 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2244 | 2.9 | 12 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| 20-34 | 4705 | 3.3 | 22 | <1 | 1 | 2 | 4 | 6 | 10 | 23 |
| 35-49 | 1928 | 3.7 | 28 | 1 | 1 | 2 | 4 | 8 | 11 | 25 |
| 50-64 | 1036 | 3.9 | 29 | 1 | 1 | 2 | 4 | 8 | 12 | 30 |
| 65+ | 723 | 4.5 | 41 | 1 | 1 | 3 | 5 | 9 | 14 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1490 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 9652 | 2.2 | 5 | <1 | 1 | 1 | 2 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1967 | 3.8 | 13 | <1 | 1 | 3 | 5 | 7 | 9 | 20 |
| B. *Operated* | 10636 | 3.4 | 23 | <1 | 1 | 2 | 4 | 7 | 10 | 24 |
| **1. SINGLE DX** | 11142 | 2.2 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | 12603 | 3.5 | 22 | <1 | 1 | 2 | 4 | 7 | 10 | 23 |
| **A. NOT OPERATED** | 3457 | 3.3 | 9 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **B. OPERATED** | 20288 | 2.8 | 15 | <1 | 1 | 2 | 3 | 6 | 8 | 18 |
| TOTAL 0-19 YRS | 5657 | 2.5 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 10350 | 2.8 | 13 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 35-49 | 4271 | 3.0 | 18 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| 50-64 | 2179 | 3.2 | 18 | <1 | 1 | 2 | 4 | 6 | 9 | 23 |
| 65+ | 1288 | 4.0 | 29 | 1 | 1 | 2 | 5 | 8 | 12 | 26 |
| **GRAND TOTAL** | **23745** | **2.9** | **14** | **<1** | **1** | **2** | **3** | **6** | **8** | **17** |

## 372: Open wound of lower limb (890-897)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 492 | 2.9 | 6 | <1 | 1 | 2 | 4 | 5 | 8 | 12 |
| 20-34 | 583 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 35-49 | 173 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | 68 | 3.5 | 7 | <1 | 1 | 3 | 5 | 8 | 9 | 11 |
| 65+ | 35 | 5.6 | 66 | 1 | 1 | 4 | 6 | 8 | 14 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1873 | 3.4 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 21 |
| 20-34 | 1638 | 3.7 | 16 | 1 | 1 | 2 | 4 | 8 | 11 | 21 |
| 35-49 | 590 | 3.8 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 50-64 | 295 | 4.3 | 19 | 1 | 1 | 3 | 5 | 9 | 14 | 23 |
| 65+ | 157 | 5.9 | 47 | 1 | 1 | 4 | 7 | 13 | 20 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 369 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 20-34 | 456 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 35-49 | 208 | 4.5 | 25 | 1 | 1 | 4 | 5 | 8 | 10 | 18 |
| 50-64 | 175 | 6.3 | 28 | 1 | 1 | 5 | 8 | 11 | 16 | 28 |
| 65+ | 238 | 7.6 | 43 | 1 | 2 | 6 | 10 | 15 | 17 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1173 | 5.7 | 48 | 1 | 1 | 4 | 6 | 13 | 19 | 37 |
| 20-34 | 1510 | 7.1 | 80 | 1 | 1 | 4 | 8 | 16 | 24 | 51 |
| 35-49 | 660 | 8.1 | 120 | 1 | 1 | 5 | 9 | 16 | 23 | 68 |
| 50-64 | 402 | 9.8 | 117 | 1 | 2 | 6 | 13 | 23 | 35 | 56 |
| 65+ | 452 | 11.0 | 146 | 1 | 2 | 8 | 13 | 25 | 37 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1351 | 3.0 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| B. *Operated* | 4553 | 3.7 | 17 | <1 | 1 | 2 | 4 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1446 | 4.9 | 24 | 1 | 1 | 4 | 6 | 10 | 12 | 26 |
| B. *Operated* | 4197 | 7.6 | 91 | 1 | 1 | 4 | 9 | 17 | 25 | 54 |
| **1. SINGLE DX** | 5904 | 3.6 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 21 |
| **2. MULTIPLE DX** | 5643 | 6.9 | 75 | 1 | 1 | 4 | 8 | 15 | 23 | 50 |
| **A. NOT OPERATED** | 2797 | 4.0 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| **B. OPERATED** | 8750 | 5.6 | 56 | 1 | 1 | 3 | 6 | 12 | 19 | 41 |
| TOTAL 0-19 YRS | 3907 | 4.1 | 24 | 1 | 1 | 3 | 5 | 8 | 12 | 26 |
| 20-34 | 4187 | 4.9 | 41 | 1 | 1 | 3 | 5 | 10 | 15 | 34 |
| 35-49 | 1631 | 5.6 | 62 | 1 | 1 | 3 | 6 | 11 | 16 | 45 |
| 50-64 | 940 | 7.0 | 69 | 1 | 1 | 4 | 8 | 16 | 23 | 44 |
| 65+ | 882 | 9.0 | 102 | 1 | 2 | 6 | 11 | 18 | 29 | 61 |
| **GRAND TOTAL** | **11547** | **5.2** | **47** | **1** | **1** | **3** | **6** | **11** | **16** | **37** |

## 373: Injury to blood vessels (900-904)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.0 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 10 |
| 20-34 | 11 | 2.6 | 8 | <1 | <1 | 1 | 4 | 7 | 10 | 10 |
| 35-49 | 7 | 3.6 | 4 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| 65+ | 5 | 4.0 | 8 | <1 | <1 | 5 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 3.0 | 5 | <1 | 1 | 2 | 4 | 7 | 8 | 9 |
| 20-34 | 118 | 3.7 | 11 | <1 | 1 | 2 | 5 | 8 | 11 | 16 |
| 35-49 | 46 | 3.5 | 10 | <1 | 1 | 2 | 5 | 9 | 10 | 12 |
| 50-64 | 25 | 5.3 | 32 | 1 | 1 | 3 | 8 | 16 | 18 | 19 |
| 65+ | 13 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 37 | 3.6 | 18 | <1 | 1 | 2 | 4 | 9 | 10 | 23 |
| 35-49 | 20 | 6.9 | 46 | <1 | 1 | 4 | 9 | 17 | 23 | 27 |
| 50-64 | 13 | 4.9 | 15 | 1 | 1 | 3 | 8 | 11 | 13 | 13 |
| 65+ | 31 | 5.9 | 21 | 2 | 2 | 4 | 6 | 13 | 16 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 208 | 8.1 | 134 | 1 | 1 | 4 | 9 | 18 | 37 | 64 |
| 20-34 | 580 | 8.9 | 163 | 1 | 1 | 5 | 10 | 21 | 35 | 76 |
| 35-49 | 201 | 7.8 | 104 | 1 | 1 | 5 | 9 | 18 | 26 | 43 |
| 50-64 | 106 | 9.0 | 113 | 1 | 1 | 6 | 11 | 21 | 33 | 52 |
| 65+ | 84 | 8.7 | 94 | 1 | 1 | 5 | 12 | 25 | 35 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 3.2 | 7 | <1 | 1 | 2 | 5 | 7 | 8 | 10 |
| B. *Operated* | 268 | 3.6 | 11 | 1 | 1 | 2 | 5 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 124 | 4.6 | 22 | 1 | 1 | 3 | 6 | 10 | 15 | 24 |
| B. *Operated* | 1179 | 8.6 | 138 | 1 | 1 | 5 | 10 | 20 | 34 | 66 |
| **1. SINGLE DX** | 314 | 3.6 | 11 | 1 | 1 | 2 | 5 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 1303 | 8.2 | 128 | 1 | 1 | 4 | 9 | 19 | 32 | 66 |
| **A. NOT OPERATED** | 170 | 4.2 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| **B. OPERATED** | 1447 | 7.6 | 118 | 1 | 1 | 4 | 9 | 17 | 29 | 64 |
| TOTAL 0-19 YRS | 317 | 6.3 | 95 | 1 | 1 | 3 | 7 | 13 | 22 | 52 |
| 20-34 | 746 | 7.7 | 134 | 1 | 1 | 4 | 9 | 18 | 29 | 66 |
| 35-49 | 274 | 6.9 | 84 | 1 | 1 | 4 | 8 | 15 | 23 | 47 |
| 50-64 | 147 | 7.9 | 91 | 1 | 1 | 5 | 10 | 18 | 31 | 36 |
| 65+ | 133 | 7.4 | 68 | 1 | 1 | 5 | 9 | 18 | 27 | 57 |
| **GRAND TOTAL** | **1617** | **7.3** | **109** | **1** | **1** | **4** | **8** | **16** | **27** | **63** |

## 374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.4 | 23 | <1 | 1 | 2 | 3 | 14 | 16 | 16 |
| 20-34 | 30 | 5.0 | 24 | 1 | 1 | 4 | 5 | 12 | 14 | 23 |
| 35-49 | 15 | 4.8 | 9 | 1 | 1 | 4 | 7 | 9 | 11 | 12 |
| 50-64 | 12 | 5.1 | 15 | 2 | 2 | 4 | 7 | 11 | 14 | 14 |
| 65+ | 12 | 3.9 | 7 | 1 | 1 | 3 | 5 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 238 | 3.5 | 16 | <1 | 1 | 2 | 4 | 8 | 10 | 17 |
| 20-34 | 396 | 3.6 | 17 | 1 | 1 | 2 | 4 | 8 | 10 | 20 |
| 35-49 | 205 | 3.7 | 13 | <1 | 1 | 3 | 5 | 7 | 10 | 22 |
| 50-64 | 122 | 3.9 | 20 | <1 | <1 | 2 | 5 | 9 | 11 | 26 |
| 65+ | 28 | 4.4 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 6.4 | 178 | <1 | 1 | 3 | 5 | 10 | 20 | 86 |
| 20-34 | 109 | 6.7 | 64 | 1 | 1 | 4 | 7 | 16 | 29 | 67 |
| 35-49 | 81 | 6.7 | 60 | 1 | 1 | 4 | 7 | 13 | 25 | 38 |
| 50-64 | 69 | 8.2 | 77 | 1 | 1 | 6 | 10 | 18 | 29 | 45 |
| 65+ | 80 | 9.8 | 103 | 1 | 2 | 6 | 12 | 29 | 32 | 85 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 182 | 3.8 | 15 | 1 | 1 | 2 | 5 | 8 | 10 | 22 |
| 20-34 | 408 | 5.1 | 46 | 1 | 1 | 3 | 6 | 11 | 18 | 57 |
| 35-49 | 263 | 5.4 | 45 | 1 | 1 | 3 | 6 | 12 | 19 | 48 |
| 50-64 | 173 | 6.5 | 61 | 1 | 1 | 4 | 8 | 15 | 22 | 40 |
| 65+ | 117 | 9.5 | 95 | 1 | 1 | 7 | 12 | 23 | 30 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 85 | 4.5 | 17 | 1 | 1 | 4 | 5 | 10 | 14 | 21 |
| B. *Operated* | 989 | 3.7 | 16 | <1 | 1 | 2 | 4 | 8 | 10 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 398 | 7.5 | 91 | 1 | 1 | 4 | 9 | 18 | 30 | 54 |
| B. *Operated* | 1143 | 5.6 | 50 | 1 | 1 | 3 | 7 | 12 | 20 | 48 |
| **1. SINGLE DX** | 1074 | 3.7 | 16 | <1 | 1 | 2 | 5 | 8 | 10 | 21 |
| **2. MULTIPLE DX** | 1541 | 6.1 | 61 | 1 | 1 | 4 | 7 | 14 | 22 | 50 |
| **A. NOT OPERATED** | 483 | 7.0 | 79 | 1 | 1 | 4 | 8 | 16 | 27 | 51 |
| **B. OPERATED** | 2132 | 4.7 | 35 | 1 | 1 | 3 | 5 | 10 | 15 | 36 |
| TOTAL 0-19 YRS | 495 | 4.0 | 36 | <1 | 1 | 2 | 4 | 9 | 11 | 25 |
| 20-34 | 943 | 4.6 | 36 | 1 | 1 | 3 | 5 | 10 | 15 | 41 |
| 35-49 | 564 | 5.0 | 36 | 1 | 1 | 3 | 6 | 10 | 15 | 37 |
| 50-64 | 376 | 5.9 | 51 | 1 | 1 | 3 | 7 | 14 | 19 | 40 |
| 65+ | 237 | 8.7 | 87 | 1 | 1 | 6 | 10 | 22 | 30 | 59 |
| **GRAND TOTAL** | **2615** | **5.1** | **44** | **1** | **1** | **3** | **6** | **11** | **17** | **39** |

## 375: Contusion of eye and adnexa (921)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 771 | 3.7 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 299 | 3.3 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 10 |
| 35-49 | 95 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 12 |
| 50-64 | 26 | 3.4 | 2 | 1 | 1 | 3 | 5 | 5 | 6 | 6 |
| 65+ | 13 | 3.2 | 5 | <1 | <1 | 3 | 4 | 6 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 5.7 | 19 | 1 | 1 | 5 | 8 | 11 | 14 | 20 |
| 20-34 | 11 | 4.4 | 12 | 1 | 1 | 4 | 6 | 10 | 12 | 12 |
| 35-49 | 6 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 463 | 3.6 | 8 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 20-34 | 346 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 143 | 3.9 | 9 | <1 | 1 | 3 | 5 | 6 | 10 | 16 |
| 50-64 | 74 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 65+ | 100 | 5.7 | 47 | 1 | 2 | 4 | 6 | 10 | 16 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 4.5 | 11 | 1 | 1 | 4 | 6 | 10 | 11 | 14 |
| 20-34 | 116 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 38 | 3.3 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 50-64 | 21 | 4.5 | 17 | <1 | <1 | 3 | 6 | 12 | 13 | 15 |
| 65+ | 38 | 4.8 | 35 | 1 | 1 | 2 | 6 | 12 | 19 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1204 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| B. *Operated* | 55 | 5.1 | 15 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1126 | 3.7 | 11 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |
| B. *Operated* | 308 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **1. SINGLE DX** | 1259 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 1434 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 2330 | 3.7 | 8 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| **B. OPERATED** | 363 | 4.3 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| TOTAL 0-19 YRS | 1364 | 3.8 | 6 | 1 | 1 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 772 | 3.3 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 35-49 | 282 | 3.7 | 7 | <1 | 1 | 3 | 5 | 6 | 9 | 13 |
| 50-64 | 123 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 65+ | 152 | 5.2 | 40 | 1 | 1 | 3 | 6 | 10 | 16 | 55 |
| **GRAND TOTAL** | **2693** | **3.7** | **8** | **1** | **1** | **3** | **5** | **6** | **8** | **13** |

## 376: Other superficial injuries (910-920; 922-924)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1925 | 1.8 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 1654 | 2.3 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 771 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 411 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 65+ | 476 | 3.6 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 354 | 2.3 | 5 | <1 | <1 | 2 | 2 | 5 | 5 | 11 |
| 20-34 | 335 | 2.9 | 15 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| 35-49 | 177 | 3.4 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| 50-64 | 130 | 4.4 | 17 | <1 | <1 | 3 | 5 | 10 | 12 | 20 |
| 65+ | 82 | 4.4 | 21 | <1 | 1 | 3 | 5 | 9 | 12 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3616 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 4539 | 2.8 | 8 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 35-49 | 2489 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 50-64 | 2220 | 4.3 | 16 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 65+ | 6128 | 6.0 | 35 | 1 | 2 | 4 | 7 | 12 | 15 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 526 | 3.9 | 24 | 1 | 1 | 2 | 4 | 8 | 12 | 24 |
| 20-34 | 830 | 4.1 | 21 | <1 | 1 | 2 | 5 | 9 | 12 | 22 |
| 35-49 | 465 | 5.6 | 30 | 1 | 1 | 4 | 7 | 12 | 17 | 27 |
| 50-64 | 442 | 6.6 | 50 | 1 | 2 | 5 | 8 | 14 | 19 | 35 |
| 65+ | 793 | 9.8 | 80 | 1 | 2 | 7 | 13 | 22 | 29 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5237 | 2.3 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 1078 | 3.1 | 12 | <1 | <1 | 2 | 4 | 6 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18992 | 4.0 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| B. *Operated* | 3056 | 6.1 | 48 | 1 | 1 | 4 | 8 | 14 | 20 | 36 |
| **1. SINGLE DX** | 6315 | 2.4 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 22048 | 4.3 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| **A. NOT OPERATED** | 24229 | 3.6 | 17 | 1 | 1 | 2 | 4 | 8 | 10 | 19 |
| **B. OPERATED** | 4134 | 5.3 | 41 | <1 | 1 | 3 | 7 | 12 | 18 | 32 |
| TOTAL 0-19 YRS | 6421 | 2.2 | 5 | <1 | 1 | 1 | 3 | 4 | 6 | 10 |
| 20-34 | 7358 | 2.8 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 35-49 | 3902 | 3.6 | 13 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 50-64 | 3203 | 4.5 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| 65+ | 7479 | 6.2 | 40 | 1 | 1 | 5 | 8 | 13 | 17 | 34 |
| **GRAND TOTAL** | **28363** | **3.9** | **21** | **<1** | **1** | **2** | **5** | **8** | **11** | **22** |

## 377: Miscellaneous crushing injury (925-929)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 158 | 2.1 | 3 | 1 | 1 | 2 | 2 | 3 | 5 | 12 |
| 20-34 | 184 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 64 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 50-64 | 32 | 2.0 | 2 | 1 | 1 | 2 | 2 | 4 | 6 | 7 |
| 65+ | 7 | 3.3 | 6 | <1 | <1 | 3 | 5 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 92 | 4.2 | 29 | <1 | 1 | 2 | 4 | 9 | 17 | 30 |
| 20-34 | 217 | 4.1 | 29 | <1 | 1 | 2 | 5 | 8 | 13 | 29 |
| 35-49 | 110 | 5.0 | 64 | <1 | 1 | 2 | 5 | 10 | 20 | 45 |
| 50-64 | 57 | 4.2 | 49 | <1 | <1 | 2 | 4 | 9 | 20 | 36 |
| 65+ | 20 | 3.2 | 11 | 1 | 1 | 2 | 4 | 8 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 3.0 | 10 | 1 | 1 | 2 | 3 | 7 | 9 | 18 |
| 20-34 | 164 | 3.3 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 35-49 | 97 | 3.7 | 10 | 1 | 1 | 3 | 4 | 8 | 11 | 16 |
| 50-64 | 48 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 65+ | 39 | 5.3 | 20 | 1 | 1 | 4 | 7 | 13 | 17 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 193 | 6.2 | 57 | 1 | 1 | 3 | 7 | 15 | 24 | 36 |
| 20-34 | 515 | 6.8 | 98 | 1 | 1 | 3 | 7 | 16 | 26 | 59 |
| 35-49 | 254 | 6.8 | 64 | 1 | 1 | 4 | 9 | 16 | 24 | 50 |
| 50-64 | 181 | 8.1 | 132 | 1 | 1 | 4 | 9 | 19 | 30 | 62 |
| 65+ | 59 | 10.1 | 110 | 1 | 1 | 7 | 13 | 21 | 34 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 445 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| B. *Operated* | 496 | 4.3 | 38 | <1 | 1 | 2 | 5 | 9 | 16 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 465 | 3.5 | 10 | 1 | 1 | 3 | 4 | 8 | 10 | 16 |
| B. *Operated* | 1202 | 7.1 | 91 | 1 | 1 | 4 | 8 | 16 | 26 | 56 |
| **1. SINGLE DX** | 941 | 3.3 | 23 | <1 | 1 | 2 | 3 | 7 | 10 | 28 |
| **2. MULTIPLE DX** | 1667 | 6.1 | 70 | 1 | 1 | 3 | 7 | 14 | 22 | 50 |
| **A. NOT OPERATED** | 910 | 2.9 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **B. OPERATED** | 1698 | 6.3 | 77 | 1 | 1 | 3 | 7 | 15 | 24 | 50 |
| TOTAL 0-19 YRS | 560 | 4.0 | 30 | 1 | 1 | 2 | 4 | 9 | 15 | 33 |
| 20-34 | 1080 | 5.0 | 57 | 1 | 1 | 3 | 5 | 10 | 17 | 47 |
| 35-49 | 525 | 5.3 | 49 | 1 | 1 | 3 | 6 | 12 | 18 | 43 |
| 50-64 | 318 | 6.2 | 90 | 1 | 1 | 3 | 6 | 14 | 25 | 61 |
| 65+ | 125 | 7.1 | 68 | 1 | 1 | 4 | 9 | 16 | 23 | 66 |
| **GRAND TOTAL** | **2608** | **5.1** | **55** | **1** | **1** | **3** | **5** | **11** | **18** | **42** |

## 378: Foreign body on external eye (930)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 6 | 8 |
| 20-34 | 5 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 1.4 | 1 | <1 | <1 | <1 | 1 | 2 | 5 | 6 |
| 20-34 | 14 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| 35-49 | 13 | 1.8 | 1 | <1 | <1 | 1 | 3 | 3 | 4 | 4 |
| 50-64 | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.0 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 8 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.4 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 16 | 2.6 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 35-49 | 7 | 4.0 | 11 | 1 | 1 | 4 | 4 | 10 | 11 | 11 |
| 50-64 | 3 | 5.7 | 25 | 1 | 1 | 5 | 9 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 5 | 8 |
| B. *Operated* | 58 | 1.6 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 2.5 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| B. *Operated* | 39 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 11 |
| **1. SINGLE DX** | 91 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| **2. MULTIPLE DX** | 56 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| **A. NOT OPERATED** | 50 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| **B. OPERATED** | 97 | 2.2 | 4 | <1 | <1 | 1 | 3 | 5 | 6 | 11 |
| TOTAL 0-19 YRS | 73 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 43 | 2.2 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 35-49 | 25 | 2.4 | 5 | <1 | <1 | 1 | 3 | 4 | 6 | 11 |
| 50-64 | 6 | 3.3 | 17 | 1 | 1 | 1 | 5 | 10 | 11 | 11 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **147** | **2.1** | **3** | **<1** | **<1** | **1** | **3** | **5** | **5** | **11** |

### 379: Foreign body entering through other body orifice (931-939)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2002 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 374 | 1.5 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |
| 35-49 | 329 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 8 |
| 50-64 | 329 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| 65+ | 287 | 1.4 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 583 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 72 | 3.0 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 11 |
| 35-49 | 81 | 2.7 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 12 |
| 50-64 | 70 | 2.7 | 7 | <1 | <1 | 2 | 3 | 7 | 10 | 12 |
| 65+ | 68 | 2.2 | 5 | <1 | 1 | 1 | 2 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 674 | 2.2 | 5 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 202 | 2.6 | 9 | <1 | <1 | 2 | 3 | 5 | 8 | 12 |
| 35-49 | 282 | 2.7 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 13 |
| 50-64 | 435 | 2.8 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 65+ | 955 | 3.5 | 12 | 1 | 1 | 2 | 4 | 7 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 278 | 4.0 | 30 | <1 | 1 | 2 | 5 | 9 | 13 | 31 |
| 20-34 | 150 | 7.2 | 111 | <1 | 1 | 4 | 9 | 16 | 25 | 52 |
| 35-49 | 163 | 6.3 | 53 | 1 | 1 | 3 | 8 | 15 | 22 | 33 |
| 50-64 | 290 | 5.9 | 56 | 1 | 1 | 3 | 8 | 14 | 22 | 40 |
| 65+ | 603 | 5.9 | 45 | 1 | 1 | 3 | 8 | 14 | 19 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3321 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| B. *Operated* | 874 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2548 | 2.9 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| B. *Operated* | 1484 | 5.7 | 53 | 1 | 1 | 3 | 7 | 13 | 20 | 36 |
| **1. SINGLE DX** | 4195 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |
| **2. MULTIPLE DX** | 4032 | 3.9 | 27 | <1 | 1 | 2 | 4 | 9 | 13 | 27 |
| **A. NOT OPERATED** | 5869 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| **B. OPERATED** | 2358 | 4.3 | 38 | <1 | 1 | 2 | 5 | 10 | 16 | 31 |
| TOTAL 0-19 YRS | 3537 | 1.7 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 20-34 | 798 | 3.0 | 29 | <1 | <1 | 1 | 3 | 6 | 10 | 26 |
| 35-49 | 855 | 2.9 | 17 | <1 | <1 | 1 | 3 | 7 | 10 | 21 |
| 50-64 | 1124 | 3.2 | 23 | <1 | 1 | 2 | 3 | 8 | 10 | 25 |
| 65+ | 1913 | 3.9 | 23 | 1 | 1 | 2 | 5 | 9 | 13 | 25 |
| **GRAND TOTAL** | **8227** | **2.7** | **16** | **<1** | **<1** | **1** | **3** | **6** | **9** | **20** |

### 380: Third degree burns (for ICD-9-CM codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 6.4 | 33 | 1 | 1 | 5 | 9 | 13 | 17 | 27 |
| 20-34 | 60 | 5.8 | 35 | <1 | 1 | 3 | 7 | 13 | 19 | 28 |
| 35-49 | 36 | 4.9 | 21 | 1 | 1 | 3 | 7 | 11 | 15 | 21 |
| 50-64 | 13 | 5.1 | 24 | 1 | 1 | 3 | 7 | 14 | 16 | 17 |
| 65+ | 14 | 9.9 | 48 | <1 | 1 | 10 | 12 | 19 | 24 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 262 | 8.3 | 81 | 1 | 1 | 6 | 11 | 18 | 21 | 39 |
| 20-34 | 228 | 7.3 | 70 | 1 | 1 | 5 | 10 | 16 | 19 | 39 |
| 35-49 | 115 | 9.3 | 75 | 1 | 2 | 7 | 13 | 18 | 27 | 43 |
| 50-64 | 88 | 11.5 | 91 | 1 | 2 | 9 | 17 | 24 | 30 | 44 |
| 65+ | 36 | 10.9 | 81 | 1 | 2 | 9 | 14 | 18 | 31 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 280 | 7.8 | 76 | 1 | 1 | 5 | 10 | 17 | 22 | 45 |
| 20-34 | 220 | 6.2 | 36 | 1 | 1 | 4 | 9 | 14 | 17 | 24 |
| 35-49 | 139 | 7.5 | 52 | 1 | 1 | 6 | 10 | 15 | 22 | 36 |
| 50-64 | 105 | 9.8 | 81 | 1 | 2 | 7 | 12 | 19 | 27 | 45 |
| 65+ | 141 | 10.7 | 79 | 2 | 2 | 8 | 14 | 21 | 26 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 682 | 16.1 | 221 | 1 | 2 | 12 | 23 | 34 | 48 | 80 |
| 20-34 | 695 | 16.6 | 246 | 2 | 3 | 11 | 22 | 39 | 54 | 94 |
| 35-49 | 416 | 17.9 | 262 | 2 | 3 | 13 | 24 | 39 | 51 | 82 |
| 50-64 | 390 | 17.0 | 190 | 2 | 3 | 13 | 23 | 38 | 49 | 99+ |
| 65+ | 417 | 22.3 | 304 | 3 | 5 | 19 | 31 | 51 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 237 | 6.2 | 33 | 1 | 1 | 4 | 9 | 13 | 18 | 26 |
| B. *Operated* | 729 | 8.7 | 79 | 1 | 1 | 6 | 12 | 18 | 23 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 885 | 8.0 | 65 | 1 | 1 | 6 | 11 | 17 | 22 | 42 |
| B. *Operated* | 2600 | 17.6 | 247 | 2 | 3 | 13 | 24 | 40 | 54 | 99+ |
| **1. SINGLE DX** | 966 | 8.0 | 69 | 1 | 1 | 6 | 11 | 17 | 21 | 38 |
| **2. MULTIPLE DX** | 3485 | 15.2 | 218 | 1 | 2 | 11 | 21 | 35 | 49 | 87 |
| **A. NOT OPERATED** | 1122 | 7.6 | 59 | 1 | 1 | 6 | 10 | 16 | 21 | 40 |
| **B. OPERATED** | 3329 | 15.7 | 224 | 1 | 2 | 11 | 21 | 36 | 49 | 88 |
| TOTAL 0-19 YRS | 1338 | 12.0 | 165 | 1 | 1 | 8 | 16 | 27 | 37 | 72 |
| 20-34 | 1203 | 12.4 | 188 | 1 | 2 | 8 | 16 | 30 | 45 | 76 |
| 35-49 | 706 | 13.8 | 203 | 1 | 2 | 9 | 18 | 33 | 42 | 71 |
| 50-64 | 596 | 14.6 | 163 | 2 | 3 | 11 | 21 | 34 | 45 | 85 |
| 65+ | 608 | 18.6 | 261 | 2 | 3 | 14 | 25 | 42 | 59 | 99+ |
| **GRAND TOTAL** | **4451** | **13.7** | **195** | **1** | **2** | **9** | **18** | **32** | **44** | **78** |

### 381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 966 | 4.2 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 20-34 | 519 | 3.9 | 17 | <1 | 1 | 2 | 5 | 9 | 12 | 19 |
| 35-49 | 252 | 4.4 | 28 | <1 | 1 | 3 | 6 | 10 | 15 | 22 |
| 50-64 | 98 | 4.8 | 21 | 1 | 1 | 3 | 7 | 10 | 14 | 24 |
| 65+ | 34 | 7.3 | 79 | 1 | 1 | 4 | 10 | 15 | 23 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 216 | 7.6 | 79 | 1 | 1 | 5 | 10 | 16 | 25 | 44 |
| 20-34 | 155 | 7.8 | 77 | <1 | 1 | 5 | 10 | 17 | 30 | 43 |
| 35-49 | 85 | 7.0 | 40 | 1 | 1 | 5 | 10 | 17 | 19 | 26 |
| 50-64 | 39 | 9.3 | 78 | 1 | 2 | 6 | 10 | 23 | 30 | 37 |
| 65+ | 12 | 12.9 | 104 | 1 | 2 | 11 | 18 | 27 | 36 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2292 | 4.9 | 22 | 1 | 1 | 3 | 7 | 11 | 14 | 22 |
| 20-34 | 1449 | 4.6 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 21 |
| 35-49 | 780 | 5.2 | 24 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| 50-64 | 470 | 6.7 | 46 | 1 | 1 | 4 | 9 | 15 | 19 | 34 |
| 65+ | 436 | 8.2 | 60 | 1 | 1 | 6 | 11 | 18 | 22 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 680 | 9.1 | 80 | 1 | 1 | 6 | 11 | 20 | 27 | 42 |
| 20-34 | 518 | 9.2 | 97 | 1 | 1 | 6 | 12 | 19 | 28 | 51 |
| 35-49 | 325 | 12.3 | 169 | 1 | 2 | 8 | 16 | 29 | 37 | 70 |
| 50-64 | 204 | 16.0 | 259 | 1 | 2 | 11 | 21 | 37 | 48 | 98 |
| 65+ | 186 | 17.5 | 208 | 3 | 4 | 14 | 24 | 36 | 47 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1869 | 4.2 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| B. *Operated* | 507 | 7.8 | 73 | 1 | 1 | 5 | 10 | 17 | 25 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5427 | 5.3 | 28 | 1 | 1 | 4 | 7 | 12 | 16 | 25 |
| B. *Operated* | 1913 | 11.2 | 140 | 1 | 2 | 8 | 14 | 26 | 35 | 65 |
| **1. SINGLE DX** | 2376 | 5.0 | 34 | 1 | 1 | 3 | 7 | 11 | 15 | 29 |
| **2. MULTIPLE DX** | 7340 | 6.8 | 64 | 1 | 1 | 4 | 9 | 15 | 21 | 39 |
| **A. NOT OPERATED** | 7296 | 5.0 | 26 | 1 | 1 | 3 | 7 | 11 | 15 | 24 |
| **B. OPERATED** | 2420 | 10.5 | 128 | 1 | 1 | 7 | 14 | 24 | 34 | 62 |
| TOTAL 0-19 YRS | 4154 | 5.6 | 36 | 1 | 1 | 4 | 7 | 12 | 16 | 29 |
| 20-34 | 2641 | 5.6 | 42 | 1 | 1 | 3 | 7 | 12 | 17 | 34 |
| 35-49 | 1442 | 6.8 | 67 | 1 | 1 | 4 | 9 | 15 | 22 | 40 |
| 50-64 | 811 | 8.9 | 115 | 1 | 1 | 6 | 11 | 21 | 30 | 57 |
| 65+ | 668 | 10.9 | 120 | 1 | 2 | 8 | 14 | 24 | 33 | 62 |
| **GRAND TOTAL** | **9716** | **6.4** | **57** | **1** | **1** | **4** | **8** | **14** | **20** | **38** |

### 382: Injury to nerve and spinal cord (950-957)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 2.9 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 18 |
| 20-34 | 130 | 4.6 | 79 | <1 | <1 | 3 | 5 | 8 | 11 | 64 |
| 35-49 | 83 | 4.1 | 20 | <1 | 1 | 3 | 5 | 8 | 10 | 28 |
| 50-64 | 39 | 4.3 | 13 | 1 | 1 | 4 | 6 | 11 | 13 | 14 |
| 65+ | 11 | 4.5 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 192 | 2.5 | 8 | <1 | <1 | 2 | 2 | 5 | 9 | 14 |
| 20-34 | 419 | 2.5 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 176 | 2.8 | 15 | <1 | <1 | 2 | 3 | 5 | 8 | 27 |
| 50-64 | 64 | 2.7 | 8 | <1 | <1 | 2 | 2 | 7 | 10 | 12 |
| 65+ | 18 | 3.3 | 7 | <1 | 1 | 2 | 5 | 7 | 9 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 151 | 6.0 | 111 | <1 | 1 | 3 | 5 | 12 | 25 | 64 |
| 20-34 | 260 | 5.6 | 56 | 1 | 1 | 3 | 6 | 13 | 20 | 44 |
| 35-49 | 156 | 5.7 | 30 | <1 | 1 | 4 | 7 | 11 | 15 | 30 |
| 50-64 | 116 | 8.2 | 117 | 1 | 2 | 5 | 9 | 14 | 24 | 69 |
| 65+ | 147 | 8.0 | 57 | 1 | 2 | 7 | 10 | 15 | 26 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 372 | 4.2 | 93 | <1 | 1 | 2 | 3 | 7 | 17 | 55 |
| 20-34 | 769 | 5.0 | 97 | <1 | 1 | 2 | 4 | 10 | 20 | 67 |
| 35-49 | 308 | 5.8 | 99 | <1 | 1 | 2 | 5 | 13 | 30 | 61 |
| 50-64 | 159 | 7.4 | 137 | <1 | 1 | 2 | 8 | 21 | 34 | 72 |
| 65+ | 103 | 11.1 | 199 | 1 | 1 | 5 | 16 | 36 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 374 | 4.0 | 37 | <1 | 1 | 2 | 5 | 8 | 11 | 21 |
| B. *Operated* | 869 | 2.6 | 10 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 830 | 6.5 | 71 | 1 | 1 | 4 | 8 | 14 | 20 | 55 |
| B. *Operated* | 1711 | 5.5 | 109 | <1 | 1 | 2 | 5 | 14 | 27 | 70 |
| **1. SINGLE DX** | 1243 | 3.0 | 18 | <1 | <1 | 2 | 3 | 6 | 9 | 19 |
| **2. MULTIPLE DX** | 2541 | 5.9 | 96 | <1 | 1 | 2 | 6 | 14 | 24 | 64 |
| **A. NOT OPERATED** | 1204 | 5.7 | 62 | <1 | 1 | 4 | 7 | 12 | 17 | 52 |
| **B. OPERATED** | 2580 | 4.6 | 77 | <1 | 1 | 2 | 4 | 9 | 19 | 58 |
| TOTAL 0-19 YRS | 826 | 4.0 | 67 | <1 | 1 | 2 | 3 | 7 | 13 | 51 |
| 20-34 | 1578 | 4.4 | 66 | <1 | 1 | 2 | 4 | 9 | 15 | 49 |
| 35-49 | 723 | 4.9 | 56 | <1 | 1 | 2 | 5 | 10 | 15 | 48 |
| 50-64 | 378 | 6.5 | 100 | <1 | 1 | 3 | 7 | 15 | 25 | 67 |
| 65+ | 279 | 8.7 | 109 | 1 | 1 | 6 | 11 | 21 | 37 | 99+ |
| **GRAND TOTAL** | **3784** | **4.9** | **72** | **<1** | **1** | **2** | **5** | **11** | **18** | **56** |

### 383: Certain traumatic complications and unspecified injuries (958-959)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 877 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 856 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 365 | 3.1 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 10 |
| 50-64 | 169 | 3.2 | 9 | 1 | 1 | 2 | 4 | 7 | 8 | 17 |
| 65+ | 121 | 3.5 | 26 | 1 | 1 | 3 | 4 | 7 | 8 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 3.8 | 21 | <1 | 1 | 2 | 5 | 8 | 10 | 18 |
| 20-34 | 328 | 4.1 | 20 | <1 | 1 | 2 | 5 | 10 | 14 | 22 |
| 35-49 | 164 | 5.9 | 73 | <1 | 1 | 3 | 6 | 13 | 19 | 55 |
| 50-64 | 90 | 4.8 | 30 | <1 | 1 | 3 | 6 | 11 | 18 | 27 |
| 65+ | 25 | 7.6 | 49 | 1 | 2 | 7 | 10 | 16 | 26 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1207 | 2.8 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 1664 | 3.4 | 14 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 35-49 | 908 | 4.5 | 20 | 1 | 1 | 3 | 6 | 9 | 11 | 22 |
| 50-64 | 648 | 4.9 | 17 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| 65+ | 1136 | 6.5 | 47 | 1 | 2 | 5 | 8 | 12 | 16 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 419 | 7.5 | 91 | 1 | 1 | 4 | 9 | 17 | 25 | 55 |
| 20-34 | 809 | 7.4 | 78 | 1 | 1 | 5 | 9 | 17 | 25 | 46 |
| 35-49 | 431 | 8.5 | 110 | 1 | 2 | 5 | 10 | 18 | 29 | 70 |
| 50-64 | 276 | 9.2 | 117 | 1 | 1 | 6 | 11 | 19 | 32 | 62 |
| 65+ | 306 | 12.5 | 178 | 1 | 2 | 9 | 15 | 28 | 44 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2388 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 824 | 4.6 | 33 | <1 | 1 | 3 | 5 | 10 | 15 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5563 | 4.3 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| B. *Operated* | 2241 | 8.5 | 108 | 1 | 1 | 5 | 10 | 19 | 29 | 62 |
| **1. SINGLE DX** | 3212 | 3.0 | 14 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| **2. MULTIPLE DX** | 7804 | 5.5 | 51 | 1 | 1 | 3 | 7 | 11 | 16 | 40 |
| **A. NOT OPERATED** | 7951 | 3.7 | 18 | 1 | 1 | 2 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 3065 | 7.5 | 91 | 1 | 1 | 4 | 9 | 17 | 25 | 52 |
| TOTAL 0-19 YRS | 2720 | 3.3 | 24 | <1 | 1 | 2 | 4 | 7 | 10 | 24 |
| 20-34 | 3657 | 4.1 | 30 | <1 | 1 | 3 | 5 | 9 | 12 | 28 |
| 35-49 | 1868 | 5.3 | 46 | 1 | 1 | 3 | 6 | 10 | 15 | 38 |
| 50-64 | 1183 | 5.7 | 44 | 1 | 1 | 4 | 7 | 12 | 16 | 35 |
| 65+ | 1588 | 7.5 | 77 | 1 | 2 | 5 | 9 | 15 | 22 | 54 |
| **GRAND TOTAL** | **11016** | **4.8** | **41** | **1** | **1** | **3** | **6** | **10** | **15** | **34** |

### 384: Poisoning by drugs, medicinal, and biological substances (960-979)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6145 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 2498 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 983 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 50-64 | 298 | 2.5 | 7 | <1 | 1 | 2 | 3 | 4 | 8 | 12 |
| 65+ | 216 | 3.2 | 33 | 1 | 1 | 2 | 4 | 5 | 7 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.6 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 7 |
| 20-34 | 10 | 5.1 | 36 | <1 | <1 | 3 | 5 | 16 | 18 | 18 |
| 35-49 | 7 | 6.4 | 33 | 1 | 1 | 4 | 12 | 15 | 15 | 15 |
| 50-64 | 6 | 8.5 | 36 | 1 | 1 | 11 | 12 | 15 | 15 | 15 |
| 65+ | 6 | 5.5 | 30 | 1 | 1 | 3 | 9 | 14 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8596 | 3.4 | 38 | <1 | 1 | 2 | 3 | 6 | 10 | 32 |
| 20-34 | 11482 | 3.5 | 27 | <1 | 1 | 2 | 4 | 7 | 11 | 27 |
| 35-49 | 6279 | 4.0 | 29 | <1 | 1 | 2 | 4 | 9 | 14 | 29 |
| 50-64 | 3216 | 5.2 | 44 | 1 | 1 | 3 | 6 | 11 | 17 | 36 |
| 65+ | 4652 | 6.2 | 42 | 1 | 2 | 5 | 8 | 12 | 16 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 92 | 9.7 | 141 | 1 | 1 | 5 | 13 | 26 | 35 | 58 |
| 20-34 | 322 | 9.0 | 145 | 1 | 1 | 5 | 10 | 24 | 41 | 70 |
| 35-49 | 236 | 10.5 | 125 | 1 | 2 | 7 | 14 | 24 | 34 | 69 |
| 50-64 | 233 | 12.0 | 133 | 2 | 2 | 8 | 15 | 28 | 42 | 99+ |
| 65+ | 362 | 12.7 | 137 | 2 | 3 | 10 | 16 | 24 | 31 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10140 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | 43 | 5.0 | 25 | <1 | 1 | 3 | 7 | 14 | 15 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34225 | 4.1 | 35 | <1 | 1 | 2 | 4 | 9 | 13 | 30 |
| B. *Operated* | 1245 | 10.9 | 138 | 1 | 2 | 7 | 14 | 25 | 35 | 76 |
| **1. SINGLE DX** | 10183 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | 35470 | 4.3 | 40 | <1 | 1 | 2 | 5 | 9 | 15 | 33 |
| **A. NOT OPERATED** | 44365 | 3.5 | 29 | <1 | 1 | 2 | 4 | 7 | 11 | 27 |
| **B. OPERATED** | 1288 | 10.8 | 136 | 1 | 2 | 7 | 14 | 24 | 35 | 75 |
| TOTAL 0-19 YRS | 14847 | 2.7 | 25 | <1 | 1 | 1 | 3 | 5 | 7 | 25 |
| 20-34 | 14312 | 3.3 | 27 | <1 | 1 | 2 | 3 | 6 | 11 | 27 |
| 35-49 | 7505 | 4.0 | 31 | <1 | 1 | 2 | 4 | 9 | 14 | 29 |
| 50-64 | 3753 | 5.4 | 50 | 1 | 1 | 3 | 6 | 12 | 19 | 39 |
| 65+ | 5236 | 6.5 | 51 | 1 | 1 | 5 | 8 | 13 | 18 | 35 |
| **GRAND TOTAL** | **45653** | **3.7** | **33** | **<1** | **1** | **2** | **4** | **8** | **13** | **29** |

## 385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3032 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 9 |
| 20-34 | 1262 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 697 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | 370 | 1.7 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 9 |
| 65+ | 151 | 1.6 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 2.7 | 4 | <1 | 1 | 2 | 4 | 5 | 8 | 8 |
| 20-34 | 38 | 3.2 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 35-49 | 13 | 3.8 | 6 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 50-64 | 10 | 4.5 | 19 | 1 | 1 | 3 | 8 | 11 | 14 | 14 |
| 65+ | 5 | 6.4 | 32 | 3 | 3 | 3 | 9 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1766 | 2.8 | 19 | <1 | 1 | 2 | 3 | 6 | 8 | 17 |
| 20-34 | 1543 | 3.0 | 29 | <1 | 1 | 2 | 3 | 5 | 9 | 24 |
| 35-49 | 1099 | 3.3 | 19 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| 50-64 | 808 | 3.4 | 16 | 1 | 1 | 2 | 4 | 7 | 11 | 22 |
| 65+ | 767 | 4.3 | 29 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 10.1 | 180 | 1 | 1 | 6 | 12 | 22 | 57 | 93 |
| 20-34 | 129 | 9.2 | 166 | 1 | 1 | 5 | 10 | 22 | 44 | 74 |
| 35-49 | 75 | 10.5 | 148 | 1 | 2 | 6 | 13 | 25 | 39 | 59 |
| 50-64 | 66 | 10.1 | 128 | 1 | 2 | 6 | 15 | 21 | 30 | 59 |
| 65+ | 65 | 13.6 | 258 | 2 | 2 | 9 | 15 | 33 | 50 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5512 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| B. *Operated* | 105 | 3.4 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5983 | 3.2 | 23 | <1 | 1 | 2 | 3 | 6 | 10 | 22 |
| B. *Operated* | 400 | 10.4 | 174 | 1 | 1 | 6 | 12 | 25 | 44 | 70 |
| **1. SINGLE DX** | 5617 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 6383 | 3.7 | 35 | <1 | 1 | 2 | 4 | 7 | 11 | 29 |
| **A. NOT OPERATED** | 11495 | 2.5 | 14 | <1 | 1 | 1 | 3 | 5 | 7 | 18 |
| **B. OPERATED** | 505 | 9.0 | 147 | 1 | 1 | 5 | 10 | 20 | 39 | 66 |
| TOTAL 0-19 YRS | 4902 | 2.3 | 12 | <1 | 1 | 1 | 2 | 5 | 6 | 14 |
| 20-34 | 2972 | 2.7 | 25 | <1 | 1 | 1 | 2 | 5 | 7 | 23 |
| 35-49 | 1884 | 3.0 | 21 | <1 | 1 | 2 | 3 | 6 | 9 | 23 |
| 50-64 | 1254 | 3.3 | 21 | 1 | 1 | 2 | 3 | 6 | 11 | 22 |
| 65+ | 988 | 4.5 | 47 | 1 | 1 | 2 | 5 | 9 | 15 | 34 |
| **GRAND TOTAL** | **12000** | **2.8** | **21** | **<1** | **1** | **1** | **3** | **6** | **8** | **22** |

## 386: Miscellaneous adverse effects (990-994; 995)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1284 | 2.2 | 14 | <1 | 1 | 1 | 2 | 4 | 6 | 10 |
| 20-34 | 792 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 11 |
| 35-49 | 599 | 2.2 | 6 | <1 | 1 | 1 | 2 | 4 | 5 | 13 |
| 50-64 | 421 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 65+ | 311 | 2.8 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.8 | 38 | <1 | 1 | 2 | 5 | 12 | 22 | 24 |
| 20-34 | 20 | 4.4 | 31 | 1 | 1 | 2 | 4 | 12 | 19 | 23 |
| 35-49 | 39 | 6.2 | 41 | 1 | 1 | 5 | 9 | 15 | 20 | 29 |
| 50-64 | 17 | 7.9 | 91 | 1 | 1 | 4 | 9 | 22 | 33 | 38 |
| 65+ | 10 | 4.5 | 14 | 1 | 1 | 3 | 6 | 10 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1659 | 3.4 | 22 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |
| 20-34 | 1497 | 3.0 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 1555 | 3.6 | 23 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 50-64 | 2020 | 4.5 | 23 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| 65+ | 4688 | 5.9 | 30 | 1 | 2 | 5 | 7 | 11 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 130 | 11.2 | 294 | 1 | 1 | 5 | 16 | 35 | 89 | 99+ |
| 20-34 | 219 | 7.5 | 148 | 1 | 1 | 3 | 8 | 19 | 36 | 77 |
| 35-49 | 209 | 8.9 | 175 | 1 | 1 | 4 | 10 | 24 | 46 | 99+ |
| 50-64 | 291 | 11.0 | 167 | 1 | 1 | 7 | 13 | 27 | 36 | 72 |
| 65+ | 556 | 10.8 | 129 | 1 | 1 | 8 | 14 | 26 | 39 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3407 | 2.2 | 8 | <1 | 1 | 1 | 3 | 4 | 6 | 11 |
| B. *Operated* | 111 | 5.6 | 44 | 1 | 1 | 3 | 8 | 13 | 23 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11419 | 4.6 | 25 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| B. *Operated* | 1405 | 10.1 | 163 | 1 | 1 | 6 | 13 | 26 | 40 | 99+ |
| **1. SINGLE DX** | 3518 | 2.3 | 10 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | 12824 | 5.2 | 43 | 1 | 1 | 3 | 6 | 11 | 15 | 37 |
| **A. NOT OPERATED** | 14826 | 4.1 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **B. OPERATED** | 1516 | 9.8 | 156 | 1 | 1 | 6 | 12 | 25 | 39 | 99+ |
| TOTAL 0-19 YRS | 3098 | 3.3 | 33 | 1 | 1 | 2 | 3 | 6 | 9 | 31 |
| 20-34 | 2528 | 3.1 | 21 | <1 | 1 | 2 | 3 | 6 | 9 | 20 |
| 35-49 | 2402 | 3.8 | 35 | 1 | 1 | 2 | 4 | 7 | 11 | 30 |
| 50-64 | 2749 | 4.9 | 41 | 1 | 1 | 3 | 6 | 10 | 15 | 33 |
| 65+ | 5565 | 6.2 | 41 | 1 | 1 | 5 | 7 | 12 | 17 | 36 |
| **GRAND TOTAL** | **16342** | **4.6** | **37** | **1** | **1** | **3** | **5** | **9** | **14** | **33** |

## 387: Complications peculiar to certain specified procedures (996)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 198 | 3.3 | 14 | <1 | 1 | 2 | 4 | 7 | 11 | 17 |
| 20-34 | 194 | 3.9 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 165 | 4.8 | 27 | 1 | 1 | 3 | 6 | 9 | 16 | 21 |
| 50-64 | 192 | 5.2 | 46 | <1 | 1 | 3 | 6 | 11 | 15 | 31 |
| 65+ | 296 | 6.0 | 50 | 1 | 1 | 4 | 7 | 12 | 20 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1052 | 4.2 | 19 | <1 | 1 | 3 | 5 | 8 | 11 | 25 |
| 20-34 | 1587 | 4.1 | 21 | <1 | 1 | 2 | 5 | 9 | 12 | 22 |
| 35-49 | 1482 | 5.2 | 29 | <1 | 1 | 3 | 7 | 12 | 15 | 29 |
| 50-64 | 2173 | 6.6 | 41 | 1 | 1 | 5 | 9 | 14 | 17 | 30 |
| 65+ | 3445 | 6.8 | 41 | 1 | 1 | 5 | 10 | 15 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 707 | 5.2 | 31 | 1 | 1 | 3 | 7 | 11 | 15 | 27 |
| 20-34 | 715 | 5.6 | 39 | 1 | 1 | 4 | 7 | 11 | 14 | 40 |
| 35-49 | 706 | 5.6 | 27 | 1 | 1 | 4 | 7 | 11 | 16 | 26 |
| 50-64 | 1014 | 6.2 | 43 | 1 | 1 | 4 | 8 | 13 | 17 | 37 |
| 65+ | 2236 | 6.9 | 46 | 1 | 1 | 5 | 9 | 14 | 18 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3084 | 7.8 | 82 | 1 | 2 | 5 | 9 | 19 | 26 | 47 |
| 20-34 | 3559 | 7.7 | 98 | 1 | 1 | 5 | 9 | 17 | 27 | 55 |
| 35-49 | 4922 | 7.8 | 79 | 1 | 1 | 5 | 10 | 17 | 24 | 49 |
| 50-64 | 9064 | 9.0 | 97 | 1 | 1 | 6 | 12 | 19 | 27 | 53 |
| 65+ | 15697 | 10.2 | 117 | 1 | 2 | 7 | 13 | 22 | 31 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1045 | 4.8 | 33 | <1 | 1 | 3 | 6 | 10 | 14 | 32 |
| B. *Operated* | 9739 | 5.8 | 35 | 1 | 1 | 4 | 8 | 13 | 16 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5378 | 6.2 | 40 | 1 | 1 | 4 | 8 | 13 | 17 | 33 |
| B. *Operated* | 36326 | 9.1 | 103 | 1 | 1 | 6 | 12 | 20 | 28 | 55 |
| **1. SINGLE DX** | 10784 | 5.7 | 35 | 1 | 1 | 4 | 8 | 13 | 16 | 29 |
| **2. MULTIPLE DX** | 41704 | 8.7 | 96 | 1 | 1 | 6 | 11 | 19 | 27 | 53 |
| **A. NOT OPERATED** | 6423 | 6.0 | 39 | 1 | 1 | 4 | 8 | 12 | 16 | 32 |
| **B. OPERATED** | 46065 | 8.4 | 91 | 1 | 1 | 5 | 11 | 18 | 26 | 51 |
| TOTAL 0-19 YRS | 5041 | 6.5 | 62 | 1 | 1 | 4 | 8 | 15 | 22 | 42 |
| 20-34 | 6055 | 6.4 | 71 | 1 | 1 | 4 | 8 | 13 | 21 | 46 |
| 35-49 | 7275 | 7.0 | 64 | 1 | 1 | 4 | 9 | 15 | 21 | 44 |
| 50-64 | 12443 | 8.3 | 83 | 1 | 1 | 6 | 11 | 18 | 24 | 48 |
| 65+ | 21674 | 9.2 | 99 | 1 | 2 | 6 | 12 | 20 | 28 | 55 |
| **GRAND TOTAL** | **52488** | **8.1** | **85** | **1** | **1** | **5** | **10** | **18** | **25** | **50** |

## 388: Hemorrhage or hematoma complicating a procedure (998.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 641 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 20-34 | 731 | 2.1 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 427 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | 482 | 3.0 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 65+ | 744 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 721 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 836 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 489 | 2.8 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 50-64 | 308 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 65+ | 322 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 219 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 20-34 | 436 | 3.1 | 13 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 35-49 | 405 | 3.5 | 9 | 1 | 1 | 3 | 4 | 7 | 11 | 15 |
| 50-64 | 693 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 1550 | 4.3 | 22 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 284 | 2.4 | 10 | 1 | 1 | 1 | 3 | 5 | 8 | 19 |
| 20-34 | 677 | 3.3 | 14 | 1 | 1 | 2 | 4 | 7 | 9 | 20 |
| 35-49 | 630 | 4.3 | 23 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| 50-64 | 715 | 5.1 | 44 | 1 | 1 | 3 | 6 | 11 | 15 | 39 |
| 65+ | 1489 | 5.1 | 44 | 1 | 1 | 3 | 6 | 11 | 16 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3025 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 2676 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3303 | 3.7 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 3795 | 4.5 | 33 | 1 | 1 | 3 | 5 | 10 | 14 | 29 |
| **1. SINGLE DX** | 5701 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | 7098 | 4.1 | 25 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| **A. NOT OPERATED** | 6328 | 3.1 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 6471 | 3.6 | 23 | 1 | 1 | 2 | 4 | 8 | 11 | 23 |
| TOTAL 0-19 YRS | 1865 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 2680 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 1951 | 3.4 | 12 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 50-64 | 2198 | 3.9 | 19 | 1 | 1 | 3 | 5 | 7 | 10 | 22 |
| 65+ | 4105 | 4.4 | 26 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| **GRAND TOTAL** | **12799** | **3.4** | **17** | **1** | **1** | **2** | **4** | **7** | **9** | **19** |

## 389: Postoperative wound infection (998.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 280 | 5.1 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| 20-34 | 613 | 4.9 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 458 | 5.2 | 13 | 1 | 2 | 4 | 7 | 9 | 11 | 22 |
| 50-64 | 360 | 6.2 | 31 | 2 | 2 | 5 | 8 | 11 | 13 | 18 |
| 65+ | 236 | 7.0 | 39 | 2 | 2 | 5 | 9 | 13 | 17 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 250 | 7.0 | 30 | 1 | 2 | 6 | 9 | 13 | 16 | 26 |
| 20-34 | 400 | 6.8 | 38 | 1 | 2 | 5 | 8 | 14 | 18 | 29 |
| 35-49 | 388 | 7.4 | 39 | 1 | 2 | 6 | 9 | 15 | 20 | 31 |
| 50-64 | 299 | 8.7 | 63 | 1 | 2 | 6 | 11 | 18 | 23 | 43 |
| 65+ | 251 | 9.5 | 74 | 1 | 2 | 7 | 12 | 20 | 28 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 329 | 5.7 | 19 | 2 | 2 | 5 | 7 | 11 | 14 | 21 |
| 20-34 | 740 | 6.1 | 23 | 2 | 2 | 5 | 7 | 12 | 15 | 25 |
| 35-49 | 834 | 6.9 | 25 | 2 | 3 | 5 | 9 | 13 | 16 | 25 |
| 50-64 | 1035 | 7.8 | 32 | 2 | 3 | 6 | 10 | 15 | 18 | 28 |
| 65+ | 1404 | 9.0 | 54 | 2 | 3 | 7 | 11 | 17 | 22 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 378 | 9.2 | 58 | 2 | 2 | 7 | 12 | 19 | 23 | 42 |
| 20-34 | 836 | 10.7 | 105 | 2 | 3 | 8 | 14 | 24 | 32 | 59 |
| 35-49 | 967 | 12.0 | 117 | 2 | 3 | 9 | 15 | 26 | 35 | 57 |
| 50-64 | 1332 | 14.3 | 171 | 2 | 3 | 10 | 18 | 31 | 42 | 75 |
| 65+ | 1602 | 16.1 | 200 | 3 | 4 | 12 | 21 | 34 | 46 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1947 | 5.5 | 21 | 2 | 2 | 4 | 7 | 10 | 13 | 20 |
| B. *Operated* | 1588 | 7.8 | 48 | 1 | 2 | 6 | 10 | 16 | 20 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4342 | 7.6 | 37 | 2 | 3 | 6 | 9 | 14 | 18 | 30 |
| B. *Operated* | 5115 | 13.5 | 156 | 2 | 3 | 10 | 17 | 29 | 40 | 67 |
| **1. SINGLE DX** | 3535 | 6.5 | 34 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| **2. MULTIPLE DX** | 9457 | 10.8 | 110 | 2 | 3 | 8 | 13 | 22 | 31 | 58 |
| **A. NOT OPERATED** | 6289 | 6.9 | 33 | 2 | 2 | 5 | 9 | 13 | 17 | 28 |
| **B. OPERATED** | 6703 | 12.1 | 136 | 2 | 3 | 8 | 15 | 26 | 36 | 62 |
| TOTAL 0-19 YRS | 1237 | 6.9 | 35 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| 20-34 | 2589 | 7.4 | 55 | 2 | 2 | 5 | 9 | 15 | 21 | 42 |
| 35-49 | 2647 | 8.6 | 66 | 2 | 2 | 6 | 10 | 18 | 24 | 45 |
| 50-64 | 3026 | 10.5 | 107 | 2 | 3 | 8 | 13 | 21 | 31 | 58 |
| 65+ | 3493 | 12.1 | 135 | 2 | 3 | 8 | 15 | 25 | 35 | 66 |
| **GRAND TOTAL** | **12992** | **9.6** | **93** | **2** | **2** | **7** | **12** | **20** | **28** | **53** |

## 390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 214 | 2.7 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 496 | 3.1 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 13 |
| 35-49 | 441 | 4.5 | 17 | 1 | 1 | 3 | 6 | 10 | 12 | 19 |
| 50-64 | 349 | 4.4 | 15 | 1 | 1 | 3 | 6 | 10 | 13 | 18 |
| 65+ | 299 | 4.7 | 18 | 1 | 1 | 3 | 6 | 10 | 12 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 283 | 3.5 | 20 | <1 | <1 | 2 | 4 | 8 | 9 | 28 |
| 20-34 | 579 | 4.4 | 25 | <1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 35-49 | 576 | 5.4 | 23 | 1 | 1 | 4 | 7 | 10 | 13 | 25 |
| 50-64 | 528 | 5.9 | 40 | 1 | 1 | 4 | 8 | 13 | 18 | 29 |
| 65+ | 517 | 5.6 | 32 | 1 | 1 | 4 | 8 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 525 | 3.2 | 11 | 1 | 1 | 2 | 4 | 7 | 10 | 15 |
| 20-34 | 1126 | 3.8 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 1148 | 4.7 | 20 | 1 | 1 | 3 | 7 | 10 | 12 | 21 |
| 50-64 | 1441 | 5.7 | 27 | 1 | 1 | 4 | 8 | 11 | 15 | 26 |
| 65+ | 2374 | 6.1 | 46 | 1 | 1 | 4 | 8 | 12 | 16 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 846 | 4.5 | 50 | 1 | 1 | 2 | 5 | 11 | 18 | 35 |
| 20-34 | 1902 | 5.1 | 54 | 1 | 1 | 2 | 6 | 12 | 18 | 38 |
| 35-49 | 2241 | 7.3 | 86 | 1 | 1 | 4 | 10 | 17 | 24 | 48 |
| 50-64 | 2862 | 8.9 | 114 | 1 | 1 | 6 | 11 | 21 | 31 | 68 |
| 65+ | 4871 | 8.5 | 111 | 1 | 1 | 5 | 11 | 21 | 29 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1799 | 3.9 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| B. *Operated* | 2483 | 5.1 | 29 | <1 | 1 | 3 | 7 | 10 | 14 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6614 | 5.2 | 30 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| B. *Operated* | 12722 | 7.6 | 97 | 1 | 1 | 4 | 10 | 18 | 27 | 55 |
| **1. SINGLE DX** | 4282 | 4.6 | 23 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| **2. MULTIPLE DX** | 19336 | 6.8 | 75 | 1 | 1 | 4 | 9 | 15 | 23 | 46 |
| **A. NOT OPERATED** | 8413 | 4.9 | 27 | 1 | 1 | 3 | 7 | 10 | 13 | 24 |
| **B. OPERATED** | 15205 | 7.2 | 87 | 1 | 1 | 4 | 9 | 17 | 25 | 51 |
| TOTAL 0-19 YRS | 1868 | 3.8 | 30 | 1 | 1 | 2 | 4 | 9 | 13 | 29 |
| 20-34 | 4103 | 4.4 | 34 | 1 | 1 | 2 | 5 | 10 | 14 | 30 |
| 35-49 | 4406 | 6.1 | 55 | 1 | 1 | 4 | 8 | 13 | 19 | 37 |
| 50-64 | 5180 | 7.4 | 78 | 1 | 1 | 5 | 9 | 17 | 24 | 52 |
| 65+ | 8061 | 7.5 | 85 | 1 | 1 | 5 | 10 | 17 | 24 | 50 |
| **GRAND TOTAL** | **23618** | **6.4** | **67** | **1** | **1** | **4** | **8** | **14** | **21** | **43** |

### 391: Other complications of medical care, except drugs (999)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 2.1 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 48 | 3.3 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 35-49 | 37 | 3.5 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 50-64 | 28 | 3.4 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 65+ | 17 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 12 | <1 | <1 | 1 | 5 | 7 | 7 | 7 |
| 20-34 | 3 | 2.3 | 1 | <1 | <1 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 11 | 4.7 | 7 | 1 | 2 | 4 | 6 | 9 | 9 | 9 |
| 50-64 | 5 | 8.6 | 122 | <1 | <1 | 4 | 12 | 28 | 28 | 28 |
| 65+ | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 182 | 3.2 | 9 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| 20-34 | 102 | 4.4 | 13 | 1 | 1 | 3 | 6 | 8 | 11 | 20 |
| 35-49 | 109 | 4.6 | 12 | 1 | 1 | 4 | 6 | 9 | 13 | 17 |
| 50-64 | 156 | 4.6 | 22 | 1 | 1 | 3 | 6 | 10 | 13 | 29 |
| 65+ | 249 | 3.9 | 12 | 1 | 1 | 3 | 6 | 9 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.3 | 51 | <1 | <1 | 2 | 8 | 12 | 23 | 27 |
| 20-34 | 43 | 9.3 | 146 | 1 | 2 | 6 | 11 | 17 | 31 | 66 |
| 35-49 | 56 | 9.7 | 103 | 1 | 1 | 6 | 12 | 25 | 34 | 49 |
| 50-64 | 63 | 8.1 | 67 | 1 | 2 | 6 | 10 | 18 | 22 | 47 |
| 65+ | 87 | 8.9 | 77 | 1 | 2 | 7 | 12 | 19 | 21 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 249 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 10 |
| B. *Operated* | 25 | 4.8 | 29 | <1 | <1 | 3 | 6 | 9 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 798 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| B. *Operated* | 264 | 8.7 | 89 | 1 | 1 | 6 | 11 | 19 | 25 | 50 |
| **1. SINGLE DX** | 274 | 2.9 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 1062 | 5.2 | 37 | 1 | 1 | 3 | 6 | 11 | 15 | 29 |
| **A. NOT OPERATED** | 1047 | 3.7 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **B. OPERATED** | 289 | 8.4 | 85 | 1 | 1 | 6 | 11 | 18 | 25 | 50 |
| TOTAL 0-19 YRS | 319 | 2.9 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 18 |
| 20-34 | 196 | 5.1 | 45 | 1 | 1 | 3 | 6 | 10 | 14 | 38 |
| 35-49 | 213 | 5.8 | 40 | 1 | 1 | 4 | 7 | 12 | 15 | 36 |
| 50-64 | 252 | 5.4 | 35 | 1 | 1 | 4 | 7 | 11 | 17 | 29 |
| 65+ | 356 | 5.0 | 32 | 1 | 1 | 3 | 7 | 11 | 15 | 27 |
| **GRAND TOTAL** | **1336** | **4.7** | **32** | **1** | **1** | **3** | **6** | **10** | **14** | **28** |

### 392: Admission for prophylactic sterilization (V25.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 23 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 35-49 | 4 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 20-34 | 5937 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 35-49 | 2728 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 50-64 | 15 | 1.1 | | <1 | <1 | <1 | <1 | 1 | 2 | 2 |
| 65+ | 4 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 155 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 35-49 | 71 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 7 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 2.9 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 4468 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 7 |
| 35-49 | 2562 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 50-64 | 14 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| 65+ | 5 | 2.4 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 1.3 | 1 | <1 | <1 | 1 | 1 | 3 | 3 | 4 |
| B. *Operated* | 8727 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 230 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| B. *Operated* | 7106 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 7 |
| **1. SINGLE DX** | 8754 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | 7336 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| **A. NOT OPERATED** | 257 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| **B. OPERATED** | 15833 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| TOTAL 0-19 YRS | 103 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 10583 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 5365 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 30 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 65+ | 9 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| **GRAND TOTAL** | **16090** | **1.7** | **1** | **<1** | **<1** | **1** | **2** | **3** | **4** | **6** |

### 393: Single liveborn, born in hospital (V30.0; V39.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 13 | 39.8 | 304 | 17 | 19 | 33 | 50 | 66 | 75 | 77 |
| 1500-1749 | 14 | 20.8 | 48 | 9 | 12 | 22 | 26 | 30 | 30 | 30 |
| 1750-2499 | 6221 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 10 |
| 2500+ | 418795 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 1 | 88.0 | | 88 | 88 | 88 | 88 | 88 | 88 | 88 |
| 1000-1499 | 4 | 35.3 | 472 | 8 | 8 | 37 | 52 | 58 | 58 | 58 |
| 1500-1749 | 4 | 26.5 | 15 | 23 | 23 | 25 | 29 | 32 | 32 | 32 |
| 1750-2499 | 18 | 8.5 | 24 | 2 | 2 | 9 | 13 | 15 | 16 | 16 |
| 2500+ | 161 | 4.5 | 15 | 1 | 2 | 3 | 5 | 10 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 113 | 67.3 | 354 | 39 | 46 | 73 | 93 | 99+ | 99+ | 99+ |
| 1000-1499 | 828 | 39.2 | 247 | 17 | 22 | 37 | 48 | 62 | 69 | 92 |
| 1500-1749 | 1214 | 24.1 | 93 | 12 | 14 | 23 | 29 | 36 | 41 | 54 |
| 1750-2499 | 20257 | 6.7 | 38 | 1 | 2 | 5 | 8 | 15 | 19 | 30 |
| 2500+ | 256747 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 334 | 74.4 | 241 | 52 | 60 | 89 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 1023 | 51.2 | 344 | 23 | 25 | 51 | 66 | 85 | 99 | 99+ |
| 1500-1749 | 604 | 33.1 | 198 | 15 | 19 | 31 | 40 | 54 | 68 | 99+ |
| 1750-2499 | 2094 | 17.2 | 167 | 2 | 5 | 15 | 23 | 33 | 44 | 98 |
| 2500+ | 5767 | 7.8 | 78 | 1 | 2 | 5 | 9 | 15 | 23 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 425043 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | 188 | 6.5 | 88 | 1 | 2 | 4 | 7 | 14 | 19 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 279159 | 3.9 | 16 | 1 | 2 | 3 | 4 | 6 | 8 | 19 |
| B. *Operated* | 9822 | 18.2 | 436 | 2 | 3 | 10 | 27 | 60 | 83 | 99+ |
| **1. SINGLE DX** | 425231 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 288981 | 4.3 | 37 | 1 | 2 | 3 | 5 | 6 | 10 | 35 |
| **A. NOT OPERATED** | 704202 | 3.1 | 8 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| **B. OPERATED** | 10010 | 17.9 | 432 | 2 | 3 | 9 | 26 | 59 | 82 | 99+ |
| TOTAL 1-999 G | 448 | 72.6 | 279 | 47 | 55 | 86 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 1868 | 45.8 | 337 | 19 | 24 | 44 | 59 | 75 | 90 | 99+ |
| 1500-1749 | 1836 | 27.0 | 145 | 12 | 15 | 25 | 33 | 42 | 51 | 81 |
| 1750-2499 | 28590 | 6.7 | 51 | 1 | 2 | 4 | 8 | 15 | 20 | 34 |
| 2500+ | 681470 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **GRAND TOTAL** | **714212** | **3.3** | **17** | **1** | **1** | **3** | **4** | **5** | **6** | **17** |

### 394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 2 | 19.5 | 221 | 9 | 9 | 19 | 30 | 30 | 30 | 30 |
| 1500-1749 | 8 | 17.5 | 55 | 8 | 9 | 16 | 19 | 29 | 33 | 33 |
| 1750-2499 | 874 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 2500+ | 3689 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 8 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 5 | 12.8 | 43 | 5 | 5 | 10 | 19 | 21 | 21 | 21 |
| 2500+ | 6 | 17.2 | 1012 | 2 | 2 | 4 | 7 | 74 | 82 | 82 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 26 | 67.0 | 321 | 36 | 44 | 71 | 87 | 99 | 99+ | 99+ |
| 1000-1499 | 180 | 36.8 | 209 | 15 | 21 | 36 | 47 | 56 | 70 | 94 |
| 1500-1749 | 329 | 24.2 | 119 | 11 | 13 | 22 | 30 | 37 | 43 | 61 |
| 1750-2499 | 3568 | 8.7 | 42 | 3 | 3 | 6 | 12 | 17 | 21 | 32 |
| 2500+ | 3554 | 4.9 | 7 | 2 | 3 | 5 | 6 | 7 | 8 | 16 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 72 | 74.6 | 302 | 43 | 58 | 88 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 236 | 51.7 | 317 | 25 | 32 | 53 | 65 | 92 | 99+ | 99+ |
| 1500-1749 | 165 | 33.5 | 134 | 18 | 22 | 31 | 39 | 51 | 62 | 96 |
| 1750-2499 | 367 | 20.0 | 178 | 5 | 6 | 17 | 25 | 34 | 50 | 68 |
| 2500+ | 106 | 8.4 | 48 | 2 | 3 | 6 | 11 | 16 | 19 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4573 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| B. *Operated* | 11 | 15.2 | 528 | 2 | 3 | 7 | 16 | 45 | 79 | 82 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7657 | 8.4 | 81 | 2 | 3 | 5 | 9 | 17 | 25 | 48 |
| B. *Operated* | 946 | 33.1 | 552 | 5 | 7 | 29 | 54 | 83 | 99+ | 99+ |
| **1. SINGLE DX** | 4584 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 8603 | 11.2 | 192 | 2 | 3 | 6 | 13 | 27 | 44 | 90 |
| **A. NOT OPERATED** | 12230 | 6.8 | 57 | 2 | 3 | 5 | 6 | 14 | 21 | 41 |
| **B. OPERATED** | 957 | 32.9 | 555 | 5 | 7 | 29 | 54 | 82 | 99+ | 99+ |
| TOTAL 1-999 G | 98 | 72.6 | 315 | 41 | 54 | 86 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 418 | 45.1 | 326 | 17 | 25 | 45 | 59 | 78 | 98 | 99+ |
| 1500-1749 | 502 | 27.2 | 143 | 12 | 15 | 25 | 33 | 42 | 50 | 71 |
| 1750-2499 | 4814 | 8.8 | 59 | 2 | 3 | 6 | 11 | 18 | 23 | 38 |
| 2500+ | 7355 | 4.5 | 7 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| **GRAND TOTAL** | **13187** | **8.7** | **138** | **2** | **3** | **5** | **7** | **20** | **33** | **79** |

### 395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 63 | 3.0 | 5 | <1 | 1 | 3 | 3 | 6 | 6 | 14 |
| 2500+ | 1071 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 2500+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 1 | 69.0 | | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| 1000-1499 | 13 | 28.6 | 272 | 8 | 10 | 26 | 38 | 48 | 65 | 69 |
| 1500-1749 | 14 | 21.6 | 48 | 12 | 14 | 20 | 26 | 31 | 33 | 34 |
| 1750-2499 | 179 | 7.7 | 52 | 1 | 2 | 5 | 12 | 17 | 22 | 28 |
| 2500+ | 630 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 4 | 88.8 | 147 | 71 | 75 | 97 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 11 | 58.8 | 537 | 23 | 28 | 67 | 74 | 99 | 99+ | 99+ |
| 1500-1749 | 8 | 23.3 | 278 | 7 | 8 | 19 | 36 | 48 | 51 | 51 |
| 1750-2499 | 17 | 19.9 | 284 | 6 | 7 | 13 | 24 | 41 | 63 | 73 |
| 2500+ | 33 | 8.8 | 162 | 2 | 2 | 6 | 9 | 14 | 20 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1134 | 2.2 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| B. *Operated* | 2 | 17.0 | 450 | 2 | 2 | 17 | 32 | 32 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 837 | 5.0 | 42 | 1 | 1 | 3 | 5 | 11 | 17 | 31 |
| B. *Operated* | 73 | 24.9 | 771 | 2 | 3 | 12 | 42 | 88 | 99 | 99+ |
| **1. SINGLE DX** | 1136 | 2.2 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 910 | 6.6 | 129 | 1 | 1 | 3 | 6 | 14 | 24 | 75 |
| **A. NOT OPERATED** | 1971 | 3.4 | 21 | 1 | 1 | 2 | 3 | 6 | 10 | 23 |
| **B. OPERATED** | 75 | 24.7 | 758 | 2 | 3 | 12 | 42 | 85 | 99 | 99+ |
| TOTAL 1-999 G | 5 | 84.8 | 188 | 69 | 70 | 96 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 24 | 42.5 | 612 | 10 | 14 | 37 | 69 | 74 | 98 | 99+ |
| 1500-1749 | 22 | 22.2 | 123 | 8 | 9 | 20 | 30 | 36 | 46 | 51 |
| 1750-2499 | 260 | 7.5 | 72 | 1 | 1 | 4 | 10 | 18 | 23 | 43 |
| 2500+ | 1735 | 2.6 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **GRAND TOTAL** | **2046** | **4.1** | **63** | **1** | **1** | **2** | **3** | **7** | **13** | **51** |

### 396: Aftercare for removal of internal fixation device (V54.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 2.3 | 9 | <1 | <1 | 1 | 2 | 4 | 8 | 18 |
| 20-34 | 32 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 16 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 50-64 | 16 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 65+ | 9 | 2.7 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1950 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 20-34 | 2679 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 1265 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 951 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 554 | 3.2 | 10 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 4.1 | 180 | <1 | <1 | 1 | 3 | 5 | 8 | 88 |
| 20-34 | 41 | 1.5 | 3 | <1 | <1 | 1 | 1 | 3 | 3 | 11 |
| 35-49 | 17 | 1.4 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 24 | 2.6 | 9 | <1 | <1 | 1 | 3 | 7 | 11 | 12 |
| 65+ | 35 | 5.1 | 28 | <1 | 1 | 3 | 8 | 13 | 18 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 932 | 3.0 | 13 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 820 | 3.4 | 19 | <1 | 1 | 2 | 4 | 6 | 10 | 23 |
| 35-49 | 556 | 3.6 | 14 | <1 | 1 | 3 | 4 | 7 | 9 | 21 |
| 50-64 | 536 | 4.0 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 65+ | 559 | 5.1 | 39 | 1 | 1 | 3 | 6 | 10 | 15 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 13 |
| B. *Operated* | 7399 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 159 | 3.1 | 57 | <1 | <1 | 1 | 3 | 7 | 11 | 20 |
| B. *Operated* | 3403 | 3.7 | 20 | <1 | 1 | 2 | 4 | 7 | 10 | 23 |
| **1. SINGLE DX** | 7515 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 3562 | 3.7 | 22 | <1 | 1 | 2 | 4 | 7 | 10 | 23 |
| **A. NOT OPERATED** | 275 | 2.7 | 35 | <1 | <1 | 1 | 3 | 4 | 9 | 19 |
| **B. OPERATED** | 10802 | 2.7 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| TOTAL 0-19 YRS | 2967 | 2.3 | 8 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 3572 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 1854 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 1527 | 2.9 | 9 | <1 | <1 | 2 | 3 | 5 | 8 | 14 |
| 65+ | 1157 | 4.2 | 25 | <1 | 1 | 3 | 5 | 8 | 12 | 23 |
| **GRAND TOTAL** | **11077** | **2.7** | **10** | **<1** | **<1** | **2** | **3** | **5** | **7** | **14** |

### 397: Aftercare involving intermittent dialysis (V56)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 1.2 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 4 |
| 20-34 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 6 | 1.2 | | 1 | 1 | 1 | 1 | 2 | 2 | 2 |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 5 | 2.8 | 3 | 2 | 2 | 2 | 3 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | 8 | 3.4 | 9 | <1 | <1 | 2 | 6 | 8 | 8 | 8 |
| 50-64 | 3 | 5.3 | 33 | 2 | 2 | 2 | 10 | 12 | 12 | 12 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 5 |
| 20-34 | 56 | 3.2 | 21 | 1 | 1 | 2 | 3 | 5 | 9 | 32 |
| 35-49 | 131 | 2.2 | 5 | 1 | 1 | 2 | 2 | 3 | 4 | 12 |
| 50-64 | 259 | 1.7 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 65+ | 279 | 1.7 | 1 | 1 | 1 | 2 | 2 | 2 | 4 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 5.4 | 16 | <1 | 1 | 4 | 8 | 11 | 14 | 15 |
| 20-34 | 215 | 2.1 | 11 | <1 | <1 | <1 | 2 | 4 | 6 | 15 |
| 35-49 | 159 | 3.3 | 13 | <1 | <1 | 2 | 4 | 7 | 10 | 14 |
| 50-64 | 209 | 3.6 | 29 | <1 | <1 | 2 | 4 | 8 | 11 | 23 |
| 65+ | 183 | 3.5 | 15 | <1 | <1 | 2 | 4 | 8 | 12 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 4 | 6 |
| B. *Operated* | 16 | 3.1 | 11 | <1 | <1 | 2 | 4 | 8 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 843 | 1.8 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| B. *Operated* | 784 | 3.1 | 18 | <1 | <1 | 2 | 4 | 7 | 10 | 19 |
| **1. SINGLE DX** | 45 | 2.1 | 5 | <1 | 1 | 1 | 2 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 1627 | 2.5 | 10 | <1 | <1 | 2 | 2 | 5 | 7 | 15 |
| **A. NOT OPERATED** | 872 | 1.8 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **B. OPERATED** | 800 | 3.1 | 17 | <1 | <1 | 2 | 4 | 7 | 10 | 19 |
| TOTAL 0-19 YRS | 152 | 1.7 | 4 | <1 | <1 | 1 | 1 | 3 | 5 | 12 |
| 20-34 | 275 | 2.3 | 13 | <1 | <1 | <1 | 2 | 5 | 7 | 16 |
| 35-49 | 304 | 2.8 | 9 | <1 | <1 | 2 | 3 | 6 | 7 | 14 |
| 50-64 | 473 | 2.6 | 15 | <1 | <1 | 2 | 3 | 5 | 8 | 19 |
| 65+ | 468 | 2.4 | 7 | <1 | <1 | 2 | 2 | 5 | 7 | 15 |
| **GRAND TOTAL** | **1672** | **2.5** | **10** | **<1** | **<1** | **2** | **2** | **5** | **7** | **15** |

### 398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5TH (5) | 10TH (6) | 50TH (7) | 75TH (8) | 90TH (9) | 95TH (10) | 99TH (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2998 | 2.3 | 17 | <1 | <1 | 1 | 2 | 4 | 6 | 17 |
| 20-34 | 4102 | 2.5 | 25 | <1 | <1 | 1 | 2 | 4 | 7 | 24 |
| 35-49 | 1808 | 3.2 | 32 | <1 | <1 | 1 | 3 | 6 | 15 | 27 |
| 50-64 | 1754 | 2.6 | 20 | <1 | <1 | 1 | 2 | 5 | 8 | 24 |
| 65+ | 1526 | 4.4 | 51 | <1 | <1 | 2 | 4 | 12 | 20 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1188 | 3.0 | 11 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| 20-34 | 3183 | 3.3 | 12 | <1 | <1 | 2 | 4 | 7 | 9 | 13 |
| 35-49 | 2136 | 3.7 | 10 | <1 | 1 | 2 | 5 | 8 | 10 | 14 |
| 50-64 | 1459 | 4.6 | 19 | <1 | 1 | 3 | 7 | 10 | 11 | 17 |
| 65+ | 966 | 5.9 | 39 | <1 | 1 | 5 | 9 | 12 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9241 | 4.3 | 68 | <1 | 1 | 2 | 4 | 7 | 15 | 49 |
| 20-34 | 8814 | 5.2 | 83 | <1 | 1 | 2 | 5 | 12 | 27 | 51 |
| 35-49 | 14098 | 4.0 | 41 | 1 | 1 | 2 | 4 | 7 | 14 | 32 |
| 50-64 | 34857 | 3.7 | 33 | 1 | 1 | 2 | 4 | 6 | 10 | 31 |
| 65+ | 37414 | 5.6 | 71 | 1 | 1 | 3 | 5 | 14 | 23 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3036 | 4.2 | 53 | <1 | 1 | 2 | 5 | 9 | 15 | 50 |
| 20-34 | 5109 | 4.7 | 61 | <1 | 1 | 3 | 5 | 9 | 14 | 50 |
| 35-49 | 6081 | 4.9 | 43 | <1 | 1 | 3 | 6 | 10 | 14 | 38 |
| 50-64 | 8829 | 5.8 | 51 | 1 | 1 | 4 | 7 | 12 | 17 | 42 |
| 65+ | 9934 | 7.3 | 88 | 1 | 1 | 4 | 9 | 15 | 24 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12188 | 2.8 | 27 | <1 | <1 | 1 | 3 | 5 | 10 | 25 |
| B. *Operated* | 8932 | 3.8 | 16 | <1 | <1 | 2 | 5 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 104424 | 4.6 | 55 | 1 | 1 | 2 | 5 | 8 | 19 | 41 |
| B. *Operated* | 32989 | 5.8 | 64 | 1 | 1 | 3 | 7 | 12 | 18 | 46 |
| **1. SINGLE DX** | 21120 | 3.3 | 23 | <1 | <1 | 2 | 4 | 8 | 10 | 24 |
| **2. MULTIPLE DX** | 137413 | 4.9 | 58 | 1 | 1 | 2 | 5 | 10 | 19 | 42 |
| **A. NOT OPERATED** | 116612 | 4.4 | 53 | 1 | 1 | 2 | 4 | 8 | 18 | 39 |
| **B. OPERATED** | 41921 | 5.4 | 54 | <1 | 1 | 3 | 7 | 11 | 16 | 42 |
| TOTAL 0-19 YRS | 16463 | 3.8 | 52 | <1 | <1 | 2 | 4 | 7 | 12 | 44 |
| 20-34 | 21208 | 4.3 | 57 | <1 | <1 | 2 | 4 | 8 | 17 | 39 |
| 35-49 | 24123 | 4.1 | 38 | <1 | 1 | 2 | 5 | 8 | 13 | 33 |
| 50-64 | 46899 | 4.1 | 36 | 1 | 1 | 2 | 5 | 8 | 12 | 32 |
| 65+ | 49840 | 5.9 | 73 | 1 | 1 | 3 | 6 | 14 | 23 | 46 |
| **GRAND TOTAL** | **158533** | **4.7** | **53** | **<1** | **1** | **2** | **5** | **10** | **17** | **40** |

# Appendix

## *ICD-9-CM* Codes for Selected Diagnosis Groups

# *ICD-9-CM* Codes for Selected Diagnosis Groups

*ICD-9-CM* codes for diagnosis groups 193, 268, 286, 287, 290, and 380

| | | |
|---|---|---|
| 193 | Nongastric peptic ulcer with hemorrhage or perforation | 532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60 |
| 268 | Miscellaneous complications of pregnancy without delivery | 644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3 |
| 286 | Other obstetrical trauma | 664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2 |
| 287 | Miscellaneous complications of delivery | 642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2 |

| | | |
|---|---|---|
| 290 | Other puerperal complications | 646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4 |
| 380 | Third degree burns | 941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5 |

# Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

| Group Number | Title |
|---|---|
| 211 | Abdominal angina |
| 165 | Abdominal aortic aneurysm |
| 338 | Abdominal pain |
| 258 | Abortion, except spontaneous, elective, legal, therapeutic, and threatened |
| 255 | Abortion, elective |
| 256 | Abortion, illegal |
| 258 | Abortion, missed |
| 256 | Abortion, self-induced |
| 257 | Abortion, spontaneous |
| 255 | Abortion, therapeutic |
| 259 | Abortion, threatened |
| 210 | Abscess, anal |
| 312 | Abscess, bone |
| 292 | Abscess, digit |
| 188 | Abscess, mouth |
| 188 | Abscess, salivary gland |
| 291 | Abscess, skin and subcutaneous tissue, except digit |
| 188 | Abscess, tongue |
| 81 | Acidosis, except diabetic |
| 72 | Acidosis, diabetic |
| 107 | Acute alcoholic intoxication, except in chronic alcoholism |
| 104 | Acute alcoholic intoxication in chronic alcoholism |
|  | Acute appendicitis – *see Appendicitis, acute* |
| 174 | Acute bronchitis |
| 122 | Acute glaucoma |
| 84 | Acute hemorrhagic anemia |
| 48 | Acute leukemia, except lymphocytic or lymphoid |
| 47 | Acute leukemia, lymphocytic or lymphoid |
| 140 | Acute myocardial infarction |
| 95 | Acute schizophrenic episode |
|  | Addiction – *see Dependence* |
|  | Adenocarcinoma – *see Neoplasm, malignant* |
| 245 | Adenomyosis |
| 110 | Adjustment reaction |
| 207 | Adynamic ileus |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 107 | Alcohol abuse |
| 104 | Alcohol dependence |
| 107 | Alcohol intoxication, except in chronic alcoholism |
| 104 | Alcohol intoxication in chronic alcoholism |
| 92 | Alcoholic psychosis |
| 104 | Alcoholism, chronic |
| 81 | Alkalosis |
| 183 | Allergic bronchitis |
| 1 | Amebiasis |
| 140 | AMI |
| 340 | Amnesia |
| 372 | Amputation, traumatic, lower limb |
| 371 | Amputation, traumatic, upper limb |
| 79 | Amyloidosis |
| 210 | Anal abscess |
| 210 | Anal fissure |
| 210 | Anal fistula |
| 391 | Anaphylactic shock, except due to drugs |
| 386 | Anaphylactic shock due to drugs |
| 84 | Anemia, except iron deficiency, sickle cell, and of pregnancy |
| 84 | Anemia, aplastic |
| 82 | Anemia, iron deficiency |
| 267 | Anemia of pregnancy |
| 269 | Anemia of pregnancy, with delivery |
| 83 | Anemia, sickle cell |
| 166 | Aneurysm, except aorta |
| 165 | Aneurysm, aorta |
| 211 | Angina, abdominal |
| 141 | Angina pectoris |
| 54 | Angioma |
| 301 | Ankylosis |
|  | Anomaly, congenital |
| 318 | Central nervous system |
| 320 | Circulatory system |
| 323 | Digestive system, except cleft palate and lip, and pyloric stenosis |
| 319 | Ear |
| 319 | Eye |
| 327 | Generalized |
| 325 | Genitourinary system, except undescended testis and urethral stenosis |
| 320 | Heart |
| 317 | Musculoskeletal system, except clubfoot |
| 323 | Respiratory system |
| 340 | Anorexia, except nervosa |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 111 | Anorexia nervosa |
| 140 | Anterior wall infarction |
| 101 | Anxiety reaction or neurosis, except depression |
| 102 | Anxiety depression |
| 165 | Aortic aneurysm |
|  | Aortic valve disease — *see Valvular disease* |
| 128 | Aphakia |
| 84 | Aplastic anemia |
| 199 | Appendicitis, except acute |
| 197 | Appendicitis, acute, without peritonitis |
| 198 | Appendicitis, acute, with peritonitis |
| 199 | Appendicitis, recurrent |
| 148 | Arrhythmia, heart |
| 168 | Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 164 | Arteriosclerosis, except cerebral and coronary |
| 163 | Arteriosclerosis, cerebral |
| 143 | Arteriosclerosis, coronary |
| 151 | Arteriosclerotic cardiovascular disease |
| 91 | Arteriosclerotic dementia or psychosis |
| 143 | Arteriosclerotic heart disease |
| 164 | Arteriosclerotic vascular disease |
| 299 | Arthritis, except osteo- and rheumatoid |
| 298 | Arthritis, osteo-, except spine |
| 303 | Arthritis, osteo-, spine |
| 299 | Arthritis, pyogenic |
| 297 | Arthritis, rheumatoid, except spine |
| 302 | Arthritis, rheumatoid, spine |
| 339 | Ascites |
| 151 | ASCVD |
| 143 | ASHD |
| 183 | Asthma |
| 183 | Asthmatic bronchitis |
|  | Atherosclerosis — *see Arteriosclerosis* |
| 147 | Atrial fibrillation and flutter |
| 76 | Avitaminosis |
| 145 | Bacterial endocarditis |
| 234 | Bacteriuria, except in pregnancy |
| 266 | Bacteriuria in pregnancy |
| 287 | Bacteriuria in pregnancy, with delivery |
| 311 | Baker's cyst |
| 235 | Benign prostatic hyperplasia (BPH) |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 234 | Bladder disease, except calculus and cystitis |
| 48 | Blast cell leukemia |
| 251 | Bleeding, menopausal |
| 251 | Bleeding, postmenopausal |
| 221 | Blind loop syndrome |
| 129 | Blindness |
| 148 | Block, heart |
| 332 | Bloody nose |
| 313 | Bone disease, except osteomyelitis and osteoarthritis |
| 123 | Borderline glaucoma |
| 1 | Botulism |
| 67 | Bowen's disease |
| 235 | BPH |
| 121 | Break, retinal |
| 242 | Breast disease, except fibrocystic |
| 241 | Breast disease, fibrocystic |
| 183 | Bronchial asthma |
| 174 | Bronchiolitis, acute |
| 181 | Bronchitis, except acute |
| 174 | Bronchitis, acute |
| 181 | Bronchitis, chronic |
| 179 | Bronchopneumonia |
| 6 | Brucellosis |
| 376 | Bruise, except eye and orbit |
| 375 | Bruise, eye and orbit |
| 310 | Bunion |
| 381 | Burn, any site, except third degree |
| 380 | Burn, any site, third degree |
| 309 | Bursitis |
| | |
| 217 | Calculus, bile duct, except cystic |
| 231 | Calculus, bladder |
| 215 | Calculus, cystic bile duct |
| 215 | Calculus, gallbladder |
| 228 | Calculus, renal |
| 188 | Calculus, salivary gland |
| 229 | Calculus, ureter |
| 231 | Calculus, urethra |
| | Cancer — *see Neoplasm, malignant* |
| | Carcinoma — *see Neoplasm, malignant* |
| 67 | Carcinoma in situ, except cervix |
| 66 | Carcinoma in situ, cervix |
| 148 | Cardiac arrest |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 122 | Closed-angle glaucoma |
| 326 | Clubfoot |
| 173 | Cold, head |
| 215 | Colic, biliary |
| 337 | Colic, renal |
| 208 | Colitis, except mucous and ulcerative |
| 211 | Colitis, mucous |
| 211 | Colitis, ulcerative |
| 296 | Collagen disease, NOS |
| 340 | Coma, except diabetic and hepatic |
| 72 | Coma, diabetic |
| 214 | Coma, hepatic |
| 11 | Common warts |
| 390 | Complication of amputation stump |
| 387 | Complication of cardiac pacemaker |
|  | Complication of drugs — *see Effect, adverse* |
| 387 | Complication of grafts |
| 387 | Complication of internal orthopedic device |
| 391 | Complication of medical care, except drugs |
| 387 | Complication of prosthesis |
| 390 | Complication of surgery NEC |
| 364 | Concussion, current or unspecified |
| 149 | Congestive heart failure |
| 127 | Conjunctivitis |
| 376 | Contusion, except eye and orbit |
| 375 | Contusion, eye and orbit |
| 329 | Convulsions, except epileptic |
| 116 | Convulsions, epileptic |
| 184 | COPD |
| 143 | Coronary artery disease |
| 142 | Coronary insufficiency, except chronic |
| 143 | Coronary insufficiency, chronic |
| 140 | Coronary occlusion, acute |
| 336 | Cough |
| 8 | Cowpox |
| 314 | Coxa valgum, varum |
| 83 | Crisis, sickle-cell |
| 211 | Crohn's disease |
| 174 | Croupous bronchitis |
| 367 | Crush injury, except chest and limbs |
| 366 | Crush injury, chest |
| 377 | Crush injury, limbs |
| 75 | Cushing's syndrome |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 161 | CVA, without paralysis |
| 162 | CVA, with paralysis |
| 128 | Cyclitis |
| 311 | Cyst, Baker's |
| 188 | Cyst, mouth |
| 243 | Cyst, ovarian |
| 293 | Cyst, pilonidal |
| 121 | Cyst, retinal |
| 294 | Cyst, sebaceous |
| 311 | Cyst, synovial |
| 241 | Cystic breast |
| 218 | Cystic duct remnant |
| 77 | Cystic fibrosis |
| 232 | Cystitis |
| 266 | Cystitis of pregnancy |
| 248 | Cystocele |
| | |
| 134 | Deafness |
| 295 | Decubitus |
| 112 | Deficiency, mental |
| 76 | Deficiency, nutritional |
| | Deformity, congenital – *see Anomaly, congenital* |
| 316 | Deformity, musculoskeletal, acquired |
| 128 | Degeneration, globe of eye |
| 81 | Dehydration |
| 340 | Delirium, except acute and subacute |
| 89 | Delirium, acute or subacute |
| 270 | Delivery, NOS |
| | Delivery complicated by: |
| 278 | Abnormality, bony pelvis |
| 272 | Abruptio placentae |
| 287 | Acute toxemia |
| 276 | Breech presentation |
| 278 | Cephalopelvic disproportion |
| 281 | Cesarean section, previous |
| 287 | Complication NOS |
| 278 | Disproportion, cephalopelvic |
| 278 | Disproportion, fetopelvic |
| 287 | Eclampsia |
| 278 | Fetopelvic disproportion |
| 287 | Hypertensive disorder |
| 279 | Inertia, uterine |
| 277 | Malpresentation, except breech |
| 275 | Multiple fetation |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Delivery complicated by: (continued) |
| 272 | Placenta, abruptio |
| 271 | Placenta previa |
| 287 | Pre-eclampsia |
| 282 | Premature rupture of membranes |
| 272 | Premature separation of the placenta |
| 276 | Presentation, breech |
| 281 | Previous cesarean section |
| 279 | Prolonged labor, NOS |
| 282 | Rupture of membranes, premature |
| 287 | Toxemia |
| 279 | Uterine inertia |
| 270 | Delivery, normal |
| 270 | Delivery, uncomplicated |
| 90 | Dementia, except arteriosclerotic |
| 91 | Dementia, arteriosclerotic |
| 90 | Dementia, presenile |
| 90 | Dementia, senile |
| 104 | Dependence, alcoholic |
| 106 | Dependence, amphetamine |
| 106 | Dependence, barbiturate |
| 106 | Dependence, cocaine |
| 105 | Dependence, heroin |
| 106 | Dependence, LSD |
| 106 | Dependence, marihuana |
| 105 | Dependence, methadone |
| 105 | Dependence, morphine |
| 105 | Dependence, opioid |
| 111 | Depression, except neurotic, postpartum, and psychotic |
| 102 | Depression, neurotic |
| 267 | Depression, postpartum |
| 98 | Depression, psychotic |
| 102 | Depressive neurosis |
| 98 | Depressive psychosis |
| 102 | Depressive reaction |
| 301 | Derangement, joint except knee |
| 300 | Derangement, knee joint |
| 295 | Dermatitis |
| 15 | Dermatomycosis |
| 121 | Detachment of retina |
| 175 | Deviated nasal septum |
| 340 | Diabetes mellitus, chemical |
| 71 | Diabetes mellitus, uncomplicated |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 73 | Diabetes mellitus, uncontrolled |
| 72 | Diabetic acidosis |
| 73 | Diabetic cataract |
| 72 | Diabetic coma |
| 73 | Diabetic gangrene |
| 73 | Diabetic nephropathy |
| 73 | Diabetic neuropathy |
| 73 | Diabetic retinopathy |
| 73 | Diabetic ulcer |
| 397 | Dialysis, peritoneal |
| 397 | Dialysis, renal |
| 204 | Diaphragmatic hernia |
| 208 | Diarrhea, except infectious and functional |
| 211 | Diarrhea, functional |
| 1 | Diarrhea, infectious |
| 6 | Diphtheria |
|  | Disease |
| 199 | Appendix, except acute appendicitis |
| 151 | Arteriosclerotic cardiovascular |
| 168 | Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 13 | Arthropod-borne |
| 79 | Autoimmune |
| 6 | Bacterial, except intestinal, tuberculosis, strep throat, and septicemia |
| 218 | Biliary ducts |
| 234 | Bladder, except calculus and cystitis |
| 313 | Bone, except osteomyelitis and osteoarthritis |
| 242 | Breast, except fibrocystic |
| 241 | Breast, fibrocystic |
| 221 | Celiac |
|  | Central nervous system |
| 7 | Enteroviral |
| 113 | Inflammatory, except enteroviral |
| 117 | Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans |
|  | Cerebrovascular — *see Cerebrovascular accident* |
| 136 | Chronic rheumatic heart |
| 296 | Connective tissue, diffuse |
| 143 | Coronary artery |
| 211 | Crohn's |
| 75 | Cushing's |
| 187 | Dental |
| 209 | Diverticular |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 196 | Duodenum, except ulcer and inflammatory |
| 134 | Ear, except inflammatory and otosclerosis |
| 75 | Endocrine, except ovary, thyroid, and diabetes mellitus |
| 189 | Esophagus |
| 129 | Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment |
| 128 | Eye, inflammatory, except lacrimal tract |
| 252 | Fallopian tube, except endometriosis |
| 316 | Fascia |
| 252 | Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual |
| 216 | Gallbladder |
| 252 | Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual |
| | Heart |
| 138 | Hypertensive |
| 143 | Ischemic, except infarction and angina pectoris |
| 136 | Rheumatic, chronic |
| 150 | Other, except arrhythmia and bacterial endocarditis |
| 86 | Hematopoietic, except anemia, hemophilia, and leukemia |
| 328 | Hemolytic, newborn |
| 46 | Hodgkin's |
| 137 | Hypertensive, except heart |
| 138 | Hypertensive, heart |
| 17 | Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases |
| 211 | Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 1 | Intestine, infectious |
| 143 | Ischemic heart, except acute infarction and angina pectoris |
| 187 | Jaw |
| 301 | Joint, except internal derangement, ruptured disc, and sacroiliac |
| 306 | Joint, sacroiliac |
| 230 | Kidney, except nephritis, nephrosis, infection, and calculus |
| 73 | Kimmelstiel-Wilson |
| 127 | Lacrimal tract, inflammation |
| 188 | Lip |
| 214 | Liver, except infectious and serum hepatitis, and Laennec's cirrhosis |
| 186 | Lung, except pneumonia, obstructive, and pneumothorax |
| 184 | Lung, obstructive, except asthma, bronchitis, and emphysema |
| 240 | Male genitalia, except prostate, hydrocele, and inflammatory |
| 132 | Meniere's |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 188 | Mouth, except dental |
| 117 | Muscle, except deformity |
| 120 | Nervous system, except CNS and sciatica |
| 184 | Obstructive lung, except asthma, bronchitis, and emphysema |
| 252 | Ovary, except endometriosis |
| 313 | Paget's, bone |
| 32 | Paget's, breast |
| 219 | Pancreas |
| 252 | Parametrium, except endometriosis |
| 17 | Parasitic, except helminthiasis |
| 114 | Parkinson's |
| 244 | Pelvic inflammatory |
| 196 | Peptic |
| 328 | Perinatal |
| 120 | Peripheral nervous system, except sciatica |
| 211 | Peritoneum |
| 186 | Pleura |
| 236 | Prostate, except hypertrophy |
| 186 | Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps |
| 135 | Rheumatic, active |
| 136 | Rheumatic, chronic |
| 188 | Salivary gland |
| 83 | Sickle-cell |
| 295 | Skin, except infective, pilonidal and sebaceous cysts |
| 196 | Stomach, except ulcer and inflammatory |
| 187 | Teeth |
| 316 | Tendon, except tenosynovitis |
| 188 | Tongue |
| 340 | Undiagnosed |
| 186 | Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps |
| 230 | Ureter, except calculus |
| 234 | Urethra, except calculus and stricture |
| 14 | Venereal |
| 12 | Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts |
| 8 | Viral with exanthem |
| 359 | Dislocation, joint, except knee and shoulder |
| 358 | Dislocation, knee |
| 357 | Dislocation, shoulder |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disorder |
| 111 | Behavior |
| 81 | Electrolyte |
| 79 | Immunodeficiency |
| 250 | Menstruation, except metrorrhagia |
| 103 | Personality |
| 109 | Psychophysiologic |
| 305 | Displacement of intervertebral disc, except lumbar |
| 304 | Displacement of lumbar disc |
| 165 | Dissecting aortic aneurysm |
| 209 | Diverticulitis |
| 209 | Diverticulosis |
| 189 | Diverticulum, esophagus |
| 209 | Diverticulum, intestine |
| 108 | Drug abuse, except alcohol |
| 106 | Drug dependence, except opioid |
| 105 | Drug dependence, opioid |
| 93 | Drug-induced psychosis |
| 384 | Drug poisoning or overdose |
| 93 | Drug withdrawal syndrome or symptoms |
| 107 | Drunkenness |
| 196 | Duodenal disease, except ulcer and inflammation |
| | Duodenal ulcer – *see Ulcer, duodenal* |
| 195 | Duodenitis |
| 1 | Dysentery |
| 74 | Dysfunction, ovarian |
| 317 | Dysfunction, somatic (osteopathic) |
| 253 | Dysmenorrhea |
| 253 | Dyspareunia |
| 336 | Dyspnea |
| 117 | Dystrophy, muscular |
| 337 | Dysuria |
| 329 | Eclampsia |
| 261 | of pregnancy |
| 287 | of pregnancy, with delivery |
| 254 | Ectopic pregnancy |
| | Effect, adverse |
| 386 | Drug NOS |
| 384 | Drug, overdose or wrong substance given or taken |
| 386 | External conditions |
| 385 | Nonmedicinal substance |
| 386 | Radiation |
| 386 | Temperature |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 268 | Elderly primigravida |
| 287 | Elderly primigravida, with delivery |
| 255 | Elective abortion |
| 392 | Elective sterilization |
| 81 | Electrolyte imbalance or disorder |
| 167 | Embolism, arterial, except cerebral and precerebral |
| 158 | Embolism, cerebral, without paralysis |
| 159 | Embolism, cerebral, with paralysis |
| 156 | Embolism, precerebral, without paralysis |
| 157 | Embolism, precerebral, with paralysis |
| 144 | Embolism, pulmonary, except postoperative |
| 390 | Embolism, pulmonary, postoperative |
| 172 | Embolism, vein |
| 182 | Emphysema |
| 113 | Encephalitis, except viral |
| 12 | Encephalitis, viral |
| 18 | Encephalitis, viral, late effect |
| 145 | Endocarditis, acute and subacute bacterial |
| 75 | Endocrine disease, except ovary, thyroid, and diabetes mellitus |
| 245 | Endometriosis |
| 247 | Endometritis, except puerperal |
| 288 | Endometritis, puerperal |
| 69 | Enlarged thyroid |
| 208 | Enteritis, except bacterial, regional, and viral |
| 1 | Enteritis, bacterial |
| 208 | Enteritis, noninfectious |
| 211 | Enteritis, regional |
| 1 | Enteritis, viral |
| 238 | Epididymitis |
| 116 | Epilepsy |
| 332 | Epistaxis |
| 6 | Erysipelas |
| 67 | Erythroplasia |
| 172 | Esophageal varices |
| 189 | Esophagitis |
| 189 | Esophagospasm |
| 137 | Essential benign hypertension |
| 398 | Examination, follow-up |
| 298 | Examination, medical |
| 149 | Failure, heart |
| 390 | Failure, heart, postoperative |
| 225 | Failure, renal, except chronic |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Failure, renal, chronic |
| 340 | Fainting |
| 263 | False labor |
| 82 | Fe deficiency anemia |
| 135 | Fever, active rheumatic |
| 330 | Fever, NOS (FUO) |
| 1 | Fever, paratyphoid |
| 288 | Fever, puerperal |
| 4 | Fever, scarlet |
| 1 | Fever, typhoid |
| 12 | Fever, yellow |
| 147 | Fibrillation or flutter, atrial |
| 148 | Fibrillation or flutter, ventricular |
| 241 | Fibrocystic breast |
| 77 | Fibrocystic disease, pancreas |
| 56 | Fibroma, uterus |
| 16 | Filariasis |
| 210 | Fissure, anal |
| 210 | Fistula, anal |
| 128 | Flat anterior chamber |
| 1 | Food poisoning |
| 379 | Foreign body in body orifice, except eye |
| 378 | Foreign body in eye |
|  | Fracture |
| 354 | Ankle |
| 349 | Arm, lower |
| 348 | Arm, upper |
| 354 | Bimalleolar |
| 350 | Carpal |
| 355 | Clavicle |
| 349 | Colles |
| 343 | Face bone |
| 352 | Femur, except upper end |
| 351 | Femur, upper end |
| 353 | Fibula, except lateral malleolus |
| 350 | Finger |
| 354 | Foot |
| 350 | Hand |
| 398 | Healed, aftercare, except removal of fixation device |
| 396 | Healed, aftercare, removal of fixation device |
| 351 | Hip |
| 348 | Humerus |
| 354 | Knee |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture (continued) |
| 354 | Lateral malleolus |
| 353 | Leg, lower, except ankle |
| 352 | Leg, upper, except hip |
| 343 | Mandible |
| 354 | Medial malleolus |
| 350 | Metacarpal |
| 354 | Metatarsal |
| 356 | Multiple bones |
| 343 | Nose |
| 354 | Patella |
| 347 | Pelvis |
| 349 | Radius |
| 346 | Rib |
| 355 | Scapula |
| 342 | Skull, base |
| 341 | Skull, vault |
| 344 | Spine, without cord injury |
| 345 | Spine, with cord injury |
| 346 | Sternum |
| 354 | Tarsal |
| 346 | Thorax |
| 353 | Tibia, except articulating surface |
| 354 | Toe |
| 354 | Trimalleolar |
| 349 | Ulna |
| 344 | Vertebra, without cord injury |
| 345 | Vertebra, with cord injury |
| 330 | FUO |
| 216 | Gallbladder disease |
| 311 | Ganglion, tendon sheath |
| 334 | Gangrene, except gas gangrene |
| 6 | Gangrene, gas |
| | Gastric ulcer – *see Ulcer, gastric* |
| 195 | Gastritis |
| 208 | Gastroenteritis, except infectious |
| 1 | Gastroenteritis, infectious |
| 208 | Gastroenteritis, noninfectious |
| 220 | Gastrointestinal hemorrhage |
| 192 | Gastrojejunal ulcer, without complication |
| 193 | Gastrojejunal ulcer, with complication |
| 164 | Generalized arteriosclerosis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 3 | Generalized tuberculosis |
| 314 | Genu valgum or varum, except congenital |
| 327 | Genu valgum or varum, congenital |
| 220 | GI hemorrhage |
| 123 | Glaucoma, except acute |
| 122 | Glaucoma, acute |
| 122 | Glaucoma, closed-angle |
| 122 | Glaucoma, open-angle |
| 222 | Glomerulonephritis, except acute |
| 223 | Glomerulonephritis, acute |
| 69 | Goiter |
| 14 | Gonorrhea |
| 80 | Gout |
| 116 | Grand mal epilepsy |
| 268 | Grand multiparity |
| 392 | Grand multiparity, without pregnancy |
| 268 | Habitual aborter |
| 252 | Habitual aborter, without pregnancy |
| 310 | Hallux valgus or varus, except congenital |
| 327 | Hallux valgus or varus, congenital |
| 310 | Hammer toe |
| 331 | Headache, except migraine and tension |
| 118 | Headache, migraine |
| 111 | Headache, tension |
| 398 | Healed fracture aftercare, except removal of fixation device |
| 396 | Healed fracture aftercare, removal of fixation device |
| 140 | Heart attack |
| 149 | Heart failure |
| 390 | Heart failure, postoperative |
| 16 | Helminthiasis |
| 54 | Hemangioma |
| 220 | Hematemesis |
| 286 | Hematoma, pelvic, with delivery |
| 290 | Hematoma, pelvic, postpartum |
| 388 | Hematoma, postoperative wound |
| 84 | Hemolytic anemia, except hereditary and newborn |
| 83 | Hemolytic anemia, hereditary |
| 328 | Hemolytic anemia, newborn |
| 328 | Hemolytic disease of newborn |
| 85 | Hemophilia |
| 336 | Hemoptysis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
|  | Hemorrhage |
| 265 | Antepartum, except early |
| 260 | Antepartum, early |
| 172 | Blood vessel, spontaneous |
| 220 | Gastrointestinal |
| 154 | Intracerebral, except subarachnoid, without paralysis |
| 155 | Intracerebral, except subarachnoid, with paralysis |
| 258 | Postabortal |
| 388 | Postoperative wound |
| 274 | Postpartum, except delayed or secondary |
| 289 | Postpartum, delayed or secondary |
| 260 | Pregnancy, early |
| 289 | Puerperal, after 24 hours |
| 152 | Subarachnoid, without paralysis |
| 153 | Subarachnoid, with paralysis |
| 171 | Hemorrhoids |
| 214 | Hepatitis, except chronic and viral |
| 213 | Hepatitis, chronic |
| 9 | Hepatitis, infectious |
| 9 | Hepatitis, serum |
| 9 | Hepatitis, viral |
|  | Hernia, without complication |
| 205 | Abdominal, except inguinal |
| 204 | Diaphragmatic |
| 205 | Femoral |
| 204 | Hiatal |
| 203 | Incisional |
| 200 | Inguinal |
| 203 | Postoperative |
| 202 | Umbilical |
| 203 | Ventral |
|  | Hernia, with complication |
| 206 | Abdominal, except inguinal |
| 206 | Diaphragmatic |
| 206 | Femoral |
| 206 | Hiatal |
| 206 | Incisional |
| 201 | Inguinal |
| 206 | Postoperative |
| 206 | Umbilical |
| 206 | Ventral |
| 105 | Heroin dependence or addiction |
| 8 | Herpes simplex |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Herpes simplex, late effect |
| 8 | Herpes zoster |
| 18 | Herpes zoster, late effect |
| 79 | Histiocytosis |
| 46 | Hodgkin's disease |
| 237 | Hydrocele |
| 318 | Hydrocephaly |
| 79 | Hyperbilirubinemia, except neonatal |
| 328 | Hyperbilirubinemia, neonatal |
| 79 | Hypercalcemia |
| 262 | Hyperemesis gravidarum |
| 75 | Hyperinsulinism |
| 79 | Hyperlipoproteinemia |
| 75 | Hyperparathyroidism |
| 235 | Hyperplasia of prostate |
| 81 | Hyperpotassemia |
| 137 | Hypertension, except renal and of pregnancy |
| 261 | Hypertension of pregnancy |
| 287 | Hypertension of pregnancy, with delivery |
| 139 | Hypertension, renal |
| 139 | Hypertension, renovascular |
| 128 | Hypertensive retinopathy |
| 70 | Hyperthyroidism |
| 177 | Hypertrophy of tonsils and adenoids |
| 79 | Hypogammaglobulinemia |
| 75 | Hypoparathyroidism |
| 81 | Hypopotassemia |
| 172 | Hypotension |
| 70 | Hypothyroidism |
| 81 | Hypovolemia |
| 211 | Ileitis, regional |
| 207 | Ileus, paralytic or adynamic |
| 340 | Ill-defined conditions |
| 79 | Immunodeficiency disorder |
| 160 | Impending CVA |
| 292 | Impetigo |
| 257 | Incomplete abortion |
| 337 | Incontinence |
| 125 | Infantile cataract |
| 122 | Infantile glaucoma |
| 140 | Infarction, acute myocardial |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Infection |
| 232 | Bladder |
| 312 | Bone |
| 246 | Cervix |
| 227 | Kidney, except nephritis, nephrosis, and acute pyelonephritis |
| 6 | Meningococcal |
| 389 | Postoperative wound |
| 288 | Puerperal, major |
| 292 | Skin and subcutaneous tissue, except cellulitis and abscess |
| 173 | Upper respiratory, except streptococcal |
| 234 | Urinary tract |
| 266 | Urinary tract, in pregnancy |
| 247 | Uterine, except cervix |
| 247 | Vaginal |
| 247 | Vulvar |
| 389 | Wound, postoperative |
| 10 | Infectious mononucleosis |
| 252 | Infertility, female |
| 240 | Infertility, male |
| 113 | Inflammation, central nervous system |
| 129 | Inflammation, eye, except lacrimal tract |
| 127 | Inflammation, lacrimal tract |
| 180 | Influenza |
| 180 | Influenzal pneumonia |
| 200 | Inguinal hernia, without complication |
| 201 | Inguinal hernia, with complication |
| | Injury |
| 328 | Birth |
| 373 | Blood vessel |
| 377 | Crush, except abdomen and chest |
| 367 | Crush, abdomen |
| 366 | Crush, chest |
| 365 | Head, except concussion |
| 367 | Internal, except chest |
| 366 | Internal, chest |
| 358 | Knee ligament or meniscus |
| 374 | Late effect |
| 363 | Musculoskeletal, except back and sacroiliac region |
| 362 | Musculoskeletal, back |
| 361 | Musculoskeletal, sacroiliac region |
| 382 | Nerve |
| 386 | Radiation |
| 374 | Radiation, late effect |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Injury (continued) |
| 382 | Spinal cord |
| 376 | Superficial |
| | Insufficiency, heart valve – *see Valvular disease* |
| 250 | Intermenstrual bleeding |
| 160 | Intermittent cerebral ischemia |
| 301 | Internal derangement of joint, except knee |
| 300 | Internal derangement of knee |
| 211 | Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 107 | Intoxication, acute alcohol |
| 98 | Involutional melancholia |
| 128 | Iridocyclitis |
| 128 | Iritis |
| 82 | Iron deficiency anemia |
| 211 | Irritable colon or bowel |
| 143 | Ischemic heart disease, except acute or subacute |
| 142 | Ischemic heart disease, acute or subacute, except acute myocardial infarction |
| 163 | Ischemic cerebrovascular disease, generalized |
| | |
| 116 | Jacksonian epilepsy |
| 340 | Jaundice, except newborn |
| 328 | Jaundice of newborn |
| 125 | Juvenile cataract |
| | Juvenile diabetes – *see Diabetes mellitus* |
| | |
| 230 | Kidney disease, except nephritis, nephrosis, infection, and calculus |
| 227 | Kidney infection, except nephritis, nephrosis, and acute pyelonephritis |
| 73 | Kimmelstiel-Wilson disease |
| 316 | Kyphosis |
| | |
| | Laceration |
| 370 | Abdominal wall |
| 371 | Arm |
| 370 | Back |
| 365 | Cerebral |
| 370 | Chest |
| 368 | Eye |
| 371 | Hand |
| 369 | Head, except eye |
| 372 | Leg |
| 372 | Lower limb |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Laceration (continued) |
| 370 | Multiple sites |
| 369 | Neck |
| 285 | Perineum, except first and second degree, with delivery |
| 284 | Perineum, first or second degree, with delivery |
| 370 | Trunk |
| 371 | Upper limb |
| 255 | Legal abortion |
| 48 | Leukemia, except lymphocytic |
| 47 | Leukemia, lymphocytic |
| 214 | Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis |
| 6 | Lockjaw |
| 316 | Lordosis |
| 108 | LSD reaction |
| 308 | Lumbago |
| 306 | Lumbosacral instability |
| 186 | Lung disease, except pneumonia, and obstructive |
| 88 | Lymphadenitis, except acute and mesenteric lymphadenitis |
| 292 | Lymphadenitis, acute |
| 87 | Lymphadenitis, mesenteric |
| 54 | Lymphangioma |
| 172 | Lymphedema |
| 49 | Lymphosarcoma |
| 128 | Macular degeneration, retina |
| 221 | Malabsorption syndrome |
| 13 | Malaria |
| 30 | Malignant melanoma, skin |
| 99 | Manic-depressive psychosis |
| 99 | Manic psychosis |
| 242 | Mastitis, except puerperal |
| 290 | Mastitis, puerperal |
| 8 | Measles |
| 18 | Measles, late effect |
| 119 | Median nerve entrapment |
| 30 | Melanoma, malignant |
| 132 | Meniere's disease |
| 113 | Meningitis, except tuberculous and viral |
| 3 | Meningitis, tuberculous |
| 7 | Meningitis, viral |
| 18 | Meningitis, viral, late effect |
| 251 | Menopause |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 250 | Menstrual disorder, except metrorrhagia |
| 112 | Mental deficiency or retardation |
| 211 | Mesenteric artery syndrome |
| 87 | Mesenteric lymphadenitis |
| 247 | Metritis |
| 249 | Metrorrhagia |
| 118 | Migraine |
| 3 | Miliary tuberculosis |
|  | Mitral valve disease – *see Valvular disease* |
| 327 | Mongolism |
| 15 | Moniliasis |
| 10 | Mononucleosis |
| 211 | Mucous colitis |
| 268 | Multiparity, without delivery |
| 392 | Multiparity, without pregnancy |
| 268 | Multiple pregnancy |
| 275 | Multiple pregnancy, with delivery |
| 115 | Multiple sclerosis |
| 12 | Mumps |
| 117 | Muscular dystrophy |
| 15 | Mycosis |
| 140 | Myocardial infarction, acute |
|  |  |
| 176 | Nasal polyp |
| 339 | Nausea |
|  | Neoplasm, benign |
| 61 | Bladder |
| 53 | Bone |
| 63 | Brain |
| 55 | Breast |
| 52 | Bronchus |
| 50 | Buccal cavity |
| 57 | Cervix |
| 53 | Connective tissue |
| 51 | Digestive |
| 65 | Endocrine, except thyroid |
| 62 | Eye |
| 59 | Genitalia, female, except uterus and ovary |
| 60 | Genitalia, male |
| 61 | Kidney |
| 52 | Larynx |
| 52 | Lung |
| 53 | Muscle |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, benign (continued) |
| 63 | Nervous system |
| 58 | Ovary |
| 50 | Pharynx |
| 60 | Prostate |
| 52 | Respiratory |
| 60 | Scrotum |
| 54 | Skin |
| 52 | Thymus |
| 64 | Thyroid |
| 61 | Ureter |
| 61 | Urethra |
| 61 | Urinary |
| 57 | Uterus, except fibroma |
| 56 | Uterus, fibroma |
| 59 | Vagina |
| 59 | Vulva |
| | Neoplasm, malignant |
| 44 | Adrenal gland |
| 39 | Bladder |
| 29 | Bone |
| 42 | Brain |
| 32 | Breast |
| 27 | Bronchus |
| 19 | Buccal cavity |
| 43 | Cerebral meninges |
| 33 | Cervix uteri |
| 23 | Colon |
| 29 | Connective tissue |
| 44 | Endocrine glands |
| 20 | Esophagus |
| 41 | Eye |
| 36 | Fallopian tube |
| 36 | Genitalia, female, except uterus and ovary |
| 38 | Genitalia, male, except prostate |
| 45 | Ill-defined sites |
| 25 | Intestine, except colon and rectum |
| 23 | Intestine, large, except rectum |
| 22 | Intestine, small |
| 40 | Kidney |
| 23 | Large intestine, except rectum |
| 27 | Lung |
| 49 | Lymphatic, except Hodgkin's disease |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, malignant (continued) |
| 45 | Metastatic |
| 19 | Mouth |
| 43 | Nervous system, except brain |
| 35 | Ovary |
| 26 | Pancreas |
| 19 | Pharynx |
| 44 | Pituitary gland |
| 36 | Placenta |
| 37 | Prostate |
| 24 | Rectum |
| 28 | Respiratory system, except bronchus and lung |
| 38 | Scrotum |
| 45 | Secondary |
| 31 | Skin, except genitalia |
| 22 | Small intestine |
| 43 | Spinal cord and meninges |
| 21 | Stomach |
| 44 | Thyroid gland |
| 40 | Ureter |
| 40 | Urethra |
| 40 | Urinary tract, except bladder |
| 34 | Uterus, except cervix |
| 36 | Vagina |
| 36 | Vulva |
| 49 | Neoplasm, lymphatic, except leukemia and Hodgkin's disease |
| 68 | Neoplasm, unspecified type, any site |
| 222 | Nephritis, except acute |
| 223 | Nephritis, acute |
| 222 | Nephrosis, except tubular |
| 225 | Nephrosis, tubular |
| 222 | Nephropathy, except diabetic |
| 73 | Nephropathy, diabetic |
| 109 | Nervous gastritis |
| 315 | Neuralgia, except sciatic and trigeminal |
| 307 | Neuralgia, sciatic |
| 120 | Neuralgia, trigeminal |
| 315 | Neuritis, except median and sciatic |
| 119 | Neuritis, median |
| 307 | Neuritis, sciatic |
| 120 | Neuroma, except amputation stump |
| 390 | Neuroma, amputation stump |
| 103 | Neurosis, except anxiety, cardiac, and depressive |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 101 | Neurosis, anxiety |
| 109 | Neurosis, cardiac |
| 102 | Neurosis, depressive |
| 54 | Nevus, skin |
| 327 | Nevus, vascular |
|  | Newborn, hospital |
| 394 | Multiple |
| 393 | Single term |
| 394 | Twin |
|  | Newborn, nonhospital |
| 395 | Multiple |
| 395 | Single |
| 270 | Normal delivery |
| 125 | Nuclear cataract |
| 84 | Nutritional anemia |
| 128 | Nystagmus |
| 78 | Obesity |
| 268 | Obstructed labor |
| 280 | Obstructed labor, with delivery |
| 218 | Obstruction, bile duct, except calculus |
| 207 | Obstruction, intestinal, except postoperative |
| 390 | Obstruction, intestinal, postoperative |
| 172 | Obstruction, portal vein |
| 172 | Obstruction, vena cava |
| 184 | Obstructive pulmonary disease NOS (COPD) |
| 158 | Occlusion, cerebral, without paralysis |
| 159 | Occlusion, cerebral, with paralysis |
| 156 | Occlusion, precerebral, without paralysis |
| 157 | Occlusion, precerebral, with paralysis |
| 122 | Open-angle glaucoma |
| 105 | Opioid dependence or addiction |
| 128 | Optic atrophy |
| 238 | Orchitis |
| 90 | Organic brain syndrome, except acute and arteriosclerotic |
| 89 | Organic brain syndrome, acute |
| 91 | Organic brain syndrome, arteriosclerotic |
| 89 | Organic brain syndrome, transient |
| 298 | Osteoarthritis, except spinal |
| 303 | Osteoarthritis, spinal |
| 312 | Osteomyelitis |
| 317 | Osteopathic somatic dysfunction |
| 130 | Otitis media, chronic and unspecified |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 131 | Otitis media, acute |
| 133 | Otosclerosis |
| 243 | Ovarian cyst |
| 252 | Ovarian disease, except endometriosis and dysfunction |
| 74 | Ovarian dysfunction |
| 254 | Ovarian pregnancy |
| 74 | Ovary, polycystic |
| 384 | Overdose, drug |
|  | Paget's disease — *see Disease, Paget's* |
|  | Pain |
| 338 | Abdominal |
| 335 | Chest |
| 253 | Female genital organ |
| 331 | Head |
| 335 | Precordial |
| 219 | Pancreatic disease |
| 128 | Papilledema |
| 114 | Paralysis agitans |
| 207 | Paralytic ileus |
| 100 | Paranoia, except schizophrenic |
| 94 | Paranoid schizophrenia |
| 114 | Parkinsonism |
| 146 | Paroxysmal atrial or supraventricular tachycardia |
| 17 | Pediculosis |
|  | Peptic ulcer — *see Ulcer, peptic* |
| 189 | Perforation, esophagus |
| 397 | Peritoneal dialysis treatment |
| 211 | Peritonitis, except due to appendicitis |
| 84 | Pernicious anemia |
| 6 | Pertussis |
| 314 | Pes planus |
| 116 | Petit mal epilepsy |
| 240 | Peyronie's disease |
| 239 | Phimosis |
| 169 | Phlebitis |
| 244 | PID |
| 171 | Piles |
| 293 | Pilonidal cyst |
| 16 | Pinworm infection |
| 70 | PKU |
| 264 | Placenta previa |
| 271 | Placenta previa, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 11 | Plantar warts |
| 186 | Pleural disease |
| 186 | Pleurisy |
| 179 | Pneumonia, except influenzal |
| 180 | Pneumonia with influenza |
| 185 | Pneumothorax, spontaneous |
| 366 | Pneumothorax, traumatic |
| 385 | Poisoning, except food and drug |
| 384 | Poisoning, drug |
| 1 | Poisoning, food |
| 374 | Poisoning, late effect |
| 7 | Poliomyelitis |
| 18 | Poliomyelitis, late effect |
| 74 | Polycystic ovary |
| 68 | Polycythemia, except secondary |
| 86 | Polycythemia, secondary |
| 268 | Polyhydramnios |
| 287 | Polyhydramnios, with delivery |
| 211 | Polyp, anal |
| 68 | Polyp, bladder |
| 252 | Polyp, cervix |
| 211 | Polyp, intestinal |
| 178 | Polyp, laryngeal |
| 176 | Polyp, nasal |
| 211 | Polyp, rectal |
| 176 | Polyp, sinus |
| 178 | Polyp, vocal cord |
| 172 | Portal vein thrombosis |
| 218 | Postcholecystectomy syndrome |
| 211 | Postgastrectomy dumping syndrome |
| 172 | Postmasectomy lymphedema |
| 390 | Postoperative wound dehiscence |
| 389 | Postoperative wound infection |
| 290 | Postpartum complication, NEC |
| 267 | Postpartum depression |
| 269 | Postpartum depression, with delivery |
| 3 | Pott's disease |
| 156 | Precerebral occlusion, without paralysis |
| 157 | Precerebral occlusion, with paralysis |
| 340 | Prediabetes |
| 261 | Pre-eclampsia |
| 287 | Pre-eclampsia, with delivery |
| 123 | Preglaucoma |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 398 | Pregnancy |
| 254 | Pregnancy, ectopic |
| 254 | Pregnancy, ovarian |
| 268 | Pregnancy, post-term |
| 287 | Pregnancy, post-term, with delivery |
| 254 | Pregnancy, tubal |
| 398 | Pregnancy, undelivered |
| 268 | Premature rupture of membranes |
| 282 | Premature rupture of membranes, with delivery |
| 253 | Premenstrual tension |
| 265 | Prenatal hemorrhage, except threatened abortion |
| 272 | Prenatal hemorrhage, with delivery |
| 125 | Presenile cataract |
| 90 | Presenile dementia or psychosis |
| 128 | Prolapse, iris |
| 248 | Prolapse, uterovaginal |
| 171 | Prolapsed hemorrhoids |
| 236 | Prostatic disease, except hypertrophy |
| 235 | Prostatic hypertrophy |
| 340 | Proteinuria, except postural |
| 223 | Proteinuria, postural or orthostatic |
|  | Psychogenic |
| 109 | Diarrhea |
| 109 | Hyperventilation |
| 109 | Paralysis |
| 109 | Vomiting |
| 116 | Psychomotor epilepsy |
| 100 | Psychosis |
| 92 | Psychosis, alcoholic |
| 91 | Psychosis, arteriosclerotic |
| 98 | Psychosis, depressive |
| 93 | Psychosis, drug-induced |
| 99 | Psychosis, manic-depressive |
| 89 | Psychosis, organic, acute or transient |
| 90 | Psychosis, organic, chronic, except arteriosclerotic |
| 90 | Psychosis, senile |
| 98 | Psychotic depression |
| 290 | Puerperal complication |
| 287 | Puerperal complication, with delivery |
| 144 | Pulmonary embolism |
| 182 | Pulmonary emphysema |
| 1 | Pulmonary tuberculosis |
|  | Pulmonary valve disease — *see Valvular disease* |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 227 | Pyelitis, except acute |
| 226 | Pyelitis, acute |
| 227 | Pyelonephritis, except acute |
| 226 | Pyelonephritis, acute |
| 332 | Pyloric stenosis, congenital |
| 330 | Pyrexia of unknown origin |
| 288 | Pyrexia of unknown origin, puerperal |
| 12 | Rabies |
| 398 | Radiotherapy session or treatment |
| 340 | Rash |
| 101 | Reaction, anxiety |
| 102 | Reaction, depressive |
| 386 | Reaction, drug, NEC |
| 391 | Reaction, transfusion |
| 248 | Rectocele, female |
| 239 | Redundant prepuce |
| 211 | Regional enteritis |
| 396 | Removal of internal fixation device |
| 228 | Renal calculus |
| 397 | Renal dialysis treatment |
| 225 | Renal failure, except chronic |
| 224 | Renal failure, chronic |
| 139 | Renal hypertension |
| 139 | Renovascular hypertension |
| 2 | Respiratory tuberculosis |
| 128 | Retained intraocular foreign body |
| 273 | Retained placenta |
| 112 | Retardation, mental |
| 337 | Retention, urine |
| 121 | Retinal cyst |
| 121 | Retinal detachment |
| 121 | Retinal hemorrhage |
| 121 | Retinal tear |
| 128 | Retinitis pigmentosa |
| 328 | Rh (Rhesus) disease of newborn |
| 135 | Rheumatic fever, active |
| 136 | Rheumatic heart disease, chronic |
| 316 | Rheumatism |
| 297 | Rheumatoid arthritis, except spine |
| 302 | Rheumatoid arthritis, spine |
| 13 | Rickettsiosis |
| 8 | Rubella |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Rubella, late effect |
| 172 | Rupture, blood vessel |
| 304 | Rupture, lumbar disc |
| 305 | Rupture of intervertebral disc, except lumbar |
| 243 | Rupture, ovarian cyst |
| 268 | Rupture, uterus |
| 286 | Rupture, uterus, with delivery |
| 290 | Rupture, uterus, postpartum |
| 198 | Ruptured appendix |
| 306 | Sacroiliac instability |
| 1 | Salmonellosis |
| 244 | Salpingitis |
|  | Sarcoma — *see Neoplasm, malignant, connective tissue* |
| 96 | Schizophrenia, except paranoid, childhood, and acute schizophrenic episode |
| 95 | Schizophrenia, acute episode |
| 97 | Schizophrenia, childhood |
| 94 | Schizophrenia, paranoid |
| 307 | Sciatica |
| 115 | Sclerosis, multiple |
| 316 | Scoliosis |
| 294 | Sebaceous cyst |
| 329 | Seizure, except epileptic |
| 116 | Seizures, epileptic |
| 256 | Self-induced abortion |
| 124 | Senile cataract |
| 90 | Senile dementia or psychosis |
| 340 | Senility |
| 357 | Separation, shoulder |
| 5 | Sepsis |
| 288 | Sepsis, puerperal |
| 5 | Septicemia |
| 288 | Septicemia, puerperal |
| 9 | Serum hepatitis |
| 391 | Serum sickness |
| 391 | Shock, anaphylactic, except due to drug |
| 386 | Shock, anaphylactic, due to drug |
| 333 | Shock, nontraumatic |
| 390 | Shock, postoperative |
| 383 | Shock, traumatic |
| 83 | Sickle cell anemia or crisis |
| 178 | Sinusitis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 295 | Skin disease, except infective and pilonidal and sebaceous cysts |
| 292 | Skin infection, except cellulitis |
| 305 | Slipped intervertebral disc, except lumbar |
| 304 | Slipped lumbar disc |
| 8 | Smallpox |
| 317 | Somatic dysfunction, osteopathic |
| 240 | Spermatocele |
| 318 | Spina bifida |
| 302 | Spondylitis, ankylosing |
| 303 | Spondylosis |
| 257 | Spontaneous abortion |
| 172 | Spontaneous hemorrhage of blood vessel |
| 185 | Spontaneous pneumothorax |
| 363 | Sprain, except knee, back, and sacroiliac region |
| 362 | Sprain, back |
| 360 | Sprain, knee |
| 361 | Sprain, sacroiliac region |
| 170 | Stasis dermatitis |
| 116 | Status epilepticus |
| 221 | Steatorrhea |
| 74 | Stein-Leventhal syndrome |
| 48 | Stem cell leukemia |
| 322 | Stenosis, pyloric, congenital |
| 233 | Stenosis, urethral, except congenital |
| 325 | Stenosis, urethral, congenital |
|  | Stenosis, heart valve – *see Valvular disease* |
| 392 | Sterilization, elective |
| 196 | Stomach disease, except ulcer and inflammation |
|  | Stomach ulcer – *see Ulcer, gastric* |
| 188 | Stomatitis |
| 126 | Strabismus |
| 363 | Strain, except knee, back, and sacroiliac region |
| 362 | Strain, back |
| 360 | Strain, knee |
| 361 | Strain, sacroiliac region |
| 4 | Streptococcal sore throat |
| 253 | Stress incontinence, female |
| 233 | Stricture of urethral meatus, except congenital |
| 325 | Stricture, urethra, congenital |
| 161 | Stroke, without paralysis |
| 162 | Stroke, with paralysis |
| 145 | Subacute bacterial endocarditis |
| 152 | Subarachnoid hemorrhage, without paralysis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 153 | Subarachnoid hemorrhage, with paralysis |
| 292 | Subcutaneous infection, except cellulitis |
| | Syndrome, organic brain — *see Organic brain syndrome* |
| 308 | Syndrome, vertebrogenic pain |
| 309 | Synovitis |
| 14 | Syphilis |
| 296 | Systemic lupus erythematosus (SLE) |
| 333 | Tachycardia, except paroxysmal |
| 148 | Tachycardia, paroxysmal, except atrial |
| 146 | Tachycardia, paroxysmal atrial or supraventricular |
| 314 | Talipes deformity, acquired |
| 16 | Tapeworm infestation |
| 358 | Tear, medial meniscus, current injury |
| 300 | Tear, medial meniscus, old |
| 121 | Tear, retinal |
| 309 | Tenosynovitis, except spine |
| 308 | Tenosynovitis, spine |
| 111 | Tension headache |
| 255 | Termination of pregnancy |
| 6 | Tetanus |
| 165 | Thoracic aortic aneurysm |
| 259 | Threatened abortion |
| 86 | Thrombocytopenia |
| 169 | Thrombophlebitis |
| 172 | Thrombophlebitis migrans |
| 167 | Thrombosis, arterial, except cerebral and precerebral |
| 158 | Thrombosis, cerebral, without paralysis |
| 159 | Thrombosis, cerebral, with paralysis |
| 172 | Thrombosis, portal vein |
| 156 | Thrombosis, precerebral, without paralysis |
| 157 | Thrombosis, precerebral, with paralysis |
| 172 | Thrombosis, vein |
| 70 | Thyroid disease, except nodule or goiter |
| 69 | Thyroid nodule or goiter |
| 70 | Thyrotoxicosis |
| 160 | TIA |
| 120 | Tic douloureux |
| 177 | Tonsillitis, chronic |
| 261 | Toxemia of pregnancy |
| 287 | Toxemia of pregnancy, with delivery |
| 261 | Toxemia of the puerperium |
| 287 | Toxemia of the puerperium, with delivery |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 174 | Tracheobronchitis, acute |
| 391 | Transfusion reaction |
| 160 | Transient ischemic attack (TIA) |
| 125 | Traumatic cataract |
| | Treatment |
| 398 | Chemotherapy |
| 397 | Dialysis |
| 398 | Physical therapy |
| 398 | Radiotherapy |
| 16 | Trichinosis |
| 17 | Trichomoniasis |
| | Tricuspid valve disease — *see Valvular disease* |
| 120 | Trigeminal neuralgia |
| 232 | Trigonitis |
| 254 | Tubal pregnancy |
| 3 | Tuberculosis, bone |
| 18 | Tuberculosis, late effect |
| 2 | Tuberculosis, lung |
| 3 | Tuberculosis, nonrespiratory |
| 2 | Tuberculosis, respiratory |
| 3 | Tuberculous meningitis |
| 363 | Twisted ankle |
| 13 | Typhus |
| 295 | Ulcer, decubitus |
| 192 | Ulcer, duodenal |
| 193 | Ulcer, duodenal, with hemorrhage or perforation |
| 190 | Ulcer, gastric |
| 191 | Ulcer, gastric, with hemorrhage or perforation |
| 192 | Ulcer, gastrojejunal |
| 193 | Ulcer, gastrojejunal, with hemorrhage or perforation |
| 192 | Ulcer, peptic, except gastric |
| 193 | Ulcer, peptic, except gastric, with hemorrhage or perforation |
| 194 | Ulcer, peptic, any site, with obstruction |
| 295 | Ulcer, skin |
| 170 | Ulcer, varicose, lower extremity |
| 211 | Ulcerative colitis |
| 73 | Uncontrolled diabetes mellitus |
| 324 | Undescended testis |
| 340 | Undiagnosed disease |
| 306 | Unstable low back |
| 173 | Upper respiratory infection, acute, except streptococcal |
| 225 | Uremia, except chronic |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Uremia, chronic |
| 229 | Ureteral calculus |
| 230 | Ureteral disease, except calculus |
| 231 | Urethral calculus |
| 234 | Urethral disease, except calculus and stricture |
| 233 | Urethral stenosis, except congenital |
| 325 | Urethral stenosis, congenital |
| 233 | Urethral stricture, except congenital |
| 325 | Urethral stricture, congenital |
| 234 | Urethritis |
| 266 | Urethritis, in pregnancy |
| 173 | URI |
| 234 | Urinary tract infection |
| 266 | Urinary tract infection, in pregnancy |
| 57 | Uterine fibroma |
| 248 | Uterine prolapse |
| 128 | Uveitis |
| 247 | Vaginal infection |
| 247 | Vaginitis, except atrophic and senile |
| 251 | Vaginitis, atrophic or senile |
| 314 | Valgus deformity, limb |
| 150 | Valvular disease, nonrheumatic |
| 136 | Valvular disease, rheumatic |
| 172 | Varices, esophagus |
| 170 | Varicose ulcer of lower extremity |
| 170 | Varicose veins of lower extremities |
| 314 | Varus deformity, limb |
| 14 | VD |
| 14 | Venereal disease |
| 11 | Venereal wart |
| 308 | Vertebrogenic pain syndrome |
| 340 | Vertigo |
| 12 | Viral encephalitis |
| 18 | Viral encephalitis, late effect |
| 7 | Viral meningitis |
| 18 | Viral meningitis, late effect |
| 11 | Viral wart |
| 128 | Vitreous abscess |
| 128 | Vitreous prolapse |
| 255 | Voluntary abortion |
| 207 | Volvulus |
| 339 | Vomiting |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 262 | Vomiting of pregnancy |
| 247 | Vulvar infection |
| 247 | Vulvitis |
| 11 | Warts, viral |
| 6 | Whooping cough |
| 92 | Withdrawal, alcohol |
| 93 | Withdrawal, drug |
| 390 | Wound dehiscence, postoperative |
| 389 | Wound infection, postoperative |
| 383 | Wound infection, posttraumatic |
|  | Wound, open — *see Laceration* |
| 12 | Yellow fever |